OFFICIAL COPY.

NOTES

FROM THE

ROYAL BOTANIC GARDEN,

EDINBURGH.

DECEMBER 1906.

CONTENTS.

Page.

List of Seeds collected in the Royal Botanic Garden, Edinburgh, during the Year 1906, - - - - cxxvii

GLASGOW:

PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE

By JAMES HEDDERWICK & SONS, LTD.,

AT "THE CITIZEN" PRESS, ST. VINCENT PLACE.

SOLD AT THE GARDEN,

And to be purchased, either directly or through any Bookseller, from

OLIVER & BOYD, EDINBURGH.

[PRICE NINEPENCE.]

[All rights reserved.]

Mo. Bot. Garden
1908

List of Seeds Collected in the Royal Botanic Garden, Edinburgh, during the Year 1906.

The following is a list of plants cultivated in the Royal Botanic Garden, Edinburgh, from which ripened seeds have been collected during the year 1906. The quantity of seed obtained from some of the species is of limited amount. The seeds are available for exchange, but they are not for sale :—

PLANTS IN THE OPEN.

Acæna

argentea, *Ruiz* et *Pav.*
glabra, *J. Buch.*
inermis, *Hook. f.*
microphylla, *Hook. f.*
myriophylla, *Lindl.*
ovalifolia, *Ruiz* et *Pav.*
Sanguisorbæ, *Vahl*
sericea, *Jacq.*

Acanthus

Schottii, *Hort.*

Acer

circinnatum, *Pursh*
monspessulanum, *Linn.*
opulifolium, *Vill.*, var. obtusatum.
platanoides, *Linn.*
Pseudo-platanus, *Linn.*
— var. purpureum.
rufinerve, *Sieb.* et *Zucc.*

Aconitum

Fischeri, *Reichb.*
longigaleatum, *Hort.*
Lycoctonum, *Linn.*
Napellus, *Linn.*
paniculatum, *Lam.*
reclinatum, *A. Gray*
uncinatum, *Linn.*
variegatum, *Linn.*

Acroglochin

chenopodioides, *Schrad.*

Actæa

alba, *Mill.*
spicata, *Linn.*
— var. rubra.

Actinella

scaposa, *Nutt.*

Actinomeris

helianthoides *Nutt.*

Adenocarpus

intermedius, *DC.*

Adenophora

polymorpha, *Ledeb.*
Potanini, *Batalin*
stylosa, *Fisch.*

Adlumia

cirrhosa, *Rafin.*

Adonis

autumnalis, *Linn.*
vernalis, *Linn.*

Æsculus

Hippocastanum, *Linn.*

Æthionema

armenum, *Boiss.*
cordatum, *Boiss.*
grandiflorum, *Boiss.* et *Hohen.*

Agrimonia

agrimonioides, *Linn.*
Eupatoria, *Linn.*

Agropyron

acutum, *Roem.* et *Schult.*
dasyanthum, *Ledeb.*
tenerum, *Vasey*

Agrostis

nigra, *With.*

Ajuga

genevensis, *Linn.*
pyramidalis, *Linn.*

Alchemilla

alpina, *Linn.*, var. conjuncta (*Bab.*)
arvensis, *Scop.*

Alisma

Plantago, *Linn.*

Alkanna

lutea, *A. DC.*
tinctoria, *Tausch*

Allium

Aschersonianum, *Barbey*
cardiostemon, *Fisch.* et *Mey.*
carinatum, *Linn.*
cernuum, *Roth*
fistulosum, *Linn.*
flavum, *Linn.*
giganteum, *Regel*
kansuense, *Regel*
karataviense, *Regel*
macranthum, *Baker*
margaritaceum, *Sibth.* et *Sm.*
Moly, *Linn.*
mutabile, *Michx.*
narcissiflorum, *Vill.*
odorum, *Linn.*
oleraceum, *Linn.*
oreophilum, *C. A. Mey.*
orientale, *Boiss.*
Ostrowskianum, *Regel*
polyphyllum, *Kar.* et *Kir.*
pulchellum, *G. Don*
rubellum, *Bieb.*
sativum, *Linn.*
scabriflorum, *Boiss.*
Schœnoprasum, *Linn.*
Schuberti, *Zucc.*
senescens, *Linn.*
subvillosum, *Salzm.*
urceolatum, *Regel*
vineale, *Linn.*
viviparum, *Kar.* et *Kir.*

Alnus

cordifolia, *Tenore*
glutinosa, *Medic.*
— var. rubrinervia.
incana, *Moench*
japonica, *Sieb.* et *Zucc.*
serrulata, *Willd.*
subcordata, *C. A. Mey.*
viridis, *DC.*

Alonsoa

caulialata, *Ruiz* et *Pav.*

Alopecurus

geniculatus, *Linn.*
pratensis, *Linn.*

Alstroemeria

aurantiaca, *Don*
revoluta, *Ruiz* et *Pav.*

Althæa

rosea, *Cav.*

Alyssum

argenteum, *Vitm.*
condensatum, *Boiss.* et *Hausskn.*
creticum, *Linn.*
idæum, *Boiss.* et *Heldr.*
montanum, *Linn.*
podolicum, *Bess.*
saxatile, *Linn.*
— var. sulphureum.
serpyllifolium, *Desf.*
spinosum, *Linn.*
—Wierzbickii, *Heuffl.*

Amethystea

cærulea, *Linn.*

Ammi

majus, *Linn.*

Ammobium

alatum, *R. Br.*

Amphicarpæa

monoica, *Ell.*

Anagallis

arvensis, *Linn.*
— var. cærulea.

Anchusa

capensis, *Thunb.*
italica, *Retz.*
officinalis, *Linn.*
sempervirens, *Linn.*

Androsace

carnea, *Linn.*
—var. brigantiaca.
lactea, *Linn.*
lactiflora, *Fisch.*
Laggeri, *Huet*
lanuginosa, *Wall.*
sarmentosa, *Wall.*
septentrionalis, *Linn.*

Anemone

alpina, *Linn.*
— var. sulphurea.
baicalensis, *Turcz.*
cylindrica, *A. Gray*
decapetala, *Arduini*
multifida, *Poir.*
polyanthes, *D. Don*
pratensis, *Linn.*
rivularis, *Buch.-Ham.*
sylvestris, *Linn.*
— var. majus.
virginiana, *Linn.*
vitifolia, *Buch.-Ham.*

Anthemis
Biebersteiniana, *C. Koch*
ptarmicæformis, *C. Koch*
tinctoria, *Linn.*

Anthericum
Liliago, *Linn.*

Anthoxanthum
odoratum, *Linn.*

Anthyllis
sericea, *Lag.*
Vulneraria, *Linn.*, var. Dillenii.

Antirrhinum
Asarina, *Linn.*
glutinosum, *Boiss.* et *Reut.*
majus, *Linn.*
Orontium, *Linn.*
sempervirens, *Lapeyr.*

Apera
arundinacea, *Hook. f.*
interrupta, *Beauv.*
Spica-Venti, *Beauv.*

Aphyllanthes
monspeliensis, *Linn.*

Apium
graveolens, *Linn.*

Aquilegia
alpina, *Linn.*
cærulea, *James*
californica, *A. Gray*, var. alba.
canadensis, *Linn.*
chrysantha, *A. Gray*
Einseliana, *F. Schultz*
pyrenaica, *DC.*
Skinneri, *Hook.*
thalictrifolia, *Schott* et *Kotschy*
vulgaris, *Linn.*
— var. atrata.
—var. flore pleno.

Arabis
albida, *Stev.*
Allionii, *DC.*
alpina, *Linn.*
— var. anachoretica.
bellidifolia, *Jacq.*
cærulea, *Haenke*
hirsuta, *Scop.*
muralis, *Bertol.*, var. rosea.
petræa, *Lam.*
stricta, *Huds.*
Turczaninowii, *Ledeb.*
Turrita, *Linn.*

Archangelica
officinalis, *Hoffm.*

Arctotis
stœchadifolia, *Berg.*

Arenaria
balearica, *Linn.*
ciliata, *Linn.*
erythrosepala, *Boiss.*
Fendleri, *A. Gray*
— var. diffusa.
foliosa, *Royle*
gothica, *Fries*
gracilis, *Kit.*
graminifolia, *Schrad.*
gypsophiloides, *Linn.*
Holostea, *Bieb.*
juniperina, *Linn.*
lanceolata, *All.*
laricifolia, *Linn.*
Ledebouriana, *Fenzl*
pinifolia, *Bieb.*
purpurascens, *Ramond*
tetraquetra, *Linn.*
trinervia, *Linn.*
verna, *Linn.*

Argemone
mexicana, *Linn.*

Armeria
maritima, *Willd.*

Arnica
amplexicaulis, *Nutt.*
Chamissonis, *Less.*
montana, *Linn.*

Arracacia
arguta, *Benth.* et *Hook. f.*

Arrhenatherum
avenaceum, *Beauv.*

Asperula
ciliata, *Rochel*
lævigata, *Linn.*
longiflora, *Waldst.* et *Kit.*
odorata, *Linn.*
orientalis, *Boiss.* et *Hohen.*
tinctoria, *Linn.*

Asphodeline
Balansæ, *J. Gay*
Dammeriana, *Siehe*
liburnica, *Reichb.*

Asphodelus
albus, *Willd.*

Aster
diplostephioides, *Benth.* et *Hook. f.*
floribundus, *Nutt.*
Fremonti, *A. Gray*
himalaicus, *C. B. Clarke*
incisus, *Fisch.*
lævis, *Linn.*, var. decorus.
leucanthemus, *Rafin.*
macrophyllus, *Linn.*
Novæ-Angliæ, *Linn.*

Aster—*continued.*
paniculatus, *Lam.*
patens, *Ait.*
puniceus, *Linn.*
pyrenæus, *DC.*
Radula, *Ait.*
sagittifolius, *Willd.*
sibiricus, *Linn.*
tataricus, *Linn. f.*

Astilbe
chinensis, *Maxim.*, var.
Davidii, *Franch.*

Astragalus
Cicer, *Linn.*
danicus, *Retz.*, var. albus.
falcatus, *Lam.*
Glyciphyllos, *Linn.*
monspessulanus, *Linn.*
Onobrychis, *Linn.*
purpureus, *Lam.*
sinicus, *Linn.*
vaginatus, *Pall.*

Astrantia
carniolica, *Wulf.*
helleborifolia, *Salisb.*
major, *Linn.*
— var. intermedia.
minor, *Linn.*
neglecta, *C. Koch* et *Bouché*

Athamanta
Matthioli, *Wulf.*

Atraphaxis
Billardieri, *Jaub.* et *Spach*

Atriplex
Babingtonii, *Woods*
hortensis, *Linn.*, var. purpurea.
patula, *Linn.*

Atropa

Belladonna, *Linn.*

Aubrietia

Columnæ, *Guss.*
croatica, *Schott*, *Nyman* et *Kotschy*
deltoidea, *DC.*, var. cilicica.

Avena

pratensis, *Linn.*
sterilis, *Linn.*

Axyris

amaranthoides, *Linn.*

Baccharis

patagonica, *Hook.* et *Arn.*

Bæria

coronaria, *A. Gray*

Baldwinia

multiflora, *Nutt.*

Ballota

nigra, *Linn.*

Barbarea

præcox, *R. Br.*
vulgaris, *R. Br.*

Bellis

annua, *Linn.*
perennis, *Linn.*, var. fistulosa.
rotundifolia, *Boiss.* et *Reut.*, var. cærulescens.

Bellium

bellidioides, *Linn.*

Benincasa

cerifera, *Savi*

Berberis

angulosa, *Wall.*
Aquifolium, *Pursh*
aristata, *DC.*
cretica, *Linn.*
Darwinii, *Hook.*
stenophylla, *Moore*
virescens, *Hook. f.*
vulgaris, *Linn.*
Wallichiana, *DC.*

Berkheya

purpurea, *Benth.* et *Hook. f.*
Radula, *Hort. Kew.*

Beta

trigyna, *Waldst.* et *Kit.*
vulgaris, *Linn.*

Betula

alba, *Linn.*
— var. pubescens.
Ermani, *Cham.*

Bidens

grandiflora, *Balb.*

Biscutella

cichoriifolia, *Loisel.*
lævigata, *Linn.*

Blumenbachia

Hieronymi, *Urb.*

Bocconia

microcarpa, *Maxim.*

Boltonia

– incisa, *Benth.*

Borago
laxiflora, *Willd.*
officinalis, *Linn.*

Bowlesia
tenera, *Spreng.*

Boykinia
aconitifolia, *Nutt.*
rotundifolia, *Parry*

Brachycome
iberidifolia, *Benth.*

Brassica
Erucastrum, *Linn.*
oleracea, *Linn.*

Bravoa
geminiflora, *Lex.*

Briza
maxima, *Linn.*

Brodiæa
Douglasii, *S. Wats.*
hyacinthina, *Baker*, var. lactea.
ixioides, *S. Wats.*

Bromus
ciliatus, *Linn.*
inermis, *Leyss.*
Tacna, *Steud.*
unioloides, *H.B.* et *K.*

Bruckenthalia
spiculifolia, *Reichb.*

Bryanthus
empetriformis, *A. Gray*
taxifolius, *A. Gray*

Bryonia
dioica, *Jacq.*

Buddleia
Hemsleyana, *Hort.*
intermedia, *Carr.*
variabilis, *Hemsl.*
—var. Veitchiana.

Bufonia
macrosperma, *J. Gay*
tenuifolia, *Linn.*

Bulbinella
Hookeri, *Benth.* et *Hook. f.*

Buphthalmum
salicifolium, *Linn.*
speciosum, *Schreb.*

Bupleurum
Candollei, *Wall.*
longifolium, *Linn.*
rotundifolium, *Linn.*
stellatum, *Linn.*

Butomus
umbellatus, *Linn.*

Calamintha
alpina, *Lam.*
Clinopodium, *Benth.*
grandiflora, *Moench*
patavina, *Host*

Calceolaria
chelidonioides, *H. B.* et *K.*
plantaginea, *Sm.*

Calendula
arvensis, *Linn.*
officinalis, *Linn.*

Callirhoë
digitata, *Nutt.*

Callistephus
hortensis, *Cass.*

Calochortus
venustus, *Dougl.*

Camassia
Cusickii, *S. Wats.*
esculenta, *Lindl.*
— var. alba.
Leitchtlinii, *S. Wats.*

Camelina
sylvestris, *Wallr.*

Campanula
alliariæfolia, *Willd.*
alpina, *Jacq.*
argæa, *Boiss.* et *Bal.*
barbata, *Linn.*
cæspitosa, *Scop.*
carnica, *Schiede*
carpatica, *Jacq.*, var. turbinata.
glomerata, *Linn.*
Grossekii, *Heuffl.*
lactiflora, *Bieb.*
— var. alba.
— var. macrantha.
— var. Van Houttei.
latifolia, *Linn.*
libanotica, *A. DC.*
linifolia, *Scop.*
michauxioides, *Boiss.*
mirabilis, *Alboff*
persicifolia, *Linn.*
— var. alba.
— var. Moerheimi.
planiflora, *Lam.*, var. alba.
pulla, *Linn.*
punctata, *Lam.*, var. alba.
pusilla, *Hænke*
— var. alba.
pyramidalis, *Linn.*, var. alba.

Campanula—*continued.*
rapunculoides, *Linn.*
rhomboidalis, *Linn.*
rotundifolia, *Linn.*
sibirica, *Linn.*, var. divergens.
thyrsoides, *Linn.*
Trachelium, *Linn.*
versicolor, *Sibth.* et *Sm.*
Vidalii, *H. C. Wats.*
Waldsteiniana, *Roem.* et *Schult.*

Caragana
arborescens, *Lam.*

Carbenia
benedicta, *Adans.*

Cardamine
Impatiens, *Linn.*
latifolia, *Vahl*

Carduncul us
cæruleus, *Less.*

Carduus
acanthoides, *Linn.*
defloratus, *Linn.*
nutans, *Linn.*

Carex
aquatilis, *Wahlenb.*
arenaria, *Linn.*
atrata, *Linn.*
binervis, *Sm.*
capillaris, *Linn.*
curta, *Good.*, var.
robustior, *Blytt*
depauperata, *Good.*
dioica, *Linn.*
distans, *Linn.*
disticha, *Huds.*
divulsa, *Good.*
echinata, *Murr.*
extensa, *Good.*, var. pumila.
flava. *Linn.*

Carex—*continued.*
flava, var. Oederi.
— var. viridula.
frigida, *All.*
glauca, *Scop.*
Grahami, *Boott*
Grayii, *Carey*
hirta, *Linn.*
hordeistichos, *Vill.*
Hornschuchiana, *Hoppe*
incurva, *Lightf.*
irrigua, *Sm.*
lævigata, *Sm.*
laxiflora, *Lam.*
Leersii, *F. Schult.*
leporina, *Linn.*
Mairii, *Coss.* et *Germ.*
microglochin, *Wahlenb.*
muricata, *Linn.*
ornithopoda, *Willd.*
pallescens, *Linn.*
paludosa, *Good.*
panicea, *Linn.*
paniculata, *Linn.*
Pseudo-cyperus, *Linn.*
pulicaris, *Linn.*
punctata, *Gaud.*
rariflora, *Sm.*
remota, *Linn.*
rigida, *Good.*
riparia, *Curt.*
saxatilis, *Linn.*
sparganioides, *Muhl.*
stricta, *Good.*
strigosa, *Huds.*
sylvatica, *Huds.*
teretiuscula, *Good.*
tomentosa, *Linn.*
vaginata, *Tausch*
Vahlii, *Schkuhr*
Vilmorini, *Mottet*
vulgaris, *Fries*

Carmichaelia
flagelliformis, *Colenso*

Carpoceras
cilicicum, *Boiss.* et *Kurz*

Carrichtera
Vella, *DC.*

Carthamus
tinctorius, *Linn.*

Carum
Petroselinum, *Benth.* et *Hook. f.*

Cassandra
calyculata, *D. Don*

Catananche
bicolor, *Hort.*
cærulea, *Linn.*

Cathcartia
villosa, *Hook. f.*

Cedronella
triphylla, *Moench*

Celastrus
scandens, *Linn.*

Celsia
cretica, *Linn. f.*
pontica, *Boiss.*

Cenia
turbinata, *Pers.*

Centaurea
alpina, *Linn.*
Clementei, *Boiss.*
Cyanus, *Linn.*
— var. minor.

Centaurea—*continued.*
macrocephala, *Puschk.*
montana, *Linn.*
nervosa, *Willd.*
nigra, *Linn.*
pectinata, *Linn.*
pseudo-collina, *Schur*
Rhaponticum, *Linn.*
ruthenica, *Lam.*
rutifolia, *Sibth.* et *Sm.*
Scabiosa, *Linn.*
sphærocephala, *Linn.*
stereophylla, *Bess.*
uniflora, *Linn.*

Centranthus
macrosiphon, *Boiss.*
ruber, *DC.*
-- var. albus.

Cephalaria
alpina, *Schrad.*
radiata, *Griseb.* et *Schenk*
tatarica, *Schrad.*
— var. minor.

Cerastium
alpinum, *Linn.*
arvense, *Linn.*, var. grandiflorum.
Boissieri, *Gren.*
ovatum, *Hoppe*
perfoliatum, *Linn.*
tomentosum, *Linn.*

Chærophyllum
aureum, *Linn.*

Chamælirium
carolinianum, *Willd.*

Charieis
heterophylla, *Cass.*

Cheiranthus
Cheiri, *Linn.*
mutabilis, *L'Hérit.*
Senoneri, *Heldr.* et *Sart.*

Chelidonium
Franchetianum, *Prain*
majus, *Linn.*
— var. laciniatum.

Chelone
Lyoni, *Pursh*

Chenopodium
Bonus-Henricus, *Linn.*
Botrys, *Linn.*
capitatum, *Aschers.*

Chlorogalum
pomeridianum, *Kunth*

Chorispora
tenella, *DC.*

Chrysanthemum
arcticum, *Linn.*
Balsamita, *Linn.*
caucasicum, *Pers.*
coccineum, *Willd.*
coronopifolium, *Vill.*, var. hybridum.
Leucanthemum, *Linn.*
maximum, *Ramond*
montanum, *Linn.*
Parthenium, *Bernh.*
segetum, *Linn.*

Chrysopsis
villosa, *DC.*, var. Rutteri.

Cichorium
Intybus, *Linn.*

Cimicifuga

elata, *Nutt.*
racemosa, *Nutt.*

Cistus

cyprius, *Lam.*
hirsutus, *Lam.*
ladaniferus, *Linn.*
— var. maculatus.
laurifolius, *Linn.*
purpureus, *Linn.*
vaginatus, *Dryand.*
villosus, *Linn.*
— var. undulatus, *Willk.*

Clarkia

elegans, *Dougl.*

Claytonia

virginica, *Linn.*

Clematis

alpina, *Mill.*, var. alba.
erecta, *Linn.*
heracleæfolia, *DC.*
montana, *Buch.-Ham.*
orientalis, *Linn.*
paniculata, *Thunb.*
recta, *Linn.*
songorica, *Bunge*

Clypeola

Jonthlaspi, *Linn.*

Cneorum

tricoccum, *Linn.*

Cnicus

centauroides, *Linn.*
conspicuus, *Hemsl.*
Diacantha, *Desf.*
eriophorus, *Roth*
Falconeri, *Hook. f.*

Cnicus—*continued.*

græcus, *Hort.*
heterophyllus, *Roth*
— var. albus.
pannonicus, *Host*, var. divaricatus.
pratensis, *Willd.*
tartaricus, *Willd.*
tauricus, *Hort.*

Cochlearia

glastifolia, *Linn.*
officinalis, *Linn.*
saxatilis, *Linn.*

Codonopsis

ovata, *Benth.*
rotundifolia, *Royle*

Collinsia

bicolor, *Benth.*

Collomia

coccinea, *Lehm.*
grandiflora, *Dougl.*
heterophylla, *Hook.*

Colutea

arborescens, *Linn.*
cruenta, *Ait.*
longialata, *Koehne*
media, *Willd.*

Conium

maculatum, *Linn.*

Conringia

orientalis, *Dum.*

Convallaria

majalis, *Linn.*

Convolvulus
spinosus, *Burm. f.*
tenuissimus, *Sibth.* et *Sm.*

Coptis
trifolia, *Salisb.*

Coreopsis
coronata, *Hook.*

Coriandrum
sativum, *Linn.*

Coriaria
myrtifolia, *Linn.*

Corispermum
hyssopifolium, *Linn.*

Cornucopiæ
cucullatum, *Linn.*

Cornus
alba, *Linn.*

Coronilla
montana, *Scop.*
varia, *Linn.*

Cortusa
Matthioli, *Linn.*
pubens, *Schott*, *Nyman* et *Kotschy*
villosa, *Hort.*

Corydalis
cheilanthifolia, *Hemsl.*
glauca, *Pursh*
lutea, *DC.*
racemosa, *Pers.*

Cosmos
bipinnatus, *Cav.*

Cotoneaster
acuminata, *Lindl.*
affinis, *Lindl.*
bacillaris, *Wall.*
buxifolia, *Wall.*
frigida, *Wall.*
horizontalis, *Decne.*
microphylla, *Wall.*
— var. glacialis.
Nummularia, *Fisch.* et *Mey.*
pannosa, *Franch.*
rotundifolia, *Wall.*
Simonsii, *Baker*
thymifolia, *Baker*

Cotyledon
Aizoon, *Benth.* et *Hook. f.*
chrysanthus, *Benth.* et *Hook. f.*

Crambe
cordifolia, *Stev.*
Tataria, *Sebéok*

Cratægus
Azarolus, *Linn.*
Carrierei, *Vauvel*
coccinea, *Linn.*
Douglasii, *Lindl.*
intricata, *Lange*
mollis, *Scheele*
orientalis, *Pall.*
Oxyacantha, *Linn.*
— sub-sp. monogyna, *Jacq.*
— var. pinnatiloba.
— sub-sp. oxyacanthoides, *Thuill.*
Pyracantha, *Pers.*
tanacetifolia, *Pers.*

Crepis
paludosa, *Moench*
robertioides, *Boiss.*
sibirica, *Linn.*

Crocus
speciosus, *Bieb.*

Crucianella
angustifolia, *Linn.*

Crupina
vulgaris, *Cass.*

Cryptostemma
calendulaceum, *R. Br.*

Cupressus
Lawsoniana, *A. Murr.*
macrocarpa, *Hartw.*
nootkatensis, *Lam.*

Cyananthus
lobatus, *Wall.*

Cyclamen
hederæfolium, *Ait.*, var. album.

Cynara
Cardunculus, *Linn.*

Cynoglossum
microglochin, *Benth.*
officinale, *Linn.*
Wallichii, *G. Don*

Cytisus
albus, *Linn.*
Ardoini, *Fourn.*
biflorus, *L'Hérit.*
leucanthus, *Waldst.* et *Kit.*
purgans, *Boiss.*
purpureus, *Scop.*
scoparius, *Link*
— var. Andreanus.

Daboëcia
polifolia, *D. Don*

Dahlia
Merckii, *Lehm.*

Daphne
alpina, *Linn.*
Mezereum, *Linn.*
— var. flore albo.

Datura
Stramonium, *Linn.*

Daucus
Carota, *Linn.*

Delphinium
Ajacis, *Reichb.*
azureum, *Michx.*
cashmirianum, *Royle*
caucasicum, *C. A. Mey.*
dictyocarpum, *DC.*
flexuosum, *Rafin.*
formosum, *Boiss.* et *Huet*
grandiflorum, *Linn.*, var. album.
hybridum, *Steph.*
Maackianum, *Regel*
nudicaule, *Torr.* et *Gray*
pictum, *Willd.*
speciosum, *Bieb.*, var. turkestanicum.
tatsienense, *Franch.*
truncatum, *Hort.*

Deschampsia
cæspitosa, *Beauv.*

Dianthus
alpinus, *Linn.*
Armeria, *Linn.*
brevicaulis, *Fenzl*
cæsius, *Sm.*
calocephalus, *Boiss.*
carthusianorum, *Linn.*
ciliatus, *Guss.*

Dianthus—*continued.*
cruentus, *Griseb.*
deltoides, *Linn.*
— var. albus.
fragrans, *Bieb.*
Freynii, *Vandas*
hæmatocalyx, *Boiss.* et *Heldr.*
monspessulanus, *Linn.*
neglectus, *Loisel.*
Noëanus, *Boiss.*
pallens, *Sibth.* et *Sm.*
petræus, *Waldst.* et *Kit.*
— var. spiculifolius.
pubescens, *Sibth.* et *Sm.*
Requienii, *Gren.* et *Godr.*
squarrosus, *Bieb.*
Sternbergii, *Sibth.*
strictus, *Sibth.* et *Sm.*
subacaulis, *Vill.*
superbus, *Linn.*
trifasciculatus, *Kit.*
Waldsteinii, *Sternb.*

Dictamnus
albus, *Linn.*, var. purpureus.

Dierama
ensifolium, *C. Koch* et *Bouché*
pulcherrimum, *Baker*

Diervilla
florida, *Sieb.* et *Zucc.*
—var. alba.
japonica, *DC.*
Lonicera, *Mill.*
sessilifolia, *Buckl.*

Digitalis
ambigua, *Murr.*
lutea, *Linn.*
purpurea, *Linn.*

Dimorphotheca
aurantiaca, *DC.*
pluvialis, *Moench*

Dipcadi
serotinum, *Medic.*

Diphylleia
cymosa, *Michx.*

Dipsacus
sylvestris, *Mill.*

Dischisma
arenarium, *E. Mey.*

Disporum
lanuginosum, *Nichols.*

Dodecatheon
Meadia, *Linn.*
— var. album.

Dorycnium
suffruticosum, *Vill.*

Downingia
elegans, *Torr.*

Draba
aizoides, *Linn.*
Aizoon, *Wahlenb.*
arabisans, *Michx.*
Athoa, *Boiss.*
aurea, *Vahl*
bryoides, *DC.*
cornuta, *Hort.*
cuspidata, *Bieb.*
fladnizensis, *Wulf.*
grandiflora, *Franch.*
hirta, *Linn.*
incana, *Linn.*

Draba—*continued.*
Kotschyi, *Stur*
Mawii, *Hook. f.*
natolica, *Boiss.*
rupestris, *R. Br.*
siliquosa, *Bieb.*
streptocarpa, *A. Gray*
tomentosa, *Wahlenb.*
— var. frigida.

Dracocephalum
Moldavica, *Linn.*
nutans, *Linn.*
Ruyschiana, *Linn.*
— var. japonicum.
speciosum, *Benth.*

Drosera
intermedia, *Hayne*
longifolia, *Hayne*
rotundifolia, *Linn.*

Dryas
octopetala, *Linn.*

Eccremocarpus
scaber, *Ruiz* et *Pav.*

Echinodorus
ranunculoides, *Engelm.*

Echinops
bannaticus, *Rochel*
niveus, *Wall.*
Ritro, *Linn.*

Echinospermum
heteracanthum, *Ledeb.*
Lappula, *Lehm.*

Echium
bifrons, *DC.*
plantagineum, *Linn.*
rosulatum, *Lange*
vulgare, *Linn.*

Eleocharis
palustris, *R. Br.*

Elsholtzia
cristata, *Willd.*

Elymus
condensatus, *J.* et *C. Presl*
giganteus, *Vahl*
sibiricus, *Linn.*

Emex
spinosa, *Campd.*

Emilia
flammea, *Cass.*

Enarthrocarpus
lyratus, *DC.*

Encelia
calva, *A. Gray*

Enkianthus
himalaicus, *Hook. f.* et *Thoms.*

Epilobium
alpinum, *Linn.*
alsinifolium, *Vill.*
angustifolium, *Linn.*
— var. album.
Billardierianum, *Ser.*
Dodonæi, *Vill.*
glabellum, *Forst.*
haloragifolium, *A. Cunn.*
Hectori, *Hausskn.*
Lamyi, *Schultz*
montanum, *Linn.*
nummularifolium, *R. Cunn.*
pedicellare, *Presl*
rosmarinifolium, *Haenke*
— var. sericeum.

Epimedium
pinnatum, *Fisch.*

Eremurus
Bungei, *Baker*
himalaicus, *Baker*
robustus, *Regel*

Erica
ciliaris, *Linn.*
cinerea, *Linn.*
— var. alba.
— var. coccinea.
— var. pallida.
stricta, *Donn*
Tetralix, *Linn.*
Watsoni, *DC.*

Erigeron
multiradiatus, *Benth.* et *Hook. f.*
salsuginosus, *A. Gray*
Villarsii, *Bell.*

Erinus
alpinus, *Linn.*
— var. albus.
— var. carmineus.

Eriogonum
racemosum, *Nutt.*

Erodium
absinthoides, *Willd.*
chelidonifolium, *Hort.*
gruinum, *Soland.*
guttatum, *Willd.*
Manescavi, *Coss.*
moschatum, *L'Hérit.*
supracanum, *L'Hérit.*

Erophila
vulgaris, *DC.*

Eruca
sativa, *Mill.*

Eryngium
agavifolium, *Griseb.*
alpinum, *Linn.*
amethystinum, *Linn.*
Bourgati, *Gouan*
giganteum, *Bieb.*
Oliverianum, *Delar.*
Sanguisorba, *Cham.* et *Schlecht.*

Erysimum
asperum, *DC.*
ochroleucum, *DC.*, var. helveticum.
Perofskianum, *Fisch.* et *Mey.*
thyrsoideum, *Boiss.*

Erythræa
elodes, *Roem.* et *Schult.*
linarifolia, *Pers.*
Massoni, *Sweet*

Erythronium
grandiflorum, *Pursh*, var. roseum.

Escallonia
exoniensis, *Hort.*
langleyensis, *Hort.*
macrantha, *Hook.* et *Arn.*
Philippiana, *Mast.*
pterocladon, *Hook.*
punctata, *DC.*
rubra, *Pers.*

Eschscholzia
californica, *Cham.*

Euclidium
syriacum, *R. Br.*

Eupatorium
cannabinum, *Linn.*
Kirilowii, *Turcz.*
purpureum, *Linn.*

Euphorbia
Lathyris, *Linn.*
Myrsinites, *Linn.*
trapezoidalis, *Boiss.*

Evax
asterisciflora, *Pers.*

Fabiana
imbricata, *Ruiz* et *Pav.*

Fagopyrum
esculentum, *Moench*

Farsetia
clypeata, *R. Br.*

Felicia
fragilis, *Cass.*

Ferula
communis, *Linn.*

Festuca
bromoides, *Linn.*
capillifolia, *Dufour*
duriuscula, *Linn.*
elatior, *Linn.*
Halleri, *All.*
heterophylla, *Lam.*
ovina, *Linn.*
— var. tenuifolia.
rigida, *Kunth*
rubra, *Linn.*

Filago
germanica, *Linn.*

Fœniculum
giganteum, *Hort.*

Fragaria
Daltoniana, *J. Gay*
indica, *Andr.*
vesca, *Linn.*, var. muricata.

Frankenia
pulverulenta, *Linn.*

Fraxinus
excelsior, *Linn.*

Fritillaria
Elwesii, *Boiss.*
lutea, *Mill.*
messanensis, *Rafin.*

Fuchsia
Riccartoni, *Hort.*

Fumaria
officinalis, *Linn.*, var. muralis.

Funkia
lancifolia, *Spreng.*
Sieboldiana, *Hook.*

Galactites
tomentosa, *Moench*

Galanthus
Elwesii, *Hook. f.*

Galax
aphylla, *Linn.*

Galega
officinalis, *Linn.*
— var. carnea plena.
orientalis, *Lam.*

Galinsoga
parviflora, *Cav.*

Galium

boreale, *Linn.*
lithospermifolium, *Fisch.*
Mollugo, *Linn.*
saccharatum, *All.*
saxatile, *Linn.*

Galtonia

candicans, *Decne.*

Gastridium

australe, *Beauv.*

Gaudinia

fragilis, *Beauv.*

Gaultheria

nummularioides, *D. Don*
procumbens, *Linn.*
Shallon, *Pursh*
trichophylla, *Royle*

Gaura

Lindheimeri, *Engelm.* et *Gray*

Genista

anglica, *Linn.*
cinerea, *DC.*
hispanica, *Linn.*
pilosa, *Linn.*
radiata, *Scop.*
sagittalis, *Linn.*
tinctoria, *Linn.*
— var. elatior.

Gentiana

acaulis, *Linn.*
asclepiadea, *Linn.*
— var. alba.
brevidens, *Franch.* et *Sav.*
Cruciata, *Linn.*
decumbens, *Linn.*

Gentiana—*continued.*

linearis, *Froel.*
macrophylla, *Pall.*
pannonica, *Scop.*
phlogifolia, *Schott* et *Kotschy*
Pneumonanthe, *Linn.*
punctata, *Linn.*
Saponaria, *Linn.*
scabra, *Bunge*
septemfida, *Pall.*
straminea, *Maxim.*
tibetica, *King*
verna, *Linn.*

Geranium

anemonæfolium, *L'Hérit.*
cinereum, *Cav.*
Endressi, *J. Gay*
Fremontii, *Torr.*
incisum, *Nutt.*
macrorrhizum, *Linn.*
molle, *Linn.*
phæum, *Linn.*
polyanthes, *Edgew.* et *Hook. f.*
pratense, *Linn.*
pyrenaicum, *Linn.*
— var. album.
Richardsonii, *Fisch.* et *Trautv.*
— var. album.
Robertianum, *Linn.*
— var. album.
sanguineum, *Linn.*
— var. lancastriense.
striatum, *Linn.*
subcaulescens, *L'Hérit.*
sylvaticum, *Linn.*
Wilfordi, *Maxim.*

Gerbera

Kunzeana, *A. Br.* et *Aschers.*
nivea, *Sch. Bip.*

Geum

Borissi, *Hort.*
chiloënse, *Balb.*
elatum, *Wall.*
Eweni, *Hort.*
Heldreichii, *Hort.*
hispidum, *Fries*
intermedium, *Ehrh.*
Laxmanni, *Gaertn.*
montanum, *Linn.*
pyrenaicum, *Mill.*
rhæticum, *Brügg.*
rivale, *Linn.*
triflorum, *Pursh*
urbanum, *Linn.*

Gilia

androsacea, *Steud.*
dichotoma, *Benth.*
tricolor, *Benth.*

Gillenia

stipulacea, *Nutt.*

Gladiolus

atroviolaceus, *Boiss.*
segetum, *Ker-Gawl.*

Glaucium

flavum, *Crantz*
leptopodum, *Maxim.*

Gnaphalium

supinum, *Linn.*

Goldbachia

lævigata, *DC.*

Goodyera

pubescens, *R. Br.*
repens, *R. Br.*

Graphephorum

arundinaceum, *Aschers.*

Grindelia

squarrosa, *Dun.*

Guizotia

abyssinica, *Cass.*

Gunnera

chilensis, *Lam.*

Gypsophila

dubia, *Willd.*
paniculata, *Linn.*
prostrata, *Linn.*
repens, *Linn.*
— var. monstrosa.

Haberlea

rhodopensis, *Frivald.*

Hacquetia

Epipactis, *DC.*

Haloragis

alata, *Jacq.*

Haplocarpha

Leichtlinii, *N. E. Br.*

Hebenstretia

comosa, *Hochst.*

Hedysarum

coronarium, *Linn.*
sibiricum, *Poir.*

Helenium

autumnale, *Linn.*

Helianthemum

canum, *Boiss.*
Fumana, *Mill.*
halimifolium, *Pers.*
polifolium, *DC.*
Tuberaria, *Mill.*
umbellatum, *Mill.*
vulgare, *Gaertn.*

Helianthus

annuus, *Linn.*
pumilus, *Nutt.*

Heliophila

amplexicaulis, *Linn.*
laevis, *Pers.*
pilosa, *Lam.*

Heliopsis

padula, *Wender.*
scabra, *Dun.*, var. Pitcheriana.

Heliotropium

europæum, *Linn.*

Helipterum

Humboldtianum, *DC.*
Manglesii, *F. Muell.*, var. maculatum.

Helleborus

punctatus, *Hort.*

Helonias

bullata, *Linn.*

Hemerocallis

Dumortierii, *Morr.*
minor, *Mill.*

Heracleum

asperum, *Bieb.*
Wallichii, *DC.*

Hesperis

matronalis, *Linn.*
tristis, *Linn.*

Heuchera

cylindrica, *Dougl.*
sanguinea, *Engelm.*

Hibiscus

Trionum, *Linn.*

Hieracium

alpinum, *Linn.*
Auricula, *Linn.*
balkanum, *Uechtritz*
Bornmülleri, *Freyn*
bupleuroides, *C. C. Gmel.*
cerinthoides, *Linn.*
crocatum, *Fries*
foliosum, *Waldst.* et *Kit.*
gymnocephalum, *Griseb.*
humile, *Jacq.*
incisum, *Hoppe*
iricum, *Fries*
Jankæ, *Uechtritz*
norvegicum, *Fries*
pannosum, *Boiss.*
petræum, *Frivald.*
Pilosella, *Linn.*
— var. aurantiacum.
prenanthoides, *Vill.*
pulmonarioides, *Vill.*
rupestre, *All.*
saxatile, *Vill.*
scoticum, *F. J. Hanb.*
strictum, *Fries*
tridentatum, *Fries*
umbellatum, *Linn.*
undulatum, *Ait.*
villosum, *Jacq.*
vulgatum, *Fries*

Hierochloë

borealis, *Roem.* et *Schult.*

Hippocrepis

multisiliquosa, *Linn.*
unisiliquosa, *Linn.*

Hippophaë

rhamnoides, *Linn.*

Holosteum

umbellatum, *Linn.*

Homeria

collina, *Vent.*

Hordeum

bulbosum, *Linn.*
jubatum, *Linn.*

Horminum

pyrenaicum, *Linn.*
— var. album.

Hosackia

Purshiana, *Benth.*

Houstonia

cærulea, *Linn.*
purpurea, *Linn.*

Hunnemannia

— fumariæfolia, *Sweet*

Hutchinsia

petræa, *Ait.*

Hyacinthus

amethystinus, *Linn.*
dubius, *Guss.*
pumilus, *Hort.*
romanus, *Linn.*

Hydrangea

vestita, *Wall.*

Hymenanthera

crassifolia, *Hook. f.*

Hyoscyamus

niger, *Linn.*

Hypecoum

procumbens, *Linn.*

Hypericum

Androsæmum, *Linn.*
calycinum, *Linn.*
delphicum, *Boiss.* et *Heldr.*
hyssopifolium, *Vill.*
inodorum, *Mill.*
Kotschyanum, *Boiss.*
perforatum, *Linn.*
polyphyllum, *Boiss.*
pulchrum, *Linn.*
tetrapterum, *Fries*

Hypochœris

maculata, *Linn.*
radicata, *Linn.*
uniflora, *Vill.*

Hyptis

spicigera, *Lam.*

Hyssopus

officinalis, *Linn.*

Iberis

Bernardiana, *Gren.* et *Godr.*
carnosa, *Willd.*
corifolia, *Sweet*
Jordani, *Boiss.*
Lagascana, *DC.*

Iberis—*continued.*

Pruiti, *Tineo*
semperflorens, *Linn.*
sempervirens, *Linn.*
— var. superba.

Ilex

Aquifolium, *Linn.*

Incarvillea

Delavayi, *Bureau* et *Franch.*

Inula

ensifolia, *Linn.*
grandiflora, *Willd.*
Helenium, *Linn.*
Royleana, *DC.*

Ionopsidium

acaule, *Reichb.*

Iris

aurea, *Lindl.*
Gueldenstaedtiana, *Lepech.*
Haynei, *Baker*
humilis, *Bieb.*
lævigata, *Fisch.*
Milesii, *Foster*
mongolica, *Hort.*
nepalensis, *D. Don*
prismatica, *Pursh*
Pseudacorus, *Linn.*, var. acoroides.
sibirica, *Linn.*
— var. acuta.
— var. orientalis.
sordida, *Willd.*
Straussii, *Hort.*
tridentata, *Pursh*
Watsoni, *Hort.*

Isatis

glauca, *Auch.*
tinctoria, *Linn.*
undulata, *Auch.*

Iva

xanthifolia, *Nutt.*

Ixiolirion

montanum, *Herb.*

Jasione

montana, *Linn.*
perennis, *Lam.*

Jasminum

humile, *Linn.*

Juncus

effusus, *Linn.*
— var. conglomeratus.
— var. spiralis.
filiformis, *Linn.*
glaucus, *Sibth.*
trifidus, *Linn.*

Jurinea

glycacantha, *DC.*

Kalmia

angustifolia, *Linn.*

Kniphofia

pauciflora, *Baker*
Rooperi, *Lem.*
Tuckii, *Baker*

Kochia

scoparia, *Schrad.*

Krynitzkia
barbigera, *A. Gray*

Laburnum
alpinum, *J. S. Presl*
vulgare, *J. S. Presl*
— var. austriacum.

Lactuca
Plumieri, *Gren.* et *Godr.*
virosa, *Linn.*

Lagurus
ovatus, *Linn.*

Lallemantia
canescens, *Fisch.* et *Mey.*
peltata, *Fisch.* et *Mey.*

Lamarkia
aurea, *Moench*

Lamium
album, *Linn.*
maculatum, *Linn.*
Orvala, *Linn.*

Larix
europæa, *DC.*

Lasthenia
glabrata, *Lindl.*

Lathyrus
articulatus, *Linn.*
grandiflorus, *Sibth.* et *Sm.*
latifolius, *Linn.*
luteus, *Baker*
maritimus, *Bigel.*
montanus, *Bernh.*
pubescens, *Hook.* et *Arn.*
rotundifolius, *Willd.*

Lathyrus—*continued.*
sativus, *Linn.*
sylvestris, *Linn.*
undulatus, *Boiss.*
venosus, *Muhl.*
vernus, *Bernh.*, var. flaccidus.

Lavandula
multifida, *Linn.*
Spica, *Cav.*
Stœchas, *Linn.*
vera, *DC.*

Layia
elegans, *Torr.* et *Gray*

Ledum
latifolium, *Ait.*

Leiophyllum
buxifolium, *Ell.*

Leontodon
hispidus, *Linn.*

Leontopodium
alpinum, *Cass.*
— var. altaicum.
— var. sibiricum.
— var. transylvanicum.
japonicum, *Miq.*

Leonurus
Cardiaca, *Linn.*
— var. villosus.
sibiricus, *Linn.*

Lepachys
columnaris, *Torr.* et *Gray*
— var. pulcherrima.

Lepidium
Draba, *Linn.*

Leptosyne
maritima, *A. Gray*

Leucojum
æstivum, *Linn.*

Leycesteria
formosa, *Wall.*

Liatris
spicata, *Willd.*

Libertia
formosa, *R. Grah.*
ixioides, *Spreng.*

Ligustrum
medium, *Franch.* et *Sav.*
ovalifolium, *Hassk.*
vulgare, *Linn.*
— var. italicum.

Lilium
dauricum, *Ker-Gawl.*
Grayi, *S. Wats.*
Martagon, *Linn.*
— var. album.
pyrenaicum, *Gouan*
umbellatum, *Hort.*, var. maculatum.

Limnanthes
Douglasii, *R. Br.*

Linaria
alpina, *Mill.*
bipartita, *Willd.*, var. splendida.
maroccana, *Hook. f.*, var. alba.
origanifolia, *DC.*
Pančici, *Hort.*
purpurea, *Mill.*
repens, *Mill.*
triornithophora, *Willd.*
tristis, *Mill.*

Lindelofia
spectabilis, *Lehm.*

Linum
alpinum, *Linn.*
austriacum, *Linn.*
grandiflorum, *Desf.*
monogynum, *Forst.*
perenne, *Linn.*
— var. album.

Lithospermum
prostratum, *Loisel.*

Loasa
lateritia, *Gill.*

Lobelia
syphilitica, *Linn.*

Loiseleuria
procumbens, *Desf.*

Lonas
inodora, *Gaertn.*

Lonicera
alpigena, *Linn.*
bella, *Zabel*
— var. albida.
— var. atro-rosea.
— var. rosea.
flavescens, *Dippel*
involucrata, *Banks*
Morrowi, *A. Gray*
mündeniensis, *Rehder*
muscaviensis, *Rehder*
orientalis, *Lam.*
Periclymenum, *Linn.*
pyrenaica, *Linn.*
tatarica, *Linn.*
— var. alba grandiflora.
— var. discolor.
— var. flore roseo.

Lophosciadium
meifolium, *DC.*

Lotus
corniculatus, *Linn.*
ornithopodioides, *Linn.*

Lunaria
annua, *Linn.*
— var. alba.

Lupinus
arboreus, *Linn.*
— var. violaceus.
argenteus, *Pursh*
nanus, *Dougl.*
nootkatensis, *Donn*
parviflorus, *Nutt.*
polyphyllus, *Lindl.*
— var. albus.

Luzula
albida, *DC.*
campestris, *DC.*
nivea, *DC.*
sylvatica, *DC.*

Lychnis
alba, *Mill.*
alpina, *Linn.*
chalcedonica, *Linn.*
coronaria, *Desr.*
— var. alba.
dioica, *Linn.*
Flos-cuculi, *Linn.*
Flos-Jovis, *Desr.*
Githago, *Scop.*
Lagascæ, *Hook. f.*
macrocarpa, *Boiss.* et *Reut.*
nigrescens, *Edgew.*
pyrenaica, *Berger*
Viscaria, *Linn.*
— var. splendens.

Lycoris
squamigera, *Maxim.*

Lysimachia
japonica, *Thunb.*
punctata, *Linn.*

Lythrum
Salicaria, *Linn.*
— var. cinereum.
— var. grandiflorum.
— var. hirsutum.
virgatum, *Linn.*

Maianthemum
Convallaria, *Weber*

Malcomia
maritima, *R. Br.*

Malope
trifida, *Cav.*

Malva
Alcea, *Linn.*
sylvestris, *Linn.*

Margyricarpus
setosus, *Ruiz* et *Pav.*

Marrubium
vulgare, *Linn.*

Matricaria
inodora, *Linn.*
— var. plenissima.
oreades, *Boiss.*

Matthiola
bicornis, *DC.*
sinuata, *R. Br.*, var. glabra albiflora.

Meconopsis
- aculeata, *Royle*
- bella, *Prain*
- cambrica, *Vig.*
- grandis, *Prain*
- heterophylla, *Hook. f.*
- nepalensis, *DC.*
- paniculata, *Prain*
- racemosa, *Maxim.*

simplicifolia, *D. Don*
- Wallichii, *Hook.*

— var. fusco-purpurea.

Medicago

carstiensis, *Wulf.*
Echinus, *DC.*
falcata, *Linn.*
hispida, *Gaertn.*
sativa, *Linn.*

Melica

altissima, *Linn.*
ciliata, *Linn.*
nutans, *Linn.*
uniflora, *Retz.*

Melilotus

alba, *Desr.*
officinalis, *Lam.*

Melittis

Melissophyllum, *Linn.*

Mentzelia

Lindleyi, *Torr.* et *Gray*

Menziesia

globularis, *Salisb.*

Mesembryanthemum

crystallinum, *Linn.*

Meum

athamanticum, *Jacq.*

Microglossa

albescens, *C. B. Clarke*

Micromeria

croatica, *Schott*

Milium

effusum, *Linn.*

Mimulus

cardinalis, *Dougl.*
luteus, *Linn.*

Mirabilis

Jalapa, *Linn.*

Mitella

diphylla, *Linn.*
pentandra, *Hook.*

Molopospermum

cicutarium, *DC.*

Montia

fontana, *Linn.*

Moræa

- spathacea, *Ker-Gawl.*

Moricandia

arvensis, *DC.*

Morina

longifolia, *Wall.*

Muscari

armeniacum, *Baker*
botryoides, *Mill.*
comosum, *Mill.*
elegans, *Hort.*
latifolium, *J. Kirk*
Massyanum, *Hort.*
Maweanum, *Baker*
racemosum, *Mill.*

Myagrum
perfoliatum, *Linn.*

Myosotis
alpestris, *F. W. Schmidt*
antarctica, *Hook. f.*
arvensis, *Lam.*
cæspitosa, *Schultz*
dissitiflora, *Baker*
stricta, *Link*
sylvatica, *Hoffm.*
Traversii, *Hook. f.*

Myricaria
germanica, *Desv.*

Myrrhis
odorata, *Scop.*

Narcissus
Bulbocodium, *Linn.*, var.
citrinus.

Nardus
stricta, *Linn.*

Nasturtium
officinale, *R. Br.*

Neillia
amurensis, *Benth.* et *Hook. f.*
opulifolia, *Benth.* et *Hook. f.*
thyrsiflora, *D. Don*

Nemesia
strumosa, *Benth.*

Nemophila
insignis, *Benth.*
Menziesii, *Hook.* et *Arn.*

Nepeta
Cataria, *Linn.*
concolor, *Boiss.* et *Heldr.*
Nepeta—*continued.*
distans, *Royle*
kokamirica, *Regel*
linearis, *Royle*
longiflora, *Vent.*
Mussini, *Spreng.*
nuda, *Linn.*
Sibthorpii, *Benth.*

Neslia
paniculata, *Desv.*

Nicandra
physaloides, *Gaertn.*

Nicotiana
alata, *Link* et *Otto*
rustica, *Linn.*
Tabacum, *Linn.*

Nigella
hispanica, *Linn.*, var.
atropurpurea.

Noccæa
alpina, *Reichb.*
— var. Auerswaldii.
stylosa, *Reichb.*

Nolana
atriplicifolia, *D. Don*

Nonnea
alba, *DC.*

Nothoscordum
striatum, *Kunth*

Ochthodium
ægyptiacum, *DC.*

Œnanthe
crocata, *Linn.*
peucedanifolia, *Pollich*
pimpinelloides, *Linn.*

Œnothera
biennis, *Linn.*
fruticosa, *Linn.*, var. Youngei.
pumila, *Linn.*

Omphalodes
linifolia, *Moench*

Onobrychis
viciæfolia, *Scop.*

Ononis
arvensis, *Linn.*
rotundifolia, *Linn.*

Onopordon
Acanthium, *Linn.*
arabicum, *Linn.*
polycephalum, *Boiss.*

Onosma
albo-roseum, *Fisch.* et *Mey.*
bracteatum, *Wall.*

Ophiopogon
Jaburan, *Lodd.*

Orchis
foliosa, *Soland.*
maculata, *Linn.*

Origanum.
vulgare, *Linn.*
— var. album.

Orobanche
rubra, *Sm.*

Osteospermum
moniliferum, *Linn.*

Oxalis
Acetosella, *Linn.*
corniculata, *Linn.*
— var. tropæoloides.
Deppei, *Lodd.*

Oxybaphus
nyctagineus, *Sweet*

Oxycoccus
macrocarpus, *Pers.*

Oxyria
digyna, *Hill*
— var. pluridens.

Oxytropis
baicalensis, *Pall.*
campestris, *DC.*
lapponica, *Gaud.*
sordida, *Pers.*
strobilacea, *Bunge*
sulphurea, *Fisch.*
uralensis, *DC.*

Palaua
dissecta, *Benth.*
malvæfolia, *Cav.*

Papaver
alpinum, *Linn.*
Heldreichii, *Boiss.*
lateritium, *C. Koch*
libanoticum, *Boiss.*
monanthum, *Trautv.*
nudicaule, *Linn.*
orientale, *Linn.*, var. bracteatum.
— pilosum, *Sibth.* et *Sm.*
rupifragum, *Boiss.* et *Reut.*
somniferum, *Linn.*

Paracaryum
glochidiatum, *Benth.* et *Hook. f.*

Paradisea
Liliastrum, *Bertol.*

Parietaria
officinalis, *Linn.*

Parnassia
caroliniana, *Michx.*
mysorensis, *Heyne*
palustris, *Linn.*

Parochetus
communis, *Buch.-Ham.*

Parrya
Menziesii, *Hort.*

Parthenium
integrifolium, *Linn.*

Patrinia
intermedia, *Roem.* et *Schult.*

Pentstemon
barbatus, *Roth*
confertus, *Dougl.*
— var. cœruleo-purpureus.
deustus, *Dougl.*
glaber, *Pursh*, var. cyananthus.
glaucus, *R. Grah.*
gracilis, *Nutt.*
humilis, *Nutt.*
Jamesii, *Benth.*
lævigatus, *Ait.*
Menziesii, *Hook.*, var. Newberryi.
Richardsonii, *Dougl.*
secundiflorus, *Benth.*
virgatus, *A. Gray*
Wrightii, *Hook.*

Perezia
multiflora, *Less.*

Pernettya
mucronata, *Gaudich.*

Peucedanum
graveolens, *Benth.* et *Hook. f.*
officinale, *Linn.*
sativum, *Benth.* et *Hook. f.*
verticillare, *Spreng.*

Phacelia
campanularia, *A. Gray*
tanacetifolia, *Benth.*
viscida, *Torr.*
Whitlavia, *A. Gray*

Phaseolus
multiflorus, *Willd.*

Philadelphus
coronarius, *Linn.*
— var. Satsumi, *Maxim.*
— var. tomentosus, *Hook. f.* et *Thoms.*
Gordonianus, *Lindl.*
grandiflorus, *Willd.*
Lemoinei, *Hort.*
— var. erectus.

Phlomis
agraria, *Bunge*
cashmiriana, *Royle*
fruticosa, *Linn.*
Samia, *Linn.*
setigera, *Falc.*
tuberosa, *Linn.*
umbrosa, *Turcz.*, var. australis.

Phormium
tenax, *Forst.*

Photinia
variabilis, *Hemsl.*

Phuopsis
stylosa, *Benth.* et *Hook. f.*

Phygelius
capensis, E. Mey.

Physalis
Alkekengi, *Linn.*

Phyteuma
canescens, *Waldst.* et *Kit.*
lobelioides, *Willd.*
Michelii, *All.*
nigrum, *F. W. Schmidt*
orbiculare, *Linn.*
Scheuchzeri, *All.*
Sibthorpianum, *Roem.* et *Schult.*
Sieberi, *Spreng.*

Picris
hieracioides, *Linn.*

Picrorhiza
Kurroa, *Royle*

Pimpinella
magna, *Linn.*

Pinguicula
grandiflora, *Lam.*
vulgaris, *Linn.*

Pinus
excelsa, *Wall.*
Pinaster, *Soland.*
sylvestris, *Linn.*

Pisum
sativum, *Linn.*

Plantago
alpina, *Cav.*
arenaria, *Waldst.* et *Kit.*
argentea, *Chaix*
carinata, *Schrad.*
Coronopus, *Linn.*
lanceolata, *Linn.*
major, *Linn.*, var. monstrosa.
— var. rubra.
maritima, *Linn.*
montana, *Huds.*
Raoulii, *Decne.*

Platycodon
grandiflorum, *A.DC.*
— var. glaucum.
— var. Mariesii album.

Platystemon
californicus, *Benth.*

Plectranthus
glaucocalyx, *Maxim.*

Poa
chinensis, *Linn.*
pratensis, *Linn.*
trivialis, *Linn.*

Podophyllum
Emodi, *Wall.*

Polemonium
cæruleum, *Linn.*
flavo-cæruleum, *Hort.*
gracile, *Willd.*
himalayanum, *Baker*
mexicanum, *Cerv.*

Polycarpæa
Teneriffæ, *Lam.*

Polygonatum
multiflorum, *All.*

Polygonum
affine, *D. Don*
amplexicaule, *D. Don*
baldschuanicum, *Regel*
Bistorta, *Linn.*, var. major.
capitatum, *Buch.-Ham.*
cilinode, *Michx.*
Convolvulus, *Linn.*
sphærostachyum, *Meissn.*
vaccinifolium, *Wall.*

Polygonum—*continued.*
viviparum, *Linn.*
Weyrichii, *F. Schmidt*

Polypogon
monspeliensis, *Desf.*

Potentilla
alpestris, *Hall. f.*
ambigua, *Jacq.*
andicola, *Benth.*
apennina, *Tenore*
arguta, *Pursh*
argyrophylla, *Wall.*
dissecta, *Pursh*
Friedrichseni, *Späth*
fruticosa, *Linn.*
glandulosa, *Lindl.*
Hippiana, *Lehm.*
Leschenaultiana, *Ser.*
mollissima, *Lehm.*
Mooniana, *Wight*
multifida, *Linn.*
nepalensis, *Hook.*
nevadensis, *Boiss.*
nitida, *Linn.*, var. alba.
nivea, *Linn.*
norvegica, *Linn.*
palustris, *Scop.*
procumbens, *Sibth.*
pseudo-obscura, *Hort.*
recta, *Linn.*, var. laciniata.
reptans, *Linn.*
Römeri, *Hort.*
rupestris, *Linn.*
sanguisorbifolia, *F. O. Wolf*
semilaciniata, *Hort.*
sericea, *Linn.*
Sibbaldia, *Hall. f.*
tanacetifolia, *Willd.*
Tormentilla, *Neck.*
tridentata, *Soland.*
villosa, *Pall.*
vladnizensis, *Siegfr.*

Poterium
Sanguisorba, *Linn.*
spinosum, *Linn.*

Pratia
angulata, *Hook. f.*
begonifolia, *Lindl.*

Prenanthes
purpurea, *Linn.*

Preslia
cervina, *Fresen.*

Primula
apennina, *Wid.*
Auricula, *Linn.*
— var. marginata.
capitata, *Hook. f.*
Cockburniana, *Hemsl.*
denticulata, *Sm.*, var. cashmiriana.
— var. rosea.
elatior, *Hill*, var. carpatica.
frondosa, *Janka*
grandis, *Trautv.*
involucrata, *Wall.*
japonica, *A. Gray*
— var. lilacina.
latifolia, *Lapeyr.*
luteola, *Rupr.*
officinalis, *Jacq.*
Parryi, *A. Gray*
sikkimensis, *Hook. f.*
Stuartii, *Wall.*, var. purpurea.
Veitchii, *Duthie*
venusta ×, *Host*
viscosa, *Vill.*
— var. ciliata.
— var. nivalis.
vittata, *Bureau* et *Franch.*

Prunella
grandiflora, *Jacq.*
laciniata, *Linn.*
vulgaris, *Linn.*

Prunus
acida, *Borkh.*
Avium, *Linn.*
Laurocerasus, *Linn.*
mollis, *Walp.*

Przewalskia
tangutica, *Maxim.*

Ptelea
trifoliata, *Linn.*
— var. aurea.

Pyrola
media, *Sw.*

Pyrus
Aria, *Linn.*
Aucuparia, *Gaertn.*
baccata, *Linn.*
germanica, *Hook. f.*
intermedia, *Ehrh.*
melanocarpa, *K. Koch*
Ringo, *Maxim.*
rotundifolia, *Bechst.*

Ramondia
pyrenaica, *Rich.*
— var. alba.
serbica, *Panč.*, var. Nathaliæ.

Ranunculus
aconitifolius, *Linn.*
acris, *Linn.*
— var. Steveni.
auricomus, *Linn.*
brutius, *Tenore*
bulbosus, *Linn.*

Ranunculus—*continued.*
Lingua, *Linn.*
monspeliacus, *Linn.*
repens, *Linn.*
sceleratus, *Linn.*
Thora, *Linn.*

Raphanus
sativus, *Linn.*, var. caudatus.

Reseda
alba, *Linn.*
complicata, *Bory*
glauca, *Linn.*
lutea, *Linn.*
odorata, *Linn.*

Rhagadiolus
edulis, *Gaertn.*

Rhamnus
cathartica, *Linn.*
Frangula, *Linn.*

Rheum
hybridum, *Murr.*
leucorrhizum, *Pall.*
Rhaponticum, *Linn.*
Ribes, *Linn.*
tataricum, *Linn. f.*

Rhododendron
campanulatum, *D. Don*
campylocarpum, *Hook. f.*
catawbiense, *Michx.*
caucasicum, *Pall.*
ciliatum, *Hook. f.*
cinnabarinum, *Hook. f.*
ferrugineum, *Linn.*
flavum, *G. Don*
glaucum, *Hook. f.*
hirsutum, *Linn.*
— var. album.
kamtchaticum, *Pall.*

Rhododendron—*continued.*
lepidotum, *Wall.*
niveum, *Hook. f.*
ponticum, *Linn.*

Rhodothamnus
Chamæcistus, *Reichb.*

Rhodotypos
kerrioides, *Sieb.* et *Zucc.*

Ribes
sanguineum, *Pursh*
— var. malvaceum, *S. Wats.*

Richardsonia
pilosa, *H. B.* et *K.*

Rodgersia
podophylla, *A. Gray*

Roemeria
violacea, *Medic.*

Rosa
acicularis, *Lindl.*
Alberti, *Regel*
alpina, *Linn.*
blanda, *Ait.*
brachyphylla, *Hort.*
ferox, *Bieb.*
hibernica, *Sm.*
laxa, *Retz.*
macrophylla, *Lindl.*
mentita, *Déségl.*
moschata, *Herrm.*
pisocarpa, *A. Gray*
pomifera, *Herrm.*
reclinata, *Red.*
rubella, *Sm.*
rubiginosa, *Linn.*
rugosa, *Thunb.*
— var. alba.
sericea, *Lindl.*
spinosissima, *Linn.*
— var. altaica.
— var. rubra.
stylosa, *Desv.*

Rubus
cæsius, *Linn.*
fruticosus, *Linn.*
laciniatus, *Willd.*
nitidus, *Weihe* et *Nees*
nutkanus, *Linn.*
odoratus, *Linn.*
phœnicolasius, *Maxim.*
sorbifolius, *Maxim.*
xanthocarpus, *Bur.* et *Franch.*

Rudbeckia
laciniata, *Linn.*
triloba, *Linn.*

Rumex
alpinus, *Linn.*
aquaticus, *Linn.*
crispus, *Linn.*
flexuosus, *Soland.*
Hydrolapathum, *Huds.*
nepalensis, *Spreng.*
occidentalis, *S. Wats.*
stenophyllus, *Ledeb.*

Ruta
graveolens, *Linn.*
montana, *Mill.*

Salsola
Kali, *Linn.*, var. Tragus.

Salvia
argentea, *Linn.*
austriaca, *Jacq.*
cyanescens, *Boiss.* et *Bal.*
glutinosa, *Linn.*

Salvia—*continued.*

grandiflora, *Etling.*
Horminum, *Linn.*
— var. rubra.
patens, *Cav.*
pratensis, *Linn.*
rubrifolia, *Boiss.*
Sclarea, *Linn.*
sylvestris, *Linn.*
— var. alba.
verbascifolia, *Bieb.*
Verbenaca, *Linn.*

Sambucus

canadensis, *Linn.*
— var. aurea.
mexicana, *Presl*
nigra, *Linn.*
— var. fructu albo.
racemosa, *Linn.*

Samolus

Valerandi, *Linn.*

Sanicula

europæa, *Linn.*

Sanvitalia

procumbens, *Lam.*

Saponaria

bellidifolia, *Sm.*
cæspitosa, *DC.*
calabrica, *Guss.*
lutea, *Linn.*
ocymoides, *Linn.*
peregrina ×, *Hort.*

Saracha

Jaltomata, *Schlecht.*

Satureia

montana, *Linn.*

Saussurea

alpina, *DC.*
discolor, *DC.*

Saxifraga

aizoides, *Linn.*
Aizoon, *Jacq.*, var. balcana.
— var. carinthiaca (*Schott*)
— var. Malyi.
— var. minima.
— var. notata.
— var. pectinata.
— var. rosularis.
— var. Sturmiana.
aretioides, *Lapeyr.*
aspera, *Linn.*
bronchialis, *Linn.*
— var. cherlerioides.
Bucklandi, *Hort.*
cæsia, *Linn.*
cæspitosa, *Linn.*
canaliculata, *Boiss.* et *Reut.*
cartilaginea, *Willd.*
cochlearis, *Reichb.*, var. minor.
Cotyledon, *Linn.*, var. pyramidalis.
cuneifolia, *Linn.*
— var. capillipes.
— var. infundibula.
— var. multicaulis.
— var. subintegra.
decipiens, *Ehrh.*
— var. grœnlandica.
erosa, *Pursh*
Gaudini ×, *Brügg.*
geranioides, *Linn.*
Geum, *Linn.*, var. ovalifolia.
gibraltarica, *Boiss.* et *Reut.*
granulata, *Linn.*
Grisebachii, *Degen* et *Doerfl.*
Hirculus, *Linn.*

Saxifraga—*continued.*

Hostii, *Tausch*
— var. altissima.
— var. elatior.
Huetiana, *Boiss.*
hypnoides, *Linn.*
intacta, *Willd.*
— var. farinosa.
Kingii, *Hort.*
lingulata, *Bell.*, var. australis.
— var. lantoscana.
longifolia, *Lapeyr.*
— var. hybrida.
luteo-viridis, *Schott* et *Kotschy*
media, *Gouan*
Mertensiana, *Bongard*
Milesii, *Leichtl.*
montavoniensis ×, *Kerner*
muscoides, *Wulf.*
— var. atropurpurea.
— var. moschata.
— var. purpurea.
mutata, *Linn.*
nervosa, *Miégev.*
nivalis, *Linn.*
oppositifolia, *Linn.*
— var. alba.
pedatifida, *Ehrh.*
pentadactylis, *Lapeyr.*
Portæ ×, *Engl.*
punctata, *Linn.*
retusa, *Gouan*, var. maritima.
Reyeri ×, *Hort.*
Rocheliana, *Sternb.*, var. coriophylla.
rotundifolia, *Linn.*, var. angulosa.
sancta, *Griseb.*
Schraderi, *Sternb.*
squarrosa, *Sieber*
stellaris, *Linn.*
tellimoides, *Maxim.*

Saxifraga—*continued.*

tenella, *Wulf.*
umbrosa, *Linn.*, var. hirsuta.
— var. Ogilvieana.
— var. serratifolia.
Zeleborii, *Schott*

Scabiosa

caucasica, *Bieb.*, var. alba.
centauroides, *Mill.*
longifolia, *Waldst.* et *Kit.*
lucida, *Vill.*
ochroleuca, *Linn.*, var. Webbiana.
palaestina, *Linn.*
prolifera, *Linn.*
Pterocephala, *Linn.*
silenifolia, *Waldst.* et *Kit.*
Succisa, *Linn.*
— var. alba.
sylvatica, *Linn.*

Schizanthus

pinnatus, *Ruiz* et *Pav.*

Schizopetalon

Walkeri, *Sims*

Scilla

festalis, *Salisb.*
hispanica, *Mill.*
peruviana, *Linn.*

Scirpus

aucklandicus, *Boeck.*
Holoschœnus, *Linn.*
sylvaticus, *Linn.*

Scleranthus

annuus, *Linn.*

Scolymus

grandiflorus, *Desf.*

Scopolia
lurida, *Dun.*

Scorpiurus
vermiculata, *Linn.*

Scorzonera
hispanica, *Linn.*

Scrophularia
alata, *Gilib.*
dentata, *Royle*
Herminii, *Hoffmgg.* et *Link*
nodosa, *Linn.*
vernalis, *Linn.*

Scutellaria
albida, *Linn.*
alpina, *Linn.*
altissima, *Linn.*
hirta, *Sibth.* et *Sm.*
orientalis, *Linn.*

Securigera
Coronilla, *Linn.*

Sedum
Aizoon, *Linn.*
Alberti, *Regel*
album, *Linn.*
altissimum, *Poir.*
Anacampseros, *Linn.*
arboreum, *Mast.*
asiaticum, *Spreng.*
Beyrichianum, *Turcz.*
dasyphyllum, *Linn.*
dentatum, *DC.*
euphorbioides, *Schlecht.*
Ewersii, *Ledeb.*
hispanicum, *Linn.*
hybridum, *Linn.*
involucratum, *Bieb.*
kamtschaticum, *Fisch.* et *Mey.*
laxiflorum, *DC.*

Sedum—*continued.*
maximum, *Suter*
oreganum, *Nutt.*
populifolium, *Pall.*
reflexum, *Linn.*
roseum, *Scop.*
rupestre, *Linn.*
sexangulare, *Linn.*
stoloniferum, *S. T. Gmel.*
Telephium, *Linn.*
trifidum, *Wall.*

Sempervivum
anomalum, *Hort.*
arachnoideum, *Linn.*
arenarium, *Koch*
arvernense, *Lecoq* et *Lamotte*
Braunii, *Funk*
cinerascens, *Hort.*
fimbriatum, *Schnittsp.* et *C. B. Lehm.*
globiferum, *Linn.*
hirtum, *Linn.*
leucanthum, *Panc.*
patens, *Griseb.* et *Schenk*
Schnittspahni, *Lagg.*
Schottii, *C.B. Lehm.* et *Schnittsp.*, var. acuminatum.
soboliferum, *Sims*
spinulosum, *Lagg.*
tectorum, *Linn.*
triste, *Hort.*
violaceum, *Hort.*

Senebiera
Coronopus, *Poir.*
pinnatifida, *DC.*

Senecio
clivorum, *Maxim.*
Doronicum, *Linn.*
laxifolius, *J. Buch.*
sarracenicus, *Linn.*

Serratula
coronata, *Linn.*
Gmelini, *Ledeb.*
heterophylla, *Desf.*

Seseli
Libanotis, *Koch*

Setaria
macrostachya, *H. B.* et *K.*

Sherardia
arvensis, *Linn.*

Sidalcea
candida, *A. Gray*
Listeri, *Hort.*
malvæflora, *A. Gray*
oregana, *A. Gray*
spicata, *Greene*

Sideritis
scordioides, *Linn.*

Silene
acaulis, *Linn.*
alpestris, *Jacq.*
Armeria, *Linn.*
Asterias, *Griseb.*
auriculata, *Sibth.* et *Sm.*
caucasica, *Boiss.*
chromodonta, *Boiss.* et *Reut.*
colorata, *Poir.*
compacta, *Fisch.*
Cucubalus, *Wibel*
Fabaria, *Sibth.* et *Sm.*
Friwaldskyana, *Hampe*
italica, *Pers.*
longipetala, *Vent.*
maritima, *With.*
multicaulis, *Guss.*
rhynchocarpa, *Boiss.*
quadridentata, *Pers.*
Reichenbachii, *Vis.*

Silene—*continued.*
rupestris, *Linn.*
Saxifraga, *Linn.*
Schafta, *Gmel.*
stylosa, *Bunge*
Thorei, *Duf.*
vallesia, *Linn.*
Zawadzkii, *Herbich*

Siler
trilobum, *Crantz*

Silybum
Marianum, *Gaertn.*

Sison
Amomum, *Linn.*

Sisymbrium
Alliaria, *Scop.*
Assoanum, *Loscos* et *Pardo*
strictissimum, *Linn.*
supinum, *Linn.*
tanacetifolium, *Linn.*

Sisyrinchium
angustifolium, *Mill.*
— var. mucronatum.
— var. Nuttallii.
Bermudiana, *Linn.*
californicum, *Dryand.*
grandiflorum, *Dougl.*, var. album.
striatum, *Sm.*

Skimmia
Fortunei, *Masters*
japonica, *Thunb.*
Laureola, *Hook. f.*

Smyrnium
rotundifolium, *Mill.*

Solanum
Dulcamara, *Linn.*

Soldanella
montana, *Willd.*

Solenomelus
chilensis, *Miers*

Solidago
canadensis, *Linn.*
elongata, *Nutt.*
odora, *Ait.*
Shortii, *Torr.* et *Gray*
Virgaurea, *Linn.*

Sonchus
palustris, *Linn.*

Spartina
polystachya, *Willd.*

Specularia
hybrida, *A. DC.*
pentagonia, *A. DC.*
Speculum, *A. DC.*

Spergula
arvensis, *Linn.*

Spergularia
rubra, *J.* et *C. Presl*

Spinacia
oleracea, *Linn.*

Spiræa
Aruncus, *Linn.*
astilboides, *T. Moore*
bullata, *Maxim.*
camtschatica, *Pall.*
discolor, *Pursh*
Douglasi, *Hook.*
Humboldtii, *Hort.*
Lindleyana, *Wall.*
Menziesii, *Hook.*
Nobleana, *Hook.*
palmata, *Thunb.*
salicifolia, *Linn.*

Spraguea
umbellata, *Torr.*

Stachys
alpina, *Linn.*
— var. intermedia.
Betonica, *Benth.*
— var. grandiflora.
densiflora, *Benth.*
grandiflora, *Benth.*
lanata, *Jacq.*
recta, *Linn.*

Statice
altaica, *Hort.*

Stellaria
biflora, *Linn.*
graminea, *Linn.*

Stenanthium
angustifolium, *Kunth*

Stipa
Aristella, *Linn.*
capillata, *Linn.*
papposa, *Delile*

Stokesia
cyanea, *L'Hérit.*

Succowia
balearica, *Medic.*

Symphoricarpus
racemosus, *Michx.*

Symphyandra
armena, *A. DC.*
Hofmanni, *Pant.*

Symphytum
cordatum, *Waldst.* et *Kit.*
pictum, *Hort.*

Synthyris
reniformis, *Benth.*

Syringa
Emodi, *Wall.*
vulgaris, *Linn.*
— var. alba.

Tagetes
lucida, *Cav.*
signata, *Bartl.*

Tanacetum
vulgare, *Linn.*

Tanakæa
radicans, *Franch.*

Taxus
baccata, *Linn.*
— var. adpressa.
— var. Dovastoni, *Carr.*
— var. pyramidalis.
— var. Washingtoni.

Teesdalia
nudicaulis, *R. Br.*

Telephium
Imperati, *Linn.*

Tellima
grandiflora, *R. Br.*

Teucrium
Chamædrys, *Linn.*
flavum, *Linn.*
lucidum, *Linn.*
montanum, *Linn.*
Polium, *Linn.*
pyrenaicum, *Linn.*
Scorodonia, *Linn.*

Tetragonia
expansa, *Murr.*

Thalictrum
calabricum, *Spreng.*
corynellum, *DC.*
Fendleri, *Engelm.*
glaucum, *Desf.*
laserpitifolium, *Willd.*
majus, *Jacq.*
minus, *Linn.*
— var. elatum.
— var. flexuosum.
simplex, *Linn.*
tuberosum, *Linn.*

Thaspium
aureum, *Nutt.*

Thermopsis
fabacea, *DC.*
lanceolata, *R. Br.*
montana, *Nutt.*

Thlaspi
perfoliatum, *Linn.*
rotundifolium, *Gaud.*

Thuya
gigantea, *Nutt.*

Thymus
Serpyllum, *Linn.*
— var. coccineus.
— var. micans.
vulgaris, *Linn.*

Tilia
cordata, *Mill.*
vulgaris, *Heyne*

Tofieldia
calyculata, *Wahlenb.*
carinthiaca, *Hort.*
palustris, *Huds.*

Tolpis
barbata, *Gaertn.*

Tradescantia
virginiana, *Linn.*
— var. alba.
— var. atropurpurea.
— var. elata.

Tragopogon
longifolius, *Heldr.* et *Sart.*

Trautvetteria
palmata, *Fisch.* et *Mey.*

Tridax
bicolor, *A. Gray*

Trifolium
alpinum, *Linn.*
ambiguum, *Bieb.*
fragiferum, *Linn.*
medium, *Linn.*
pannonicum, *Jacq.*
pratense, *Linn.*
subterraneum, *Linn.*

Trigonella
corniculata, *Linn.*
Fœnum-græcum, *Linn.*

Trilisa
odoratissima, *Cass.*

Trillium
stylosum, *Nutt.*

Triosteum
perfoliatum, *Linn.*

Trisetum
flavescens, *Beauv.*

Triticum
Spelta, *Linn.*

Tritonia
rosea, *Klatt*

Trollius
altaicus, *Mey.*
asiaticus, *Linn.*
— var. giganteus.
caucasicus, *Stev.*
europæus, *Linn.*
patulus, *Salisb.*

Tropæolum
aduncum, *Sm.*
majus, *Linn.*

Troximon
grandiflorum, *A. Gray*

Tulipa
Billietiana, *Jord.*
Didieri, *Jord.*, var. alba.
pulchella, *Fenzl*
sylvestris, *Linn.*

Tunica
prolifera, *Scop.*
Saxifraga, *Scop.*

Ulex
europæus, *Linn.*

Ulmus
montana, *With.*

Uniola
latifolia, *Michx.*

Urospermum
Dalechampii, *F. W. Schmidt*
picroides, *Desf.*

Ursinia
speciosa, *DC.*

Urtica
cannabina, *Linn.*
pilulifera, *Linn.*

Vaccinium
padifolium, *Sm.*

Valeriana
montana, *Linn.*

Valerianella
carinata, *Loisel.*
rimosa, *Bast.*

Vancouveria
hexandra, *Morr.* et *Decne.*

Venidium
decurrens, *Less.*

Veratrum
album, *Linn.*

Verbascum
Blattaria, *Linn.*
Chaixi, *Vill.*
Lagurus, *Fisch.* et *Mey.*
longifolium, *Tenore*, var.
pannosum.
Lychnitis, *Linn.*
phlomoides, *Linn.*
phœniceum, *Linn.*

Veronica
alpina, *Linn.*
Anagallis, *Linn.*
aphylla, *Linn.*
austriaca, *Linn.*
— var. pinnatifida.
— var. Prenja.
Balfouriana, *Hook. f.*
bellidicides, *Linn.*
Bidwillii, *Hook. f.*
buxifolia, *Benth.*
candida, *Lodd.*
carnosula, *Hook. f.*
Catarractæ, *Forst.*
Chamædrys, *Linn.*
Colensoi, *Hook. f.*
Veronica—*continued.*
corymbosa, *Hort.*
decumbens, *Armstr.*
formosa, *R. Br.*
fruticulosa, *Linn.*, var.
cæspitosa.
glaucophylla, *Cock.*
Godefroyana, *Carr.*
ignota, *Waugh*
imperialis ×, *Hort.*
Kirkii, *Armstr.*
Lewisii, *Armstr.*
ligustrifolia, *A. Cunn.*
longifolia, *Linn.*
— var. alba.
Lyallii, *Hook. f.*
monticola, *Armstr.*
Nummularia, *Gouan*
officinalis, *Linn.*
— var. hirsuta.
parviflora, *Vahl*, var. angustifolia, *Hook. f.*
pimeleoides, *Hook. f.*
pinguifolia, *Hook. f.*, var.
decumbens.
pinnata, *Linn.*
Ponæ, *Gouan*
rakaiensis, *Armstr.*
salicifolia, *Forst.*
satureioides, *Vis.*
saxatilis, *Scop.*
— var. rosea.
spuria, *Linn.*
subsessilis, *Hort.*, var. rosea.
Teucrium, *Linn.*
Traversii, *Hook. f.*
vernicosa, *Hook. f.*
virginica, *Linn.*

Viburnum
cotinifolium, *D. Don*
Lantana, *Linn.*
Opulus, *Linn.*

Vicia
bithynica, *Linn.*
Cracca, *Linn.*
oroboides, *Wulf.*
Orobus, *DC.*
pyrenaica, *Pourr.*
sativa, *Linn.*
sepium, *Linn.*
sylvatica, *Linn.*
unijuga, *A. Braun*

Vincetoxicum
fuscatum, *Reichb. f.*
nigrum, *Moench*
officinale, *Moench*

Viola
blanda, *Willd.*
canina, *Linn.*
cornuta, *Linn.*
hederacea, *Labill.*
hirta, *Linn.*
lutea, *Huds.*
odorata, *Linn.*
olympica, *Boiss.*
palustris, *Linn.*
polychroma, *Kern.*
primulæfolia, *Linn.*
sylvestris, *Lam.*
variegata, *Fisch.*

Wahlenbergia
dalmatica, *A. DC.*
dinarica, *Hort.*
gracilis, *Schrad.*

Wahlenbergia—*continued.*
Kitaibelii, *A. DC.*
pendula, *Schrad.*
saxicola, *A. DC.*
serpyllifolia, *G. Beck*
tenuifolia, *A. DC.*

Withania
somnifera, *Dun.*

Wulfenia
carinthiaca, *Jacq.*

Wyethia
mollis, *A. Gray*

Xanthium
spinosum, *Linn.*

Xanthocephalum
gymnospermoides, *Benth.* et *Hook. f.*

Xerophyllum
asphodeloides, *Nutt.*

Zaluzianskya
selaginoides, *Walp.*

Zenobia
speciosa, *D. Don*, var. pulverulenta.

Ziziphora
taurica, *Bieb.*

Zygadenus
elegans, *Pursh*

PLANTS UNDER GLASS.

Acacia
armata, *R. Br.*
calamifolia, *Sweet*
dealbata, *Link*
decurrens, *Willd.*
extensa, *Lindl.*
Farnesiana, *Willd.*
grandis, *Henfr.*
juncifolia, *Benth.*
melanoxylon, *R. Br.*
neriifolia, *A. Cunn.*
pycnantha, *Benth.*

Adenocarpus
foliolosus, *DC.*

Æchmea
bromeliæfolia, *Baker*
cærulescens, *Baker*
candida, *E. Morr.*
glomerata, *Hook.*
Skinneri, *Baker*

Agapanthus
umbellatus, *L'Hérit.*

Agave
densiflora, *Hook.*

Aglaonema
commutatum, *Schott*

Albizzia
lophantha, *Benth.*

Aloe
mitriformis, *Mill.*,var. flavispina (*Salm-Dyck*)
— var. spinulosa (*Haw.*)

Aloe—*continued.*
obscura, var. picta (*Thunb.*)
Serra, *DC.*
striata, *Haw.*

Alonsoa
linifolia, *Roezl*

Alyxia
buxifolia, *R. Br.*

Amasonia
calycina, *Hook. f.*

Amorphophallus
bulbifer, *Blume*

Anopterus
glandulosus, *Labill.*

Anthurium
acaule, *Schott*

Araujia
sericifera, *Brot.*

Ardisia
crenata, *Roxb.*
mamillata, *Hance*

Argyreia
speciosa, *Boj.*

Aristea
Eckloni, *Baker*

Aristolochia
elegans, *Mast.*
fimbriata, *Cham*
trilobata, *Linn.*

Armeria
latifolia, *Willd.*

Asclepias
curassavica, *Linn.*

Asparagus
comorensis, *Baker*
plumosus, *Baker*, var.
tenuissimus, *Hort.*

Astelia
grandis, *Hook. f.*

Astrocaryum
Ayri, *Mart.*
mexicanum, *Liebm.*

Asystasia
bella, *Harv.*

Bæometra
columellaris, *Salisb.*

Barleria
cristata, *Linn.*

Begonia
dichotoma, *Jacq.*
Dregei, *Otto* et *Dietr.*
Froebelii, *A. DC.*
kewensis, *Hort.*
malabarica, *Lam.*
Martiana, *Link* et *Otto*
peltata, *A. DC.*
sanguinea, *Raddi*
ulmifolia, *Willd.*
Verschaffelti ×, *Hort.*

Bignonia
purpurea, *Lodd.*

Billardiera
longifolia, *Labill.*

Billbergia
decora, *Poepp.*
pallidiflora, *Liebm.*
zebrina, *Lindl.*

Biophytum
sensitivum, *DC.*

Bomarea
Carderi, *Mast.*
Lehmanni, *Baker*

Bowiea
volubilis, *Harv.*

Brachychilum
Horsfieldii, *Baker*

Brodiæa
hyacinthina, *Baker*, var. lactea
ixioides, *Sims*, var. splendens.

Calceolaria
fuchsiæfolia, *Hort.*

Callicarpa
purpurea, *Juss.*

Callistemon
linearis, *DC.*
salignus, *Sweet*
speciosus, *DC.*

Calostemma
purpureum, *R. Br.*

Campanula
pyramidalis, *Linn.*
Vidalii, *H. C. Wats.*

Cantua
buxifolia, *Lam.*

Carmichaelia
australis, *R. Br.*
Enysii, *T. Kirk*

Cassia
corymbosa, *Lam.*

Casuarina
stricta, *Ait.*

Cestrum
Newellii, *Veitch*
Smithii, *Hort. Bull*

Chlorophytum
orchidastrum, *Lindl.*

Cleome
spinosa, *Jacq.*

Clerodendron
Thomsonæ, *Balf.*

Clianthus
puniceus, *Banks*
— var. albus.

Clitoria
Ternatea, *Linn.*
— var. alba, *G. Don*

Cobæa
macrostemma, *Pav.*

Corallobotrys
acuminata, *Hook. f.*

Corchorus
capsularis, *Linn.*

Coronilla
viminalis, *Salisb.*

Costus
afer, *Ker-Gawl.*
igneus, *N. E. Br.*
speciosus, *Sm.*

Cotyledon
nodulosa, *Baker*

Crassula
tetragona, *Linn.*

Crossandra
undulæfolia, *Salisb.*

Cyclanthera
explodens, *Naud.*

Cyphomandra
betacea, *Sendt.*

Cytisus
candicans, *Lam.*

Dalechampia
Roezliana, *Muell.*

Dermatobotrys
Saundersiæ, *Bolus*

Desmodium
gyrans, *DC.*
incanum, *DC.*

Dianella
cærulea, *Sims*

Dioscorea
sativa, *Linn.* (Tuber)

Dodonæa
viscosa, *Jacq.*

Dolichos
Lablab, *Linn.*

Dorstenia
arifolia, *Lam.*
Contrajerva, *Linn.*
Drakena, *Linn.*
Mannii, *Hook. f.*

Dracæna
surculosa, *Lindl.*

Drimys
Winteri, *Forst.*

Drosera
hilaris, *Cham.*

Dumasia
villosa, *DC.*

Eccremocarpus
scaber, *Ruiz* et *Pav.*

Eriostemon
buxifolius, *Sm.*

Erythrochiton
brasiliensis, *Nees*

Eucalyptus
amygdalina, *Labill.*
incrassata, *Labill.*

Eucomis
amaryllidifolia, *Baker*
bicolor, *Baker*
punctata, *L'Hérit.*
— var. striata, *Don*

Eugenia
myrtifolia, *Roxb.*

Euphorbia
dentata, *Michx.*
Regis-jubæ, *Webb* et *Berth.*
splendens, *Boj.*

Evodia
elegans, *Hort.*
formosa, *Hort.*

Ficus
pyriformis, *Hook.* et *Arn.*

Francoa
sonchifolia, *Cav.*

Fuchsia
parviflora, *Lindl.*
procumbens, *R. Cunn.*

Genista
monosperma, *Lam.*

Geonoma
pumila, *Wendl.*

Gloriosa
superba, *Linn.*

Grevillea
Caleyi, *R. Br.*
glabrata, *Meissn.*
lavandulacea, *Schlecht.*

Guizotia
abyssinica, *Cass.*

Hakea
acicularis, *Knight*
ulicina, *R. Br.*

Heliotropium
peruvianum, *Linn.*

Hibiscus
esculentus, *Linn.*
Huegelii, *Endl.*
Manihot, *Linn.*
pedunculatus, *Linn.*
splendens, *Fras.*
vitifolius, *Linn.*

Howittia
trilocularis, *F. Muell.*

Humea
elegans, *Sm.*

Hydrolea
spinosa, *Linn.*

Hymenanthera
dentata, *R. Br.*

Hypericum
japonicum, *Thunb.*

Hypoxis
erecta, *Linn.*
Krebsii, *Fisch.*
Rooperii, *T. Moore*
villosa, *Linn.*

Impatiens
cuspidata, *Wight* et *Arn.*
— var. arthritica, *Hook. f.*

Indigofera
atropurpurea, *Buch.-Ham.*
australis, *Willd.*

Ipomœa
Bona-nox, *Linn.*
Learii, *Paxt.*
purpurea, *Roth*
Quamoclit, *Linn.*

Ixiolirion
montanum, *Herb.*

Ixora
amabilis, *Hort.*
coccinea, *Linn.*
sanguinea, *Hort.*

Kalanchöe
grandiflora, *Wight* et *Arn.*
Kirkii, *N. E. Br.*
Petitiana, *A. Rich.*

Kedrostis
africana, *Cogn.*

Kennedya
prostrata, *R. Br.*

Kunzea
corifolia, *Reichb.*
parvifolia, *Schau.*

Lachnostoma
maritimum, *Nichols.*

Lantana
Camara, *Linn.*

Laportea
moroides, *Wedd.*

Leptodermis
lanceolatus, *Wall.*

Leptospermum
arachnoideum, *Sm.*
scoparium, *Forst.*

Leucopogon
lanceolatus, *R. Br.*

Libertia
ixioides, *Spreng.*

Littonia
modesta, *Hook.*

Lobelia
tenuior, *R. Br.*

Luffa
ægyptiaca, *Mill.*

Luzula
purpurea, *Link*

Mallotus
japonicus, *Muell.*

Malpighia
glabra, *Linn.*

Malvastrum
grossulariæfolium, *Garcke*

Mapania
pandanæfolia, *Hort. Sander*

Maurandia
Barclayana, *Lindl.*

Melasphærula
graminea, *Ker-Gawl.*

Melia
arguta, *DC.*
Azedarach, *Linn.*

Melianthus
major, *Linn.*

Mesembryanthemum
curviflorum, *Haw.*
deltoides, *Linn.*
formosum, *Haw.*
lepidum, *Haw.*
micans, *Linn.*
muricatum, *Haw.*
roseum, *Willd.*
serrulatum, *Haw.*
tricolorum, *Haw.*
tumidulum, *Haw.*
vaginatum, *Lam.*

Mimosa
marginata, *Lindl.*
pudica, *Linn.*

Momordica
Charantia, *Linn.*
cochinchinensis, *Spreng.*

Moræa
prolongata, *Hort.*
spathacea, *Ker-Gawl.*

Musschia
Wollastoni, *Lowe*

Myrica
æthiopica, *Linn.*

Myrsine
africana, *Linn.*

Myrtus
communis, *Linn.*
Luma, *Barn.*
Ugni, *Mol.*

Nephthytis
liberica, *N. E. Br.*
picturata, *N. E. Br.*

Nertera
depressa, *Banks*

Nicandra
physaloides, *Gærtn.*

Nicotiana
rustica, *Linn.*

Ochna
multiflora, *DC.*

Ocimum
viride, *Willd.*

Oliverella
elegans, *Rose*

Ononis
reclinata, *Linn.*

Opuntia
nigricans, *Haw.*

Ornithogalum
tenellum, *Jacq.*

Orthrosanthus
multiflorus, *Sweet*

Oryza
sativa, *Hochst.*
— var. atropurpurea.

Oxypetalum
cæruleum, *Decne.*

Passiflora
edulis, *Sims*
quadrangularis, *Linn.*

Pavonia
spinifex, *Cav.*

Pentas
carnea, *Benth.*

Phyllanthus
parvifolius, *Buch.-Ham.*

Physalis
peruviana, *Linn.*

Pimelea
ferruginea, *Labill.*

Pitcairnia
Altensteinii, *Lem.*
Andreana, *Linden*
aphelandræflora, *Verschaff.*
latifolia, *Soland.*
maidifolia, *Decne.*

Platytheca
galioides, *Steetz*

Pleuropetalum
costaricense, *Hort.*

Polyalthia
suberosa, *Benth.* et *Hook. f.*

Polycarpæa
divaricata, *Balf. f.*

Pontederia
cordata, *Linn.*

Primula
floribunda, *Wall.*
mollis, *Nutt.*
verticillata, *Forsk.*

Prostanthera
lasianthos, *Labill.*

Psychotria
micrantha, *Hiern*

Rhodochiton
volubile, *Zucc.*

Rhododendron
arboreum, *Sm.*
grande, *Wight*
Nuttallii, *Booth*

Rhynchosia
caribæa, *DC.*

Ricinus
communis, *Linn.*

Rivina
aurantiaca, *Warsc.*
tinctoria, *Hamil.*

Rondeletia
odorata, *Jacq.*

Ruellia
amœna, *Nees*
rosea, *Hemsl.*
rubicaulis, *Cav.*
tuberosa, *Linn.*

Sabal
Blackburniana, *Glazebr.*

Sagittaria
longirostra, *Hort.*

Sandersonia
aurantiaca, *Hook.*

Sedum
Sieboldii, *Hort.*

Sempervivum
annuum, *C. Sm.*
glaucum, *Tenore*
tabuliforme, *Haw.*

Senecio
grandifolius, *Less.*
macroglossus, *DC.*

Sida
acuta, *Burm.*
veronicæfolia, *Lam.*

Solanum
auriculatum, *Ait.*
coagulans, *Hort.*
fastigiatum, *Willd.*
Hendersoni, *Hort.*
jasminoides, *Paxt.*
nigrum, *Linn.*
pyracanthum, *Jacq.*
venustum, *Kunth*

Sparaxis
bulbifera, *Ker-Gawl.*

Stachytarpheta
indica, *Vahl*

Stylidium
adnatum, *R.Br.*

Tacca
cristata, *Jack*
viridis, *Hemsl.*

Tacsonia
Van-Volxemii, *Hook.*

Talinum
patens, *Willd.*
triangulare, *Willd.*

Tecoma
Smithii, *Hort.*

Tetranema
mexicana, *Benth.*

Teucrium
Marum, *Linn.*

Thoracostachyum
bancanum, *Kurz*

Tillandsia
hieroglyphica, *Baker*
Lubbersii, *Baker*
macropetala, *Hort.*
Regina, *Vell.*
splendens, *Brongn.*

Trachelium
cæruleum, *Linn.*

Tradescantia
discolor, *L'Hérit.*

Tristania
— neriifolia, *R. Br.*

Tropæolum
pentaphyllum, *Lam.*

Turnera
ulmifolia, *Linn.*

Vellozia
elegans, *Talbot*

Viminaria
denudata, *Sm.*

Vitis
heterophylla, *Thunb.*, var.
humulifolia, *Hook. f.*

OFFICIAL COPY.

NOTES

FROM THE

ROYAL BOTANIC GARDEN,

EDINBURGH.

DECEMBER 1907.

CONTENTS.

Page.

List of Seeds collected in the Royal Botanic Garden, Edinburgh, during the Year 1907, - - - clxxix

GLASGOW:

PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE

By JAMES HEDDERWICK & SONS LTD.,

AT "THE CITIZEN" PRESS, ST. VINCENT PLACE.

SOLD AT THE GARDEN,

And to be purchased, either directly or through any Bookseller, from

OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

[PRICE NINEPENCE.]

[All rights reserved.]

5/10

List of Seeds Collected in the Royal Botanic Garden, Edinburgh, during the Year 1907.

The following is a list of plants cultivated in the Royal Botanic Garden, Edinburgh, from which ripened seeds have been collected during the year 1907. The quantity of seed obtained from some of the species is of limited amount. The seeds are available for exchange, but they are not for sale :—

PLANTS IN THE OPEN.

Acæna

cylindristachya, *Ruiz* et *Pav.*
glabra, *J. Buch.*
inermis, *Hook. f.*
laevigata, *Ait.*
microphylla, *Hook. f.*
myriophylla, *Lindl.*
ovalifolia, *Ruiz* et *Pav.*
pinnatifida, *Ruiz* et *Pav.*
Sanguisorbæ, *Vahl*

Acanthus

Schottii, *Hort.*

Acer

campestre, *Linn.*
circinnatum, *Pursh*
monspessulanum, *Linn.*
opulifolium, *Vill.*, var. obtusatum
platanoides, *Linn.*
Pseudo-platanus, *Linn.*
— var. purpureum.

Achillea

obscura, *Nees*

Aconitum

ferox, *Wall.*
Fischeri, *Reichb.*
Lycoctonum, *Linn.*
Napellus, *Linn.*
paniculatum, *Lam.*
reclinatum, *A. Gray*
uncinatum, *Linn.*

Acroglochin

chenopodioides, *Schrad.*

Actæa

alba, *Mill.*
spicata, *Linn.*

Actinella

scaposa, *Nutt.*

Adenocarpus

intermedius, *DC.*

Adenophora

polymorpha, *Ledeb.*
Potanini, *Batalin*
stylosa, *Fisch.*
verticillata, *Fisch.*

Adlumia

cirrhosa, *Rafin.*

Adonis

vernalis, *Linn.*

Æsculus

carnea, *Willd.*

Æthionema

cordatum, *Boiss.*
grandiflorum, *Boiss.* et *Hohen.*
iberideum, *Boiss.*

Agathæa

cœlestis, *Cass.*

Agrimonia

agrimonioides, *Linn.*
Eupatoria, *Linn.*

Agropyron

acutum, *Roem.* et *Schult.*
dasyanthum, *Ledeb.*
tenerum, *Vasey*

Agrostis

alpina, *Linn.*
nigra, *With.*

Ajuga

pyramidalis, *Linn.*

Alchemilla

alpina, *Linn.*

Alisma

Plantago, *Linn.*

Allium

Aschersonianum, *Barbey*
cardiostemon, *Fisch.* et *Mey.*
carinatum, *Linn.*
cernuum, *Roth*
cyaneum, *Regel*
fragrans, *Vent.*
giganteum, *Regel*
kansuense, *Regel*
margaritaceum, *Sibth.* et *Sm.*
mutabile, *Michx.*
odorum, *Linn.*
oreophilum, *C. A. Mey.*
orientale, *Boiss.*
paradoxum, *G. Don*
polyphyllum, *Kar.* et *Kir.*
rubellum, *Bieb.*
sativum, *Linn.*
Schœnoprasum, *Linn.*
Schuberti, *Zucc.*
senescens, *Linn.*
urceolatum, *Regel*
viviparum, *Kar.* et *Kir.*

Alnus

cordifolia, *Tenore*
glutinosa, *Medic.*
— var. rubrinervia.
incana, *Moench*
— var. glauca, *Regel*
japonica, *Sieb.* et *Zucc.*
maritima, *Nutt.*
rhombifolia, *Nutt.*
serrulata, *Willd.*
subcordata, *C. A. Mey.*
viridis, *DC.*

Alonsoa

caulialata, *Ruiz* et *Pav.*

Alstroemeria

aurantiaca, *Don*
revoluta, *Ruiz* et *Pav.*

Alyssum

condensatum, *Boiss.* et *Hausskn.*
creticum, *Linn.*
gemonense, *Linn.*
idæum, *Boiss.* et *Heldr.*
maritimum, *Lam.*
Moellendorfianum, *Aschers.*
montanum, *Linn.*
podolicum, *Bess.*
saxatile, *Linn.*
— var. sulphureum.
serpyllifolium, *Desf.*
spinosum, *Linn.*
Szovitsianum, *Fisch.* et *Mey.*

Ammobium

alatum, *R. Br.*

Amphicarpæa

monoica, *Ell.*

Anchusa

Barrelieri, *Vitm.*, var. variegata.
officinalis, *Linn.*

Androsace

carnea, *Linn.*
lactea, *Linn.*
lactiflora, *Fisch.*
lanuginosa, *Wall.*
— var. Leichtlini, *Hort.*
sarmentosa, *Wall.*

Anemone

alpina, *Linn.*
— var. sulphurea.
cylindrica, *A. Gray*
multifida, *Poir.*
pratensis, *Linn.*
rivularis, *Buch.-Ham.*
sylvestris, *Linn.*
— var. majus.
virginiana, *Linn.*

Antennaria

dioica, *Gaertn.*
— var. tomentosa.
— var. parvifolia (*Gærtn.*)

Anthemis

Biebersteiniana, *C. Koch*
canescens, *Brot.*
Triumfetti, *DC.*

Anthericum

Liliago, *Linn.*

Anthriscus

vulgaris, *Bernh.*

Anthyllis

montana, *Linn.*, var. atrorubens.
sericea, *Lag.*
tetraphylla, *Linn.*
Vulneraria, *Linn.*
— var. Dillenii.

Antirrhinum

Asarina, *Linn.*
majus, *Linn.*
sempervirens, *Lapeyr.*

Aphyllanthes

monspeliensis, *Linn.*

Apium

graveolens, *Linn.*

Aquilegia

cærulea, *James*
formosa, *Fisch.*
glandulosa, *Fisch.*
pubiflora, *Wall.*
pyrenaica, *DC.*
Skinneri *Hook.*
viridiflora, *Pall.*
vulgaris, *Linn.*
— var. atrata.

Arabis

albida, *Stev.*
alpina, *Linn.*
— var. anachoretica.
bellidifolia, *Jacq.*
— var. variegata.
blepharophylla, *Hook.* et *Arn.*
cærulea, *Haenke*
hirsuta, *Scop.*
lucida, *Linn. f.*
muralis, *Bertol.*, var. rosea.
petræa, *Lam.*
purpurea, *Sibth.* et *Sm.*
Turczaninowii, *Ledeb.*

Arbutus

Unedo, *Linn.*

Archangelica

officinalis, *Hoffm.*

Arctotis

stœchadifolia *Berg.*

Arenaria

balearica, *Linn.*
erythrosepala, *Boiss.*
gothica, *Fries*
graminifolia, *Schrad.*
gypsophiloides, *Linn.*
juniperina, *Linn*
laricifolia, *Linn.*
pinifolia, *Bieb.*
purpurascens, *Ramona*
trinervia, *Linn.*
verna, *Linn.*

Armeria

caespitosa, *Boiss.*
fasciculata, *Willd.*
— var. hybrida.
leucocephala, *Koch*
maritima, *Willd.*
— var. alba.
— var. alpina.
plantaginea, *Willd.*
pungens, *Hoffmgg.* et *Link*,
var. latifolia.

Arnica

amplexicaulis, *Nutt.*
Chamissonis, *Less.*
longifolia, *Eaton*
montana, *Linn.*

Arracacia

arguta, *Benth.* et *Hook. f.*

Arrhenatherum

avenaceum, *Beauv.*

Artemisia

glauca, *Pall.*

Asperula

ciliata, *Rochel*
tinctoria, *Linn.*

Asphodeline

lutea, *Reichb.*

Aster

alpinus, *Linn.*
— var. albus.
carnosus, *A. Gray*
floribundus, *Nutt.*
foliaceus, *Lindl.*
himalaicus, *C. B. Clarke*
leucanthemus, *Rafin.*
paniculatus, *Lam.*
patens, *Ait.*
puniceus, *Linn.*
pyrenæus, *DC.*
Radula, *Ait.*
sagittifolius, *Willd.*
sibiricus, *Linn.*
tataricus, *Linn. f.*

Astragalus

Cicer, *Linn.*
danicus, *Retz.*, var. albus.
Drummondii, *Dougl.*
Glyciphyllos, *Linn.*
monspessulanus, *Linn.*
pentaglottis, *Linn.*
vaginatus, *Pall.*
Wulfeni, *Koch*

Astrantia

carniolica, *Wulf.*
helleborifolia, *Salisb.*
major, *Linn.*
— var. intermedia.
minor, *Linn.*
neglecta, *C. Koch* et *Bouché*

Athamanta

Matthioli, *Wulf.*

Atriplex

hortensis *Linn.*
tatarica, *Linn.*

Atropa

Belladonna, *Linn.*

Aubrietia

croatica, *Schott, Nyman* et *Kotschy*
deltoidea, *DC.*, var. cilicica.

Avena

sterilis, *Linn.*
strigosa, *Schreb.*

Axyris

amaranthoides, *Linn.*

Baccharis

patagonica, *Hook.* et *Arn.*

Baldwinia

multiflora, *Nutt.*

Barbarea

præcox, *R. Br.*
vulgaris, *R. Br.*

Beckmannia

erucaeformis, *Host*

Bellium

bellidioides, *Linn.*

Benincasa

cerifera, *Savi*

Berberis

angulosa, *Wall.*
Aquifolium, *Pursh*
aristata, *DC.*
cretica, *Linn.*
Darwinii, *Hook.*
stenophylla, *Moore*
Thunbergii, *DC.*
virescens, *Hook. f.*
vulgaris, *Linn.*
Wallichiana, *DC.*

Berkheya

purpurea, *Benth.* et *Hook. f.*

Beta

trigyna, *Waldst.* et *Kit.*

Betula

alba, *Linn.*
— var. pubescens.
Ermani, *Cham.*
fruticosa, *Pall.*
lutea, *Michx.*
papyrifera, *Marsh.*
pumila, *Linn.*
ulmifolia, *Sieb.* et *Zucc.*

Bidens

grandiflora, *Balb.*

Biscutella

lævigata, *Linn.*

Blumenbachia

Hieronymi, *Urb.*

Bocconia

cordata, *Willd.*
microcarpa, *Maxim.*

Bowlesia

tenera, *Spreng.*

Brassica

Erucastrum, *Linn.*
oleracea, *Linn.*

Bravoa

geminiflora, *Lex.*

Brodiæa

Douglasii, *S. Wats.*
hyacinthina, *Baker*
— var. lactea.

Bromus

erectus, *Huds.*
maximus, *Desf.*
Tacna, *Steud.*

Browallia

speciosa, *Hook.*, var. major.

Bruckenthalia

spiculifolia, *Reichb.*

Bryanthus

empetriformis, *A. Gray*
taxifolius, *A. Gray*

Buddleia

albiflora, *Hemsl.*
Hemsleyana, *Hort.*
intermedia, *Carr.*
japonica, *Hemsl.*
variabilis, *Hemsl.*
—var. Veitchiana.

Bufonia

macrosperma, *J. Gay*
tenuifolia, *Linn.*

Bulbinella

Hookeri, *Benth.* et *Hook. f.*

Buphthalmum

speciosum, *Schreb.*

Bupleurum

Candollei, *Wall.*
stellatum, *Linn.*

Butomus

umbellatus, *Linn.*

Calamintha

grandiflora, *Moench*

Calceolaria

pinnata, *Linn.*

Calendula

arvensis, *Linn.*

Callirhoë

digitata, *Nutt.*

Calochortus

venustus, *Dougl.*

Camassia

Leichtlinii, *S. Wats.*

Camelina

sylvestris, *Wallr.*

Campanula

alliariæfolia, *Willd.*
americana, *Linn.*
barbata, *Linn.*
bononiensis, *Linn.*
carnica, *Schiede*
carpatica, *Jacq.*
— var. turbinata.
— var. turbinata alba.
garganica, *Tenore*
glomerata, *Linn.*, var. acaulis.
Grossekii, *Heuffl.*
latifolia, *Linn.*
— var. macrantha.
— var. macrantha alba.
linifolia, *Scop.*
mirabilis, *Alboff*
nitida, *Ait.*, var. alba.
phyteumoides, *Sibth.*
pulloides, *Hort.*
punctata, *Lam.*, var. alba.
pusilla, *Hænke*
rapunculoides, *Linn.*
rhomboidalis, *Linn.*
rotundifolia, *Linn.*
salicifolia, *Boiss.* et *Kotschy*
Steveni, *Bieb.*
thyrsoides, *Linn.*
Trachelium, *Linn.*
— var. aggregata.
versicolor, *Sibth.* et *Sm.*
Vidalii, *H. C. Wats.*

Caragana

arborescens, *Lam.*

Carbenia

benedicta, *Adans.*

Carduus

defloratus, *Linn.*

Carex

aquatilis, *Wahlenb.*
atrata, *Linn.*
capillaris, *Linn.*
diluta, *Bieb.*
distans, *Linn.*
echinata, *Murr.*
extensa, *Good.*, var. pumila.
hordeistichos, *Vill.*
irrigua, *Sm.*
lævigata, *Sm.*
laxiflora, *Lam.*
Leersii, *F. Schult.*
leporina, *Linn.*
muricata, *Linn.*
ornithopoda, *Willd.*
pallescens, *Linn.*
paludosa, *Good.*
panicea, *Linn.*
paniculata, *Linn*
pulicaris, *Linn.*
punctata, *Gaud.*
rigida, *Good.*
riparia, *Curt.*
sparganioides, *Muhl.*
strigosa, *Huds.*
vulpina, *Linn.*

Carmichaelia

flagelliformis, *Colenso*

Carpoceras

cilicicum, *Boiss.* et *Kurz*

Carrichtera

Vella, *DC.*

Carthamus

tinctorius, *Linn.*

Carum

Carvi, *Linn.*
Petroselinum, *Benth.* et *Hook. f.*

Cassandra

calyculata, *D. Don*

Cassinia

fulvida, *Hook. f.*

Catananche

bicolor, *Hort.*

Cathcartia

villosa, *Hook. f.*

Cedronella

triphylla, *Moench*

Celastrus

scandens, *Linn.*

Celmisia

Munroi, *Hook. f.*
spectabilis, *Hook. f.*

Celsia

pontica, *Boiss.*

Centaurea

Kotschyana, *Heuff.*
nervosa, *Willd.*
orientalis, *Linn.*
pectinata, *Linn.*
phyrgia, *Linn.*
uniflora, *Linn.*

Centranthus

ruber, *DC.*

Cephalaria

stellipilis, *Boiss.*

Cerastium

alpinum, *Linn.*
ovatum, *Hoppe*

Chærophyllum

aureum, *Linn.*

Chamælirium

carolinianum, *Willd.*

Cheiranthus

Allionii, *Hort.*
Cheiri, *Linn.*

Chelidonium

Franchetianum, *Prain*
majus, *Linn.*

Chenopodium

Bonus-Henricus, *Linn.*
capitatum, *Aschers.*

Chiogenes

serpyllifolia, *Salisb.*

Chorispora

tenella, *DC.*

Chrysopsis

villosa, *DC.*, var. Rutteri.

Cimicifuga

racemosa, *Nutt.*

Cistus

cyprius, *Lam.*
hirsutus, *Lam.*
laurifolius, *Linn.*
purpureus, *Linn.*
vaginatus, *Dryand.*

Cladium

germanicum, *Schrad.*

Claytonia

virginica, *Linn.*

Clematis

erecta, *Linn.*
heracleæfolia, *DC.*
montana, *Buch.-Ham.*
orientalis, *Linn.*
paniculata, *Thunb.*
recta, *Linn.*
songorica, *Bunge*

Clypeola

Jonthlaspi, *Linn.*

Cneorum

tricoccum, *Linn.*

Cnicus

græcus, *Hort.*
pannonicus, *Host*, var. divaricatus.
pratensis, *Willd.*
rivularis, *Willd.*
tartaricus, *Willd.*
Velenovskyi, *Hort.*

Cochlearia

saxatilis, *Linn.*

Collomia

gilioides, *Benth.*
grandiflora, *Dougl.*
heterophylla, *Hook.*

Colutea

arborescens, *Linn.*
cruenta, *Ait.*
media, *Willd.*

Conium

maculatum, *Linn.*

Conringia

orientalis, *Dum.*

Convallaria

majalis, *Linn.*

Coriaria

myrtifolia, *Linn.*

Cornus

alba, *Linn.*
sanguinea, *Linn.*

Coronilla

varia, *Linn.*

Cortusa

Matthioli, *Linn.*
pubens, *Schott, Nyman* et *Kotschy*
— villosa, *Hort.*

Corydalis

cheilanthifolia, *Hemsl.*
lutea, *DC.*

Cotoneaster

acuminata, *Lindl.*
affinis, *Lindl.*
bacillaris, *Wall.*
bullata, *Vilmor.* et *Boiss.*
buxifolia, *Wall.*
Franchetii, *Bois*
frigida, *Wall.*
horizontalis, *Decne.*
integerrima, *Medic.*
Lindleyi, *Steudel*
microphylla, *Wall.*
— var. glacialis.
moupinensis, *Franch.*
Nummularia, *Fisch.* et *Mey.*
pannosa, *Franch.*
rotundifolia, *Wall.*
Simonsii, *Baker*

Crambe

Tataria, *Sebéok*

Cratægus

Azarolus, *Linn.*
Carrierei, *Vauvel*
coccinea, *Linn.*
Douglasii, *Lindl.*
intricata, *Lange*
mollis, *Scheele*
orientalis, *Pall.*
Oxyacantha, *Linn.*
— sub sp. monogyna, *Jacq.*
— var. semperflorens, *Carr.*
Pyracantha, *Pers.*
tanacetifolia, *Pers.*

Crepis

paludosa, *Moench*

Cryptostemma

calendulaceum, *R. Br.*

Cuminum
Cyminum, *Linn.*

Cupressus
Lawsoniana, *A. Murr.*
macrocarpa, *Hartw.*
nootkatensis, *Lam.*

Cyclamen
latifolium, *Sibth.* et *Sm.*

Cyclanthera
explodens, *Naud.*

Cydonia
Maulei, *T. Moore*
— var. Sargentii.
japonica, *Thunb.*

Cytisus
albus, *Linn.*
Ardoini, *Fourn.*
austriacus, *Linn.*
biflorus, *L'Hérit.*
capitatus, *Jacq.*
hirsutus, *Linn.*
leucanthus, *Waldst.* et *Kit.*
purgans, *Boiss.*
purpureus, *Scop.*
scoparius, *Link*
— var. Andreanus.

Daboëcia
polifolia, *D. Don*
— var. bicolor.

Dactylis
glomerata, *Linn.*
— var. aurea.

Daphne
Mezereum, *Linn.*
— var. flore albo.

Daucus
Carota, *Linn.*

Delphinium
Brunonianum, *Royle*
dictyocarpum, *DC.*
flexuosum, *Rafin.*
nudicaule, *Torr.* et *Gray*

Demazeria
sicula, *Dum.*

Deschampsia
cæspitosa, *Beauv.*

Deutzia
discolor, *Hemsl.*
— var. purpurascens.

Dianthus
alpinus, *Linn.*
arenarius, *Linn.*
carthusianorum, *Linn.*
ciliatus, *Guss.*
crinitus, *Sm.*
deltoides, *Linn.*
Freynii, *Vandas*
grandiflorus, *Poir.*
longicaulis, *Tenore*
neglectus, *Loisel.*
pubescens, *Sibth.* et *Sm.*
Requienii, *Gren.* et *Godr.*

Dictamnus
albus, *Linn.*, var. purpureus.

Dierama

ensifolium, *C. Koch* et *Bouché*

Diervilla

florida, *Sieb.* et *Zucc.*
— var. alba.
japonica, *DC.*
Lonicera, *Mill.*
sessilifolia, *Buckl.*

Digitalis

purpurea, *Linn.*

Dischisma

arenarium, *E. Mey.*

Dodecatheon

Meadia, *Linn.*
— var. integrifolium.

Doronicum

altaicum, *Pall.*

Draba

Aizoon, *Wahlenb.*
alpina, *Linn.*
arabisans, *Michx.*
aurea, *Vahl*
contorta, *Ehrh.*
cornuta, *Hort.*
cuspidata, *Bieb.*
fladnizensis, *Wulf.*
grandiflora, *Franch.*
hirta, *Linn.*
hispanica, *Boiss.*
Kotschyi, *Stur*
Loiseleurii, *Boiss.*
longirostrata, *Schott, Nyman* et *Kotschy*
Mawii, *Hook. f.*
nemorosa, *Linn.*

Draba—*continued.*

olympica, *Sibth.*
rupestris, *R. Br.*
siliquosa, *Bieb.*
streptocarpa, *A. Gray*
tomentosa, *Wahlenb.*
— var. frigida.

Dracocephalum

Ruyschiana, *Linn.*

Dryas

Drummondii, *Richards.*
octopetala, *Linn.*

Eccremocarpus

scaber, *Ruiz* et *Pav.*

Echinospermum

Lappula, *Lehm.*

Echium

vulgare, *Linn.*

Eleocharis

palustris, *R. Br.*

Elymus

sibiricus, *Linn.*

Emex

spinosa, *Campd.*

Emilia

flammea, *Cass.*

Enarthrocarpus

lyratus, *DC.*

Encelia

calva, *A. Gray*

Enkianthus

campanulatus, *Nichols.*
himalaicus, *Hook. f.* et *Thoms.*

Epilobium

glabellum, *Forst.*
haloragifolium, *A. Cunn.*
Hectori, *Hausskn.*
nummularifolium, *R. Cunn.*
pedicellare, *Presl*

Eremurus

altaicus, *Stev.*
Bungei, *Baker*

Erica

australis, *Linn.*
ciliaris, *Linn.*
cinerea, *Linn.*
— var. alba.
— var. coccinea.
— var. pallida.
mediterranea, *Linn.*
— var. hibernica, *Hook.*
stricta, *Donn*
Tetralix, *Linn.*
urceolaris, *Berg.*
Watsoni, *DC.*

Erigeron

alpinus, *Linn.*
— var. grandiflorus.
glabellus, *Nutt.*
— var. mollis.
glaucus, *Ker-Gawl.*
pulchellus, *DC.*
Roylei, *DC.*
speciosus, *DC.*
— var. major.
— var. roseus.
trifidus, *Hook.*
uniflorus, *Linn.*
Villarsii, *Bell.*

Erinus

alpinus, *Linn.*
— var. carmineus.

Eriophyllum

caespitosum, *Dougl.*

Erodium

chelidonifolium, *Hort.*
Manescavi, *Coss.*

Eryngium

agavifolium, *Griseb.*
alpinum, *Linn.*
Sanguisorba, *Cham.* et *Schlecht.*

Erysimum

Perofskianum, *Fisch.* et *Mey.*
thyrsoideum, *Boiss.*

Erythræa

Massoni, *Sweet*

Erythronium

Dens-canis, *Linn.*
grandiflorum, *Pursh*, var. roseum.

Escallonia

exoniensis, *Hort.*
langleyensis, *Hort.*
macrantha, *Hook.* et *Arn.*
Philippiana, *Mast.*
pterocladon, *Hook.*
punctata, *DC.*
rubra, *Pers.*

Eschscholzia

californica, *Cham.*

Euclidium

syriacum, *R. Br.*

Eupatorium
cannabinum, *Linn.*

Euphorbia
Lathyris, *Linn.*
Myrsinites, *Linn.*

Euonymus
europaeus, *Linn.*

Evax
asterisciflora, *Pers.*

Fagopyrum
esculentum, *Moench*

Festuca
bromoides, *Linn.*
capillifolia, *Dufour*
elatior, *Linn.*
Halleri, *All.*
ovina, *Linn.*
— var. tenuifolia.
— var. vivipara.
rubra, *Linn.*

Forsythia
suspensa, *Vahl*

Fragaria
indica, *Andr.*

Fraxinus
excelsior, *Linn.*

Fritillaria
Meleagris, *Linn.*, var. alba.

Fuchsia
Riccartoni, *Hort.*

Fumaria
capreolata, *Linn.*

Funkia
Sieboldiana, *Hook.*

Gaillardia
aristata, *Pursh*

Galactites
tomentosa, *Moench*

Galax
aphylla, *Linn.*

Galega
orientalis, *Lam.*

Galium
boreale, *Linn.*
Mollugo, *Linn.*
saccharatum, *All.*

Gastridium
australe, *Beauv.*

Gaultheria
nummularioides, *D. Don*
procumbens, *Linn.*
Shallon, *Pursh*
trichophylla, *Royle*

Gaura
Lindheimeri, *Engelm.* et *Gray*

Gaylussacia
frondosa, *Torr.* et *Gray*

Genista

anglica, *Linn.*
cinerea, *DC.*
dalmatica, *Bartl.* et *Wendl.*
hispanica, *Linn.*
radiata, *Scop.*
sagittalis, *Linn.*
tinctoria, *Linn.*
— var. elatior.

Gentiana

acaulis, *Linn.*
asclepiadea, *Linn.*
— var. alba.
Cruciata, *Linn.*
Kesselringi, *Regel*
lutea, *Linn.*
phlogifolia, *Schott* et *Kotschy*
septemfida, *Pall.*
— var. cordifolia.
tibetica, *King*
verna, *Linn.*

Geranium

Grevilleanum, *Wall.*
macrorrhizum, *Linn.*
phæum, *Linn.*
polyanthes, *Edgew.* et *Hook. f.*
pratense, *Linn.*
sanguineum, *Linn.*
— var. prostratum.
striatum, *Linn.*
subcaulescens, *L'Hérit.*
Wilfordi, *Maxim.*

Gerbera

nivea, *Sch. Bip.*

Geum

bulgaricum, *Panč.*
chiloënse, *Balb.*

Geum—*continued.*

Heldreichii, *Hort.*
— var. superba.
hispidum, *Fries*
intermedium, *Ehrh.*
Laxmanni, *Gaertn.*
montanum, *Linn.*
reptans, *Linn.*
rhæticum, *Brügg.*
rivale, *Linn.*
triflorum, *Pursh*

Gilia

androsacea, *Steud.*
dichotoma, *Benth.*
tricolor, *Benth.*

Gillenia

stipulacea, *Nutt.*

Glaucium

flavum, *Crantz*

Globularia

incanescens, *Viv.*

Graphephorum

arundinaceum, *Aschers.*

Grindelia

squarrosa, *Dun.*

Gunnera

chilensis, *Lam.*

Gypsophila

paniculata, *Linn.*

Halenia

elliptica, *D. Don*

Haloragis

alata, *Jacq.*

Hebenstretia

comosa, *Hochst.*

Helenium

Bolanderi, *A. Gray*

Helianthemum

canum, *Boiss.*
echioides, *Pers.*
lavandulaefolium, *Mill.*
Tuberaria, *Mill.*
vulgare, *Gaertn.*

Helichrysum

arenarium, *Moench*
rutidolepis, *DC.*

Heliophila

amplexicaulis, *Linn.*
pilosa, *Lam.*

Heliopsis

scabra, *Dun.*, var. Pitcheriana.

Helleborus

antiquorum, *A. Br.*
foetidus, *Linn.*
guttatus, *A. Br.*, var. Leichtlini.
orientalis, *Lam.*, var. roseus.

Helonias

bullata, *Linn.*

Heracleum

asperum, *Bieb.*

Hesperis

matronalis, *Linn.*

Heuchera

americana, *Linn.*
sanguinea, *Engelm.*

Hibiscus

Trionum, *Linn.*

Hieracium

alpinum, *Linn.*
balkanum, *Uechtritz*
Bornmülleri, *Freyn*
bupleuroides, *C. C. Gmel.*
cerinthoides, *Linn.*
crinitum, *Sibth.* et *Sm.*
crocatum, *Fries*
foliosum, *Waldst.* et *Kit.*
gymnocephalum, *Griseb.*
incisum, *Hoppe*
iricum, *Fries*
Jankæ, *Uechtritz*
norvegicum, *Fries*
Pilosella, *Linn.*
— var. aurantiacum.
prenanthoides, *Vill.*
pulmonarioides, *Vill.*
rupestre, *All.*
strictum, *Fries*
tridentatum, *Fries*
vulgatum, *Fries*

Hierochloë

borealis, *Roem.* et *Schult.*

Hippocrepis

multisiliquosa, *Linn.*
unisiliquosa, *Linn.*

Hippophaë

rhamnoides, *Linn.*
salicifolia, *G. Don*

Holcus
mollis, *Linn.*

Homogyne
alpina, *Cass.*

Hordeum
jubatum, *Linn.*

Horminum
pyrenaicum, *Linn.*
— var. album.

Hosackia
Purshiana, *Benth.*

Hutchinsia
alpina, *R. Br.*

Hyacinthus
amethystinus, *Linn.*
dubius, *Guss:*
pumilus, *Hort.*

Hyoscyamus
niger, *Linn.*

Hypericum
Androsæmum, *Linn.*
calycinum, *Linn.*
delphicum, *Boiss.* et *Heldr.*
fragile, *Heldr.* et *Sart.*
inodorum, *Mill.*
nummularium, *Linn.*
perforatum, *Linn.*
polyphyllum, *Boiss.*
pulchrum, *Linn.*
Richeri, var. Burseri, *Spach*
tetrapterum, *Fries*

Hypochœris
maculata, *Linn.*
uniflora, *Vill.*

Hyptis
spicigera, *Lam.*

Hyssopus
officinalis, *Linn.*

Iberis
Jordani, *Boiss.*
Pruiti, *Tineo*
semperflorens, *Linn.*
sempervirens, *Linn.*
— var. superba.

Ilex
Aquifolium, *Linn.*

Impatiens
Roylei, *Walp.*

Inula
ensifolia, *Linn.*
Helenium, *Linn.*
Hookeri, *C. B. Clarke*

Iris
Milesii, *Foster*
nepalensis, *D. Don*
prismatica, *Pursh*
sibirica, *Linn.*
— var. orientalis.
— var. sanguinea.
sordida, *Willd.*
virginica, *Linn.*
— var. pulchella.
Watsoni, *Hort.*

Isatis
tinctoria, *Linn.*

Iva
xanthifolia, *Nutt.*

Jasminum
humile, *Linn.*

Juncus
effusus, *Linn.*
— var. spiralis.

Kalmia
angustifolia, *Linn.*

Kniphofia
aloides, *Moench*
Rooperi, *Lem.*

Kochia
scoparia, *Schrad.*

Laburnum
alpinum, *J. S. Presl*
vulgare, *J. S. Presl*
— var. austriacum.

Lactuca
Plumieri, *Gren.* et *Godr.*
virosa, *Linn.*

Lallemantia
peltata, *Fisch.* et *Mey.*

Lamarkia
aurea, *Moench*

Lamium
album, *Linn.*

Larix
europæa, *DC.*

Lathyrus
luteus, *Baker*
maritimus, *Bigel.*
pannonicus, *Garcke*
pubescens, *Hook.* et *Arn.*
rotundifolius, *Willd.*
sylvestris, *Linn.*
vernus, *Bernh.*, var. flaccidus.

Lavandula
multifida, *Linn.*
Spica, *Cav.*
Stœchas, *Linn.*
vera, *DC.*
— var. alba.

Layia
elegans, *Torr.* et *Gray*

Ledum
latifolium, *Ait.*
palustre, *Linn.*

Leiophyllum
buxifolium, *Ell.*

Leontodon
hispidus, *Linn.*

Leontopodium
alpinum, *Cass.*
— var. altaicum.
— var. himalayanum.
— var. sibiricum.
— var. transylvanicum.
japonicum, *Miq.*

Leonurus
Cardiaca, *Linn.*

Leptosyne
gigantea, *Kellogg*

Leycesteria
formosa, *Wall.*

Liatris
spicata, *Willd.*

Libertia
formosa, *R. Grah.*
grandiflora, *Sweet*
ixioides, *Spreng.*

Ligustrum
medium, *Franch.* et *Sav.*
ovalifolium, *Hassk.*
vulgare, *Linn.*
— var. italicum.

Lilium
Grayi, *S. Wats.*
Martagon, *Linn.*
— var. album.
pyrenaicum, *Gouan*
umbellatum, *Hort.*, var. maculatum.

Limnanthes
Douglasii, *R. Br.*

Linaria
anticaria, *Boiss.* et *Reut.*
alpina, *Mill.*
Broussonnetii, *Chav.*
Haelava, *Delile*
maroccana, *Hook. f.*, var. alba.
origanifolia, *DC.*
Pančici, *Hort.*
supina, *Desf.*
triornithophora, *Willd.*
tristis, *Mill.*

Linum
grandiflorum, *Desf.*, var. rubrum.
monogynum, *Forst.*
narbonense, *Linn.*

Lithospermum
latifolium, *Michx.*
prostratum, *Loisel.*

Lonas
inodora, *Gaertn.*

Lonicera
alpigena, *Linn.*
angustifolia, *Wall.*
bella, *Zabel*
— var. albida.
— var. rosea.
depressa, *Royle*
Morrowi, *A. Gray*
muscaviensis, *Rehder*
orientalis, *Lam.*
pyrenaica, *Linn.*
Sullivantii, *A. Gray*

Lophanthus
urticifolius, *Benth.*, var. alpinus.

Lotus
corniculatus, *Linn.*

Lunaria
annua, *Linn.*

Lupinus
arboreus, *Linn.*
— var. violaceus.
argenteus, *Pursh*

Lupinus—*continued.*
micranthus, *Dougl.*
polyphyllus, *Lindl.*
— var. albus.
— var. roseus.

Luzula
albida, *DC.*
campestris, *DC.*
nivea, *DC.*
spicata, *DC.*
sylvatica, *DC.*

Lychnis
alpina, *Linn.*
chalcedonica, *Linn.*
coronaria, *Desr.*
— var. alba.
dioica, *Linn.*
Flos-Jovis, *Desr.*
fulgens, *Fisch.*, var. aurantiaca.
Githago, *Scop.*
Haageana, *Lemaire*
Lagascæ, *Hook. f.*
macrocarpa, *Boiss.* et *Reut.*
Viscaria, *Linn.*

Lyonia
ligustrina, *DC.*

Lysimachia
japonica, *Thunb.*

Malva
Alcea, *Linn.*
sylvestris, *Linn.*

Matricaria
oreades, *Boiss.*

Meconopsis
aculeata, *Royle*
bella, *Prain*
cambrica, *Vig.*
grandis, *Prain*
nepalensis, *DC.*
paniculata, *Prain*
racemosa, *Maxim.*
simplicifolia, *D. Don*
Wallichii, *Hook.*

Medicago
carstiensis, *Wulf.*
Echinus, *DC.*

Melilotus
alba, *Desr.*

Menziesia
globularis, *Salisb.*

Meum
athamanticum, *Jacq.*

Microglossa
albescens, *C. B. Clarke*

Milium
effusum, *Linn.*

Mimulus
cardinalis, *Dougl.*

Mitella
pentandra, *Hook.*

Molopospermum
cicutarium, *DC.*

Moricandia
arvensis, *DC.*

Morina
longifolia, *Wall.*

Muehlenbeckia
complexa, *Meissn.*

Muscari
armeniacum, *Baker*
botryoides, *Mill.*
elegans, *Hort.*
Massyanum, *Hort.*
racemosum, *Mill.*

Myagrum
perfoliatum, *Linn.*

Myosotis
alpestris, *F. W. Schmidt*
arvensis, *Lam.*
sylvatica, *Hoffm.*

Myricaria
germanica, *Desv.*

Narcissus
Bulbocodium, *Linn.*, var. citrinus.
moschatus, *Linn.*

Neillia
amurensis, *Benth.* et *Hook. f.*
opulifolia, *Benth.* et *Hook. f.*
thyrsiflora, *D. Don*

Nemophila
insignis, *Benth.*

Nepeta
concolor, *Boiss.* et *Heldr*
longiflora, *Vent.*
nuda, *Linn.*
Sibthorpii, *Benth.*

Nertera
depressa, *Banks* et *Soland.*

Neslia
paniculata, *Desv.*

Nicotiana
alata, *Link* et *Otto*
rustica, *Linn.*

Noccæa
alpina, *Reichb.*
— var. Auerswaldii.

Nonnea
lutea, *DC.*

Nothoscordum
striatum, *Kunth*

Nuttallia
cerasiformis, *Torr.* et *Gray*

Ochthodium
ægyptiacum, *DC.*

Œnanthe
pimpinelloides, *Linn.*
silaifolia, *Bieb.*

Omphalodes
Luciliae, *Boiss.*

Onobrychis
Tommasinii, *Jord.*

Ononis
porrigens, *Salzm.*
rotundifolia, *Linn.*

Onopordon
arabicum, *Linn.*

Ophiopogon
Jaburan, *Lodd.*

Orchis
mascula, *Linn.*

Orobanche
ramosa, *Linn.*

Osteospermum
moniliferum, *Linn.*

Oxalis
corniculata, *Linn.*
— var. tropæoloides.
valdiviensis, *Barn.*

Oxycoccus
macrocarpus, *Pers.*

Oxytropis
baicalensis, *Pall.*
campestris, *DC.*
montana, *DC.*
Pallasii, *Pers.*
pilosa, *DC.*
sordida, *Pers.*
uralensis, *DC.*

Papaver
aculeatum, *Thunb.*
alpinum, *Linn.*
Heldreichii, *Boiss.*
nudicaule, *Linn.*
orientale, *Linn.*, var. bracteatum.
somniferum, *Linn.*

Paradisea
Liliastrum, *Bertol.*

Parietaria
officinalis, *Linn.*

Parnassia
palustris, *Linn.*

Parrya
Menziesii, *Hort.*

Pentstemon
confertus, *Dougl.*
— var. cœruleo-purpureus.
glaber, *Pursh*, var. cyananthus.
humilis, *Nutt.*
Jamesii, *Benth.*
Menziesii, *Hook.*, var. Newberryi.
secundiflorus, *Benth.*

Perezia
multiflora, *Less.*

Pernettya
mucronata, *Gaudich.*

Peucedanum
coriaceum, *Reichb.*
officinale, *Linn.*

Phacelia
tanacetifolia, *Benth.*

Phaseolus
multiflorus, *Willd.*

Philadelphus
coronarius, *Linn.*
— var. Satsumi, *Maxim.*
— var. tomentosus, *Hook. f.* et *Thoms.*

Philadelphus—*continued.*
Gordonianus, *Lindl.*
grandiflorus, *Willd.*
Lemoinei, *Hort.*
— var. erectus.
microphyllus, *A. Gray*

Phleum
asperum, *Jacq.*

Phlomis
Samia, *Linn.*
umbrosa, *Turcz.*, var. australis.
viscosa, *Poir.*

Photinia
variabilis, *Hemsl.*

Phuopsis
stylosa, *Benth.* et *Hook. f.*

Phyteuma
lobelioides, *Willd.*
nigrum, *F. W. Schmidt*
orbiculare, *Linn.*
Scheuchzeri, *All.*

Picris
hieracioides, *Linn.*
— var. fasciata.

Picrorhiza
Kurroa, *Royle*

Pinus
excelsa, *Wall.*
parviflora, *Sieb.* et *Zucc.*
Peuke, *Griseb.*
Pinaster, *Soland.*
sylvestris, *Linn.*

Piptanthus
nepalensis, *Sweet*

Pisum
sativum, *Linn.*

Plantago
alpina, *Cav.*
argentea, *Chaix*
carinata, *Schrad.*
lanceolata, *Linn.*
— var. variegata.
major, *Linn.*, var. monstrosa.
media, *Linn.*
Raoulii, *Decne.*

Plectranthus
glaucocalyx, *Maxim.*

Poa
caespitosa, *Forst. f.*
nemoralis, *Linn.*
pratensis, *Linn.*
trivialis, *Linn.*

Podophyllum
Emodi, *Wall.*

Polemonium
cæruleum, *Linn.*
— var. monstrosum.
foliosissimum, *A. Gray*
himalayanum, *Baker*
humile, *Willd.*
mexicanum, *Cerv.*

Polycarpæa
Teneriffæ, *Lam.*

Polygonum
affine, *D. Don*
amplexicaule, *D. Don*
Bistorta, *Linn.*, var. major.
sphærostachyum, *Meissn.*
viviparum, *Linn.*

Potentilla

alchemilloides, *Lapeyr.*
alpestris, *Hall. f.*
apennina, *Tenore*
argyrophylla, *Wall.*
Detommassii, *Tenore*
dissecta, *Pursh*
fruticosa, *Linn.*
— var. humilis.
Leschenaultiana, *Ser.*
Macnabiana ×, *Lem.*
Menziesii ×, *Paxt.*
minima, *Hall. f.*
Mooniana, *Wight*
nitida, *Linn.*, var. alba.
nivea, *Linn.*
recta, *Linn.*, var. laciniata.
— var. sulphurea.
Tormentilla, *Neck.*
tridentata, *Soland.*
villosa, *Pall.*

Poterium

annuum, *Nutt.*
officinale, *A. Gray*
Sanguisorba, *Linn.*

Pratia

angulata, *Hook. f.*

Prenanthes

purpurea, *Linn.*

Preslia

cervina, *Fresen.*

Primula

apennina, *Wid.*
Cockburniana, *Hemsl.*
denticulata, *Sm.*, var. cashmiriana.
— var. rosea.
elatior, *Hill*, var. carpatica.

Primula—*continued.*

farinosa, *Linn.*, var. scotica.
— var. scotica acaulis.
japonica, *A. Gray*
— var. lilacina.
— var. cynoglossifolia.
marginata, *Curt.*
officinalis, *Jacq.*
Peyritschii ×, *Stein*
Reidii, *Duthie*
sibirica, *Jacq.*
sikkimensis, *Hook. f.*
Stuartii, *Wall.*, var. purpurea.
Veitchii, *Duthie*
viscosa, *Vill.*, var. Balfouriana.
— var. purpurea.
vittata, *Bureau* et *Franch.*

Prunella

grandiflora, *Jacq.*
laciniata, *Linn.*
vulgaris, *Linn.*

Prunus

acida, *Borkh.*
Avium, *Linn.*
Laurocerasus, *Linn.*

Ptelea

trifoliata, *Linn.*
— var. aurea.

Pulmonaria

arvernense, *Hort.*, var. alba.

Pyrola

rotundifolia, *Linn.*
— var. arenaria.

Pyrus

alpina, *Willd.*
— var. superaria.
Aria, *Linn.*
— var. obtusata.

Pyrus—*continued.*

Aucuparia, *Gaertn.*
baccata, *Linn.*
canescens, *Spach*
germanica, *Hook. f.*
intermedia, *Ehrh.*
melanocarpa, *K. Koch*
prunifolia, *Willd.*
rotundifolia, *Bechst.*

Ramondia

pyrenaica, *Rich.*
serbica, *Panč.*, var. Nathaliæ.

Ranunculus

acris, *Linn.*
anemonoides, *Zahlb.*
Chius, *DC.*
gramineus, *Linn.*
Thora, *Linn.*

Raphanus

sativus, *Linn.*, var. caudatus.

Reseda

complicata, *Bory*
glauca, *Linn.*
odorata, *Linn.*

Rhagadiolus

edulis, *Gaertn.*

Rhamnus

cathartica, *Linn.*
Frangula, *Linn.*

Rhododendron

Anthopogon, *D. Don*
arborescens, *Torr.*
arboreum, *Sm.* × ponticum, *Linn.*
californicum, *Hook.*

Rhododendron—*continued.*

campanulatum, *D. Don*
campylocarpum, *Hook. f.*
catawbiense, *Michx.*
caucasicum, *Pall.*
cinnabarinum, *Hook. f.*
ferrugineum, *Linn.*
— var. myrtifolium.
decorum, *Franch.*
flavum, *G. Don*
glaucum, *Hook. f.*
hirsutum, *Linn.*
— var. album.
kamtchaticum, *Pall.*
lepidotum, *Wall.*
niveum, *Hook. f.*
ponticum, *Linn.*
punctatum, *Andr.*
Vaseyi, *A. Gray*

Rhodotypos

kerrioides, *Sieb.* et *Zucc.*

Ribes

alpinum, *Linn.*
aureum, *Pursh*
bracteosum, *Dougl.*
multiflorum, *Waldst.* et *Kit.*
petraeum, *Wulf.*, var. hirsutum.
— var. pubescens.
rubrum, *Linn.*
— var. Schlechtendalii.
— var. Smithianum, *Syme*
sanguineum, *Pursh*
— var. albidum, *Paxton*
— var. atrosanguineum.
— var. glutinosum, *A. Gray*
— var. splendens.

Richardsonia

pilosa, *H. B.* et *K.*

Rodgersia

podophylla, *A. Gray*

Roemeria

violacea, *Medic.*

Rosa

acicularis, *Lindl.*
Alberti, *Regel*
alpina, *Linn.*
blanda, *Ait.*
— var. Sayi.
brachyphylla, *Hort.*
californica, *Cham.* et *Schlecht.*
— var. pisocarpa.
cinnamomea, *Linn.*
ferox, *Bieb.*
gallica, *Linn.*
glutinosa, *Sibth.* et *Sm.*
hibernica, *Sm.*
laxa, *Retz.*
macrophylla, *Lindl.*
mentita, *Déségl.*
moschata, *Herrm.*
pisocarpa, *A. Gray*
pomifera, *Herrm.*
reclinata, *Red.*
rubella, *Sm.*
rubiginosa, *Linn.*
rugosa, *Thunb.*
— var. alba.
sericea, *Lindl.*
spinosissima, *Linn.*
— var. altaica.
— var. hispida.
— var. rubra.
stylosa, *Desv.*

Rubus

cæsius, *Linn.*
fruticosus, *Linn.*
incisus, *Thunb.*

Rubus—*continued.*

laciniatus, *Willd.*
nitidus, *Weihe* et *Nees*
odoratus, *Linn.*
phœnicolasius, *Maxim.*
sorbifolius, *Maxim.*
xanthocarpus, *Bur.* et *Franch.*

Ruta

graveolens, *Linn.*
macrophylla, *Soland.*
montana, *Mill.*

Salsola

Kali, *Linn.*, var. Tragus.

Salvia

argentea, *Linn.*
austriaca, *Jacq.*
carduacea, *Benth.*
cleistogama, *De Bary* et *Paul*
confusa, *Benth.*
cyanescens, *Boiss.* et *Bal.*
glutinosa, *Linn.*
patens, *Cav.*
pratensis, *Linn.*
Przewalskii, *Maxim.*
rubrifolia, *Boiss.*
Sclarea, *Linn.*
sylvestris, *Linn.*
— var. alba.
Verbenaca, *Linn.*
verticillata, *Linn.*

Sambucus

canadensis, *Linn.*
— var. aurea.
nigra, *Linn.*
— var. fructu albo.
— var. virescens.
racemosa, *Linn.*
— var. fructu luteo.
Thunbergiana, *Blume*

Samolus

Valerandi, *Linn.*

Sanicula

europæa, *Linn.*

Sanvitalia

procumbens, *Lam.*

Saponaria

cæspitosa, *DC.*
calabrica, *Guss.*
ocymoides, *Linn.*
peregrina ×, *Hort.*

Saracha

Jaltomata, *Schlecht.*

Satureia

montana, *Linn.*

Saussurea

alpina, *DC.*
discolor, *DC.*

Saxifraga

aizoides, *Linn.*
Aizoon, *Jacq.*
— var. balcana.
— var. carinthiaca (*Schott*)
— var. flavescens.
— var. La graveana.
— var. lutea.
— var. Malyi.
— var. minima.
— var. notata.
— var. pectinata.
— var. punctata.
— var. pyrenaica.
— var. rosularis.
— var. sempervivoides.
— var. Sturmiana.
arguta ×

Saxifraga—*continued.*

aspera, *Linn.*
Boydii, *Dewar*
bronchialis, *Linn.*
— var. cherlerioides.
Bucklandi, *Hort.*
Burseriana, *Linn.*
cæsia, *Linn.*
cæspitosa, *Linn.*
Camposii, *Boiss.* et *Reut.*
canaliculata, *Boiss.* et *Reut.*
cartilaginea, *Willd.*
cochlearis, *Reichb.*, var. minor.
crustata, *Vest.*, var. hybrida.
cuneata, *Willd.*
decipiens, *Ehrh.*
— var. grœnlandica.
— var. palmata.
diapensioides, *Bell.*
Engleri, *Dalla Torre*
erosa, *Pursh*
exarata, *Vill.*
Gaudini ×, *Brügg.*
geranioides, *Linn.*
gibraltarica, *Boiss.* et *Reut.*
granulata, *Linn.*
Grisebachii, *Degen* et *Doerfl.*
Hostii, *Tausch*
— var. altissima.
— var. elatior.
hypnoides, *Linn.*
intacta, *Willd.*
— var. farinosa.
Kotschyi, *Boiss.*
lingulata, *Bell.*, var. australis.
— var. lantoscana.
luteo-viridis, *Schott* et *Kotschy*
MacNabiana, *Hort.*
media, *Gouan*
Mertensiana, *Bongard*
micrantha, *Edgew.*
montavoniensis ×, *Kerner*

Saxifraga—*continued.*

muscoides, *Wulf.*
— var. compacta.
— var. moschata.
— var. purpurea.
mutata, *Linn.*
nervosa, *Miégev.*
nivalis, *Linn.*
oppositifolia, *Linn.*
— var. alba.
paradoxa, *Sternb.*
pedatifida, *Ehrh.*
pensylvanica, *Linn.*
pentadactylis, *Lapeyr.*
Portæ ×, *Engl.*
Pseudo-sancta, *Janka*
punctata, *Linn.*
retusa, *Gouan*
— var. bryoides.
— var. maritima.
Rocheliana, *Sternb.*
rotundifolia, *Linn.*, var. angulosa.
— var. glandulosa (*Griseb.*)
scardica, *Griseb.*
Schraderi, *Sternb.*
sponhemica, *C. C. Gmel.*
squarrosa, *Sieber*
tellimoides, *Maxim.*
umbrosa, *Linn.*, var. hirsuta.
— var. Ogilvieana.
— var. serratifolia.
— var. variegata.
vochinensis, *Gusm.*
Wallacei ×, *M'Nab.*
Zeleborii, *Schott*

Scabiosa

centauroides, *Mill.*
longifolia, *Waldst.* et *Kit.*
lucida, *Vill.*

Scabiosa—*continued.*

ochroleuca, *Linn.*, var. Webbiana.
Succisa, *Linn.*
— var. alba.
sylvatica, *Linn.*

Scandix

Balansae, *Reut.*
Pecten-Veneris, *Linn.*

Schizanthus

pinnatus, *Ruiz* et *Pav.*

Schizocodon

soldanelloides, *Sieb.* et *Zucc.*

Scilla

festalis, *Salisb.*
peruviana, *Linn.*

Scirpus

sylvaticus, *Linn.*

Scleranthus

annuus, *Linn.*

Scolymus

grandiflorus, *Desf.*

Scopolia

lurida, *Dun.*

Scorpiurus

vermiculata, *Linn.*

Scorzonera

hispanica, *Linn.*

Scrophularia

alata, *Gilib.*
dentata, *Royle*
Herminii, *Hoffmgg.* et *Link*
nodosa, *Linn.*

Scutellaria
albida, *Linn.*
alpina, *Linn.*
altissima, *Linn.*
orientalis, *Linn.*

Securigera
Coronilla, *Linn.*

Sedum
Aizoon, *Linn.*
album, *Linn.*
Anacampseros, *Linn.*
asiaticum, *Spreng.*
Ewersii, *Ledeb.*
hispanicum, *Linn.*
hybridum, *Linn.*
maximum, *Suter*
oppositifolium, *Sims*
oreganum, *Nutt.*
pruinatum, *Brot.*
— var. Fosterianum (*Sm.*)
roseum, *Scop.*
— var. linifolium.
rupestre, *Linn.*
sempervivoides, *Fisch.*
sexangulare, *Linn.*
Telephium, *Linn.*

Selinum
tenuifolium, *Wall.*, var. album.

Sempervivum
arachnoideum, *Linn.*
arenarium, *Koch*
cinerascens, *Hort.*
fimbriatum, *Schnittsp.* et *C. B. Lehm.*
globiferum, *Linn.*
patens, *Griseb.* et *Schenk*
Reginae-Amaliae, *Baker*
soboliferum, *Sims*
tectorum, *Linn.*
violaceum, *Hort.*

Senebiera
Coronopus, *Poir.*
pinnatifida, *DC.*

Senecio
abrotanifolius, *Linn.*
clivorum, *Maxim.*
Doronicum, *Linn.*
Fuchsii, *C. C. Gmel.*
laxifolius, *J. Buch.*
Ligularia, *Hook. f.*
squalidus, *Linn.*

Serratula
coronata, *Linn.*
Gmelini, *Ledeb.*
heterophylla, *Desf.*

Sherardia
arvensis, *Linn.*

Sidalcea
candida, *A. Gray*
malvæflora, *A. Gray*
oregana, *A. Gray*
spicata, *Greene*

Sideritis
Massoniana, *Benth.*
scordioides, *Linn.*

Silene
alpestris, *Jacq.*
Armeria, *Linn.*
auriculata, *Sibth.* et *Sm.*
caucasica, *Boiss.*
compacta, *Fisch.*
Cucubalus, *Wibel*
italica, *Pers.*
maritima, *With.*
multicaulis, *Guss.*

Silene—*continued.*

rhynchocarpa, *Boiss.*
Reichenbachii, *Vis.*
Saxifraga, *Linn.*
Schafta, *Gmel.*
Thorei, *Duf.*
vallesia, *Linn.*
Zawadzkii, *Herbich*

Silybum

Marianum, *Gaertn.*

Sisymbrium

Assoanum, *Loscos* et *Pardo*
strictissimum, *Linn.*

Sisyrinchium

angustifolium, *Mill.*
— var. mucronatum.
— var. Nuttallii.
Bermudiana, *Linn.*
striatum, *Sm.*

Skimmia

Fortunei, *Masters*
japonica, *Thunb.*
Laureola, *Hook. f.*

Solanum

crispum, *Ruiz.* et *Pav.*
Dulcamara, *Linn.*
nigrum, *Linn.*

Soldanella

alpina, *Willd.*

Solenomelus

chilensis, *Miers*

Solidago

canadensis, *Linn.*
odora, *Ait.*
Shortii, *Torr.* et *Gray*
ulmifolia, *Muhl.*
Virgaurea, *Linn.*
— var. cambrica.

Spartina

polystachya, *Willd.*

Specularia

Speculum, *A. DC.*

Spergula

arvensis, *Linn.*

Spinacia

oleracea, *Linn.*

Spiræa

Aitchisoni, *Hemsl.*
Aruncus, *Linn.*
astilboides, *T. Moore*
bullata, *Maxim.*
caespitosa, *Nutt.*
camtschatica, *Pall.*
discolor, *Pursh*
Douglasi, *Hook.*
Humboldtii, *Hort.*
japonica, *Linn. f.*
Lindleyana, *Wall.*
Menziesii, *Hook.*
Nobleana, *Hook.*
notha, *Zabel*
palmata, *Thunb.*
salicifolia, *Linn.*
Schinabecki, *Zabel*
sorbifolia, *Linn.*

Spraguea

umbellata, *Torr.*

Stachys
alpina, *Linn.*
— var. intermedia.
Betonica, *Benth.*
grandiflora, *Benth.*
lanata, *Jacq.*
recta, *Linn.*

Stellaria
biflora, *Linn.*
graminea, *Linn.*

Stenanthium
angustifolium, *Kunth*

Stipa
Aristella, *Linn.*
capillata, *Linn.*
papposa, *Delile*
viridula, *Trin.*

Stokesia
cyanea, *L'Hérit.*

Succowia
balearica, *Medic.*

Symphoricarpus
racemosus, *Michx.*

Symphyandra
Hofmanni, *Pant.*
pendula, *A. DC.*

Symphytum
asperrimum, *Donn*

Synthyris
reniformis, *Benth.*

Syringa
Emodi, *Wall.*
vulgaris, *Linn.*
— var. alba.

Tanacetum
vulgare, *Linn.*

Taxus
baccata, *Linn.*
— var. adpressa.
— var. Dovastoni, *Carr.*
— var. fructu luteo.
— var. pyramidalis.

Teesdalia
nudicaulis, *R. Br.*

Tellima
grandiflora, *R. Br.*
parviflora, *Hook.*

Teucrium
Chamædrys, *Linn.*
Polium, *Linn.*
Scorodonia, *Linn.*

Tetragonia
expansa, *Murr.*

Thalictrum
calabricum, *Spreng.*
corynellum, *DC.*
Fendleri, *Engelm.*
glaucum, *Desf.*
laserpitifolium, *Willd.*
minus, *Linn.*
— var. affine.
— var. elatum.
— var. flexuosum.
simplex, *Linn.*

Thaspium
aureum, *Nutt.*

Thermopsis
lanceolata, *R. Br.*
montana, *Nutt.*

Thlaspi
perfoliatum, *Linn.*
rotundifolium, *Gaud.*
violascens, *Schott* et *Kotschy*

Thuya
gigantea, *Nutt.*

Thymus
Serpyllum, *Linn.*
— var. coccineus.
— var. hirsutus.
— var. micans.
vulgaris, *Linn.*

Tofieldia
calyculata, *Wahlenb.*
palustris, *Huds.*

Trachymene
pilosa, *Sm.*

Tradescantia
virginiana, *Linn.*
— var. alba.
— var. atropurpurea.
— var. elata.

Tragopogon
longifolius, *Heldr.* et *Sart.*

Trautvetteria
palmata, *Fisch.* et *Mey.*

Tridax
bicolor, *A. Gray*

Trifolium
alpinum, *Linn.*
ambiguum, *Bieb.*
fragiferum, *Linn.*
medium, *Linn.*
pannonicum, *Jacq.*
pratense, *Linn.*
subterraneum, *Linn.*

Trigonella
corniculata, *Linn.*
Fœnum-græcum, *Linn.*

Trilisa
odoratissima, *Cass.*

Trillium
stylosum, *Nutt.*

Triosteum
perfoliatum, *Linn.*

Trisetum
flavescens, *Beauv.*

Triticum
Spelta, *Linn.*

Tritonia
rosea, *Klatt*

Trollius
asiaticus, *Linn.*
— var. giganteus.
europæus, *Linn.*

Tropæolum
aduncum, *Sm.*
majus, *Linn.*
minus, *Linn.*

Troximon
grandiflorum, *A. Gray*

Tulipa
Didieri, *Jord.*, var. alba.
Kaufmanniana, *Regel*
Oculus-solis, *St. Amans*
pulchella, *Fenzl*

Tunica
prolifera, *Scop.*
Saxifraga, *Scop.*

Ulex
europæus, *Linn.*

Uniola
latifolia, *Michx.*

Urospermum
Dalechampii, *F. W. Schmidt*

Ursinia
speciosa, *DC.*

Urtica
pilulifera, *Linn.*

Vaccinium
hirsutum, *Buckl.*
padifolium, *Sm.*

Valeriana
dioica, *Linn.*
montana, *Linn.*
pyrenaica, *Linn.*

Valerianella
carinata, *Loisel.*
rimosa, *Bast.*

Vancouveria
hexandra, *Morr.* et *Decne.*

Venidium
decurrens, *Less.*

Veratrum
album, *Linn.*

Verbascum
Blattaria, *Linn.*
Lagurus, *Fisch.* et *Mey.*
longifolium, *Tenore*, var. pannosum.
Lychnitis, *Linn.*
phlomoides, *Linn.*
phœniceum, *Linn.*

Veronica
Andersoni, *Lindl.* et *Paxt.*
aphylla, *Linn.*
austriaca, *Linn.*
— var. pinnatifida.
— var. Prenja.
Balfouriana, *Hook. f.*
bellidicides, *Linn.*
Bidwillii, *Hook. f.*
buxifolia, *Benth.*
candida, *Lodd.*
carnosula, *Hook. f.*
Catarractæ, *Forst.*
Chamædrys, *Linn.*
Colensoi, *Hook. f.*
— var. glauca.
— var. viridis.
corymbosa, *Hort.*
decumbens, *Armstr.*
diosmifolia, *R. Cunn.*
elliptica, *Forst.*
epacridea, *Hook. f.*
formosa, *R. Br.*
fruticulosa, *Linn.*, var. cæspitosa.
glaucophylla, *Cock.*
Godefroyana, *Carr.*
ignota, *Waugh*
imperialis ×, *Hort.*
Kirkii, *Armstr.*

Veronica—*continued.*

ligustrifolia, *A. Cunn.*
loganioides, *Armstr.*
longifolia, *Linn.*
— var. alba.
Lyallii, *Hook. f.*
monticola, *Armstr.*
Nummularia, *Gouan*
officinalis, *Linn.*
— var. hirsuta.
parviflora, *Vahl*, var. angustifolia, *Hook. f.*
pimeleoides, *Hook. f.*
pinguifolia, *Hook. f.*, var. decumbens.
pinnata, *Linn.*
Ponæ, *Gouan*
rakaiensis, *Armstr.*
salicifolia, *Forst.*
satureioides, *Vis.*
saxatilis, *Scop.*
— var. alba.
— var. rosea.
spuria, *Linn.*
subsessilis, *Hort.*, var. rosea.
Teucrium, *Linn.*
Traversii, *Hook. f.*
vernicosa, *Hook. f.*
virginica, *Linn.*

Viburnum

burejaeticum, *Regel* et *Herd*
cotinifolium, *D. Don*
Lantana, *Linn.*
Opulus, *Linn.*

Vicia

bithynica, *Linn.*
Cracca, *Linn.*
oroboides, *Wulf.*
Orobus, *DC.*
— var. variegata.

Vicia—*continued.*

pyrenaica, *Pourr.*
sativa, *Linn.*
sylvatica, *Linn.*
unijuga, *A. Braun*

Vincetoxicum

fuscatum, *Reichb. f.*
officinale, *Moench*

Viola

alpina, *Jacq.*
blanda, *Willd.*
canina, *Linn.*
cornuta, *Linn.*
hirta, *Linn.*
lutea, *Huds.*
odorata, *Linn.*
olympica, *Boiss.*
palustris, *Linn.*
primulæfolia, *Linn.*
sylvestris, *Lam.*

Wahlenbergia

dalmatica, *A. DC.*
hederacea, *Reichb.*
serpyllifolia, *G. Beck*
— var. dinarica.
tenuifolia, *A. DC.*

Withania

somnifera, *Dun.*

Wulfenia

Amherstiana, *Benth.*
carinthiaca, *Jacq.*

Wyethia

mollis, *A. Gray*

Xanthium

spinosum, *Linn.*

Xanthocephalum
gymnospermoides, *Benth.* et *Hook. f.*

Xerophyllum
asphodeloides, *Nutt.*

Zaluzianskya
selaginoides, *Walp.*

Zenobia
speciosa, *D. Don*, var. pulverulenta.

Ziziphora
taurica, *Bieb.*

Zygadenus
elegans, *Pursh*

PLANTS UNDER GLASS.

Acacia
alata, *R. Br.*
armata, *R. Br.*
calamifolia, *Sweet*
dealbata, *Link*
decurrens, *Willd.*
extensa, *Lindl.*
Farnesiana, *Willd.*
juncifolia, *Benth.*
melanoxylon, *R. Br.*
neriifolia, *A. Cunn.*
pycnantha, *Benth.*

Adenocarpus
foliolosus, *DC.*

Æchmea
bromeliæfolia, *Baker*
cærulescens, *Baker*
glomerata, *Hook.*

Agapanthus
umbellatus, *L'Hérit.*

Agave
densiflora, *Hook.*
heteracantha, *Zucc.*
striata, *Zucc.*

Aglaonema
commutatum, *Schott*

Albizzia
lophantha, *Benth.*

Aloe
mitriformis, var. spinulosa (*Haw.*)
striata, *Haw.*

Alonsoa
linifolia, *Roezl*
Warscewiczii, *Regel*

Alyxia
buxifolia, *R. Br.*

Amorphophallus
bulbifer, *Blume*

Anopterus
glandulosus, *Labill.*

Anthurium
acaule, *Schott*

Araujia
sericifera, *Brot.*

Ardisia
mamillata, *Hance*

Aristea
Eckloni, *Baker*

Aristolochia
elegans, *Mast.*
fimbriata, *Cham.*

Armeria
latifolia, *Willd.*

Asclepias
curassavica, *Linn.*

Asparagus
comorensis, *Baker*

Astelia
grandis, *Hook. f.*

Astrocaryum
Ayri, *Mart.*
mexicanum, *Liebm.*

Asystasia
bella, *Harv.*

Bæometra
columellaris, *Salisb.*

Barleria
cristata, *Linn.*

Begonia
dichotoma, *Jacq.*
Dregei, *Otto* et *Dietr.*
Froebelii, *A. DC.*
kewensis, *Hort.*
malabarica, *Lam.*
manicata, *Cels*
Martiana, *Link* et *Otto*
peltata, *A. DC.*
sanguinea, *Raddi*
ulmifolia, *Willd.*
Verschaffelti ×, *Hort.*

Benincasa
cerifera, *Savi*

Billardiera
longifolia, *Labill.*
scandens, *Sm.*

Billbergia
decora, *Poepp.*
zebrina, *Lindl.*

Biophytum
sensitivum, *DC.*

Blandfordia
aurea, *Hook. f.*

Bomarea
Carderi, *Mast.*
Lehmanni, *Baker*

Brachychilum
Horsfieldii, *Baker*

Brodiæa
hyacinthina, *Baker*, var. lactea.
ixioides, *Sims*, var. splendens.

Browallia
speciosa, *Hook.*, var. major.

Bryophyllum
crenatum, *Baker*

Calceolaria
glutinosa, *Heer* et *Regel*

Callicarpa
purpurea, *Juss.*

Callistemon
linearis, *DC.*
salignus, *Sweet*
speciosus, *DC.*

Campanula
Vidalii, *H. C. Wats.*

Cantua
buxifolia, *Lam.*

Carissa
acuminata, *A. DC.*
Arduina, *Lam.*

Carmichaelia
Enysii, *T. Kirk*

Carludovica
palmata, *Ruiz* et *Pav.*

Cassia
corymbosa, *Lam.*
laevigata, *Willd.*

Cestrum
elegans, *Schlecht.*
Newellii, *Veitch*

Chlorophytum
orchidastrum, *Lindl.*

Cleome
spinosa, *Jacq.*

Clerodendron
infortunatum, *Gaertn.*
splendens, *G. Don*
Thomsonæ, *Balf.*

Clianthus
puniceus, *Banks*
— var. albus.

Clitoria
Ternatea, *Linn.*
— var. alba, *G. Don*

Corallobotrys
acuminata, *Hook. f.*

Corchorus
capsularis, *Linn.*
olitorius, *Linn.*

Coronilla
scorpioides, *Koch*
viminalis, *Salisb.*

Costus
afer, *Ker-Gawl.*
igneus, *N. E. Br.*
speciosus, *Sm.*

Cotyledon
amœna (*L. de Smet*).
australis, *Rose*
Desmetiana, *Hemsl.*
gibbiflora, *Moç.* et *Sesse*
— var. metallica.
maculata, *Salm-Dyck*
pachyphyta, *Baker*
platyphylla, *Rose*
racemosa, *E. Mey.*
secunda, *Baker*
teretifolia, *Thunb.*

Crassula
arborescens, *Willd.*
sarcocaulis, *Eckl.* et *Zeyh.*
tetragona, *Linn.*

Cyclanthera
explodens, *Naud.*

Cyphomandra
betacea, *Sendt.*

Cytisus
candicans, *Lam.*
fragrans, *Lam.*

Dalechampia
Roezliana, *Muell.*

Dermatobotrys
Saundersiæ, *Bolus*

Desmodium
incanum, *DC.*

Dianella
cærulea, *Sims*

Dioscorea
sativa, *Linn.* (Tuber)

Dodonæa
triquetra, *Wendl.*
viscosa, *Jacq.*

Dolichos
Lablab, *Linn.*

Dorstenia
arifolia, *Lam.*
Contrajerva, *Linn.*
Drakena, *Linn.*

Drosera
capensis, *Linn.*
spathulata, *Labill.*

Drosophyllum
lusitanicum, *Link*

Dumasia
villosa, *DC.*

Eccremocarpus
scaber, *Ruiz* et *Pav.*

Eucalyptus
amygdalina, *Labill.*
incrassata, *Labill.*

Eucomis
punctata, *L'Hérit.*

Euphorbia
dentata, *Michx.*
splendens, *Boj.*

Evodia
elegans, *Hort.*

Exacum
affine, *Balf. f.*

Francoa
ramosa, *D. Don*
sonchifolia, *Cav.*

Fuchsia
corymbiflora, *Ruiz* et *Pav.*
procumbens, *R. Cunn.*

Gasteria
decipiens, *Haw.*

Gelasine
azurea, *Herb.*

Geonoma
pumila, *Wendl.*

Gloriosa
superba, *Linn.*

Grevillea
glabrata, *Meissn.*

Guizotia
abyssinica, *Cass.*

Haemanthus
natalensis, *Hook.*

Hakea
acicularis, *Knight*

Haloragis
alata, *Jacq.*

Heliotropium
peruvianum, *Linn.*

Heeria
elegans, *Schlecht.*
subtriplinervia, *Triana*

Hibbertia
dentata, *R. Br.*

Hibiscus
esculentus, *Linn.*
lunariifolius, *Willd.*
Manihot, *Linn.*
pedunculatus, *Linn.*
vitifolius, *Linn.*

Humea
elegans, *Sm.*

Hydrolea
spinosa, *Linn.*

Hypericum
japonicum, *Thunb.*
lanceolatum, *Lam.*

Hypoxis
erecta, *Linn.*
Krebsii, *Fisch.*
Rooperii, *T. Moore*
villosa, *Linn.*

Indigofera
atropurpurea, *Buch.-Ham.*
australis, *Willd.*

Ipomœa
purpurea, *Roth*
Quamoclit, *Linn.*

Kalanchöe
flammea, *Stapf*
grandiflora, *Wight* et *Arn.*
Kirkii, *N. E. Br.*
Petitiana, *A. Rich.*
rotundifolia, *Haw.*

Karatas
Plumieri, *E. Morr.*

Kedrostis
africana, *Cogn.*

Kennedya
prostrata, *R. Br.*

Kunzea
corifolia, *Reichb.*

Lachnostoma
maritimum, *Nichols.*

Lantana
Camara, *Linn.*

Laportea
moroides, *Wedd.*

Leea
sambucina, *Willd.*

Leptospermum
scoparium, *Forst.*

Littonia
modesta, *Hook.*

Lobelia
tenuior, *R. Br.*

Luffa
ægyptiaca, *Mill.*

Mallotus
japonicus, *Muell.*

Malvastrum
grossulariæfolium, *Garcke*

Mapania
pandanæfolia, *Hort. Sander*

Massonia
sanguinea, *Jacq.*

Maurandia
Barclayana, *Lindl.*
scandens, *A. Gray*

Melia
Azedarach, *Linn.*

Melianthus
major, *Linn.*

Mesembryanthemum
deltoides, *Linn.*
formosum, *Haw.*
lepidum, *Haw.*
micans, *Linn.*
muricatum, *Haw.*
roseum, *Willd.*
tricolorum, *Haw.*
timidulum, *Haw.*

Mimosa
marginata, *Lindl.*
pudica, *Linn.*

Momordica
Balsamina, *Linn.*
Charantia, *Linn.*
cochinchinensis, *Spreng.*

Moræa
spathacea, *Ker-Gawl.*

Myrica
æthiopica, *Linn.*

Myrsine
africana, *Linn.*

Myrtus
communis, *Linn.*
Ugni, *Mol.*

Nephthytis
liberica, *N. E. Br.*
picturata, *N. E. Br.*

Nertera
depressa, *Banks*

Nicandra
physaloides, *Gaertn.*

Nicotiana
rustica, *Linn.*

Ochna
multiflora, *DC.*

Ocimum
viride, *Willd.*

Oliverella
elegans, *Rose*

Ononis
reclinata, *Linn.*

Ornithogalum
tenellum, *Jacq.*

Orthrosanthus
multiflorus, *Sweet*

Oryza
sativa, *Hochst.*
— var. atropurpurea.
— var. rufibarbis.

Palisota
Barteri, *Hook. f.*

Passiflora
edulis, *Sims*
quadrangularis, *Linn.*

Pavonia
hastata, *Cav.*
spinifex, *Cav.*

Pelargonium
australe, *Jacq.*

Pentas
carnea, *Benth.*

Phyllanthus
grandifolius, *Linn.*
parvifolius, *Buch.-Ham.*

Physalis
peruviana, *Linn.*

Pimelea
ferruginea, *Labill.*

Pitcairnia
Altensteinii, *Lem.*
aphelandræflora, *Verschaff.*
latifolia, *Soland.*
maidifolia, *Decne.*

Platytheca
galioides, *Steetz*

Pleuropetalum
costaricense, *Hort.*

Polyalthia
suberosa, *Benth.* et *Hook. f.*

Polycarpæa
divaricata, *Balf. f.*

Primula
mollis, *Nutt.*
verticillata, *Forsk.*

Prostanthera
lasianthos, *Labill.*

Psychotria
micrantha, *Hiern*

Ranunculus
cortusaefolius, *Willd.*

Rhododendron
arboreum, *Sm.*
Nuttallii, *Booth*

Rhynchosia
caribæa, *DC.*

Ricinus
communis, *Linn.*

Rivina
aurantiaca, *Warsc.*
humilis, *Linn.*
tinctoria, *Haml.*

Ruellia
tuberosa, *Linn.*

Sabal
Blackburniana, *Glazebr.*
mexicana, *Mart.*

Sagittaria
longirostra, *Hort.*

Sandersonia
aurantiaca, *Hook.*

Sedum
Sieboldii, *Hort.*

Sempervivum
arachnoideum, *L.*
Youngianum, *Webb* et *Benth.*

Senecio
grandifolius, *Less.*
Petasitis, *DC.*

Sida
acuta, *Burm.*
humilis, *Cav.*

Sideritis
Massoniana, *Benth.*

Sisyrinchium
micranthum, *Cav.*

Solanum
auriculatum, *Ait.*
fastigiatum, *Willd.*
jasminoides, *Paxt.*
nigrum, *Linn.*
pyracanthum, *Jacq.*
venustum, *Kunth*
verbascifolium, *Linn.*

Stachytarpheta
indica, *Vahl*

Statice
echioides, *Linn.*

Stylidium
adnatum, *R. Br.*

Sutherlandia
frutescens, *R. Br.*

Tacca
cristata, *Jack*
viridis, *Hemsl.*

Tacsonia
Van-Volxemii, *Hook.*

Talinum
patens, *Willd.*
triangulare, *Willd.*

Tecoma
Smithii, *Hort.*

Tetranema
mexicana, *Benth.*

Teucrium
Marum, *Linn.*

Thoracostachyum
bancanum, *Kurz*

Tillandsia
fenestralis, *Hook.*
Regina, *Vell.*
— var. gigantea.

Trachelium
cæruleum, *Linn.*

Tradescantia
discolor, *L'Hérit.*

Vellozia
elegans, *Talbot*

Villarsia
reniformis, *R. Br.*

Viminaria
denudata, *Sm.*

Vitis
heterophylla, *Thunb.*, var.
humulifolia, *Hook. f.*

FOR OFFICIAL USE.

NOTES

FROM THE

ROYAL BOTANIC GARDEN,

EDINBURGH.

DECEMBER 1908.

CONTENTS.

Page.

List of Seeds collected in the Royal Botanic Garden, Edinburgh, during the Year 1908, - - - ccxxiii

GLASGOW:

PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE

By JAMES HEDDERWICK & SONS LTD.,

AT "THE CITIZEN" PRESS, ST. VINCENT PLACE.

SOLD AT THE GARDEN,

And to be purchased, either directly or through any Bookseller, from

OLIVER & BOYD, Tweeddale Court, Edinburgh.

[PRICE NINEPENCE.]

[*All rights reserved.*]

List of Seeds Collected in the Royal Botanic Garden, Edinburgh, during the Year 1908.

The following is a list of plants cultivated in the Royal Botanic Garden, Edinburgh, from which ripened seeds have been collected during the year 1908. The quantity of seed obtained from some of the species is of limited amount. The seeds are available for exchange, but they are not for sale :—

PLANTS IN THE OPEN.

Acæna

glabra, *J. Buch.*
glauca, *Hort.*
incana, *Hort.*
inermis, *Hook. f.*
laevigata, *Ait.*
microphylla, *Hook. f.*
millefolia, *Hort.*
myriophylla, *Lindl.*
ovalifolia, *Ruiz* et *Pav.*
Sanguisorbæ, *Vahl*

Acantholimon

acerosum, *Boiss.*
cilicicum, *Hort.*
glumaceum, *Boiss.*
venustum, *Boiss.*

Acanthus

mollis, *Linn.*
niger, *Mill.*
Schottii, *Hort.*

Acer

campestre, *Linn.*
circinnatum, *Pursh*
monspessulanum, *Linn.*
opulifolium, *Vill.*, var. obtusatum.
platanoides, *Linn.*
Pseudo-platanus, *Linn.*
— var. purpureum.
rufinerve, *Sieb.* et *Zucc.*

Achillea

ageratifolia, *Benth.* et *Hook. f.*
alpina, *Linn.*
Lereschei, *Sch. Bip.*
macedonica, *Rouy*
obscura, *Nees*
Wilczekii, *Hort.*

Aconitum

Anthora, *Linn.*
ferox, *Wall.*
Fischeri, *Reichb.*

Mo. Bot. Garden

Aconitum—*continued.*

heterophyllum, *Wall.*
Lycoctonum, *Linn.*
Napellus, *Linn.*
— var. hians.
paniculatum, *Lam.*
reclinatum, *A. Gray*
uncinatum, *Linn.*

Actæa

alba, *Mill.*
spicata, *Linn.*
— var rubra.

Adenocarpus

intermedius, *DC.*

Adenophora

polymorpha, *Ledeb.*
Potanini, *Batalin*
stricta, *Miq.*
stylosa, *Fisch.*
verticillata, *Fisch.*

Adonis

vernalis, *Linn.*

Æthionema

armenum, *Boiss.*
cordatum, *Boiss.*
iberideum, *Boiss.*
persicum, *Hort.*

Agathæa

cœlestis, *Cass.*

Agrimonia

agrimonioides, *Linn.*
Eupatoria, *Linn.*
odorata, *Mill.*

Agropyron

acutum, *Roem.* et *Schult.*
dasyanthum, *Ledeb.*
tenerum, *Vasey*

Agrostis

nigra, *With.*

Ajuga

pyramidalis, *Linn.*

Alchemilla

alpina, *Linn.*
major, *Hort.*

Alisma

Plantago, *Linn.*

Allium

Aschersonianum, *Barbey*
atropurpureum, *Waldst.* et *Kit.*
cardiostemon, *Fisch.* et *Mey.*
carinatum, *Linn.*
cyaneum, *Regel*
fragrans, *Vent.*
giganteum, *Regel*
kansuense, *Regel*
macranthum, *Baker*
margaritaceum, *Sibth.* et *Sm.*
Moly, *Linn.*
mutabile, *Michx.*
narcissiflorum, *Vill.*
odorum, *Linn.*
oreophilum, *C. A. Mey.*
paradoxum, *G. Don*
polyphyllum, *Kar.* et *Kir.*
pulchellum, *G. Don*
rubellum, *Bieb.*
roseum, *Linn.*
sativum, *Linn.*
Schœnoprasum, *Linn.*
— var. sibiricum.

Allium—*continued.*

Schuberti, *Zucc.*
senescens, *Linn.*
viviparum, *Kar.* et *Kir.*

Alnus

cordifolia, *Tenore*
glutinosa, *Medic.*
— var. rubrinervia.
incana, *Moench*
— var. glauca, *Regel*
japonica, *Sieb.* et *Zucc.*
maritima, *Nutt.*
rhombifolia, *Nutt.*
serrulata, *Willd.*
subcordata, *C. A. Mey.*
viridis, *DC.*

Alonsoa

caulialata, *Ruiz* et *Pav.*

Alopecurus

pratensis, *Linn.*

Alstroemeria

haemantha, *Ruiz* et *Pav.*

Alyssum

condensatum, *Boiss.* et *Hausskn.*
creticum, *Linn.*
gemonense, *Linn.*
idæum, *Boiss.* et *Heldr.*
maritimum, *Lam.*
montanum, *Linn.*
podolicum, *Bess.*
rostratum, *Stev.*
saxatile, *Linn.*
— var. sulphureum.
serpyllifolium, *Desf.*
spinosum, *Linn.*
Szovitsianum, *Fisch.* et *Mey.*
Wulfenianum, *Willd.*

Ammobium

alatum, *R. Br.*

Amphicarpæa

monoica, *Ell.*

Anchusa

officinalis, *Linn.*

Androsace

brigantiaca, *Jord.* et *Fourr.*
carnea, *Linn.*
Chumbyi, *Hort.*
lactea, *Linn.*
lactiflora, *Fisch.*
mucronifolia, *Watt*
sarmentosa, *Wall.*

Andryala

integrifolia, *Linn.*

Anemone

alpina, *Linn.*
— var. sulphurea.
cylindrica, *A. Gray*
decapetala, *Linn.*
magellanica, *Hort.*
multifida, *Poir.*
pratensis, *Linn.*
Pulsatilla, *Linn.*, var. amoena.
rivularis, *Buch.-Ham.*
— var. demissa.
sylvestris, *Linn.*
— var. majus.

Antennaria

decipiens, *Greene*
dioica, *Gærtn.*
— var. tomentosa.
— var. parvifolia (*Gærtn.*)
rosea, *Greene*, var. imbricata.

Anthemis

Biebersteiniana, *C. Koch*
canescens, *Brot.*
montana, *Linn.*
Triumfetti, *DC.*

Anthericum

Huteri, *Hort.*
Liliago, *Linn.*

Anthriscus

vulgaris, *Bernh.*

Anthyllis

Vulneraria, *Linn.*
— var. Dillenii.

Antirrhinum

Asarina, *Linn.*
glutinosum, *Boiss.* et *Reut.*
majus, *Linn.*
sempervirens, *Lapeyr.*

Apera

interrupta, *Beauv.*

Aplopappus

croceus, *A. Gray*

Aquilegia

cærulea, *James*
canadensis, *Linn.*
chrysantha, *A. Gray*, var. nana.
Einseliana, *F. Schultz*
flabellata, *Sieb.* et *Zucc.*, var. stellata.
formosa, *Fisch.*
glandulosa, *Fisch.*
minutiflora, *Hort.*
pubiflora, *Wall.*
— var. Leichtlini.
pyrenaica, *DC.*

Aquilegia—*continued.*

Skinneri, *Hook.*
viridiflora, *Pall.*
vulgaris, *Linn.*
— var. atrata.

Arabis

albida, *Stev.*
alpina, *Linn.*
auriculata, *Lam.*
blepharophylla, *Hook.* et *Arn.*
lucida, *Linn. f.*
muralis, *Bertol.*, var. rosea.
petræa, *Lam.*
purpurea, *Sibth.* et *Sm.*
serpyllifolia, *Vill.*
stricta, *Huds.*
Turczaninowii, *Ledeb.*
Turrita, *Linn.*

Arbutus

Unedo, *Linn.*

Arctium

minus, *Bernh.*

Arctotis

acaulis, *Linn.*
stœchadifolia, *Berg.*

Arenaria

balearica, *Linn.*
erythrosepala, *Boiss.*
gothica, *Fries*
graminifolia, *Schrad.*
— var. parviflora.
gypsophiloides, *Linn.*
juniperina, *Linn.*
laricifolia, *Linn.*
pinifolia, *Bieb.*
purpurascens, *Ramond*
sajanensis, *Willd.*

Arenaria—*continued.*
trinervia, *Linn.*
verna, *Linn.*
— var. aurea.

Aristolochia
rotunda, *Linn.*

Armeria
allioides, *Boiss.*, var. ciliata.
caespitosa, *Boiss.*
cylindrica, *Hort.*
fasciculata, *Willd.*
— var. hybrida.
Fremonti, *Hort.*
japonica, *Hort.*
labradorica, *Wallr.*
leucocephala, *Koch*
maritima, *Willd.*
— var. alba.
— var. alpina.
mauritanica, *Wallr.*
— var. hybrida.
plantaginea, *Willd.*
Welwitschii, *Boiss.*

Arnica
Chamissonis, *Less.*
longifolia, *Eaton*
montana, *Linn.*

Arracacia
arguta, *Benth.* et *Hook. f.*

Artemisia
glauca, *Pall.*

Arum
italicum, *Mill.*

Asperula
molluginoides, *Reichb.*

Aster
alpinus, *Linn.*
— var. albus.
baldensis, *Hort.*
batangensis, *Bur.* et *Franch.*
brachytrichus, *Franch.*
falcatus, *Lindl.*
foliaceus, *Lindl.*
himalaicus, *C. B. Clarke*
leucanthemus, *Rafin.*
longifolius, *Lam.*
puniceus, *Linn.*
pyrenæus, *DC.*
Radula, *Ait.*
sikkimensis, *Hook. f.* et *Thoms.*
spectabilis, *Ait.*
tataricus, *Linn. f.*

Astragalus
Cicer, *Linn.*
danicus, *Retz.*, var. albus.
Drummondii, *Dougl.*
galegiformis, *Linn.*
Glyciphyllos, *Linn.*
monspessulanus, *Linn.*
pentaglottis, *Linn.*

Astrantia
carniolica, *Wulf.*
helleborifolia, *Salisb.*
major, *Linn.*
— var. intermedia.
minor, *Linn.*
neglecta, *C. Koch* et *Bouche*

Astydamia
canariensis, *DC.*

Athamanta
Matthioli, *Wulj.*

Atraphaxis
Billardieri, *Jaub.* et *Spach.*

Atriplex
hortensis, *Linn.*, var. rubra.
patula, *Linn.*
spongiosa, *F. Muell.*
tatarica, *Linn.*

Atropa
Belladonna, *Linn.*

Aubrietia
déltoidea, *DC.*
gracilis, *Sprun.*

Avena
strigosa, *Schreb.*

Baccharis
patagonica, *Hook.* et *Arn.*

Ballota
nigra, *Linn.*
spinosa, *Link*

Barbarea
præcox, *R. Br.*
vulgaris, *R. Br.*

Bellium
bellidioides, *Linn.*
minutum, *Linn.*

Berberis
amurensis, *Rupr.*
Aquifolium, *Pursh*
aristata, *DC.*
Darwinii, *Hook.*
stenophylla, *Moore*
Thunbergii, *DC.*
virescens, *Hook. f.*
vulgaris, *Linn.*
Wallichiana, *DC.*

Beta
trigyna, *Waldst.* et *Kit.*

Betula
alba, *Linn.*
— var. pubescens.
Ermani, *Cham.*
lutea, *Michx.*
papyrifera, *Marsh.*
pumila, *Linn.*

Biarum
Pyrami, *Engl.*

Bidens
grandiflora, *Balb.*
humilis, *H. B.* et *K.*

Bigelowia
viscidiflora, *DC.*

Biscutella
lævigata, *Linn.*

Blumenbachia
Hieronymi, *Urb.*

Bocconia
cordata, *Willd.*
microcarpa, *Maxim.*

Borago
officinalis, *Linn.*

Bowlesia
tenera, *Spreng.*

Brachycome
Thomsonii, *T. Kirk*

Brassica
Erucastrum, *Linn.*
oleracea, *Linn.*

Bravoa
geminiflora, *Lex.*

Braya
alpina, *Sternb.* et *Hoppe*

Brittonastrum
ionocalyx, *B. L. Robins.*

Brodiæa
Douglasii, *S. Wats.*
hyacinthina, *Baker*

Bromus
erectus, *Huds.*
maximus, *Desf.*
Tacna, *Steud.*

Bruckenthalia
spiculifolia, *Reichb.*

Bryanthus
empetriformis, *A. Gray*

Buddleia
albiflora, *Hemsl.*
Hemsleyana, *Hort.*
intermedia, *Carr.*
japonica, *Hemsl.*
variabilis, *Hemsl.*
—var. Veitchiana.

Bulbinella
Hookeri, *Benth.* et *Hook. f.*

Buphthalmum
speciosum, *Schreb.*

Bupleurum
Candollei, *Wall.*
fruticosum, *Linn.*
stellatum, *Linn.*

Calamintha
alpina, *Lam.*
grandiflora, *Moench*

Calceolaria
chelidonioides, *H.B.* et *K.*
pinnata, *Linn.*
plantaginea, *Sm.*

Calendula
arvensis, *Linn.*

Callirhoë
digitata, *Nutt.*

Caltha
polypetala, *Hochst.*

Camassia
Leichtlinii, *S. Wats.*

Campanula
alaskana, *Hort.*
alliariæfolia, *Willd.*
alpina, *Jacq.*
americana, *Linn.*
barbata, *Linn.*
bononiensis, *Linn.*
caespitosa, *Scop.*
carpatica, *Jacq.*
— var. turbinata.
— var. turbinata alba.
garganica, *Tenore*
glomerata, *Linn.*, var. acaulis.
Grossekii, *Heuffl.*
latifolia, *Linn.*
— var. lilacina.
— var. macrantha.
— var. macrantha alba.
linifolia, *Scop.*
mirabilis, *Alboff*
nitida, *Ait.*, var. alba.

Campanula—*continued.*

phyteumoides, *Sibth.*
planiflora, *Lam.*, var. alba.
pulla, *Linn.*
pulloides, *Hort.*
— var. kewensis.
punctata, *Lam.*, var. alba.
pusilla, *Hænke*
Raddeana, *Trautv.*
rapunculoides, *Linn.*
rhomboidalis, *Linn.*
rotundifolia, *Linn.*
salicifolia, *Boiss.* et *Kotschy*
Steveni, *Bieb.*
thyrsoides, *Linn.*
Trachelium, *Linn.*
— var. aggregata.
Teymonsii, *Hort.*
Vidalii, *H. C. Wats.*
Waldsteiniana, *Roem.* et *Schult.*

Campanumœa

javanica, *Blume*

Capsella

thracica, *Velen.*

Caragana

arborescens, *Lam.*

Carduus

defloratus, *Linn.*
nutans, *Linn.*
valentinus, *Boiss.* et *Reut.*

Carex

aquatilis, *Wahlenb.*
atrata, *Linn.*
capillaris, *Linn.*
diluta, *Bieb.*
divulsa, *Good.*
extensa, *Good.*

Carex—*continued.*

hordeistichos, *Vill.*
lævigata, *Sm.*
laxiflora, *Lam.*
Leersii, *F. Schult.*
leporina, *Linn.*
muricata, *Linn.*
— var. virens.
ornithopoda, *Willd.*
pallescens, *Linn.*
paludosa, *Good.*
panicea, *Linn.*
paradoxa, *Willd.*
pulicaris, *Linn.*
punctata, *Gaud.*
rigida, *Good.*
sparganioides, *Muhl.*
stricta, *Good.*
strigosa, *Huds.*
vulpina, *Linn.*
vaginata, *Tausch*

Carmichaelia

flagelliformis, *Colenso*

Carpesium

cernuum, *Linn.*

Carpoceras

cilicicum, *Boiss.* et *Kurz*

Carrichtera

Vella, *DC.*

Carum

Carvi, *Linn.*
heterophyllum, *Regel* et *Schmalh.*

Cassandra

calyculata, *D. Don*

Cassinia

fulvida, *Hook. f.*
leptophylla, *R. Br.*

Cathcartia

villosa, *Hook. f.*

Cedronella

cana, *Hook.*
triphylla, *Moench*

Celastrus

scandens, *Linn.*

Celmisia

Munroi, *Hook. f.*

Centaurea

aggregata, *Fisch.* et *Mey.*
caerulescens, *Willd.*
Cyanus, *Linn.*
cynaroides, *Link*
Jacea, *Linn.*
Kerneriana, *Janka*
nervosa, *Willd.*
nigra, *Linn.*
orientalis, *Linn.*
phrygia, *Linn.*
Rhaponticum, *Linn.*
Urvillei, *DC.*, var. acaulis.

Centranthus

ruber, *DC.*
— var. albus.

Cerastium

alpinum, *Linn.*
arvense, *Linn.*, var. tenuifolium.

Cerinthe

alpina, *Kit.*
longiflora, *Viv.*

Chærophyllum

aromaticum, *Linn.*
aureum, *Linn.*

Chamælirium

carolinianum, *Willd.*

Chamaemelum

argaea, *Hort.*

Cheiranthus

Allionii, *Hort.*
Cheiri, *Linn.*

Chelidonium

Franchetianum, *Prain*
majus, *Linn.*

Chenopodium

Bonus-Henricus, *Linn.*

Chiogenes

serpyllifolia, *Salisb.*

Chondrilla

juncea, *Linn.*

Chrysanthemum

coccineum, *Willd.*

Chrysopsis

camphorata, *Eastw.*
villosa, *DC.*, var. Rutteri.

Cistus

hirsutus, *Lam.*
laurifolius, *Linn.*
villosus, *Linn.*

Clarkia

elegans, *Dougl.*, var. marginata.

Clematis

alpina, *Mill.*
Flammula, *Linn.*
— var. Pallasii.
montana, *Buch.-Ham.*
orientalis, *Linn.*
paniculata, *Thunb.*
recta, *Linn.*
songorica, *Bunge*
Vitalba, *Linn.*

Clypeola

Jonthlaspi, *Linn.*

Cneorum

tricoccon, *Linn.*

Cnicus

acaulis, *Willd.*
eriophorus, *Roth*
græcus, *Hort.*
pannonicus, *Host*, var. divaricatus.
pratensis, *Willd.*
rivularis, *Willd.*
tartaricus, *Willd.*
Velenovskyi, *Hort.*

Cochlearia

officinalis, *Linn.*
saxatilis, *Linn.*

Collinsia

bicolor, *Benth.*

Collomia

heterophylla, *Hook.*

Colutea

arborescens, *Linn.*
cruenta, *Ait.*
media, *Willd.*

Commelina

coelestis, *Willd.*
dentata, *Hort.*

Conringia

orientalis, *Dum.*

Coriandrum

sativum, *Linn.*

Cornus

alba, *Linn.*
sanguinea, *Linn.*

Coronilla

minima, *Linn.*
montana, *Scop.*
varia, *Linn.*

Cortusa

pubens, *Schott*, *Nyman* et *Kotschy*

Corydalis

cheilanthifolia, *Hemsl.*
lutea, *DC.*
ophiocarpa, *Hook. f.* et *Thoms.*
rosea, *Zeyh.*

Cotoneaster

acuminata, *Lindl.*
affinis, *Lindl.*
bacillaris, *Wall.*
buxifolia, *Wall.*
Franchetii, *Bois*
frigida, *Wall.*
horizontalis, *Decne.*
microphylla, *Wall.*
— var. glacialis.
Nummularia, *Fisch.* et *Mey.*
pannosa, *Franch.*
rotundifolia, *Wall.*
Simonsii, *Baker*
thymifolia, *Baker*

Crambe

Tataria, *Sebéok*

Craspedia

uniflora, *Forst. f.*

Cratægus

Azarolus, *Linn.*
Carrierei, *Vauvel*
coccinea, *Linn.*
Dippeliana, *Lange*
Douglasii, *Lindl.*
intricata, *Lange*
Oxyacantha, *Linn.*
— sub sp. monogyna, *Jacq.*
— var. semperflorens, *Carr.*
— sub-sp. oxyacanthoides, *Thuill.*
Pyracantha, *Pers.*

Cremanthodium

reniforme, *Benth.*

Crepis

aurea, *Reichb.*
grandiflora, *Tausch*
Jacquini, *Tausch*
nivea, *Hort.*
paludosa, *Moench*
pygmaea, *Linn.*
Ruperiana, *Hort.*
sibirica, *Linn.*

Cryptotænia

canadensis, *DC.*

Cuminum

Cyminum, *Linn.*

Cuphea

lanceolata, *Ait.*

Cupressus

*B*enthami, *Endl.*
Goveniana, *Gord.*
Lawsoniana, *A. Murr.*
•macrocarpa, *Hartw.*
nootkatensis, *Lam.*

Cynoglossum

furcatum, *Wall.*
microglochin, *Benth.*
nervosum, *Benth.*
petiolatum, *A. DC.*
Wallichii, *G. Don*

Cydonia

Maulei, *T. Moore*
— var. Sargentii.
japonica, *Thunb.*

Cytisus

albus, *Linn.*
austriacus, *Linn.*
biflorus, *L'Hérit.*
capitatus, *Jacq.*
hirsutus, *Linn.*
leucanthus, *Waldst.* et *Kit.*
nigricans, *Linn.*
— var. Carlieri, *Hort.*
purgans, B*oiss.*
purpureus, *Scop.*
scoparius, *Link*
— var. Andreanus.

Daboëcia

polifolia, *D. Don*
— var. bicolor.

Dactylis

glomerata, *Linn.*

Dahlia

Merckii, *Lehm.*
zimapani, *Hort.*

Daphne

alpina, *Linn.*
Mezereum, *Linn.*

Datisca

cannabina, *Linn.*

Datura

Stramonium, *Linn.*

Daucus

Carota, *Linn.*

Delphinium

Brunonianum, *Royle*
dictyocarpum, *DC.*
elatum, *Linn.*
— var. alpinum.
flexuosum, *Rafin.*
Maackianum, *Regel*
nudicaule, *Torr.* et *Gray*
occidentale, *S. Wats.*

Demazeria

sicula, *Dum.*

Dianthus

alpinus, *Linn.*
arenarius, *Linn.*
caesius, *Sm.*
carthusianorum, *Linn.*
ciliatus, *Guss.*
cinnabarinus, *Sprun.*
crinitus, *Sm.*
croaticus, *Borbas*
cyclops, ×
delicatus, *Hort.*
deltoides, *Linn.*
fragrans, *Bieb.*
Freynii, *Vandas*
gallicus, *Pers.*
grandiflorus, *Poir.*

Dianthus—*continued.*

inodorus, *Hort.*
monspessulanus, *Linn.*
— var. alpestris.
neglectus, *Loisel.*
Pancicii, *Velen.*
— var. grandiflorus.
petraeus, *Waldst.* et *Kit.*
pubescens, *Sibth.* et *Sm.*
Requienii, *Gren.* et *Godr.*
squarrosus, *Bieb.*
Sternbergii, *Sibth.*
superbus, *Linn.*
— var. chinensis.

Dictamnus

albus, *Linn.*, var. purpureus.

Diervilla

florida, *Sieb.* et *Zucc.*
— var. alba.
japonica, *DC.*
sessilifolia, *Buckl.*

Digitalis

purpurea, *Linn.*
— var. monstrosa.

Diphylleia

cymosa, *Michx.*

Dipsacus

sylvestris, *Mill.*

Dischisma

arenarium, *E. Mey.*

Disporum

lanuginosum, *Nichols*

Dodartia

orientalis, *Linn.*

Dorycnium
herbaceum, *Vill.*

Draba
Aizoon, *Wahlenb.*
alpina, *Linn.*
altaica, *Ledeb.*
aurea, *Vahl*
Chamaejasme, *Hort.*
ciliata, *Scop.*
contorta, *Ehrh.*
cuspidata, *Bieb.*
dictyocarpa, *Hort.*
hispida, *Willd.*
incana, *Linn.*
nemorosa, *Linn.*
olympica, *Sibth.*
pyrenaica, *Linn.*
rupestris, *R. Br.*
siliquosa, *Bieb.*
streptocarpa, *A. Gray*
subamplexicaulis, *C. A. Mey.*
surculosa, *Franch.*

Dracocephalum
fruticulosum, *Steph.*
Moldavica, *Linn.*
Ruyschiana, *Linn.*

Dryas
Drummondii, *Richards.*
octopetala, *Linn.*
— var. lanata.

Echinospermum
Lappula, *Lehm.*

Echium
vulgare, *Linn.*

Elymus
sibiricus, *Linn.*

Emex
spinosa, *Campd.*

Enkianthus
himalaicus, *Hook. f.* et *Thoms.*

Epilobium
alpinum, *Linn.*
angustifolium, *Linn.*
Dodonæi, *Vill.*
Franciscanum, *Barbey*
frigidum, *Hausskn.*
haloragifolium, *A. Cunn.*
Hectori, *Hausskn.*
hirsutum, *Linn.*
procumbens, *Hort.*
rosmarinifolium, *Haenke*
rotundifolium, *Forst. f.*

Eremurus
Bungei, *Baker*

Erica
australis, *Linn.*
ciliaris, *Linn.*
cinerea, *Linn.*
— var. alba.
— var. alba major.
— var. atropurpurea.
— var. atrosanguinea.
— var. coccinea.
— var. pallida.
— var. rosea.
mediterranea, *Linn.*
— var. hibernica, *Hook.*
stricta, *Donn*
Tetralix, *Linn.*
urceolaris, *Berg.*
vagans, *Linn.*
— var. alba.
— var. rubra.
Watsoni, *DC.*

Erigeron

alpinus, *Linn.*
— var. grandiflorus.
aurantiacus, *Regel*
glabellus, *Nutt.*
— var. mollis.
glaucus, *Ker-Gawl.*
flagellaris, *A. Gray*
leiomerus, *A. Gray*
linifolius, *Willd.*
pulchellus, *DC.*
salsuginosus, *A. Gray*
speciosus, *DC.*
— var. major.
— var. roseus.
trifidus, *Hook.*
uniflorus, *Linn.*
Villarsii, *Bell.*

Erinus

alpinus, *Linn.*
— var. carmineus.
— var. hirsutus.

Erodium

hymenodes, *L'Hérit.*
macradenum, *L'Hérit.*
Manescavi, *Coss.*

Eryngium

agavifolium, *Griseb.*
alpinum, *Linn.*
glaciale, *Boiss.*

Erysimum

asperum, *DC.*
ochroleucum, *DC.*
Perofskianum, *Fisch.* et *Mey.*
thyrsoideum, *Boiss.*

Erythræa

Centaurium, *Pers.*
Elodes, *Roem.* et *Schult.*
Massoni, *Sweet*

Escallonia

exoniensis, *Hort.*
langleyensis, *Hort.*
macrantha, *Hook.* et *Arn.*
Philippiana, *Mast.*
pterocladon, *Hook.*
punctata, *DC.*
rubra, *Pers.*

Eschscholzia

californica, *Cham.*
Helleriana, *Greene*

Eucryphia

pinnatifolia, *C. Gay*

Euphorbia

Lathyris, *Linn.*
Myrsinites, *Linn.*

Euonymus

europaeus, *Linn.*

Evax

asterisciflora, *Pers.*

Fabiana

imbricata, *Ruiz* et *Pav.*

Fagopyrum

esculentum, *Moench*

Fagus

sylvatica, *Linn.*

Farsetia

eriocarpa, *DC.*

Fendlera

rupicola, *A. Gray*

Festuca

elatior, *Linn.*
Halleri, *All.*
ovina, *Linn.*
— var. tenuifolia.
— var. vivipara.
rubra, *Linn.*

Fraxinus

excelsior, *Linn.*

Fritillaria

aurea, *Schott*
— var. elatior.
elegans, *Hort.*
Meleagris, *Linn.*
— var. alba.

Fuchsia

Riccartoni, *Hort.*

Fumaria

officinalis, *Linn.*

Funkia

Sieboldiana, *Hook.*

Galax

aphylla, *Linn.*

Galega

officinalis, *Lam.*

Galium

lithospermifolium, *Fisch.*
Mollugo, *Linn.*

Gaultheria

trichophylla, *Royle*

Genista

bracteata, *Hort.*
dalmatica, *Bartl.* et *Wendl. f.*
hispanica, *Linn.*
sagittalis, *Linn.*
tinctoria, *Linn.*
— var. elatior.
— var. prostrata.

Gentiana

asclepiadea, *Linn.*
— var. alba.
Cruciata, *Linn.*
decumbens, *Linn.*
Fetisowi, *Regel* et *Winkler*
Freyniana, *Bornm.*
Kesselringi, *Regel*
macrophylla, *Pall.*
— var. cyanea.
Saponaria, *Linn.*
septemfida, *Pall.*
— var. cordifolia.
tibetica, *King*
verna, *Linn.*

Geranium

Fremontii, *Torr.*
platyanthum, *Hort.*
pratense, *Linn.*
— var. album.
roseum, *L'Hérit.*
sanguineum, *Linn.*
— var. prostratum.
sessiliflorum, *Cav.*
striatum, *Linn.*
sylvaticum, *Linn.*
— var. album.
Wallichianum, *D. Don*
Wilfordi, *Maxim.*

Gerbera
Jamesoni, *Bolus*
Kunzeana, *A. Br.* et *Aschers.*
nivea, *Sch. Bip.*

Geum
chiloënse, *Balb.*
Eweni, *Hort.*
Fremonti, *Hort.*
Heldreichii, *Hort.*
— var. superba.
intermedium, *Ehrh.*
Laxmanni, *Gaertn.*
montanum, *Linn.*
rhæticum, *Brügg.*
rivale, *Linn.*
Rossii, *Ser.*
rubellum, *Fisch.* et *Mey.*
strictum, *Ait.*
triflorum, *Pursh*

Gilia
androsacea, *Steud.*
dichotoma, *Benth.*
nivalis, *Hort.*
tricolor, *Benth.*

Gillenia
stipulacea, *Nutt.*

Glaucium
flavum, *Crantz*

Globularia
vulgaris, *Linn.*

Goldbachia
lævigata, *DC.*

Grindelia
robusta, *Nutt.*
— var. rigida.
squarrosa, *Dun.*

Gunnera
chilensis, *Lam.*

Gypsophila
paniculata, *Linn.*

Hacquetia
Epipactis, *DC.*

Halenia
elliptica, *D. Don*

Haloragis
erecta, *Schindler*

Hebenstretia
comosa, *Hochst.*

Hedeoma
neglecta, *Hort.*
pulegioides, *Pers.*

Hedysarum
obscurum, *Linn.*
sibiricum, *Poir.*

Helianthemum
canum, *Boiss.*
echioides, *Pers.*
italicum, *Pers.*, var. oelandicum, *DC.*
polifolium, *DC.*, var. rubrum.
Tuberaria, *Mill.*
vulgare, *Gaertn.*

Helichrysum
arenarium, *Moench*
callichrysum, *DC.*

Heliophila
amplexicaulis, *Linn.*

Helonias
bullata, *Linn.*

Heracleum
asperum, *Bieb.*

Hesperis
matronalis, *Linn.*

Heuchera
americana, *Linn.*
sanguinea, *Engelm.*

Hieracium
alpinum, *Linn.*
Bornmülleri, *Freyn*
bupleuroides, *C. C. Gmel.*
cambricum, *F. J. Hanbury*
crinitum, *Sibth.* et *Sm.*
foliosum, *Waldst.* et *Kit.*
gymnocephalum, *Griseb.*
humile, *Jacq.*
incisum, *Hoppe*
intybaceum, *Jacq.*
iricum, *Fries*
Jankæ, *Uechtritz*
norvegicum, *Fries*
Pilosella, *Linn.*
— var. aurantiacum.
pulmonarioides, *Vill.*
rupestre, *All.*
strictum, *Fries*
tridentatum, *Fries*
vulgatum, *Fries*

Hierochloë
borealis, *Roem.* et *Schult.*

Hippophaë
rhamnoides, *Linn.*

Holcus
mollis, *Linn.*

Hordeum
jubatum, *Linn.*

Horminum
pyrenaicum, *Linn.*
— var. album.

Hosackia
Purshiana, *Benth.*

Hyacinthus
amethystinus, *Linn.*
azureus, *Baker*
— var. giganteus.
dubius, *Guss.*
pumilus, *Hort.*

Hypecoum
grandiflorum, *Benth.*

Hypericum
Androsæmum, *Linn.*
delphicum, *Boiss.* et *Heldr.*
fragile, *Heldr.* et *Sart.*
grandifolium, *Choisy*
hyssopifolium, *Vill.*
inodorum, *Mill.*
perforatum, *Linn.*
pulchrum, *Linn.*
tetrapterum, *Fries*

Hypochœris
radicata, *Linn.*
uniflora, *Vill.*

Iberis
carnosa, *Willd.*
Jordani, *Boiss.*
Pruiti, *Tineo*
semperflorens, *Linn.*
sempervirens, *Linn.*
— var. superba.
taurica, *DC.*

Ilex

Aquifolium, *Linn.*

Impatiens

Roylei, *Walp.*
— var. glanduligera.

Incarvillea

Delavayi, *Bureau* et *Franch.*

Inula

ensifolia, *Linn.*
grandiflora, *Willd.*

Iris

assyriaca, *Hausskn.*
filifolia, *Boiss.*
juncea, *Poir.*
Milesii, *Foster*
nepalensis, *D. Don*
prismatica, *Pursh*
sibirica, *Linn.*
— var. orientalis.
— var. sanguinea.
sordida, *Willd.*
virginica, *Linn.*
— var. pulchella.
Watsoni, *Hort.*

Isatis

alpina, *All.*
glauca, *Auch.*
tinctoria, *Linn.*

Ixiolirion

brachyantherum, *Hort.*
montanum, *Herb.*, var. macranthum.

Jasione

montana, *Linn.*
perennis, *Lam.*

Jasminum

humile, *Linn.*

Juncus

effusus, *Linn.*
— var. spiralis.
glaucus, *Sibth.*

Kalmia

angustifolia, *Linn.*

Kniphofia

aloides, *Moench*
Rooperi, *Lem.*
Tuckii, *Baker*

Laburnum

alpinum, *J. S. Presl*
vulgare, *J. S. Presl*
— var. austriacum.

Lactuca

Plumieri, *Gren.* et *Godr.*
thianschanica (*Regel* et *Schmalh.*)
virosa, *Linn.*

Lagenophora

Forsteri, *DC.*

Lallemantia

peltata, *Fisch.* et *Mey.*

Lamarkia

aurea, *Moench*

Lamium

album, *Linn.*
striatum, *Sibth.* et *Sm.*

Lapsana

intermedia, *Bieb.*

Larix

europæa, *DC.*

Laserpitium

Siler, *Linn.*

Lathræa

Clandestina, *Linn.*

Lathyrus

luteus, *Baker*
maritimus, *Bigel.*
pannonicus, *Garcke*
rotundifolius, *Willd.*
sylvestris, *Linn.*
undulatus, *Boiss.*
venosus, *Muhl.*
vernus, *Bernh.*, var. flaccidus.

Lavandula

Spica, *Cav.*
vera, *DC.*
— var. alba.

Lavatera

maritima, *Gouan*

Layia

elegans, *Torr.* et *Gray*
gaillardioides, *Hook.* et *Arn.*

Ledum

latifolium, *Ait.*
palustre, *Linn.*

Leontodon

hispidus, *Linn.*

Leontopodium

alpinum, *Cass.*
— var. altaicum.
— var. himalayanum.
— var. sibiricum.
japonicum, *Miq.*

Leptosyne

gigantea, *Kellogg*
maritima, *A. Gray*

Lereschia

Flahaultii, *Woronow*

Levisticum

officinale, *Koch*

Leycesteria

formosa, *Wall.*

Liatris

spicata, *Willd.*

Libertia

formosa, *R. Grah.*
grandiflora, *Sweet*
ixioides, *Spreng.*

Ligustrum

Ibota, *Sieb.*
medium, *Franch.* et *Sav.*
ovalifolium, *Hassk.*
vulgare, *Linn.*
— var. italicum.

Lilium

Martagon, *Linn.*
— var. album.
— var. Leichtlini.

Limnanthes

Douglasii, *R. Br.*

Linaria

anticaria, *Boiss.* et *Reut.*
alpina, *Mill.*
Broussonnetii, *Chav.*
Haelava, *Delile*
Sibthorpiana, *Boiss.* et *Heldr.*
— var. peloponnesiaca, *Boiss.* et *Heldr.*
supina, *Desf.*
tristis, *Mill.*

Lindelofia

afghanica, *Hort.*
spectabilis, *Lehm.*

Linum

campanulatum, *Linn.*
capitatum, *Kit.*
monogynum, *Forst.*
narbonense, *Linn.*
perenne, *Linn.*

Lithospermum

graminifolium, *Viv.*
latifolium, *Michx.*
prostratum, *Loisel.*

Loasa

papaverifolia, *H.B.* et *K.*

Lobelia

— affinis, *Wall.*
— Cliffortiana, *Linn.*

Lolium

temulentum, *Linn.*

Lonicera

alpigena, *Linn.*
bella, *Zabel*
— var. atro-rosea
depressa, *Royle*
involucrata, *Banks*
muscaviensis, *Rehder*
orientalis, *Lam.*
Periclymenum, *Linn.*
pyrenaica, *Linn.*
Sullivantii, *A. Gray*

Lophanthus

urticifolius, *Benth.*, var. alpinus.

Lophosciadium

meifolium, *DC.*

Lotus

corniculatus, *Linn.*
Tetragonolobus, *Linn.*

Lunaria

annua, *Linn.*

Lupinus

alpestris, *A. Nelson*
arboreus, *Linn.*
— var. violaceus.
geophilus, *Rose*
micranthus, *Dougl.*
nootkatensis, *Don*
polyphyllus, *Lindl.*
— var. albus.
— var. roseus.
sparsiflorus, *Benth.*

Luzula

albida, *DC.*
campestris, *DC.*
nivea, *DC.*
spicata, *DC.*
sylvatica, *DC.*

Lychnis
alpina, *Linn.*
— var. lapponica.
cardinalis, *Hort.*
chalcedonica, *Linn.*
coronaria, *Desr.*
dioica, *Linn.*
Flos-cuculi, *Linn.*
— var. alba.
Flos-Jovis, *Desr.*
fulgens, *Fisch.*, var. aurantiaca.
Haageana, *Lemaire*
Preslii, *Sekera*
pyrenaica, *Berger*
Senno, *Sieb.* et *Zucc.*
Viscaria, *Linn.*

Lyonia
racemosa, *A. Gray*

Lysimachia
amœna, *G. Forrest*
punctata, *Linn.*
violascens, *Franch.*

Lythrum
Salicaria, *Linn.*, var. hirsutum.

Malcomia
maritima, *R. Br.*

Malva
sylvestris, *Linn.*
Tournefortiana, *Linn.*

Margyricarpus
setosus, *Ruiz* et *Pav.*

Matricaria
oreades, *Boiss.*

Matthiola
bicornis, *DC.*

Meconopsis
aculeata, *Royle*
bella, *Prain*
cambrica, *Vig.*
grandis, *Prain*
nepalensis, *DC.*
paniculata, *Prain*
racemosa, *Maxim.*
simplicifolia, *D. Don*
Wallichii, *Hook.*

Medicago
carstiensis, *Wulf.*
sativa, *Linn.*

Melilotus
alba, *Desr.*

Melittis
Melissophyllum, *Linn.*

Mentzelia
Lindleyi, *Torr.* et *Gray*

Meum
athamanticum, *Jacq.*

Microglossa
albescens, *C. B. Clarke*

Milium
effusum, *Linn.*

Mimulus
Langsdorffii, *Sims*
luteus, *Linn.*
nasutus, *Greene*
primuloides, *Benth.*

Molopospermum
cicutarium, *DC.*

Monarda
clinopodia, *Linn.*

Monardella
undulata, *Benth.*

Morina
longifolia, *Wall.*

Muehlenbeckia
complexa, *Meissn.*

Muscari
alpinum, *J. Gay*
Argaei, *Hort.*
armeniacum, *Baker*
botryoides, *Mill.*
elegans, *Hort.*
racemosum, *Mill.*

Myosotis
alpestris, *F. W. Schmidt*
arvensis, *Lam.*
sylvatica, *Hoffm.*

Myricaria
germanica, *Desv.*

Narcissus
moschatus, *Linn.*

Neillia
amurensis, *Benth.* et *Hook. f.*
opulifolia, *Benth.* et *Hook. f.*
thyrsiflora, *D. Don*
Torreyi, *S. Wats.*

Nemesia
strumosa, *Benth.* vars.

Nemophila
insignis, *Benth.*
integrifolia, *Abrams*

Nepeta
concolor, *Boiss.* et *Heldr.*
longiflora, *Vent.*
nuda, *Linn.*
Sibthorpii, *Benth.*

Neslia
paniculata, *Desv.*

Nicotiana
alata, *Link* et *Otto*
rustica, *Linn.*
Tabacum, *Linn.*

Noccæa
alpina, *Reichb.*

Nothoscordum
striatum, *Kunth*

Nuttallia
cerasiformis, *Torr.* et *Gray*

Œnanthe
crocata, *Linn.*
pimpinelloides, *Linn.*
silaifolia, *Bieb.*

Oenothera
pumila, *Linn.*
quadrivulnera, *Dougl.*
rosea, *Ait.*
strigulosa, *Torr.* et *Gray*
triloba, *Nutt.*

Oligomeris
glaucescens, *Cambess.*

Omphalodes
Luciliae, *Boiss.*

Onobrychis
Tommasinii, *Jord.*
viciaefolia, *Scop.*

Ononis
antiquorum, *Linn.*
minutissima, *Linn.*
reclinata, *Linn.*
rotundifolia, *Linn.*

Onopordon
arabicum, *Linn.*

Ophiopogon
Jaburan, *Lodd.*

Orchis
mascula, *Linn.*

Oreomyrrhis
andicola, *Endl.*

Origanum
vulgare, *Linn.*

Ornithogalum
pyrenaicum, *Linn.*

Osteospermum
moniliferum, *Linn.*

Ourisia
coccinea, *Pers.*

Oxalis
corniculata, *Linn.*, var.
atropurpurea.
valdiviensis, *Barn.*

Oxycoccus
macrocarpus, *Pers.*

Oxyria
digyna, *Hill*

Oxytropis
baicalensis, *Pall.*
campestris, *DC.*
ochroleuca, *Bunge*
sordida, *Pers.*
uralensis, *DC.*

Pæonia
anomala, *Linn.*
decora, *Anders.*, var. elatior.

Palaua
malvaefolia, *Cav.*

Papaver
aculeatum, *Thunb.*
alpinum, *Linn.*
— var. album.
— var. aurantiacum.
— var. luteum.
glaucum, *Boiss.* et *Hausskn.*
Heldreichii, *Boiss.*
lateritium, *C. Koch*
monanthum, *Trautv.*
nudicaule, *Linn.*
orientale, *Linn.*, var. bracteatum.
pilosum, *Sibth.* et *Sm.*
rumelicum, *Velen.*

Paradisea
Liliastrum, *Bertol.*

Parietaria
officinalis, *Linn.*

Parnassia
asarifolia, *Vent.*
palustris, *Linn.*

Parrya
Menziesii, *Hort.*
microcarpa, *Ledeb.*

Pentstemon
confertus, *Dougl.*
— var. cœruleo-purpureus.
glaber, *Pursh*, var. alpinus.
— var. cyananthus.
humilis, *Nutt.*
Jamesii, *Benth.*
Menziesii, *Hook.*, var. Newberryi.
— var. Scouleri.
secundiflorus, *Benth.*
Watsoni, *A. Gray*

Perezia
multiflora, *Less.*

Pernettya
mucronata, *Gaudich.*

Peucedanum
coriaceum, *Reichb.*
officinale, *Linn.*

Phacelia
distans, *Benth.*
tanacetifolia, *Benth.*

Phalaris
arundinacea, *Linn.*, var. variegata.

Phaseolus
multiflorus, *Willd.*

Philadelphus
coronarius, *Linn.*
— var. Satsumi, *Maxim.*
— var. tomentosus, *Hook. f.* et *Thoms.*
Gordonianus, *Lindl.*

Philadelphus—*continued.*
grandiflorus, *Willd.*
Lemoinei, *Hort.*
— var. erectus.
microphyllus, *A. Gray*

Phleum
asperum, *Jacq.*

Phlomis
agraria, *Bunge*
pratensis, *Kar.* et *Kir.*
umbrosa, *Turcz.*, var. australis.
viscosa, *Poir.*

Photinia
variabilis, *Hemsl.*

Phuopsis
stylosa, *Benth.* et *Hook. f.*

Phyteuma
orbiculare, *Linn.*
Scheuchzeri, *All.*
virgatum, *Hort.*

Picris
hieracioides, *Linn.*
— var. fasciata.

Pinus
contorta, *Dougl.*, var. Murrayana.
Pinaster, *Soland.*
sylvestris, *Linn.*

Pisum
sativum, *Linn.*

Plantago
alpina, *Cav.*
argentea, *Chaix*
carinata, *Schrad.*

Plantago—*continued.*
fastigiata, *Hort.*
lanceolata, *Linn.*
— var. variegata.
major, *Linn.*, var. monstrosa.
media, *Linn.*
Raoulii, *Decne.*
Rugelii, *Decne.*

Platystemon
californicus, *Benth.*

Pluchea
n. sp. (Yunnan).

Poa
caespitosa, *Forst. f.*
Chaixii, *Vill.*
nemoralis, *Linn.*
pratensis, *Linn.*
trivialis, *Linn.*

Podophyllum
Emodi, *Wall.*

Polemonium
cæruleum, *Linn.*
— var. dissectum.
— var. monstrosum.
flavo-cæruleum, *Hort.*
foliosissimum, *A. Gray*
himalayanum, *Baker*
humile, *Willd.*
mexicanum, *Cerv.*
reptans, *Linn.*

Polygonum
affine, *D. Don*
alpinum, *All.*
amplexicaule, *D. Don*
Bistorta, *Linn.*, var. major.
Emodi, *Meissn.*
sphærostachyum, *Meissn.*
viviparum, *Linn.*

Polypogon
maritimus, *Willd.*
monspeliensis, *Desf.*

Potentilla
alchemilloides, *Lapeyr.*
alpestris, *Hall. f.*
apennina, *Tenore*
argentea, *Linn.*, var. calabra.
argyrophylla, *Wall.*
— var. atrosanguinea.
Brennia ×, *Huter*
chinensis, *Ser.*
concolor, *Rolfe*
dissecta, *Pursh*
flagellaris, *Willd.*
Friedrichseni ×, *Späth*
fruticosa, *Linn.*
geranioides, *Willd.*
glandulosa, *Lindl.*
grandiflora, *Linn.*
Hippiana, *Lehm.*
Leschenaultiana, *Ser.*
Macnabiana ×, *Lem.*
malacophylla, *Borb.*
Menziesii ×, *Paxt.*
minima, *Hall. f.*
Mooniana, *Wight*
nepalensis, *Hook.*
— var. Willmottiana.
nivea, *Linn.*
palustris, *Scop.*
pensylvanica, *Linn.*
procumbens, *Sibth.*
recta, *Linn.*, var. laciniata.
— var. sulphurea.
rupestris, *Linn.*
Tormentilla, *Neck.*
tridentata, *Soland.*
umbrosa, *Stev.*
villosa, *Pall.*

Poterium

annuum, *Nutt.*
canadense, *A. Gray*
Sanguisorba, *Linn.*

Pratia

angulata, *Hook. f.*

Primula

acaulis, *Linn.*
apennina, *Wid.*
Auricula, *Linn.*
Bulleyana, *G. Forrest*
capitata, *Hook. f.*
Cockburniana, *Hemsl.*
Cottia, *Widm.*
elatior, *Hill*, var. carpathica.
Forrestii, *Balf. fil.*
grandis, *Trautv.*
hirsuta, *All.*, var. ciliata.
japonica, *A. Gray*
luteola, *Rupr.*
malacoides, *Franch.*
marginata, *Curt.*
nivalis, *Pall.*, var.
macrophylla.
obtusifolia, *Royle*
officinalis, *Jacq.*
— var. macrocalyx.
Peyritschii ×
Poissonii, *Franch.*
pubescens ×
pulverulenta, *Duthie*
rosea, *Royle*
Salomoni ×
Schottii ×
sikkimensis, *Hook. f.*
spectabilis, *Tratt.*
Veitchii, *Duthie*
venusta ×
vittata, *Bureau* et *Franch.*

Prunella

grandiflora, *Jacq.*
— var. pinnatifida.
hyssopifolia, *Linn.*
laciniata, *Linn.*
vulgaris, *Linn.*

Pyrethrum

Haussknechtii, *Bornm.*

Prunus

acida, *Borkh.*
Avium, *Linn.*
Laurocerasus, *Linn.*

Ptelea

trifoliata, *Linn.*
— var. aurea.

Pyrus

alpina, *Willd.*
Aria, *Linn.*
Aucuparia, *Gaertn.*
baccata, *Linn.*
canescens, *Spach*
germanica, *Hook. f.*
intermedia, *Ehrh.*
melanocarpa, *K. Koch*
prunifolia, *Willd.*
Ringo, *Maxim.*
rotundifolia, *Bechst.*

Quercus

pedunculata, *Linn.*

Ramondia

pyrenaica, *Rich.*

Ranunculus

acris, *Linn.*
gramineus, *Linn.*

Raphanus
sativus, *Linn.*, var. caudatus.

Reseda
alba, *Linn.*
complicata, *Bory*
glauca, *Linn.*

Rheum
Rhaponticum, *Linn.*

Rhododendron
Anthopogon, *D. Don*
arborescens, *Torr.*
californicum, *Hook.*
campanulatum, *D. Don*
catawbiense, *Michx.*
caucasicum, *Pall.*
cinnabarinum, *Hook. f.*
ferrugineum, *Linn.*
— var. album.
— var. atrococcineum.
— var. majus.
flavum, *G. Don*
glaucum, *Hook. f.*
hirsutum, *Linn.*
— var. album.
lepidotum, *Wall.*
myrtifolium *Schott* et *Kotschy*
ponticum, *Linn.*
racemosum, *Franch.*

Rhodotypos
kerrioides, *Sieb.* et *Zucc.*

Ribes
alpinum, *Linn.*
aureum, *Pursh*
multiflorum, *Waldst.* et *Kit.*
rubrum, *Linn.*
— var. Schlechtendalii.
sanguineum, *Pursh*
— var. glutinosum, *A. Gray*
— var. splendens.

Rindera
canescens, *DC.*

Rodgersia
podophylla, *A. Gray*

Rosa
acicularis, *Lindl.*
Alberti, *Regel*
alpina, *Linn.*
— var. pyrenaica.
blanda, *Ait.*
canina, *Linn.*
ferox, *Bieb.*
glutinosa, *Sibth.* et *Sm.*
hibernica, *Sm.*
laxa, *Retz.*
macrophylla, *Lindl.*
mentita, *Déségl.*
moschata, *Herrm.*
nitida, *Willd.*
parvifolia, *Andr.*
pisocarpa, *A. Gray*
pomifera, *Herrm.*
reclinata, *Red.*
rubiginosa, *Linn.*
rugosa, *Thunb.*
— var. alba.
sericea, *Lindl.*
spinosissima, *Linn.*
— var. altaica.
— var. rubra.
stylosa, *Desv.*

Rubus
cæsius, *Linn.*
fruticosus, *Linn.*
laciniatus, *Willd.*
nitidus, *Weihe* et *Nees*
nutkanus, *Linn.*
odoratus, *Linn.*
phœnicolasius, *Maxim.*
sorbifolius, *Maxim.*
xanthocarpus, *Bur.* et *Franch.*

Rumex

maritimus, *Linn.*
nivalis, *Hegetschw.*

Ruta

bracteosa, *DC.*
graveolens, *Linn.*
macrophylla, *Soland.*

Sagina

glabra, *Fenzl*, var. pilifera.
occidentalis, *S. Wats.*

Salvia

azurea, *Lam.*
cleistogama, *De Bary* et *Paul*
grandiflora, *Etling.*
orgyalis, *Fenzl*
patens, *Cav.*
Przewalskii, *Maxim.*
Roemeriana, *Scheele*
Sclarea, *Linn.*
sylvestris, *Linn.*
verbascifolia, *Bieb.*
Verbenaca, *Linn.*
verticillata, *Linn.*
— var. albiflora.
viscosa, *Jacq.*

Sambucus

canadensis, *Linn.*
— var. aurea.
nigra, *Linn.*
— var. fructu albo.
racemosa, *Linn.*

Samolus

Valerandi, *Linn.*

Sanicula

europæa, *Linn.*

Saponaria

ocymoides, *Linn.*
— var. splendens.
Vaccaria, *Linn.*

Satureia

montana, *Linn.*
— var. illyrica.

Saussurea

alpina, *DC.*
discolor, *DC.*

Saxifraga

aizoides, *Linn.*
Aizoon, *Jacq.*
— var. balcana.
— var. carinthiaca (*Schott*)
— var. flavescens.
— var. La Graveana.
— var. lutea.
— var. Malyi.
— var. minima.
— var. notata.
— var. pectinata.
— var. punctata.
— var. pyrenaica.
— var. rosularis.
aquatica, *Lapeyr.*
cæspitosa, *Linn.*
canaliculata, *Boiss.* et *Reut.*
cartilaginea, *Willd.*
cochlearis, *Reichb.*
— var. minor.
conifera, *Coss.* et *Dur.*
Cotyledon, *Linn.*, var. pyramidalis.
crustata, *Vest.*, var. hybrida.
decipiens, *Ehrh.*
— var. grœnlandica.
Engleri, *Dalla Torre*
exarata, *Vill.*

Saxifraga—*continued.*

Gaudini ×
Geum, *Linn.*, var. ovalifolia.
Hostii, *Tausch*
— var. altissima.
— var. elatior.
hypnoides, *Linn.*
intacta, *Willd.*
— var. farinosa.
Kingii, *Hort.*
lingulata, *Bell.*
— var. lantoscana.
— var. superba.
luteo-viridis, *Schott* et *Kotschy*
Macnabiana ×
macrostigma, *Franch.*
media, *Gouan*
Mertensiana, *Bongard*
micrantha, *Edgew.*
muscoides, *Wulf.*
— var. purpurea.
mutata, *Linn.*
paradoxa, *Sternb.*
pedatifida, *Ehrh.*
pentadactylis, *Lapeyr.*
planifolia, *Lapeyr.*
Portæ ×
rotundifolia, *Linn.*
— var. glandulosa.
— var. repanda.
Schraderi, *Sternb.*
Sendtneri ×
sponhemica, *C. C. Gmel.*
Stansfieldi ×
tellimoides, *Maxim.*
umbrosa, *Linn.*
— var. Ogilvieana.
— var. serratifolia.
— var. variegata.
vochinensis, *Gusm.*
Wallacei ×
Zeleborii, *Schott*

Scabiosa

australis, *Wulf.*
caucasica, *Bieb.*
graminifolia, *Linn.*
lucida, *Vill.*
magnifica, *Benth.* et *Hook. f.*
Succisa, *Linn.*
sylvatica, *Linn.*

Scandix

Pecten-Veneris, *Linn.*

Schizanthus

pinnatus, *Ruiz* et *Pav.*

Scilla

hispanica, *Mill.*

Scirpus

aucklandicus, *Boeck.*
Holoschoenus, *Linn.*
sylvaticus, *Linn.*

Scolymus

hispanicus, *Linn.*

Scorpiurus

vermiculata, *Linn.*

Scorzonera

cinerea, *Boiss.*
hispanica, *Linn.*

Scrophularia

alata, *Gilib.*
dentata, *Royle*
Herminii, *Hoffmgg.* et *Link*
Kotschyana, *Benth.*
micrantha, *Desv.*
nodosa, *Linn.*
vernalis, *Linn.*

Scutellaria

alpina, *Linn.*
hirta, *Sibth.* et *Sm.*

Securigera
Coronilla, *Linn.*

Sedum
Aizoon, *Linn.*
album, *Linn.*
Anacampseros, *Linn.*
asiaticum, *Spreng.*
euphorbioides, *Schlecht.*
Ewersii, *Ledeb.*
hispanicum, *Linn.*
hybridum, *Linn.*
kamtschaticum, *Fisch.* et *Mey.*
Maximowiczii, *Regel*
maximum, *Suter*
oppositifolium, *Sims*
populifolium, *Pall.*
pruinatum, *Brot.*
— var. Forsterianum (*Sm.*)
roseum, *Scop.*
— var.
rupestre, *Linn.*
sempervivoides, *Fisch.*
Telephium, *Linn.*
— var. Borderi.

Selinum
tenuifolium, *Wall.*, var. album.

Sempervivum
annuum, *C. Sm.*
arachnoideum, *Linn.*
arenarium, *Koch*
cinerascens, *Hort.*
fimbriatum, *Schnittsp.* et *C. B. Lehm.*
globiferum, *Linn.*
soboliferum, *Sims*
tectorum, *Linn.*
violaceum, *Hort.*

Senecio
abrotanifolius, *Linn.*
clivorum, *Maxim.*

Senecio—*continued.*
Doronicum, *Linn.*
incanus, *Linn.*
laxifolius, *J. Buch.*
Ledebouri, *Sch. Bip.*
Ligularia, *Hook. f.*
sarracenicus, *Linn.*
Veitchianus, *Hemsl.*

Serratula
coronata, *Linn.*
Gmelini, *Ledeb.*
heterophylla, *Desf.*

Sherardia
littoralis, *Hort.*

Sidalcea
campestris, *Greene*
candida, *A. Gray*
malvæflora, *A. Gray*
oregana, *A. Gray*
spicata, *Greene*

Sideritis
Massoniana, *Benth.*
scordioides, *Linn.*

Silene
alpestris, *Jacq.*
Armeria, *Linn.*
Asterias, *Griseb.*, var. grandiflora.
auriculata, *Sibth.* et *Sm.*
Boissieri, *J. Gay*
caucasica, *Boiss.*
Cucubalus, *Wibel*
Elizabethae, *Janka*
gallica, *Linn.*
italica, *Pers.*
Lerchenfeldiana, *Baumg.*
maritima, *With.*
monachorum, *Vis.*
multicaulis, *Guss.*

Silene—*continued.*
pharnaceifolia, *Fenzl*
picta, *Pers.*
quadridentata, *Pers.*
Reichenbachii, *Vis.*
Requienii, *Otth*
rhynchocarpa, *Boiss.*
rubicunda, *Franch.*
Saxifraga, *Linn.*
stentoria, *Fenzl*, var. argaea.
viridiflora, *Linn.*
Zawadzkii, *Herbich*

Silybum
Marianum, *Gaertn.*

Sisymbrium
Alliaria, *Scop.*

Sisyrinchium
angustifolium, *Mill.*
Bermudiana, *Linn.*
grandiflorum, *Dougl.*, var. album.
striatum, *Sm.*

Skimmia
Fortunei, *Mast.*

Solanum
crispum, *Ruiz* et *Pav.*
Dulcamara, *Linn.*

Solidago
odora, *Ait.*
sempervirens, *Linn.*
Virgaurea, *Linn.*
— var. cambrica.

Sonchus
palustris, *Linn.*

Spartina
polystachya, *Willd.*
stricta, *Roth*

Specularia
Speculum, *A. DC.*

Spergula
arvensis, *Linn.*

Spergularia
salina, *Presl*

Spinacia
oleracea, *Linn.*

Spiræa
Aitchisoni, *Hemsl.*
Aruncus, *Linn.*
bella, *Sims*
bullata, *Maxim.*
camtschatica, *Pall.*
corymbosa, *Rafin.*
discolor, *Pursh*
Douglasi, *Hook.*
Foxii, *Hort.*
japonica, *Linn. f.*
Lindleyana, *Wall.*
Menziesii, *Hook.*
Nobleana, *Hook.*
notha, *Zabel*
pectinata, *Torr.* et *Gray*
salicifolia, *Linn.*
— var. paniculata.
sorbifolia, *Linn.*

Stachys
Betonica, *Benth.*
grandiflora, *Benth.*
recta, *Linn.*

Stellaria
biflora, *Linn.*

Stevia
Eupatoria, *Willd.*
purpurea, *Pers.*

Stipa
pennata, *Linn.*
viridula, *Trin.*

Stokesia
cyanea, *L'Hérit.*

Succowia
balearica, *Medic.*

Symphyandra
Hofmanni, *Pant.*

Symplocarpus
foetidus, *Nutt.*

Synthyris
reniformis, *Benth.*

Tanacetum
vulgare, *Linn.*

Taxus
baccata, *Linn.*
— var. adpressa.
— var. Dovastoni, *Carr.*
— var. pyramidalis.

Teesdalia
nudicaulis, *R. Br.*

Tellima
grandiflora, *R. Br.*
parviflora, *Hook.*

Tetragonia
expansa, *Murr.*

Teucrium
canadense, *Linn.*
Polium, *Linn.*
pyrenaicum, *Linn.*
Scorodonia, *Linn.*

Thalictrum
angustifolium, *Linn.*
aquilegifolium, *Linn.*
calabricum, *Spreng.*
caucasicum, *Hort.*
corynellum, *DC.*
glaucum, *Desf.*
majus, *Jacq.*
minus, *Linn.*
— var. elatum.

Thermopsis
fabacea, *DC.*
lanceolata, *R. Br.*

Thlaspi
alpestre, *Linn.*
arvense, *Linn.*
praecox, *Wulf.*
violascens, *Schott* et *Kotschy*

Thymus
Serpyllum, *Linn.*
— var. coccineus.
— var. hirsutus.
— var. micans.
vulgaris, *Linn.*

Tiarella
cordifolia, *Linn.*, var. purpurea.

Tigridia
Pavonia, *Ker-Gawl.*

Tofieldia
calyculata, *Wahlenb.*
palustris, *Huds.*

Trachymene
coerulea, *R. Grah.*

Tragopogon
longifolius, *Heldr.* et *Sart.*

Trautvetteria
palmata, *Fisch.* et *Mey.*

Tridax
bicolor, *A. Gray*

Trifolium
alpinum, *Linn.*
Parryi, *A. Gray*

Trisetum
distichophyllum, *Beauv.*

Trollius
americanus, *Muhl.*
asiaticus, *Linn.*
— var. giganteus.
calthaefolius, *Hort.*
caucasicus, *Stev.*
europæus, *Linn.*
— var. napellifolius.
patulus, *Salisb.*, var. pedunculatus.

Tropæolum
majus, *Linn.*
minus, *Linn.*

Tunica
prolifera, *Scop.*
Saxifraga, *Scop.*

Ulex
europæus, *Linn.*

Urospermum
Dalechampii, *F. W. Schmidt*

Urtica
pilulifera, *Linn.*

Vaccinium
padifolium, *Sm.*

Valeriana
alliariaefolia, *Vahl*
montana, *Linn.*
pyrenaica, *Linn.*
tripteris, *Linn.*
tuberosa, *Linn.*

Valerianella
rimosa, *Bast.*

Vancouveria
hexandra, *Morr.* et *Decne.*

Veratrum
album, *Linn.*

Verbascum
Blattaria, *Linn.*
longifolium, *Tenore*, var. pannosum.
phœniceum, *Linn.*
Wiedemannianum, *Fisch.* et *Mey.*

Verbesina
helianthoides, *Michx.*

Veronica
austriaca, *Linn.*
— var. pinnatifida.
— var. Prenja.
Bidwillii, *Hook. f.*
buxifolia, *Benth.*
candida, *Lodd.*
carnosula, *Hook. f.*
Catarractæ, *Forst.*
— var. compacta.
Colensoi, *Hook. f.*
cupressoides, *Hook. f.*
decumbens, *Armstr.*
diosmifolia, *R. Cunn.*
elliptica, *Forst.*
epacridea, *Hook. f.*
glaucophylla, *Cock.*

Veronica—*continued.*
Godefroyana, *Carr.*
Guthriana, *Hort.*
imperialis ×, *Hort.*
Kirkii, *Armstr.*
latifolia, *Linn.*
Lewisii, *Armstr.*
ligustrifolia, *A. Cunn.*
loganioides, *Armstr.*
longifolia, *Linn.*
— var. alba.
Lyallii, *Hook. f.*
monticola, *Armstr.*
officinalis, *Linn.*
— var. hirsuta.
parviflora, *Vahl*, var. angustifolia, *Hook. f.*
pimeleoides, *Hook. f.*
pinguifolia, *Hook. f.*, var. decumbens.
pinnata, *Linn.*
rakaiensis, *Armstr.*
salicifolia, *Forst.*
saxatilis, *Scop.*
— var. alba.
Teucrium, *Linn.*
Traversii, *Hook. f.*
vernicosa, *Hook. f.*

Viburnum
Lantana, *Linn.*
Opulus, *Linn.*

Vesicaria
utriculata, *DC.*

Vicia
bithynica, *Linn.*
Cracca, *Linn.*
oroboides, *Wulf.*
Orobus, *DC.*
— var. variegata.
pyrenaica, *Pourr.*
unijuga, *A. Braun*

Vincetoxicum
fuscatum, *Reichb. f.*
officinale, *Moench*

Viola
alpina, *Jacq.*
biflora, *L.*
canina, *Linn.*
cornuta, *Linn.*
— var. alba.
— var. glabella.
— var. papilio.
hederacea, *Labill.*
lutea, *Huds.*
Munbyana, *Boiss.* et *Reut.*
palustris, *Linn.*
pyrenaica, *Ram.*

Wahlenbergia
saxicola, *A. DC.*
serpyllifolia, *G. Beck*
— var. dinarica.

Wulfenia
carinthiaca, *Jacq.*

Wyethia
mollis, *A. Gray*

Zaluzianskya
selaginoides, *Walp.*

Zenobia
speciosa, *D. Don*, var. pulverulenta.

Zygadenus
elegans, *Pursh*
— var. glaucus.

PLANTS UNDER GLASS.

Abobra
tenuifolia, *Naud.*

Acacia
armata, *R. Br.*
calamifolia, *Sweet*
dealbata, *Link*
extensa, *Lindl.*
juncifolia, *Benth.*
neriifolia, *A. Cunn.*
pycnantha, *Benth.*
spectabilis, *A. Cunn.*

Acokanthera
venenata, *G. Don*

Acrophyllum
venosum, *Benth.*

Adenocarpus
foliolosus, *DC.*, var. villosus.

Æchmea
bromeliæfolia, *Baker*
— var. pulchra.
cœrulescens, *Baker*
exsudans, *E. Morr.*
glomerata, *Hook.*

Agapanthus
umbellatus, *L'Hérit.*

Agave
densiflora, *Hook.*
heteracantha, *Zucc.*
maculata, *Regel*
striata, *Zucc.*
xylonacantha, *Salm-Dyck*

Aglaonema
commutatum, *Schott*

Albizzia
lophantha, *Benth.*

Albuca
Nelsoni, *N. E. Br.*

Alchornea
ilicifolia, *Muell. Arg.*

Allionia
latifolia, *Greene*

Aloe
ciliaris, *Haw.*
mitriformis, *Mill.*, var. flavispina (*Haw.*)
— var. spinulosa (*Salm-Dyck*)
obscura, *Mill.*

Alonsoa
linifolia, *Roezl*
Warscewiczii, *Regel*

Alpinia
mutica, *Roxb.*

Altamiranoa
elongata, *Rose*
Goldmani, *Rose*

Alyxia
buxifolia, *R. Br.*
daphnoides, *A. Cunn.*

Amasonia
calycina, *Hook. f.*

Amorphophallus
bulbifer, *Blume*

Anhalonium
Williamsii, *Lem.*, var. Lewinii.

Anisolotus
brachycarpus, *Heller*

Anisotes
diversifolius, *Balf. f.*

Anopterus
glandulosus, *Labill.*

Anthurium
acaule, *Schott*
leuconeuron, *Lem.*

Aphelandra
aurantiaca, *Lindl.*, var. Roezlii.
velutina, *Hort.*

Apicra
foliolosa, *Willd.*
pentagona, *Willd.*

Arachis
hypogæa, *Linn.*

Araujia
sericifera, *Brot.*

Ardisia
crenata, *Roxb.*
mamillata, *Hance*

Aristea
Eckloni, *Baker*

Aristolochia
elegans, *Mast.*
fimbriata, *Cham.*

Armeria
latifolia, *Willd.*

Arundinella
tenella, *Nees* et *Wight*

Asclepias
curassavica, *Linn.*

Asparagus
comorensis, *Baker*
Sprengeri, *Regel*
virgatus, *Baker*

Astelia
nervosa, *Banks*

Astrocaryum
mexicanum, *Liebm.*

Astroloma
pinifolium, *Benth.*

Asystasia
bella, *Harv.*

Atriplex
californica, *Moq.*

Baccharis
Pingræa, *DC.*

Bæometra
columellaris, *Salisb.*

Barleria
cristata, *Linn.*
Prionitis, *Linn.*

Bauera
rubioides, *Andr.*

Begonia
albo-picta, *Hort. Bull*
argenteo-guttata (Garden hybrid)
coccinea, *Hook.*
corallina, *Carr.*, var. lucerna.
dichotoma, *Jacq.*
Dregei, *Otto* et *Dietr.*
foliosa, *H. B. K.*
Froebelii, *A. DC.*, var. incomparabilis.
hirtella, *Link*
Ingrami (Garden hybrid)
kewensis, *Hort.*
malabarica, *Lam.*
manicata, *Cels*
Martiana, *Link* et *Otto*
Pearcei, *Hook. f.*
peltata, *A. DC.*
pubescens, *Hort.*
sanguinea, *Raddi*
semperflorens, *Link* et *Otto*, var. alba.
ulmifolia, *Willd.*
undulata, *Otto*
Verschaffelti ×, *Hort.*
Wallichiana, *Steud.*

Benincasa
cerifera, *Savi*
— var. macrocarpa.

Bertolonia
maculata, *DC.*
marmorata, *Naud.*

Billardiera
longiflora, *Labill.*
scandens, *Sm.*

Billbergia
decora, *Poepp.*
zebrina, *Lindl.*

Biophytum
sensitivum, *DC.*

Blandfordia
aurea, *Hook. f.*
nobilis, *Sm.*

Bomarea
Carderi, *Mast.*
Lehmanni, *Baker*
multiflora, *Mirb.*

Boronia
serrulata, *Sm.*

Brachychilum
Horsfieldii, *O. G. Petersen*

Brodiæa
hyacinthina, *Baker*, var. lactea.
ixioides, *Sims*, var. splendens.

Browallia
speciosa, *Hook.*, var. major.

Brownea
coccinea, *Jacq.*

Bryophyllum
crenatum, *Baker*

Burchellia
capensis, *R. Br.*

Calathea
flavescens, *Lindl.*

Callicarpa
purpurea, *Juss.*

Callistemon
linearis, *DC.*
salignus, *Sweet*
speciosus, *DC.*

Calopogonium
caeruleum, *Hemsl.*

Calvoa
sessiliflora, *Cogn.*

Camellia
japonica, *Linn.*

Campanula
pyramidalis, *Linn.*
Vidalii, *H. C. Wats.*

Canavalia
ensiformis, *DC.*

Candollea
tetrandra, *Lindl.*

Canna
angustifolia, *Linn.*

Cantua
buxifolia, *Lam.*

Capparis
flexuosa, *Blume*

Capsicum
annuum, *Linn.*

Carissa
Arduina, *Lam.*

Carlina
salicifolia, *Cav.*

Carludovica
palmata, *Ruiz* et *Pav.*
Wendlandii, *Hort.*

Carmichaelia
australis, *R. Br.*
Enysii, *T. Kirk*

Carpolyza
spiralis, *Salisb.*

Cassia
corymbosa, *Lam.*
lævigata, *Willd.*
nictitans, *Linn.*

Cedronella
triphylla, *Moench*

Centradenia
floribunda, *Planch.*

Cestrum
aurantiacum, *Lindl.*
elegans, *Schlecht.*
Newellii, *Veitch*
Parqui, *L'Hérit.*
Smithii, *Hort. Bull*

Chamæsaracha
japonica, *Franch.* et *Sav.*

Chlorophytum
elatum, *R. Br.*
— var. variegatum, *Hort.*
inornatum, *Ker-Gawl.*
Orchidastrum, *Lindl.*

Cistus
vaginatus, *Dryand.*

Clematis
indivisa, *Willd.*

Cleome
spinosa, *Jacq.*

Clerodendron
infortunatum, *Gaertn.*
Thomsonæ, *Balf.*

Clethra
arborea, *Ait.*

Clianthus
puniceus, *Banks* et *Sol.*
— var. albus.

Clitoria
Ternatea, *Linn.*
— var. alba, *G. Don*

Cobæa
scandens, *Cav.*

Cochliostema
Jacobianum, *C. Koch* et *Linden*

Coffea
arabica, *Linn.*
bengalensis, *Roxb.*

Coprosma
lucida, *Forst.*

Corchorus
olitorius, *Linn.*
pilolobus, *Link*

Corethrogyne
rigida, *Heller*

Coronilla
scorpioides, *Koch*
viminalis, *Salisb.*

Corydalis
thalictrifolia, *Jameson*

Costus
igneus, *N. E. Br.*

Cotyledon
amœna, *L. de Smet.*
atropurpurea, *Baker*
gibbiflora, *M.* et *S.*
— var. metallica.

Cotyledon—*continued.*
Grusani, *Hort.*
imbricata, *Hort.*
maculata, *Salm-Dyck*
pachyphyta, *Baker*
platyphylla, *Hort.*
racemosa, *E. Mey.*
secunda, *Baker*
sourifera, *Hort.*
teretifolia, *Thunb.*

Crambe
strigosa, *L'Hérit.*

Crassula
arborescens, *Willd.*
sarcocaulis, *E.* et *Z.*

Crinum
Moorei, *Hook. f.*
variabile, *Herb.*

Crossandra
undulæfolia, *Salisb.*

Cyclanthera
explodens, *Naud.*

Cyperus
bulbosus, *Vahl*
fertilis, *Boeck.*
Luzulae, *Rottl.*

Cyphomandra
betacea, *Sendt.*

Cytisus
candicans, *Lam.*
fragrans, *Lam.*

Dalechampia
Roezliana, *Muell. Arg.*

Damnacanthus
indicus, *Gaertn.*

Dermatobotrys
Saundersiæ, *Bolus*

Desmodium
gyrans, *DC.*
incanum, *DC.*

Dianella
cærulea, *Sims*
graminifolia, *Kunth* et *Bouché*

Dianthera
nodosa, *Benth.* et *Hook. f.*

Dierama
pendulum, *Baker*

Dionæa
muscipula, *Ellis*

Dioscorea
cayenensis, *Lam.*
sativa, *Linn.* (tuber)

Dodonæa
triquetra, *Wendl.*
viscosa, *Jacq.*

Dolichos
Lablab, *Linn.*

Dorstenia
arifolia, *Lam.*
Contrajerva, *Linn.*
Drakena, *Linn.*
Mannii, *Hook. f.*

Dracæna
javanica, *Kunth*
reflexa, *Lam.*
surculosa, *Lindl.*

Drimys
Winteri, *Forst.*

Drosera
binata, *Labill.*
capensis, *Linn.*
spathulata, *Labill.*

Drosophyllum
lusitanicum, *Link*

Dudleya
Cotyledon, *Britton* et *Rose*

Dumasia
villosa, *DC.*

Eccremocarpus
scaber, *Ruiz* et *Pav.*

Echeandia
terniflora, *Orteg.*

Echeveria
australis, *Rose*
obtusifolia, *Rose*
subrigida, *Rose*

Elæocarpus
cyaneus, *Sims*

Elvira
Martyni, *Cass.*

Erigeron
tephrodes, *Greene*

Eriostemon
buxifolius, *Sm.*

Erythrochiton
brasiliensis, *Nees*

Euadenia
eminens, *Hook. f.*

Eucalyptus
amygdalina, *Labill.*
melliodora, *A. Cunn.*

Eucomis
amaryllidifolia, *Baker*
bicolor, *Baker*
punctata, *L'Hérit.*
— var. striata, *Don*

Eugenia
dysenterica, *DC.*
myrtifolia, *Sims*

Eupatorium
ianthinum, *Hemsl.*

Euphorbia
dentata, *Michx.*
Regis-jubæ, *Webb* et *Berth.*
splendens, *Boj.*

Eustoma
Andrewsii, *A. Nelson*

Evodia
elegans, *Hort.*
formosa, *Hort.*

Ficus
hirta, *Vahl*
pyriformis, *Hook.* et *Arn.*

Francoa
appendiculata, *Cav.*
sonchifolia, *Cav.*

Garcinia
Xanthochymus, *Hook. f.*

Gasteria
apicroides, *Baker*
Bayfieldii, *Baker*
carinata, *Haw.*
decipiens, *Haw.*
excavata, *Haw.*
laetepunctata, *Haw.*

Gasteria—*continued.*
maculata, *Haw.*
— var. fallax.
marmorata, *Baker*

Gaultheria
antipoda, *Forst.*, var. prostrata.
hispida, *R. Br.*

Gelasine
azurea, *Herb.*

Genista
monosperma, *Lam.*

Geranium
canariense, *Reut.*

Gesnera
Blassii, *Regel*
cardinalis, *Lehm.*

Globba
strobilifera, *Zoll.* (bulbils)

Gloriosa
superba, *Linn.*

Gnaphalium
multiceps, *Wall.*

Gomphia
olivæformis, *St. Hil.*

Gossypium
herbaceum, *Linn.*

Grevillea
Caleyi, *R. Br.*
Forsteri, *Hort.*
glabrata, *Meissn.*
lavandulacea, *Schlecht.*
sericea, *R. Br.*

Guizotia
abyssinica, *Cass.*

Guyonia
tenella, *Naud.*

Hakea
acicularis, *Knight*
gibbosa, *Cav.*
pugioniformis, *Cav.*
ulicina, *R. Br.*

Haloragis
erecta, *Schindler.*

Haworthia
albicans, *Haw.*, var. laevis.
bicarinata, *Hort.*
fasciata, *Haw.*
glabrata, *Baker*, var. concolor, *Baker*
hybrida, *Haw.*
icosiphylla, *Baker*
margaritifera, *Haw.*, var. erecta.
Radula, *Haw.*
rigida, *Haw.*
— var. expansa.
tessellata, *Haw.*
viscosa, *Haw.*
— var. torquata.

Hedychium
coronarium, *Kœnig*

Heeria
elegans, *Schlecht.*
subtriplinervia, *Triana*

Helichrysum
bracteatum, *Andr.*
Lawrencella, *F. Muell.*

Heliotropium
peruvianum, *Linn.*

Hemiphragma
heterophyllum, *Wall.*

Hermannia
althaeifolia, *Linn.*
candicans, *Ait.*
venosa, *Thunb.*

Hibbertia
dentata, *R. Br.*

Hibiscus
esculentus, *Linn.*
Huegelii, *Endl.*
lunariifolius, *Willd.*
Manihot, *Linn.*
pedunculatus, *Linn.*
Rosa-sinensis, *Linn.*
splendens, *Fras.*
tiliaceus, *Linn.*
vitifolius, *Linn.*

Hillebrandia
sandwicensis, *Oliv.*

Homalanthus
Leschenaultianus, *A. Juss.*

Hovea
longifolia, *R. Br.*

Humea
elegans, *Sm.*

Hydrolea
spinosa, *Linn.*

Hymenanthera
dentata, *R. Br.*. var. angustifolia.

Hypericum
canariense, *Linn.*
Hookerianum, *W.* et *A.*
japonicum, *Thunb.*
lanceolatum, *Lam.*

Hypoxis
erecta, *Linn.*
Krebsii, *Fisch.*
Rooperii, *T. Moore*
villosa, *Linn.*

Indigofera
atropurpurea, *Buch.-Ham.*
australis, *Willd.*

Ipomœa
Bona-nox, *Linn.*
Learii, *Paxt.*
purpurea, *Roth*
Quamoclit, *Linn.*
— var. alba.

Isoplexis
canariensis, *Steud.*

Isotoma
Brownii, *G. Don*

Ixiolirion
Pallasii, *Fisch.* et *Mey.*

Jasminum
lucidum, *Banks*
revolutum, *Linn.*

Jussieua
suffruticosa, *Linn.*

Justicia
calycotricha, *Link*

Kalanchöe
flammea, *Stapf*
kewensis, × *Hort.*
Kirkii, *N. E. Br.*
Petitiana, *A. Rich.*
rotundifolia, *Haw.*

Karatas
Plumieri, *E. Morr.*

Kedrostis
africana, *Cogn.*

Kennedya
prostrata, *R. Br.*

Kunzea
corifolia, *Reichb.*
parvifolia, *Schau.*

Kyllinga
monocephala, *Rottl.*
nepalensis, *Hort.*

Labichea
lanceolata, *Benth.*

Lachnostoma
maritimum, *Nichols.*

Lantana
Camara, *Linn.*

Lapageria
rosea, *Ruiz* et *Pav.*

Lapeyrousia
cruenta, *Benth.*

Laportea
moroides, *Wedd.*

Lathyrus
pubescens, *Hook.* et *Arn.*

Leea
sambucina, *Willd.*

Leptodermis
lanceolatus, *Wall.*

Leptospermum
arachnoideum, *Sm.*
ericoides, *A. Rich.*
scoparium, *Forst.*

Lessingia
pectinata, *Greene*

Lilium
Brownii, *Mielle*

Littonia
modesta, *Hook.*

Lobelia
tenuior, *R. Br.*
— var. alba.

Lomatophyllum
macrum, *Salm-Dyck*

Lonicera
sempervirens, *Linn.*, var. minor.

Luffa
acutangula, *Roxb.*
ægyptiaca, *Mill.*
cylindrica, *Roem.*

Luzula
purpurea, *Link*

Lycopersicum
cerasiforme, *Dun.*
esculentum, *Mill.*

Lysimachia
luzuloides, *Hort.*

Mallotus
japonicus, *Muell. Arg.*

Malortiea
gracilis, *H. Wendl.*
Kotschyana, *Hort.*

Malvastrum
hypomadarum, *Sprague*
limense, *Ball*

Mammillaria
missouriensis, *Sweet*

Marica
caerulea, *Ker-Gawl.*

Massonia
latifolia, *Linn. f.*

Maurandia
Barclayana, *Lindl.*
scandens, *A. Gray*

Melia
arguta, *DC.*
Azedarach, *Linn.*

Melianthus
major, *Linn.*

Melothria
indica, *Lour.*
suavis, *Hort.*

Mesembryanthemum
bicolor, *Linn.*
curviflorum, *Haw.*
deltoides, *Linn.*
formosum, *Haw.*
lepidum, *Haw.*
micans, *Linn.*
muricatum, *Haw.*
roseum, *Willd.*
serrulatum, *Haw.*
tumidulum, *Haw.*

Metrosideros
hypericifolia, *A. Cunn.*
robusta, *A. Cunn.*

Mimosa
marginata, *Lindl.*
pudica, *Linn.*

Mirabilis
Jalapa, *Linn.*

Miscanthus
nepalensis, *Hack.*

Mitraria
coccinea, *Cav.*

Momordica
Balsamina, *Linn.*
Charantia, *Linn.*
cochinchinensis, *Spreng.*
involucrata, *E. Mey.*

Moræa
Mac-Leayi, *Hort.*
spathacea, *Ker-Gawl.*

Muehlenbeckia
chilensis, *Meissn.*

Musschia
Wollastoni, *Lowe*

Myrica
æthiopica, *Linn.*

Myrsine
africana, *Linn.*

Myrtus
communis, *Linn.*
Luma, *Barn.*

Nama
jamaicense, *Linn.*

Nephthytis
liberica, *N. E. Br.*
picturata, *N. E. Br.*

Nertera
depressa, *Banks*

Neviusa
alabamensis, *A. Gray*

Nicandra
physaloides, *Gærtn.*

Nicotiana
nudicaulis, *S. Wats.*
rustica, *Linn.*
Sanderæ ×

Nierembergia
frutescens, *Dur.*

Ochna
Kirkii, *Oliv.*
mossambicensis, *Klotzsch*
multiflora, *DC.*

Ocimum
viride, *Willd.*

Oliveranthus
elegans, *Rose*

Opuntia
Dillenii, *Haw.*, var. hybrida.
nigricans, *Haw.*
polyacantha, *Haw.*

Ornithogalum
arabicum, *Linn.*
lacteum, *Jacq.*
tenellum, *Jacq.*
thyrsoides, *Jacq.*

Orthrosanthus
multiflorus, *Sweet*

Oryza
sativa, *Linn.*
— var. atropurpurea.
— var. rufibarba.

Palisota
Barteri, *Hook. f.*
Maclaudii, *Hort.*

Passiflora
edulis, *Sims*
elegans, *Mast.*
quadrangularis, *Linn.*

Pavetta
borbonica, *Hort.*

Pavonia
hastata, *Cav.*
spinifex, *Cav.*

Pelargonium
australe, *Jacq.*
citriodorum, *Schr.*
tomentosum, *Jacq.*

Pellionia
Daveauana, *N. E. Br.*
pulchra, *N. E. Br.*

Pentarhaphia
libanensis, *Hanst.*

Pentas
carnea, *Benth.*

Peperomia
argyreia, *E. Morr.*
blanda, *H. B. K.*
metallica, *Lind.* et *Rod.*
pellucida, *H. B. K.*
Sandersii, *C. DC.*
scandens, *Ruiz* et *Pav.*

Phacelia
rupestris, *Greene*

Phyllanthus
grandifolius, *Linn.*
montanus, *Sw.*
parvifolius, *Buch.-Ham.*

Phyllocactus
crenulatus, *Walp.*

Physalis
peruviana, *Linn.*

Pilea
Spruceana, *Wedd.*

Pimelea
ferruginea, *Labill.*

Pinguicula
lusitanica, *Linn.*

Pitcairnia
Altensteinii, *Lem.*
Andreana, *Linden*
aphelandræflora, *Verschaff.*
heterophylla, *Beer*
latifolia, *Soland.*
maidifolia, *Decne.*
pulverulenta, *Ruiz* et *Pav.*

Pittosporum
crassifolium, *Sol.*
Ralphii, *T. Kirk*

Plantago
virginica, *Linn.*

Platytheca
galioides, *Steetz*

Pleuropetalum
costaricense, *Hort.*

Polyalthia
suberosa, *Benth.* et *Hook. f.*

Polycarpæa
divaricata, *Balf. f.*

Polygonum
alatum, *Buch.-Ham.*

Pontederia
cordata, *Linn.*

Poterium
spinosum, *Linn.*

Primula
floribunda, *Wall.*
kewensis, × *Hort.*
Listeri, *King*
mollis, *Nutt.*
obconica, *Hance*
Palinuri, *Petagn.*
septemloba, *Franch.*
sinensis, *Sab.*, var. stellata.
verticillata, *Forsk.*
yunnanensis, *Franch.*

Proserpinaca
palustris, *Linn.*
pectinata, *Linn.*

Prostanthera
lasianthos, *Labill.*

Psidium
chinense, *Lodd.*

Psoralea
bituminosa, *Linn.*
plumosa, *F. Muell.*

Psychotria
micrantha, *Hiern*

Raimannia
confusa, *Rose*

Ranunculus
cortusaefolius, *Willd.*

Raphiolepis
ovata, *Briot*

Reinwardtia
tetragyna, *Planch.*

Rhabdothamnus
Solandri, *A. Cunn.*

Rhododendron
arboreum, *Sm.*
Nuttallii, *Booth*

Rhopalostylis
sapida, *H. Wendl.* et *Drude*

Rhynchosia
caribæa, *DC.*

Ricinus
communis, *Linn.*

Rivina
aurantiaca, *Warsc.*
humilis, *Linn.*
tinctoria, *Hamil.*

Ruellia
amœna, *Nees*
tuberosa, *Linn.*

Sabal
Blackburniana, *Glazebr.*

Sandersonia
aurantiaca, *Hook.*

Sarcococca
pruniformis, *Lindl.*

Sarracenia
Tolliana, ×

Saxifraga
sarmentosa, *Linn.*

Schismatoglottis
Roebelina, *Hort.*
Treubii, *Hort.*

Schizanthus
pinnatus, *Ruiz* et *Pav.*
— var. compactus.
— var. grandiflorus.
wisetonensis, *Hort.*

Sedum
dasyphyllum, *Linn.*
Greggii, *Hemsl.*
pruinatum, *Brot.*
Sieboldii, *Hort.*
spathulifolium, *Hook.*

Sempervivum
annuum, *C. Sm.*
arachnoideum, *Linn.*
Ballii, *Hort.*
canariense, *Linn.*
dichotomum, *DC.*
Youngianum, *Webb* et *Berth.*

Senecio
grandifolius, *Less.*
Kleinia, *Less.*
Petasitis, *DC.*
tropæolifolius, *Macowan*

Sida
acuta, *Burm.*
veronicæfolia, *Lam.*

Sideritis
Massoniana, *Benth.*
montana, *Linn.*

Sisyrinchium
Bermudiana, *Linn.*
micranthum, *Cav.*

Solanum
auriculatum, *Ait.*
coagulans, *Hort.*
fastigiatum, *Willd.*
hæmatocladum, *Dun.*
Hendersoni, *Hort.*
jasminoides, *Paxt.*
nigrum, *Linn.*
pyracanthum, *Jacq.*
venustum, *Kunth*
verbascifolium, *Linn.*

Sollya
Drummondi, *C. Morr.*
heterophylla, *Lindl.*

Spathiphyllum
cochlearispathum, *Engl.*
floribundum, *N. E. Br.*
Patinii, *N. E. Br.*

Stachytarpheta
indica, *Vahl*

Statice
echioides, *Linn.*

Strelitzia
Reginæ, *Ait.*

Streptocarpus
caulescens, *Vatke*

Stromanthe
sanguinea, *Sond.*

Stylidium
adnatum, *R. Br.*
calcaratum, *R. Br.*

Sutherlandia
frutescens, *R. Br.*

Swainsona
coronillæfolia, *Salisb.*, var. rosea.

Tacca
cristata, *Jack*
integrifolia, *Ker-Gawl.*
viridis, *Hemsl.*

Tacsonia
Van-Volxemii, *Hook.*

Talinum
patens, *Willd.*
triangulare, *Willd.*

Tecoma
Smithii, *Hort.*

Terminalia
belerica, *Roxb.*

Tetranema
mexicana, *Benth.*

Teucrium
Marum, *Linn.*

Thomasia
solanacea, *J. Gay*

Thoracostachyum
bancanum, *Kurz*

Thysanocarpus
elegans, *Fisch.* et *Mey.*

Tillaea
connata, *Ruiz* et *Pav.*

Tillandsia
Crousseana, × *Hort.*
splendens, *Brongn.*
strobilantha, *Poir.*

Tinantia
fugax, *Scheidw.*

Tinnea
aethiopica, *Kotschy*

Trachelium
cæruleum, *Linn.*

Trachyphrynium
Danckelmannianum, *J. Braun* et *K. Schum.*

Tradescantia
discolor, *L'Hérit.*

Trichocladus
crinitus, *Pers.*

Tristania
neriifolia, *R. Br.*

Tropæolum
pentaphyllum, *Lam.*

Utricularia
emarginata, *Benj.*

Vellozia
elegans, *Talbot*

Vigna
Catjang, *Walp.*

Villarsia
parnassifolia, *R. Br.*

Viminaria
denudata, *Sm.*

Viola

hederacea, *Labill.*

Vitis

heterophylla, *Thunb.*, var. humulifolia.

Wachendorfia

paniculata, *Linn.*

Xanthosia

rotundifolia, *DC.*

Xiphidium

coeruleum, *Aubl.*

Zephyranthes

Andersoni, *Baker*

NOTES

FROM THE

ROYAL BOTANIC GARDEN,

EDINBURGH.

DECEMBER 1909.

CONTENTS.

Page

List of Seeds collected in the Royal Botanic Garden, Edinburgh, during the Year 1909, - - - - cclxxiii

EDINBURGH:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By MORRISON & GIBB LIMITED,
At Tanfield.

SOLD AT THE GARDEN,
And to be purchased, either directly or through any Bookseller, from
OLIVER & BOYD, Edinburgh.

[PRICE NINEPENCE.]

[All rights reserved.]

M & G Ltd. Wt. 23588/155 11-09 575

List of Seeds Collected in the Royal Botanic Garden, Edinburgh, during the Year 1909.

The following is a list of plants cultivated in the Royal Botanic Garden, Edinburgh, from which ripened seeds have been collected during the year 1909. The quantity of seed obtained from some of the species is of limited amount. The seeds are available for exchange, but they are not for sale:—

PLANTS IN THE OPEN.

Acaena

glabra, *J. Buch.*
inermis, *Hook. f.*
laevigata, *Ait.*
microphylla, *Hook. f.*
ovalifolia, *Ruiz* et *Pav.*
Sanguisorbae, *Vahl*
— var. sarmentosa.
splendens, *Hook.* et *Arn.*

Acantholimon

acerosum, *Boiss.*
glumaceum, *Boiss.*

Acanthus

mollis, *Linn.*
niger, *Mill.*

Acer

campestre, *Linn.*
— var. austriacum.
glabrum, *Torr.* et *Gray*
monspessulanum, *Linn.*
opulifolium, *Vill.*, var. obtusatum.
platanoides, *Linn.*
Pseudo-platanus, *Linn.*
— var. euchlorum.
— var. purpureum.
spicatum, *Linn.*

Achillea

ageratifolia, *Benth.* et *Hook. f.*
alpina, *Linn.*
crithmifolia, *Waldst.* et *Kit.*
Huteri, *Sendt.*
impatiens, *Linn.*
lanulosa, *Nutt.*
lingulata, *Waldst.* et *Kit.*, var. buglossis.
macedonica, *Rouy*
magna, *Linn.*
Millefolium, *Linn.*
obscura, *Nees*
rupestris, *Huter*
serrata ×, *Retz.*
Thomasiana, *Hall. f.*
tanacetifolia, *All.*
tomentosa, *Linn.*

Aconitum

ferox, *Wall.*
Fischeri, *Reichb.*
heterophyllum, *Wall.*
longigaleatum, *Hort.*
Lycoctonum, *Linn.*
— var. pyrenaicum, *Reichb.*
Napellus, *Linn.*
— var. hians.
paniculatum, *Lam.*
reclinatum, *A. Gray*
volubile, *Koelle*, var. latisectum.

Actaea
alba, *Mill.*
spicata, *Linn.*
— var. rubra.

Adenocarpus
intermedius, *DC.*

Adenophora
polymorpha, *Ledeb.*
Potanini, *Batalin*
stricta, *Miq.*
verticillata, *Fisch.*

Adonis
vernalis, *Linn.*

Aethionema
armenum, *Boiss.*
cordatum, *Boiss.*
grandiflorum, *Boiss.* et *Hohen.*
persicum, *Hort.*

Agathaea
coelestis, *Cass.*

Agrimonia
agrimonioides, *Linn.*
Eupatoria, *Linn.*
odorata, *Mill.*

Agropyron
acutum, *Roem.* et *Schult.*
dasyanthum, *Ledeb.*
tenerum, *Vasey*

Agrostis
nigra, *With.*

Ajuga
pyramidalis, *Linn.*

Alchemilla
alpina, *Linn.*
major, *Hort.*

Alisma
Plantago, *Linn.*

Alkanna
lutea, *A. DC.*

Allium
Aschersonianum, *Barbey*
cardiostemon, *Fisch.* et *Mey.*
cyaneum, *Regel*
fistulosum, *Linn.*
fragrans, *Vent.*
giganteum, *Regel*
kansuense, *Regel*
macranthum, *Baker*
margaritaceum, *Sibth.* et *Sm.*
Moly, *Linn.*
neapolitanum, *Cyr.*
odorum, *Linn.*
oreophilum, *C. A. Mey.*
polyphyllum, *Kar.* et *Kir.*
pulchellum, *G. Don*
Schoenoprasum, *Linn.*
— var. sibiricum.
senescens, *Linn.*
Victorialis, *Linn.*

Alnus
glutinosa, *Medic.*
— var. quercifolia.
incana, *Moench*
japonica, *Sieb.* et *Zucc.*
rhombifolia, *Nutt.*
serrulata, *Willd.*
sitchensis, *Sarg.*
tenuifolia, *Nutt.*

Alopecurus
pratensis, *Linn.*
— var. foliis variegatis.

Alstroemeria
aurantiaca, *Don*

Alyssum
condensatum, *Boiss.* et *Hausskn.*
creticum, *Linn.*
gemonense, *Linn.*
idaeum, *Boiss.* et *Heldr.*
maritimum, *Lam.*

Alyssum—*continued.*
Moellendorfianum, *Aschers.*
montanum, *Linn.*
podolicum, *Bess.*
rostratum, *Stev.*
saxatile, *Linn.*
— var. sulphureum.
serpyllifolium, *Desf.*
spinosum, *Linn.*
Wulfenianum, *Willd.*

Amphicarpaea
monoica, *Ell.*

Anagallis
arvensis, *Linn.*
— var. caerulea.

Anaphalis
margaritacea, *Benth.* et *Hook. f.*

Anchusa
Barrelieri, *Vitm.*, var. variegata.
italica, *Retz.*
sempervirens, *Linn.*

Androsace
alpina, *Lam.*
Chumbyi, *Hort.*
lactiflora, *Fisch.*
lanuginosa, *Wall.*
sarmentosa, *Wall.*
villosa, *Linn.*
— var. Chamaejasme.

Anemone
alpina, *Linn.*
— var. sulphurea.
cernua, *Thunb.*
decapetala, *Linn.*
demissa, *Hook. f.* et *Thoms.*
magellanica, *Hort.*
montana, *Hoppe*
multifida, *Poir.*
pratensis, *Linn.*
Pulsatilla, *Linn.*, var. amoena.

Anemone—*continued.*
rivularis, *Buch.-Ham.*
rupicola, *Camb.*
sylvestris, *Linn.*
— var. majus.

Angelica
Gingidium, *Hook. f.*
sylvestris, *Linn.*

Antennaria
decipiens, *Greene*
dioica, *Gaertn.*
— var. parvifolia.
— var. tomentosa.
rosea, *Greene*
— var. imbricata.

Anthemis
Biebersteiniana, *C. Koch*
Kelwayi, *Hort.*
montana, *Linn.*

Anthericum
Liliago, *Linn.*

Anthoxanthum
odoratum, *Linn.*

Anthriscus
sylvestris, *Hoffm.*

Anthyllis
montana, *Linn.*
— var. atrorubens.
Vulneraria *Linn.*
— var. Dillenii.

Antirrhinum
Asarina, *Linn.*
glutinosum, *Boiss.* et *Reut.*
majus, *Linn.*
— var. Peloria.
sempervirens, *Lapeyr.*

Apium
graveolens, *Linn.*

Aplopappus
croceus, *A. Gray*

Aquilegia
caerulea, *James*
canadensis, *Linn.*
chrysantha, *A. Gray*
— var. nana.
Ottonis, *Orph.*
pyrenaica, *DC.*
Skinneri, *Hook.*
viridiflora, *Pall.*
vulgaris, *Linn.*
— var. atrata.

Arabis
albida, *Stev.*
— var. argenteo-variegata.
alpina, *Linn.*
auriculata, *Lam.*
blepharophylla, *Hook.* et *Arn.*
lucida, *Linn. f.*
petraea, *Lam.*
purpurea, *Sibth.* et *Sm.*
serpyllifolia, *Vill.*
Stellerii, *DC.*, var. rosea.
stricta, *Huds.*
Sturii, *Hort.*
Turrita, *Linn.*

Arbutus
Unedo, *Linn.*

Arctium
minus, *Bernh.*

Arctotis
acaulis, *Linn.*
stoechadifolia, *Berg.*

Arenaria
balearica, *Linn.*
cephalotes, *Bieb.*
ciliata, *Linn.*
confusa, *Rydb.*
erythrosepala, *Boiss.*
graminifolia, *Schrad.*

Arenaria—*continued.*
Holostea, *Bieb.*
juniperina, *Linn.*
lateriflora, *Linn.*
montana, *Linn.*, var. grandiflora.
pinifolia, *Bieb.*
purpurascens, *Ramond*
saxatilis, *Linn.*
verna, *Linn.*

Aristolochia
rotunda, *Linn.*

Armeria
allioides, *Boiss.*, var. ciliata.
alpina, *Willd.*
bracteata, *Hort.*
caespitosa, *Boiss.*
canescens, *Boiss.*
fasciculata, *Willd.*
japonica, *Hort.*
juncea, *Girard*
labradorica, *Wallr.*
leucocephala, *Koch*
majellensis, *Boiss.*
maritima, *Willd.*
— var. alba.
— var. alpina.
— var. Laucheana.
mauritanica, *Wallr.*
— var. hybrida.
pinifolia, *Hoffmgg.* et *Link*
plantaginea, *Willd.*
sardoa, *Spreng.*
Welwitschii, *Boiss.*

Arnebia
cornuta, *Fisch.* et *Mey.*

Arnica
amplexicaulis, *Nutt.*
Chamissonis, *Less.*
longifolia, *Eaton*
montana, *Linn.*
sachalinensis, *A. Gray*

Arracacia
arguta, *Benth.* et *Hook. f.*

Arrhenantherum
avenaceum, *Beauv.*

Artemisia
nana, *Gaud.*
spicata, *Wulf.*
tanacetifolia, *Linn.*

Asarum
canadense, *Linn.*
caudatum, *Lindl.*
europaeum, *Linn.*
grandiflorum, *Klotzsch*
Hartwegii, *S. Wats.*

Asperula
molluginoides, *Reichb.*

Asphodeline
liburnica, *Reichb.*

Asphodelus
ramosus, *Linn.*

Aster
acris, *Linn.*
— var. dracunculoides.
alpinus, *Linn.*
— var. albus.
Amellus, *Linn.*, var. amelloides.
— var. bessarabicus.
baldensis, *Hort.*
batangensis, *Bur.* et *Franch.*
caucasicus, *Willd.*
dahuricus, *Benth.*
diplostephioides, *Benth.* et *Hook. f.*
dumosus, *Linn.*
floribundus, *Nutt.*
foliaceus, *Lindl.*
Fremonti, *A. Gray*
himalaicus, *C. B. Clarke*
junceus, *Ait.*
laevis, *Linn.*
— var. decorus

Aster—*continued.*
leucanthemus, *Rafin.*
longifolius, *Lam.*
macrophyllus, *Linn.*
microcephalus, *Franch.* et *Sav.*
Novae-Angliae, *Linn.*
— var. ruber.
patulus, *Lam.*
Pattersonii, *A. Gray*
polyphyllus, *Willd.*
puniceus, *Linn.*
— var. lucidulus.
— var. compactus.
pyrenaeus, *DC.*
rivularis, *Cass.*
sagittaefolius, *Willd.*
sibiricus, *Linn.*
sikkimensis, *Hook. f.* et *Thoms.*
spectabilis, *Ait.*
subcaeruleus, *S. Moore*
tataricus, *Linn. f.*
trinervius, *Roxb.*, var. congestus.

Astilbe
japonica, *A. Gray*

Astragalus
danicus, *Retz.*, var. albus.
Drummondii, *Dougl.*
galegiformis, *Linn.*
Glyciphyllos, *Linn.*
monspessulanus, *Linn.*
narbonensis, *Gouan*
podocarpus, *C. A. Mey.*
purpureus, *Lam.*
vaginatus, *Pall.*
xiphocarpus, *Benth.*

Astrantia
carniolica, *Wulf.*
helleborifolia, *Salisb.*
major, *Linn.*
— var. intermedia.
minor, *Linn.*
neglecta, *C. Koch* et *Bouché*

Astydamia
canariensis, *DC.*

Athamanta
Matthioli, *Wulf.*

Atraphaxis
Billardierii, *Jaub.* et *Spach*

Atriplex
hortensis, *Linn.*, var. rubra.

Atropa
Belladonna, *Linn.*

Aubrietia
Columnae, *Guss.*
deltoidea, *DC.*
— var. Campbellii.
— var. cilicica.
— var. luteo-variegata.
— var. spathulata.
gracilis, *Sprun.*

Avena
pratensis, *Linn.*
strigosa, *Schreb.*

Babiana
nana, *Spreng.*

Baccharis
patagonica, *Hook.* et *Arn.*

Baldwinia
multiflora, *Nutt.*

Ballota
nigra, *Linn.*
spinosa, *Link*

Barbarea
praecox, *R. Br.*
vulgaris, *R. Br.*

Bellis
perennis, *Linn.*, var. alpina.

Bellium
bellidioides, *Linn.*
minutum, *Linn.*

Berberis
Aquifolium, *Pursh*
aristata, *DC.*
Darwinii, *Hook.*
Thunbergii, *DC.*
virescens, *Hook. f.*
vulgaris, *Linn.*

Beta
trigyna, *Waldst.* et *Kit.*

Betula
alba, *Linn.*
— var. pubescens.
lutea, *Michx.*
occidentalis, *Hook.*
papyrifera, *Marsh.*
ulmifolia, *Sieb.* et *Zucc.*

Bidens
humilis, *H. B.* et *K.*

Biscutella
laevigata, *Linn.*

Blumenbachia
Hieronymi, *Urb.*

Borago
laxiflora, *Willd.*
officinalis, *Linn.*

Bottionea
thysanthoides, *Colla*

Boykinia
aconitifolia, *Nutt.*

Brassica
oleracea, *Linn.*

Bravoa
geminiflora, *Lex.*

Braya
alpina, *Sternb.* et *Hoppe*

Brickellia
grandiflora, *Nutt.*

Brittonastrum
ionocalyx, *B. L. Robins.*
rupestre, *A. A. Heller*

Brodiaea
Douglasii, *S. Wats.*
hyacinthina, *Baker.*
— var. lactea
ixioides, *S. Wats.*

Bromus
ciliatus, *Linn.*
erectus, *Huds.*
maximus, *Desf.*
mollis, *Linn.*
Tacna, *Steud.*

Bruckenthalia
spiculifolia, *Reichb.*

Bryanthus
empetriformis, *A. Gray*
taxifolius, *A. Gray*

Buddleia
albiflora, *Hemsl.*
globosa, *Hope*
Hemsleyana, *Hort.*
intermedia, *Carr.*
variabilis, *Hemsl.*
— var. Veitchiana.

Bulbinella
Hookerii, *Benth.* et *Hook. f.*

Buphthalmum
speciosum, *Schreb.*

Bupleurum
Candollei, *Wall.*
fruticosum, *Linn.*
sulphureum, *Boiss.* et *Bal.*

Calamintha
alpina, *Lam.*
Clinopodium, *Benth.*
grandiflora, *Moench*

Calandrinia
Menziesii, *Torr.* et *A. Gray*
umbellata, *DC.*

Calceolaria
pinnata, *Linn.*
plantaginea, *Sm.*

Calendula
arvensis, *Linn.*

Callirhoë
digitata, *Nutt.*

Calochortus
Gunnisonii, *S. Wats.*
venustus, *Dougl.*

Caltha
polypetala, *Hochst.*

Camassia
Cusickii, *S. Wats.*
esculenta, *Lindl.*
— var. alba.

Camelina
sativa, *Crantz*

Campanula
alaskana, *Hort.*
alliariaefolia, *Willd.*
alpina, *Jacq.*
bononiensis, *Linn.*
caespitosa, *Scop.*
— var. Vensloi.
carnica, *Schiede*
carpatica, *Jacq.*
— var. turbinata.

Campanula—*continued.*
— var. turbinata alba.
— var. turbinata compacta.
excisa, *Schleich.*
glomerata, *Linn.*, var. acaulis.
Grossekii, *Heuffl.*
latifolia, *Linn.*
— var. macrantha.
— var. macrantha alba.
Leutweinii, *Heldr.*
linifolia, *Scop.*
macrorrhiza, *J. Gay*
mirabilis, *Alboff*
persicifolia, *Linn.*
phyctidocalyx, *Boiss.* et *Noé*
phyteumoides, *Sibth.*
planiflora, *Lam.*, var. alba.
pulla, *Linn.*
pulloides, *Hort.*
— var. kewensis.
punctata, *Lam.*, var. alba.
— var. rosea.
pusilla, *Haenke*
Raddeana, *Trautv.*
rapunculoides, *Linn.*
rhomboidalis, *Linn.*
rotundifolia, *Linn.*
— var. alba.
Reuteriana, *Boiss.* et *Bal.*
salicifolia, *Boiss.* et *Kotschy*
Stansfieldii ×, *Hort.*
Steveni, *Bieb.*
thyrsoides, *Linn.*
Waldsteiniana, *Roem.* et *Schult.*

Capsella
Bursa-Pastoris, *Medic.*
thracica, *Velen.*

Caragana
arborescens, *Lam.*

Carduus
defloratus, *Linn.*
valentinus, *Boiss.* et *Reut.*

Carex
aquatilis, *Wahlenb.*
atrata, *Linn.*
axillaris, *Good.*
binervis, *Sm.*
canescens, *Linn.*
capillaris, *Linn.*
diluta, *Bieb.*
distans, *Linn.*
divulsa, *Good.*
echinata, *Murr.*
extensa, *Good.*
flava, *Linn.*
— var. lepidocarpa
frigida, *All.*
fulva, *Good.*
glauca, *Scop.*
Grahami, *Boott*
Grayii, *Carey*
irrigua, *Sm.*
laevigata, *Sm.*
leporina, *Linn.*
— var. capitata.
montana, *Linn.*
muricata, *Linn.*
— var. virens.
Oederi, *Retz.*
ornithopoda, *Willd.*
pallescens, *Linn.*
paludosa, *Good.*
panicea, *Linn.*
paniculata, *Linn.*
paradoxa, *Willd.*
pilulifera, *Linn.*
pulicaris, *Linn.*
punctata, *Gaud.*
rigida, *Good.*
riparia, *Curt.*
saxatilis, *Linn.*
sparganioides, *Muhl.*
stricta, *Good.*
strigosa, *Huds.*
vaginata, *Tausch*
Vilmorini, *Mottet*
vulpina, *Linn.*

Carlina
acaulis, *Linn.*

Carmichaelia
australis, *R. Br.*
flagelliformis, *Colenso*

Carpesium
cernuum, *Linn.*

Carrichtera
Vella, *DC.*

Carum
Carvi, *Linn.*
heterophyllum, *Regel* et *Schmalh.*

Cassandra
calyculata, *D. Don*

Cassinia
fulvida, *Hook. f.*
leptophylla, *R. Br.*
Vauvilliersii, *Hook. f.*

Catananche
bicolor, *Hort.*
caerulea, *Linn.*

Cathcartia
villosa, *Hook. f.*

Caucalis
Anthriscus, *Huds.*
arvensis, *Huds.*

Cedronella
cana, *Hook.*
triphylla, *Moench*

Celastrus
articulatus, *Thunb.*
scandens, *Linn.*

Celmisia
coriacea, *Raoul*
holosericea, *Hook. f.*
Munroi, *Hook. f.*

Celsia
pontica, *Boiss.*

Centaurea
caerulescens, *Willd.*
Cyanus, *Linn.*
cynaroides, *Link*
glastifolia, *Linn.*
gymnocarpa, *Moris* et *De Not.*
Jacea, *Linn.*
Kerneriana, *Janka*
macrocephala, *Puschk.*
nervosa, *Willd.*
nigra, *Linn.*
orientalis, *Linn.*
pectinata, *Linn.*
phrygia, *Linn.*
pulcherrima, *Willd.*
Rhaponticum, *Linn.*
ruthenica, *Lam.*
Scabiosa, *Linn.*
stereophylla, *Bess.*
uniflora, *Linn.*

Centranthus
ruber, *DC.*
— var. albus.

Cephalaria
alpina, *Schrad.*
stellipilis, *Boiss.*

Cerastium
alpinum, *Linn.*
arvense, *Linn.*, var. grandiflorum.
Boissierii, *Gren.*

Cerinthe
alpina, *Kit.*
retorta, *Sibth.* et *Sm.*
longiflora, *Viv.*

Chaenostoma
fastigiatum, *Benth.*

Chaerophyllum
aromaticum, *Linn.*
aureum, *Linn.*
roseum, *Bieb.*

Chamaebatia
foliolosa, *Benth.*

Cheiranthus
Allionii, *Hort.*
Cheiri, *Linn.*

Chelidonium
Franchetianum, *Prain*
majus, *Linn.*
— var. laciniatum.

Chenopodium
Bonus-Henricus, *Linn.*

Chimaphila
maculata, *Pursh*

Chondrilla
juncea, *Linn.*

Chrysanthemum
arcticum, *Linn.*
ceratophylloides, *All.*
segetum, *Linn.*
vomerense, *Hort.*
Zawadzkii, *Herbich*

Chrysopsis
camphorata, *Eastw.*
camporum, *Greene*
villosa, *DC.*, var. Rutteri.

Chrysosplenium
flagelliferum, *F. Schmidt*

Cichorium
Intybus, *Linn.*

Cimicifuga
americana, *Michx.*
foetida, *Linn.*
racemosa, *Nutt.*

Cistus
albidocrispus, *Hort.*
laurifolius, *Linn.*

Clematis
aethusaefolia, *Turcz.*, var latisecta.
alpina, *Mill.*
Flammula, *Linn.*
— var. Pallasii.
integrifolia, *Linn.*
montana, *Buch.-Ham*
orientalis, *Linn.*
paniculata, *Thunb.*
recta, *Linn.*
songorica, *Bunge*
Vitalba, *Linn.*

Clypeola
Jonthlaspi, *Linn.*

Cneorum
tricoccon, *Linn.*

Cnicus
acaulis, *Willd.*
— var. caulescens.
Biebersteinii, *Hort.*
canus, *Roth*
centauroides, *Linn.*
eriophorus, *Roth*
pratensis, *Willd.*
rivularis, *Willd.*
tartaricus, *Willd.*
Velenovskyi, *Hort.*

Cochlearia
alpina, *Wats.*
officinalis, *Linn.*

Colchicum
alpinum, *DC.*
hydrophilum, *Siehe*
montanum, *Linn.*
speciosum, *Stev.*, var. album.
turcicum, *Janka*
variegatum, *Linn.*

Collinsia
bicolor, *Benth.*
parviflora, *Lindl.*

Collomia
heterophylla, *Hook.*

Colutea
cruenta, *Ait.*
longialata, *Koehne*

Conium
maculatum, *Linn.*

Coptis
trifolia, *Salisb.*

Corethrogyne
californica, *DC.*

Coriandrum
sativum, *Linn.*

Cornus
alba, *Linn.*
sanguinea, *Linn.*

Coronilla
elegans, *Panc.*
Emerus, *Linn.*
montana, *Scop.*

Cortusa
Matthioli, *Linn.*, var. pubens.
— var. villoso-hirsuta.

Corydalis
bulbosa, *DC.*
cheilanthifolia, *Hemsl.*
lutea, *DC.*
ochroleuca, *Koch*
ophiocarpa, *Hook. f.* et *Thoms.*
rosea, *Zeyh.*

Corynephorus
canescens, *Beauv.*

Cotoneaster
acuminata, *Lindl.*
affinis, *Lindl.*
bacillaris, *Wall.*
buxifolia, *Wall.*
Franchetii, *Bois*
frigida, *Wall.*
horizontalis, *Decne.*
laxiflora, *Jacq.*
microphylla, *Wall.*
Nummularia, *Fisch.* et *Mey.*
pannosa, *Franch.*
rotundifolia, *Wall.*
Simonsii, *Baker*
thymifolia, *Baker*

Cotula
pubescens, *Desf.*

Cotyledon
orbiculata, *Linn.*

Crambe
Tataria, *Sebéok*

Craspedia
uniflora, *Forst. f.*

Cratægus
Azarolus, *Linn.*
Carrierei, *Vauvel*
Crus-Galli, *Linn.*, var. splendens.
Douglasii, *Lindl.*
intricata, *Lange*
nigra, *Waldst.* et *Kit.*
orientalis, *Pall.*
Oxyacantha, *Linn.*
— var. flore puniceo.
— var. fuscata.
— var. monogyna.
— var. oxyacanthoides.
— var. semperflorens.
parvifolia, *Ait.*
pentagyna, *Kit.*
Pyracantha, *Pers.*
— var. Lalandi.
tomentosa, *Linn.*

Crepis
aurea, *Reichb.*
blattarioides, *Vill.*
grandiflora, *Tausch*
Jacquini, *Tausch*
nivea, *Hort.*
paludosa, *Moench*
pygmaea, *Linn.*
Ruperiana, *Hort.*
sibirica, *Linn.*

Crocus
vernus, *All.*, var. Leedsii.

Crupina
Crupinastrum, *Vis.*

Cryptotaenia
canadensis, *DC.*

Cuminum
Cyminum, *Linn.*

Cuphea
silenoides, *Nees*

Cupressus
Lawsoniana, *A. Murr.*
— var. argentea.

Cyananthus
lobatus, *Wall.*

Cyclamen
cilicium, *Boiss.* et *Heldr.*

Cydonia
japonica, *Thunb.*
— var. grandiflora.
— var. rosea.
Maulei, *T. Moore*

Cynoglossum
furcatum, *Wall.*
nervosum, *Benth.*
Wallichii, *G. Don*

Cypripedium
humile, *Salisb.*

Cytisus
albus, *Linn.*
Ardoini, *Fourn.*
austriacus, *Linn.*
biflorus, *L'Hérit.*
candicans, *Lam.*
capitatus, *Jacq.*
decumbens, *Walp.*
elongatus, *Waldst.* et *Kit.*
glabrescens, *Sartor*
Heuffelii, *Wierzb.*
hirsutus, *Linn.*
— var. hirsutissimus.
leucanthus, *Waldst.* et *Kit.*
nigricans, *Linn.*
— var. Carlieri.
purgans, *Boiss.*
purpureus, *Scop.*
scoparius, *Link*
— var. Andreanus.
— var. foliis aureis.
— var. prostratus.

Daboëcia
polifolia, *D. Don*
— var. alba.
— var. bicolor.

Dactylis
glomerata, *Linn.*

Dahlia
Merckii, *Lehm.*

Daphne
alpina, *Linn.*

Datisca
cannabina, *Linn.*

Datura
Stramonium, *Linn.*

Daucus

Carota, *Linn.*

Delphinium

Brunonianum, *Royle*
cashmirianum, *Royle*
dictyocarpum, *DC.*
Duhmbergii, *Huth*
elatum, *Linn.*
— var. alpinum.
flexuosum, *Rafin.*
formosum, *Boiss.* et *Huet*
Maackianum, *Regel*
vestitum, *Wall.*

Demazeria

sicula, *Dum.*

Deschampsia

caespitosa, *Beauv.*
flexuosa, *Trin.*

Deutzia

discolor, *Hemsl.*, var. purpurascens.
gracilis, *Sieb.* et *Zucc.*

Dianthus

arboreus, *Linn.*
atrorubens, *All.*
Burnetti ×, *Hort.*
caesius, *Sm.*
carthusianorum, *Linn.*
ciliatus, *Guss.*
cinnabarinus, *Sprun.*
crinitus, *Sm.*
croaticus, *Borbas*
cyclops ×, *Hort.*
delicatus, *Hort.*
deltoides, *Linn.*
fragrans, *Bieb.*
Freynii, *Vandas*
gallicus, *Pers.*
grandiflorus, *Poir.*
humilis, *Willd.*
monspessulanus, *Linn.*, var. alpestris.

Dianthus—*continued.*

neglectus, *Loisel.*
— var. roseus.
Noëanus, *Boiss.*
orientalis, *Donn*
pallens, *Sibth.* et *Sm.*
Pançicii, *Velen.*
petraeus, *Waldst.* et *Kit.*
plumarius, *Linn.*
pubescens, *Sibth.* et *Sm.*
pungens, *Linn.*
Requienii, *Gren.* et *Godr.*
rupicolus, *Bivona*
squarrosus, *Bieb.*
Sternbergii, *Sibth.*
strictus, *Sibth.* et *Sm.*
superbus, *Linn.*
sylvestris, *Wulf.*

Dicentra

eximia, *Torr.*

Dictamnus

albus, *Linn.*
— var. purpureus.
— var. tauricus.

Diervilla

floribunda, *Sieb.* et *Zucc.*, var. Lowei.
florida, *Sieb.* et *Zucc.*
sessilifolia, *Buckl.*

Digitalis

lutea, *Linn.*
purpurea, *Linn.*
— var. alba.
— var. monstrosa.

Dimorphotheca

aurantiaca, *DC.*
pluvialis, *Moench*

Dipsacus

sylvestris, *Mill.*

Dischisma

arenarium, *E. Mey.*

Disporum
lanuginosum, *Nichols.*

Dodecatheon
Meadia, *Linn.*, var. integrifolium.
radicatum, *Greene*

Dorycnium
suffruticosum, *Vill.*

Draba
aizoides, *Linn.*
Aizoon, *Wahlenb.*
alpina, *Linn.*
altaica, *Ledeb.*
arabisans, *Michx.*
aurea, *Vahl*
bruniaefolia, *Stev.*
Chamaejasme, *Hort.*
ciliata, *Scop.*
contorta, *Ehrh.*
cuspidata, *Bieb.*
hirta, *Linn.*
hispida, *Willd.*
incana, *Linn.*
rupestris, *R. Br.*
streptocarpa, *A. Gray*
subamplexicaulis, *C. A. Mey.*
surculosa, *Franch.*
tomentosa, *Wahlenb.*

Dracocephalum
bullatum, *Hort.*
fruticulosum, *Steph.*
moldavica, *Linn.*
Ruyschiana, *Linn.*
speciosum, *Benth.*

Dryas
Drummondii, *Richards.*
octopetala, *Linn.*

Echinacea
purpurea, *Moench*, var. grandiflora.

Echinops
exaltatus, *Schrad.*
niveus, *Wall.*
sphaerocephalus, *Linn.*

Echinospermum
Lappula, *Lehm.*

Echium
vulgare, *Linn.*

Elaeagnus
umbellata, *Thunb.*

Elymus
dasystachys, *Trin.*
sibiricus, *Linn.*

Empetrum
nigrum, *Linn.*

Enkianthus
himalaicus, *Hook. f.* et *Thoms.*
japonicus, *Hook. f.*

Epigaea
repens, *Linn.*

Epilobium
alpinum, *Linn.*
angustifolium, *Linn.*
Dodonaei, *Vill.*
frigidum, *Hausskn.*
haloragifolium, *A. Cunn.*
Hectorii, *Hausskn.*
hirsutum, *Linn.*
rosmarinifolium, *Haenke*
tetragonum, *Linn.*

Eremurus
Bungei, *Baker*
spectabilis, *Bieb.*
turkestanicus, *Regel*
Warei, *Hort.*

ROYAL BOTANIC GARDEN, EDINBURGH.

SEED LIST OF THE YEAR 1909.

CORRECTION.

Page cclxxxvii. Delete **Eucryphia** cordifolia, *Cav.*

Erica

australis, *Linn.*
ciliaris, *Linn.*
cinerea, *Linn.*
— var. alba.
— var. alba major.
— var. alba minor.
— var. atropurpurea.
— var. atrosanguinea.
— var. coccinea.
— var. pallida.
— var. rosea.
mediterranea, *Linn.*
— var. hibernica.
stricta, *Donn*
Tetralix, *Linn.*
— var. alba.
— var. rubra.
vagans, *Linn*
—var. alba.
— var. rubra.
Watsonii, *DC.*

Erigeron

alpinus, *Linn.*
aurantiacus, *Regel*
glabellus, *Nutt.*, var. mollis.
leiomerus, *A. Gray*
linifolius, *Willd.*
mucronatus, *DC.*
philadelphicus, *Linn.*
puchellus, *DC.*
Roemerii, *Hort.*
Roylei, *Linn.*
salsuginosus, *A. Gray*
speciosus, *DC.*
— var. major.
— var. superbus.
uniflorus, *Linn.*

Erinus

alpinus, *Linn.*
— var. carmineus.
— var. hirsutus.

Eriogonum

racemosum, *Nutt.*

Erodium

carvifolium, *Boiss.*
chelidonifolium, *Hort.*
macradenum, *L'Hérit.*
Manescavi, *Coss.*

Eryngium

agavifolium, *Griseb.*
alpinum, *Linn.*
amethystinum, *Linn.*
Billardierii, *Delar.*
Bourgatii, *Gouan*
dichotomum, *Desf.*
giganteum, *Bieb.*
Oliverianum, *Delar.*
planum, *Linn.*
Serra, *Cham.* et *Schlecht.*
Wrightii, *A. Gray*
Zabelii, *Hort.*

Erysimum

asperum, *DC.*
ochroleucum, *DC.*
parvifolium, *Nutt.*
Perofskianum, *Fisch.* et *Mey.*

Erythraea

Centaurium, *Pers.*
Elodes, *Roem.* et *Schult.*
Massonii, *Sweet*

Escallonia

exoniensis ×, *Hort.*
langleyensis ×, *Hort.*
Philippiana, *Mast.*
punctata, *DC.*

Eschscholzia

Helleriana, *Greene*

Eucryphia

cordifolia, *Cav.*
pinnatifolia, *C. Gay*

Eupatorium

cannabinum, *Linn.*

Euphorbia
Lathyris, *Linn.*
Myrsinites, *Linn.*
peploides, *Gouan*

Euonymus
europaeus, *Linn.*

Evax
asterisciflora, *Pers.*

Exochorda
Alberti, *Regel*

Fabiana
imbricata, *Ruiz* et *Pav.*

Fagopyrum
esculentum, *Moench*

Fagus
sylvatica, *Linn.*

Farsetia
eriocarpa, *DC.*

Fendlera
rupicola, *A. Gray*

Ferula
tingitana, *Linn.*

Festuca
capillifolia, *Dufour*
duriuscula, *Linn.*
elatior, *Linn.*
Halleri, *All.*
heterophylla, *Lam.*
ovina, *Linn.*
— var. vivipara.
punctoria, *Sibth.* et *Sm.*
rigida, *Kunth*
rubra, *Linn.*
scoparia, *Kern.*

Foeniculum
giganteum, *Hort.*

Forsythia
suspensa, *Vahl*

Fragaria
vesca, *Linn.*

Fraxinus
excelsior, *Linn.*

Fritillaria
armena, *Boiss.*
aurea, *Schott*, var. elatior.
Meleagris, *Linn.*
— var. alba.
pallidiflora, *Schrenk*

Fuchsia
Riccartonii ×, *Hort.*

Funkia
lancifolia, *Spreng.*
Sieboldiana, *Hook.*

Galanthus
nivalis, *Linn.*
plicatus, *Bieb.*

Galax
aphylla, *Linn.*

Galega
officinalis, *Lam.*

Galium
lithospermifolium, *Fisch.*
Mollugo, *Linn.*

Gaultheria
Shallon, *Pursh*
trichophylla, *Royle*

Genista

anglica, *Linn.*
dalmatica, *Bartl.* et *Wendl. f.*
germanica, *Linn.*
hispanica, *Linn.*
radiata, *Scop.*
sagittalis, *Linn.*
tinctoria, *Linn.*
— var. elatior.
— var. prostrata.
virgata, *DC.*

Gentiana

asclepiadea, *Linn.*
— var. alba.
Froelichii, *Jan*
macrophylla, *Pall.*
— var. cyanea.
Pneumonanthe, *Linn.*
Regelii, *Kusnezow*, var. alba.
Saponaria, *Linn.*
scabra, *Bunge*
septemfida, *Pall.*
— var. cordifolia.
verna, *Linn.*

Geranium

cinereum, *Cav.*
Fremontii, *Torr.*
ibericum, *Cav.*
platyanthum, *Hort.*
polyanthes, *Edgew.* et *Hook. f.*
pratense, *Linn.*
— var. album.
pyrenaicum, *Linn.*
roseum, *L'Hérit.*
sanguineum, *Linn.*
— var. album.
— var. lancastriense.
— var. prostratum.
striatum, *Linn.*
sylvaticum, *Linn.*

Gerbera

Jamesonii, *Bolus*
Kunzeana, *A. Br.* et *Aschers.*
nivea, *Sch. Bip.*

Geum

Borissi, *Hort.*
canadense, *Jacq.*
chiloënse, *Balb.*
Fremontii, *Hort.*
Heldreichii, *Hort.*
— var. superba.
intermedium, *Ehrh.*
Laxmanni, *Gaertn.*
montanum, *Linn.*
— var. aurantiacum.
parviflorum, *Commers.*
reptans, *Linn.*
rhaeticum, *Bruegg.*
rivale, *Linn.*
rubellum, *Fisch.* et *Mey.*
strictum, *Ait.*
triflorum, *Pursh*

Gilia

androsacea, *Steud.*
liniflora, *Benth.*
micrantha, *Steud.*
tricolor, *Benth.*

Glaucium

elegans, *Fisch.* et *Mey.*

Globularia

vulgaris, *Linn.*

Goldbachia

laevigata, *DC.*

Grindelia

squarrosa, *Dun.*

Gunnera

chilensis, *Lam.*

Gymnolomia

multiflora, *Benth.* et *Hook. f.*

Gypsophila

cerastoides, *D. Don*
dubia, *Willd.*
paniculata, *Linn.*
prostrata, *Linn.*
transsylvanica, *Spreng.*

Haberlea
rhodopensis, *Frivald.*

Halesia
hispida, *Mast.*

Halimodendron
argenteum, *DC.*

Hebenstretia
comosa, *Hochst.*

Hedysarum
microcalyx, *Baker*
obscurum, *Linn.*
sibiricum, *Poir.*

Helianthemum
canum, *Boiss.*
echioides, *Pers.*
italicum, *Pers.*, var. oelandicum
polifolium, *DC.*, var. rubrum.
Tuberaria, *Mill.*
umbellatum, *Mill.*, var. syriacum.
variabile, *Spach*
violaceum, *Lange*
vulgare, *Gaertn.*
— var. variegatum.
— var. venustum.

Helianthus
pumilus, *Nutt.*

Helichrysum
arenarium, *Moench*
callichrysum, *DC.*
rutidolepis, *DC.*

Heliophila
amplexicaulis, *Linn.*

Heliopsis
scabra, *Dun.*
— var. Pitcheriana.

Helipterum
roseum, *Benth.*

Hemerocallis
Dumortierii, *Morr.*

Heracleum
asperum, *Bieb.*
pumilum, *Vill.*
villosum, *Fisch.*

Hesperis
matronalis, *Linn.*

Heuchera
americana, *Linn.*
Drummondii, *Hort.*
hispida, *Pursh*
macrophylla, *Lodd.*
rubescens, *Torr.*
sanguinea, *Engelm.*

Hieracium
Auricula, *Linn.*
Bornmülleri, *Freyn*
bupleuroides, *C. C. Gmel.*
cambricum, *F. J. Hanbury*
crinitum, *Sibth.* et *Sm.*
foliosum, *Waldst.* et *Kit.*
gymnocephalum, *Griseb.*
incisum, *Hoppe*
intybaceum, *Jacq.*
iricum, *Fries*
Jankæ, *Uechtritz*
Lemmonii, *A. Gray*
Marshallii, *Linton*
Pilosella, *Linn.*
— var. aurantiacum.
pulmonarioides, *Vill.*
rubescens, *Gilib.*
rupestre, *All.*
sabaudum, *Linn.*
strictum, *Fries*
tridentatum, *Fries*
vulgatum, *Fries*

Hierochloë
borealis, *Roem.* et *Schult.*

Hippophaë
rhamnoides, *Linn.*

Holcus
mollis, *Linn.*

Homeria
collina, *Vent.*

Homogyne
alpina, *Cass.*

Hordeum
bulbosum, *Linn.*
jubatum, *Linn.*

Horminum
pyrenaicum, *Linn.*
— var. album.
— var. roseum.

Houstonia
caerulea, *Linn.*

Hyacinthus
azureus, *Baker*
dubius, *Guss.*
pumilus, *Hort.*

Hypericum
Androsaemum, *Linn.*
fragile, *Heldr.* et *Sart.*
inodorum, *Mill.*
nummularium, *Linn.*
perforatum, *Linn.*
repens, *Linn.*
Scouleri, *Hook.*
tetrapterum, *Fries*

Hypochoeris
maculata, *Linn.*
radicata, *Linn.*
uniflora, *Vill.*

Hyssopus
officinalis, *Linn.*

Iberis
Jordanii, *Boiss.*
Pruitii, *Tineo*
semperflorens, *Linn.*
sempervirens, *Linn.*
— var. superba.

Ilex
Aquifolium, *Linn.*
— var. aurea medio-picta.
— var. camelliaefolia.
— var. Hodginsii variegata.
— var. maderensis.

Impatiens
Roylei, *Walp.*
— var. glanduligera.

Incarvillea
Delavayi, *Bur.* et *Franch.*
grandiflora, *Bur.* et *Franch.*
— var. brevipes.

Inula
ensifolia, *Linn.*
glandulosa, *Puschk.*
grandiflora, *Willd.*
Hookerii, *C. B. Clarke*
Royleana, *DC.*

Iris
aphylla, *Linn.*
bracteata, *S. Wats.*
Cengialti, *Ambrosi*
foetidissima, *Linn.*
graminea, *Linn.*
Gueldenstaedtiana, *Lepech.*
— var. caerulea.
humilis, *Bieb.*
juncea, *Poir.* var. lusitanica.
longipetala, *Herb.*
mongolica, *Hort.*
nepalensis, *D. Don*
Polakii, *Stapf*
prismatica, *Pursh*
sibirica, *Linn.*
— var. alba.

Iris—*continued.*
sordida, *Willd.*
tectorum, *Maxim.*, var. lilacina.
tridentata, *Pursh*
virginica, *Linn.*, var. purpurea.
Watsoniana, *Purdy*

Isatis
alpina, *All.*
glauca, *Auch.*
tinctoria, *Linn.*

Isoplexis
canariensis, *Steud.*

Ixia
viridiflora, *Lam.*

Ixiolirion
brachyantherum, *Hort.*

Jasione
Jankae, *Neilr.*
montana, *Linn.*
perennis, *Lam.*

Jasminum
humile, *Linn.*

Juncus
balticus, *Willd.*
bufonius, *Linn.*
effusus, *Linn.*
— var. conglomeratus.
— var. spiralis.
— var. variegatus.
filiformis, *Linn.*
glaucus, *Sibth.*
lamprocarpus, *Ehrh.*
trifidus, *Linn.*

Jurinea
alata, *Cass.*
arachnoidea, *Bunge*
glycacantha, *DC.*

Kalmia
angustifolia, *Linn.*
— var. rubra.
glauca, *Ait.*

Kniphofia
aloides, *Moench*
pauciflora, *Baker*
Tuckii, *Baker*
vomerense, *Hort.*

Koeleria
setacea, *DC.*

Krynitzkia
virgata, *A. Gray.*

Laburnum
alpinum, *J. S. Presl*
— var. autumnalis.
— var. fragrans.
Vossii, *Hort.*
vulgare, *J. S. Presl*
— var. Linnaeanum.
— var. quercifolium.

Lactuca
Bourgaei, *Boiss.*
Plumierii, *Gren.* et *Godr.*
thianschanica, *Regel* et *Schmalh.*

Lagenophora
Forsteri, *DC.*

Laggera
flava, *Benth.* et *Hook. f.*

Lallemantia
peltata, *Fisch.* et *Mey.*

Lamium
album, *Linn.*
maculatum, *Linn.*
striatum, *Sibth.* et *Sm.*

Lapsana
intermedia, *Bieb.*

Laserpitium
Siler, *Linn.*

Lathraea
Clandestina, *Linn.*

Lathyrus
latifolius, *Linn.*, var. albus.
Lowii, *Hort.*
luteus, *Baker*
maritimus, *Bigel.*
pannonicus, *Garcke*
rotundifolius, *Willd.*
undulatus, *Boiss.*
venosus, *Muhl.*
vernus, *Bernh.*
— var. azureus.
— var. flaccidus.

Laurentia
tenella, *A. DC.*

Lavandula
Spica, *Cav.*
vera, *DC.*
— var. alba.

Ledum
palustre, *Linn.*

Leontodon
hispidus, *Linn.*

Leontopodium
alpinum, *Cass.*
— var. himalayanum.
— var. sibiricum.
— var. transsylvanicum.
hybridum, *Hort.*
japonicum, *Miq.*
lindavicum, *Hort.*

Leonurus
Cardiaca, *Linn.*
sibiricus, *Linn.*

Leptosyne
Bigelovii, *A. Gray*
maritima, *A. Gray*

Lereschia
Flahaultii, *Woronow*

Leucojum
trichophyllum, *Schousb.*

Leucopogon
Fraseri, *A. Cunn.*

Levisticum
officinale, *Koch*

Leycesteria
formosa, *Wall.*

Liatris
pycnostachya, *Michx.*
spicata, *Willd.*

Libertia
formosa, *R. Grah.*
grandiflora, *Sweet*
ixioides, *Spreng.*

Ligusticum
aromaticum, *Banks* et *Soland.*

Ligustrum
Ibota, *Sieb.*
medium, *Franch.* et *Sav.*
ovalifolium, *Hassk.*
sinense, *Lour.*
vulgare, *Linn.*
— var. italicum.

Lilium
Martagon, *Linn.*
— var. album.
sulphureum, *Baker*
umbellatum, *Hort.*, var. erectum.

Limnanthemum

Humboldtianum, *Griseb.*

Limnanthes

Douglasii, *R. Br.*

Linaria

anticaria, *Boiss.* et *Reut.*
alpina, *Mill.*
genistifolia, *Mill.*
macedonica, *Griseb.*
Sibthorpiana, *Boiss.* et *Heldr.*
— var. peloponnesiaca.
triornithophora, *Willd.*
tristis, *Mill.*

Lindelofia

afghanica, *Hort.*
spectabilis, *Lehm.*

Linum

campanulatum, *Linn.*
capitatum, *Kit.*
catharticum, *Linn.*
monogynum, *Forst.*
narbonense, *Linn.*
perenne, *Linn.*
— var. album.
tenuifolium, *Linn.*
viscosum, *Linn.*

Lithospermum

angustifolium, *Huds.*
graminifolium, *Viv.*
latifolium, *Michx.*
prostratum, *Loisel.*

Lobelia

linnaeoides, *Petrie*
syphilitica, *Linn.*
urens, *Linn.*

Lolium

temulentum, *Linn.*

Lonicera

alpigena, *Linn.*
bella, *Zabel*
— var. atro-rosea.
involucrata, *Banks*, var. serotina.
macrophylla, *Willd.*
Morrowii, *A. Gray*
orientalis, *Lam.*
Periclymenum, *Linn.*
Sullivantii, *A. Gray*
tomentella, *Hook. f.* et *Thoms.*

Lotus

corniculatus, *Linn.*
Tetragonolobus, *Linn.*

Lunaria

annua, *Linn.*
— var. purpurea.
rediviva, *Linn.*

Lupinus

alpestris, *A. Nelson*
arboreus, *Linn.*
— var. violaceus.
decurrens, *Gardn.*
geophilus, *Rose*
micranthus, *Dougl.*
nootkatensis, *Don*
polyphyllus, *Lindl.*
— var. albus.
— var. roseus.
sparsiflorus, *Benth.*

Luzula

albida, *DC.*
campestris, *DC.*
spicata, *DC.*
sylvatica, *DC.*

Lychnis

alpina, *Linn.*
— var. lapponica.
Bungeana, *Fisch.*
chalcedonica, *Linn.*
coronaria, *Desr.*

Lychnis—*continued.*
dioica, *Linn.*
Flos-cuculi, *Linn.*
— var. alba.
Flos-Jovis, *Desr.*
fulgens, *Fisch.*, var. aurantiaca.
Haageana, *Lemaire*
himalayensis, *Edgew.*
Lagascae, *Hook. f.*
Preslii, *Sekera*
pyrenaica, *Berger*, var. vera.
Senno, *Sieb.* et *Zucc.*
Viscaria, *Linn.*
yunnanensis, *Baker f.*

Lysimachia
lichiangensis, *G. Forrest*
punctata, *Linn.*

Lythrum
Salicaria, *Linn.*
— var. hirsutum.

Macrotomia
echioides, *Boiss.*

Malcomia
maritima, *R. Br.*

Malva
Alcea, *Linn.*
parviflora, *Linn.*
sylvestris, *Linn.*

Malvastrum
lateritium, *Nichols.*
limense, *Ball*

Margyricarpus
setosus, *Ruiz* et *Pav.*

Marrubium
Kotschyi, *Boiss.* et *Hohen.*

Matricaria
oreades, *Boiss.*

Meconopsis
aculeata, *Royle*
cambrica, *Vig.*
grandis, *Prain*
nepalensis, *DC.*
paniculata, *Prain*
racemosa, *Maxim.*
sinuata, *Prain*, var. latifolia.
Wallichii, *Hook.*

Medicago
arborea, *Linn.*
carstiensis, *Wulf.*
sativa, *Linn.*

Melica
nutans, *Linn.*

Melilotus
alba, *Desr.*

Melissa
officinalis, *Linn.*, var. variegata.

Melittis
Melissophyllum, *Linn.*

Mentha
piperita, *Linn.*

Mentzelia
Lindleyi, *Torr.* et *Gray*

Mertensia
primuloides, *C. B. Clarke*
sibirica, *G. Don*

Meum
athamanticum, *Jacq.*

Micromeria
croatica, *Schott*

Micropus
erectus, *Linn.*

Microseris
Lindleyi, *A. Gray*

Milium
effusum, *Linn.*

Mimulus
grandis, *A. A. Heller*
Langsdorffii, *Sims*
Lewisii, *Pursh*
luteus, *Linn.*
— var. alpinus.
moschatus, *Dougl.*
primuloides, *Benth.*

Mirabilis
Jalapa, *Linn.*

Mitella
diphylla, *Linn.*
pentandra, *Hook.*

Molinia
caerulea, *Moench*

Moloposperma
cicutarium, *DC.*

Monarda
clinopodia, *Linn.*

Morina
longifolia, *Wall.*

Muscari
alpinum, *J. Gay*
Argaei, *Hort.*
armeniacum, *Baker*
Aucheri, *Baker*
botryoides, *Mill.*
comosum, *Mill.*
elegans, *Hort.*
Holzmannii, *Hirc.*
neglectum, *Guss.*
pulchellum, *Held.* et *Sart.*
racemosum, *Mill.*

Mutisia
decurrens, *Cav.*

Myagrum
perfoliatum, *Linn.*

Myosotis
alpestris, *F. W. Schmidt*
capitata, *Hook. f.*, var. albiflora.
sylvatica, *Hoffm.*
Traversii, *Hook. f.*
Welwitschii, *Boiss.* et *Reut.*

Myricaria
germanica, *Desv.*

Myrrhis
odorata, *Scop.*

Narcissus
Bulbocodium, *Linn.*
cyclamineus, *Baker*
moschatus, *Linn.*
Tazetta, *Linn.*, var. italicus.

Nardus
stricta, *Linn.*

Neillia
amurensis, *Benth.* et *Hook. f.*
opulifolia, *Benth.* et *Hook. f.*
— var. lutea.
thyrsiflora, *D. Don*
Torreyi, *S. Wats.*

Nemacaulis
Nuttallii, *Benth.*

Nemesia
strumosa, *Benth.* vars.

Nemophila
integrifolia, *Abrams*

Nepeta
Cataria, *Linn.*
concolor, *Boiss.* et *Heldr.*
distans, *Royle*
lamiopsis, *Benth.*
longiflora, *Vent.*
Mussinii, *Spreng.*
nuda, *Linn.*
racemosa, *Lam.*, var. crassifolia.

Neslia
paniculata, *Desv.*

Nicandra
physaloides, *Gaertn.*

Nicotiana
Tabacum, *Linn.*

Noccaea
alpina, *Reichb.*

Nuttallia
cerasiformis, *Torr.* et *Gray*

Oenanthe
crocata, *Linn.*
silaifolia, *Bieb.*

Oenothera
biennis, *Linn.*, var. grandiflora.
glauca, *Michx.*
pumila, *Linn.*
strigulosa, *Torr.* et *Gray*
triloba, *Nutt.*

Olearia
Haastii, *Hook. f.*
macrodonta, *Baker*
myrsinoides, *F. Muell.*
nummularifolia, *Hook. f.*
stellulata, *DC.*

Oligomeris
glaucescens, *Cambess.*

Omphalodes
Luciliae, *Boiss.*

Onobrychis
cornuta, *Desv.*
Tommasinii, *Jord.*
viciaefolia, *Scop.*

Ononis
antiquorum, *Linn.*
fruticosa, *Linn.*
rotundifolia, *Linn.*
spinosa, *Linn.*

Onopordon
Acanthium, *Linn.*

Onosma
echioides, *Linn.*
stellulatum, *Waldst.* et *Kit.*
Thomsonii, *C. B. Clarke*

Onosmodium
Thurberi, *A. Gray*

Ophiopogon
Jaburan, *Lodd.*

Orchis
foliosa, *Soland.*

Origanum
vulgare, *Linn.*

Ornithogalum
narbonense, *Linn.*, var. pyramidale.
pyrenaicum, *Linn.*

Orobanche
rubra, *Sm.*
speciosa, *DC.*

Osteospermum
moniliferum, *Linn.*

Ourisia
coccinea, *Pers.*
macrophylla, *Hook.*

Oxalis
corniculata, *Linn.*, var. atropurpurea.
valdiviensis, *Barn.*

Oxyria
digyna, *Hill*

Oxytropis
baicalensis, *Pall.*
campestris, *DC.*
pilosa, *DC.*
uralensis, *DC.*

Paeonia
anomala, *Linn.*
decora, *Anders.*, var. elatior.
officinalis, *Linn.*
— var. alba.
— var. sabina.
Wittmanniana, *Hartwiss*

Palaua
malvaefolia, *Cav.*

Papaver
alpinum, *Linn.*
— var. album
— var. aurantiacum.
glaucum, *Boiss.* et *Hausskn.*
laevigatum, *Bieb.*
lateritium, *C. Koch*
nudicaule, *Linn.*
— var. croceum.
— var. leiocarpum.
orientale, *Linn.*
rupifragum, *Boiss.* et *Reut.*
tauricolum, *Boiss.*

Paradisea
Liliastrum, *Bertol.*

Parietaria
officinalis, *Linn.*

Parnassia
palustris, *Linn.*

Parrya
Menziesii, *Hort.*
microcarpa, *Ledeb.*

Pedicularis
palustris, *Linn.*

Pentstemon
acuminatus, *Dougl.*
confertus, *Dougl.*
— var. coeruleo-purpureus.
deustus, *Dougl.*
glaber, *Pursh*, var. alpinus.
— var. cyananthus.
glaucus, *R. Grah.*
humilis, *Nutt.*
Jamesii, *Benth.*
Menziesii, *Hook.*, var. Douglasii.
— var. Newberryi.
— var. Scoulerii.
secundiflorus, *Benth.*
Watsonii, *A. Gray*

Perezia
multiflora, *Less.*

Pernettya
mucronata, *Gaudich.*

Petteria
ramentacea, *Presl*

Peucedanum
officinale, *Linn.*

Phacelia
pimpinelloides, *A. Gray*
tanacetifolia, *Benth.*

Phalaris
arundinacea, *Linn.*
— var. variegata.
coerulescens, *Desf.*

Phaseolus
multiflorus, *Willd.*

Philadelphus
coronarius, *Linn.*
Gordonianus, *Lindl.*
Lemoinei, *Hort.*, var. erectus.
Lewisii, *Pursh*
microphyllus, *A. Gray*
Satsumi, *Siebold*, var. acuminatus.

Phlomis
pratensis, *Kar.* et *Kir.*
samia, *Linn.*
tuberosa, *Linn.*
umbrosa, *Turcz.*, var. australis.
viscosa, *Poir.*

Phormium
tenax, *Forst.*

Phuopsis
stylosa, *Benth.* et *Hook. f.*

Physalis
Alkekengi, *Linn.*

Phyteuma
orbiculare, *Linn.*
Scheuchzeri, *All.*
Sieberi, *Spreng.*

Pinguicula
vulgaris, *Linn.*

Pinus
contorta, *Dougl.*, var. Murrayana.
Pinaster, *Soland.*
sylvestris, *Linn.*

Pisum
sativum, *Linn.*

Plantago
alpina, *Cav.*
argentea, *Chaix*
carinata, *Schrad.*
Coronopus, *Linn.*
lanceolata, *Linn.*
— var. variegata.
major, *Linn.*, var. monstrosa.
— var. rubra.
maritima, *Linn.*
media, *Linn.*
mexicana, *Link*
montana, *Huds.*
Psyllium, *Linn.*
Raoulii, *Decne.*
Rugelii, *Decne.*
triandra, *Berggr.*

Platystemon
californicus, *Benth.*

Pluchea
Bulleyana, *Hort.*

Poa
caespitosa, *Forst. f.*
Chaixii, *Vill.*
nemoralis, *Linn.*
pannonica, *Kern.*
pratensis, *Linn.*
trivialis, *Linn.*

Podophyllum
Emodi, *Wall.*

Polemonium
boreale, *Adams.*
caeruleum, *Linn.*
— var. gracile.
— var. monstrosum.
filicinum, *Greene*
flavo-caeruleum, *Hort.*
foliosissimum, *A. Gray*
himalayanum, *Baker*
humile, *Willd.*
— var. pulchellum.
mexicanum, *Cerv.*
sibiricum, *D. Don.*

Polygala
Chamaebuxus, *Linn.*, var. major.

Polygonatum
multiflorum, *All.*

Polygonum
affine, *D. Don*
alpinum, *All.*
amplexicaule, *D. Don*
Bistorta, *Linn.*, var. major.
chinense, *Linn.*
cilinode, *Michx.*
Emodi, *Meissn.*
sphaerostachyum, *Meissn.*

Polypogon
maritimus, *Willd.*
monspeliensis, *Desf.*

Potentilla
alchemilloides, *Lapeyr.*
alpestris, *Hall. f.*
ambigua, *Cambess.*
apennina, *Tenore*
argentea, *Linn.*, var. calabra.
argyrophylla, *Wall.*
— var. atrosanguinea.
bifurca, *Linn.*
Brennia ×, *Huter*
chinensis, *Ser.*
concolor, *Rolfe*
Detommasii, *Tenore*
dissecta, *Pursh*
Dombeyi, *Nestl.*
Ehrenbergiana, *Schlecht.*
flagellaris, *Willd.*
Friedrichsenii ×, *Späth*
fruticosa, *Linn.*
— var. tenuifolia.
glandulosa, *Lindl.*
grandiflora, *Linn.*
Herbichii, *Blocki*
Hippiana, *Lehm.*
Leschenaultiana, *Ser.*
leuconota, *D. Don*
Lozanii, *Rose*

Potentilla—*continued.*
Macnabiana ×, *Lem.*
malacophylla, *Borb.*
multifida, *Linn.*
nepalensis, *Hook.*
— var. Willmottiana.
nivea, *Linn.*
palustris, *Scop.*
persica, *Boiss.* et *Hausskn.*
procumbens, *Sibth.*
recta, *Linn.*, var. sulphurea.
rhodopeum, *Hort.*
rhomboidea, *Rydb.*
rupestris, *Linn.*
sericea, *Linn.*
Sibbaldi, *Hall. f.*
tanacetifolia, *Willd.*
Thurberi, *A. Gray*
Tormentilla, *Neck.*
umbrosa, *Stev.*
villosa, *Pall.*

Poterium
annuum, *Nutt.*
canadense, *A. Gray*
Sanguisorba, *Linn.*

Pratia
angulata, *Hook. f.*

Prenanthes
purpurea, *Linn.*

Primula
acaulis, *Linn.*
Allionii, *Loiseleur.*
apennina, *Wid.*
Auricula, *Linn.*
— var. ciliata.
— var. marginata.
Beesiana, *Hort.*
Bulleyana, *G. Forrest*
capitata, *Hook. f.*
cashmiriana, *Munro*
Cockburniana, *Hemsl.*
cortusoides, *Linn.*, var. lichiangensis.
Cottia, *Widm.*
denticulata, *Sm.*

Primula—*continued.*
digenea ×, *Kern.*
elatior, *Hill*, var. carpatica.
erosa, *Wall.*
Forrestii, *Balf. f.*
frondosa, *Janka*
glutinosa, *Wulf.*
Goeblii ×, *Kern.*
Heerii ×, *Bruegg.*
involucrata, *Wall.*, var. Munroi.
japonica, *A. Gray*
— var. alba.
— var. lilacina.
Listeri, *King*
Littoniana, *G. Forrest*
luteola, *Rupr.*
malacoides, *Franch.*
marginata, *Curt.*
muscarioides, *Hemsl.*
obtusifolia, *Royle*
officinalis, *Jacq.*
oreodoxa, *Franch.*
Paxiana, *Gilg*
Peyritschii ×, *Stein*
Poissonii, *Franch.*
pubescens ×, *Jacq.*
pulverulenta, *Duthie*
Reidii, *Duthie*
rosea, *Royle*
Schottii ×, *Hort.*
sibirica, *Jacq.*
sikkimensis, *Hook. f.*
spicata, *Franch.*
Veitchii, *Duthie*
venusta ×, *Host.*

Prunella
grandiflora, *Jacq.*
— var. pinnatifida.
hyssopifolia, *Linn.*
laciniata, *Linn.*
vulgaris, *Linn.*

Prunus
acida, *Borkh.*
Laurocerasus, *Linn.*
— var. colchica.
— var. parvifolia.

Przewalskia
tangutica, *Maxim.*

Ptelea
trifoliata, *Linn.*
— var. aurea.
— var. major.

Pulicaria
vulgaris, *Gaertn.*

Pulmonaria
arvernense, *Hort.*, var. alba.

Pyrethrum
Haussknechtii, *Bornm.*

Pyrola
rotundifolia, *Linn.*

Pyrus
alpina, *Willd.*
americana, *DC.*, var. micro carpa.
arbutifolia, *Linn. f.*
Aria, *Linn.*
— var. obtusata.
Aucuparia, *Gaertn.*
— var. Fifeana.
— var. satureiaefolia, *Hort.*
baccata, *Linn.*
— var. cerasifera.
— var. costata,
— var. genuina, *Regel*
— var. maxima.
germanica, *Hook. f.*
hybrida, *Moench*
lanuginosa, *DC.*
Malus, *Linn.*
— var. alba.
melanocarpa, *K. Koch*
pinnatifida, *Ehrh.*
prunifolia, *Willd.*, var. fructu luteo.
Ringo, *Maxim.*, var. fastigiata bifera.
rotundifolia, *Bechst.*

Ramondia
pyrenaica, *Rich.*
— var. alba.
serbica, *Panç.*
— var. Nathaliae.

Ranunculus
acris, *Linn.*
— var. minor.
alpestris, *Linn.*
anemonoides, *Zahlbr.*
auricomus, *Linn.*
caucasicus, *Bieb.*
gramineus, *Linn.*
millefoliatus, *Vahl*
nemorosus, *DC.*
sceleratus, *Linn.*

Raphanus
sativus, *Linn.*, var. caudatus.

Reseda
alba, *Linn.*
complicata, *Bory*
glauca, *Linn.*

Rhamnus
caroliniana, *Walt.*
Frangula, *Linn.*

Rheum
leucorrhizum, *Pall.*
Rhaponticum, *Linn.*
Ribes, *Linn.*

Rhododendron
arborescens, *Torr.*
californicum, *Hook.*
campanulatum, *D. Don*
catawbiense, *Michx.*
cinnabarinum, *Hook. f.*
ferrugineum, *Linn.*
— var. album.
— var. atrococcineum.
— var. majus.
flavum, *G. Don*
hirsutum, *Linn.*
— var. album.

Rhododendron—*continued.*
kamtschaticum, *Pall.*
latifolium, *Hoffmgg.*
lepidotum, *Wall.*
maximum, *Linn.*
— var. album.
myrtifolium, *Schott* et *Kotschy*
Nobleanum ×, *Lindl.*
— var. album.
ponticum, *Linn.*
racemosum, *Franch.*

Rhodotypos
kerrioides, *Sieb.* et *Zucc.*

Ribes
americanum, *Mill.*
aureum, *Pursh*
multiflorum, *Waldst.* et *Kit.*
sanguineum, *Pursh*
— var. albidum.
— var. atrosanguineum.
— var. glutinosum.
— var. intermedium.

Rindera
canescens, *DC.*

Rodgersia
podophylla, *A. Gray*
tabularis, *Kom.*

Romanzoffia
sitchensis, *Bong.*

Rosa
acicularis, *Lindl.*
Alberti, *Regel*
alpina, *Linn.*
— var. pyrenaica.
blanda, *Ait.*
— var. arkansana.
— var. Sayi.
cinnamomea, *Linn.*, var. davurica.
Fendleri, *Crép.*
ferox, *Bieb.*
glauca, *Vill.*

Rosa—*continued.*
laxa, *Retz.*
lucida, *Ehrh.*, var. alba.
macrophylla, *Lindl.*
mentita, *Déségl.*
moschata, *Herrm.*
nitida, *Willd.*
poteriifolia, *Schott.*
rugosa, *Thunb.*
— var. alba.
sericea, *Lindl.*
spinosissima, *Linn.*
— var. altaica.
— var. hispida.
— var. rubra.
trachyphylla, *Rau*

Rubus
fruticosus, *Linn.*
laciniatus, *Willd.*
nutkanus, *Linn.*
odoratus, *Linn.*
phoenicolasius, *Maxim.*
rosaefolius, *Sm.*
sorbifolius, *Maxim.*
xanthocarpus, *Bur.* et *Franch.*

Rudbeckia
nitida, *Nutt.*
bicolor, *Nutt.*

Rumex
chrysocarpos, *Moris*
crispus, *Linn.*
exaltatus, *Hort.*
Hydrolapathum, *Huds.*
maritimus, *Linn.*
nepalensis, *Spreng.*
nivalis, *Hegetschw.*
occidentalis, *S. Wats.*
persicarioides, *Hort.*
pulcher, *Linn.*
salicifolius, *Weinm.*
stenophyllus, *Ledeb.*

Ruta
graveolens, *Linn.*
macrophylla, *Soland.*

Sagina
glabra, *Fenzl*, var. pilifera.

Salvia
acetabulosa, *Linn.*
azurea, *Lam.*
cleistogama, *De Bary* et *Paul*
flava, *Hort.*
frigida, *Boiss.*
grandiflora, *Etling.*
hians, *Royle*
orgyalis, *Fenzl*
patens, *Cav.*
pratensis, *Linn.*
Przewalskii, *Maxim.*
Roemeriana, *Scheele*
Sclarea, *Linn.*
sylvestris, *Linn.*
verbascifolia, *Bieb.*
Verbenaca, *Linn.*
verticillata, *Linn.*
— var. albiflora.
viscosa, *Jacq.*

Sambucus
canadensis, *Linn.*
— var. aurea.
nigra, *Linn.*
— var. variegata.
racemosa, *Linn.*

Samolus
repens, *Pers.*
Valerandi, *Linn.*

Sanicula
europaea, *Linn.*

Saponaria
lutea, *Linn.*
— var. pulchella.
ocymoides, *Linn.*
— var. splendens.
Vaccaria, *Linn.*

Satureia
montana, *Linn.*
— var. illyrica.

Saussurea

alpina, *DC.*
candicans, *C. B. Clarke*
discolor, *DC.*

Saxifraga

aizoides, *Linn.*
Aizoon, *Jacq.*
— var. balcana.
— var. carinthiaca.
— var. flavescens.
— var. La Graveana.
— var. lutea.
— var. Malyi.
— var. notata.
— var. Sturmiana.
— var. rosularis.
ambigua ×, *DC.*
apiculata ×, *Engler*
aretioides, *Lapeyr.*
— var. primulina.
arguta ×, *Sund.*
aspera, *Linn.*
Bertoloni ×, *Sund.*
Bucklandi, *Hort.*
Burseriana, *Linn.*
— var. speciosa.
caesia, *Linn.*
caespitosa, *Linn.*
canaliculata, *Boiss.* et *Reut.*
carpathica, *Reichb.*
cartilaginea, *Willd.*
Churchilli ×, *Hort.*
ciliata, *Lindl.*
cochlearis, *Reichb.*
— var. minor.
conifera, *Coss.* et *Dur.*
corsica, *Gren.* et *Godr.*
Cotyledon, *Linn.*
— var. islandica.
— var. pyramidalis.
crustata, *Vest.*
— var. hybrida.
cuneifolia, *Linn.*
Cymbalaria, *Linn.*
decipiens, *Ehrh.*
Elizabethae ×, *Sund.*
Engleri, *Dalla Torre*

Saxifraga—*continued.*

exarata, *Vill.*
flagellaris, *Willd.*
geranioides, *Linn.*
Geum, *Linn.*
— var. elegans, *Mackay*
— var. ovalifolia.
— var. primuloides.
Hostii, *Tausch*
— var. nepalensis.
— var. rhaetica.
hypnoides, *Linn.*
— var. Webbiana
intacta, *Willd.*
— var. farinosa.
irrigua, *Bieb.*
Kingii, *Hort.*
Kolenatiana, *Regel*
lilacina, *Duthie*
lingulata, *Bell.*
— var. lantoscana.
longifolia, *Lapeyr.*
luteo-viridis, *Schott* et *Kotschy*
marginata, *Sternb.*
media, *Gouan*
Mertensiana, *Bongard*
micrantha, *Edgew.*
montavoniensis ×, *Kern.*
muscoides, *Wulf.*
— var. purpurea.
mutata, *Linn.*
oppositifolia, *Linn.*
— var. Rudolphiana.
paniculata, *Cav.*
paradoxa, *Sternb.*
pedata, *Hort.*
pedatifida, *Ehrh.*
pentadactylis, *Lapeyr.*
petraea, *Linn.*
porophylla, *Bertol.*
Portae ×, *Hort.*
pseudo-sancta, *Janka*
Rhei, *Schott, Nym. et Kotschy,*
var. Fergusoni.
rotundifolia, *Linn.*
— var. glandulosa.
— var. repanda.
Salomoni ×, *Hort.*

Saxifraga—*continued.*
sancta, *Griseb.*
scardica, *Griseb.*
Schraderi, *Sternb.*
sponhemica, *C. C. Gmel.*
squarrosa, *Sieber*
Stansfieldii ×, *Hort.*
Stracheyi, *Hook. f.* et *Thoms.*
— var. alba.
tenella, *Wulf.*
trifida ×, *Sendt.*
umbrosa, *Linn.*
— var. Aegilops.
— var. cochleariaefolia.
— var. Ogilvieana.
— var. punctata.
— var. serratifolia.
— var. variegata.
Wallacei ×, *M'Nab*

Scabiosa
australis, *Wulf.*
caucasica, *Bieb.*
digitata, *Hort.*
graminifolia, *Linn.*
hispidula, *Boiss.*
lucida, *Vill.*
magnifica, *Benth.* et *Hook. f.*
montana, *Bieb.*
Portae, *Huter*
Succisa, *Linn.*
— var. alba.
sylvatica, *Linn.*

Scilla
festalis, *Salisb.*, var. alba.
— var. cernua.
hispanica, *Mill.*
sibirica, *Andr.*

Scirpus
aucklandicus, *Boeck.*
Holoschoenus, *Linn.*
sylvaticus, *Linn.*

Scorzonera
hispanica, *Linn.*

Scrophularia
alata, *Gilib.*
dentata, *Royle*
Herminii, *Hoffmgg.* et *Link*
Kotschyana, *Benth.*
— var. lutea.
micrantha, *Desv.*
nodosa, *Linn.*
vernalis, *Linn.*

Scutellaria
alpina, *Linn.*
splendens, *Link, Klotzsch* et *Otto*

Sedum
Alberti, *Regel*
Aizoon, *Linn.*
album, *Linn.*
Anacampseros, *Linn.*
asiaticum, *Spreng.*
euphorbioides, *Schlecht.*
Ewersii, *Ledeb.*
hybridum, *Linn.*
kamtschaticum, *Fisch.* et *Mey.*
Maximowiczii, *Regel*
maximum, *Suter*
oppositifolium, *Sims*
populifolium, *Pall.*
primuloides, *Franch.*
reflexum, *Linn.*, var. glaucum.
roseum, *Scop.*
rupestre, *Linn.*, var. minus.
Selkirkii, *Hort.*
Selskianum, *Regel* et *Maack*
sempervivoides, *Fisch.*
sexangulare, *Linn.*
spectabile, *Bor.*, var. variegatum.
stoloniferum, *S. T. Gmel.*
var. ibericum.
Telephium, *Linn.*
— var. purpureum.

Selinum
tenuifolium, *Wall.*

Sempervivum

annuum, *C. Sm.*
arachnoideum, *Linn.*
— var. Hausmannii.
arvernense, *Lecoq* et *Lamotte*
barbatulum, *Schott*
Bungeanum, *Hort.*
Delponti, *Hort.*
fontanae ×, *Bruegg.*
Hookerii, *Hori.*
pyrenaicum, *Lamotte*
rupicolum, *Kern.*
soboliferum, *Sims*
tectorum, *Linn.*
— var. robustum.
— var. violaceum.
triste, *Hort.*
violaceum, *Hort.*
Wulfenii, *Hoppe*

Senecio

albescens ×, *Burb.* et *Colgan*
bellidioides, *Hook. f.*
clivorum, *Maxim.*
Doronicum, *Linn.*
Fuchsii, *C. C. Gmel.*
Jacobaea, *Linn.*
lagopus, *Raoul*
laxifolius, *J. Buch.*
Ledebourii, *Sch. Bip.*
Ligularia, *Hook. f.*
sarracenicus, *Linn.*
squalidus, *Linn.*
stenocephalus, *Boiss.*, var. comosa.
subalpinus, *Koch*
tropaeolifolius, *MacOwan*
Veitchianus, *Hemsl.*
vulgaris, *Linn.*

Serratula

coronata, *Linn.*
Gmelinii, *Ledeb.*
heterophylla, *Desf.*
radiata, *Bieb.*
tinctoria, *Linn.*

Sidalcea

campestris, *Greene*
candida, *A. Gray*
Listerii, *Hort.*
malvaeflora, *A. Gray*
oregana, *A. Gray*
spicata, *Greene*

Sideritis

Massoniana, *Benth.*
montana, *Linn.*
scordioides, *Linn.*

Silaus

tenuifolius, *DC.*

Silene

alpestris, *Jacq.*
Armeria, *Linn.*
Asterias, *Griseb.*, var. grandiflora.
auriculata, *Sibth.* et *Sm.*
Boissieri, *J. Gay*
caucasica, *Boiss.*
ciliata, *Pourr.*
Cucubalus, *Wibel*
dinarica, *Spreng.*
Elizabethae, *Janka*
fruticulosa, *Sieber*
gallica, *Linn.*
gigantea, *Linn.*
italica, *Pers.*
Lerchenfeldiana, *Baumg.*
longiflora, *Ehrh.*
maritima, *With.*
monachorum, *Vis.*
multicaulis, *Guss.*
odontopetala, *Fenzl*
pharnaceifolia, *Fenzl*
quadridentata, *Pers.*
— var. pusilla.
Reichenbachii, *Vis.*
rhynchocarpa, *Boiss.*
rubicunda, *Franch.*
Schafta, *Gmel.*
stentoria, *Fenzl*, var. argaea.
tatarica, *Pers.*
taurica, *Fisch.*

Silene—*continued.*
Thorei, *Duf.*
turgida, *Bieb.*
vallesia, *Linn.*
viridiflora, *Linn.*
Zawadzkii, *Herbich*

Siler
trilobum, *Crantz*

Silphium
trifoliatum, *Linn.*

Silybum
Marianum, *Gaertn.*

Sisymbrium
Alliaria, *Scop.*
crassifolium, *Cav.*
erodiifolium, *Phil.*
supinum, *Linn.*

Sisyrinchium
augustifolium, *Mill.*
Bermudiana, *Linn.*
convolutum, *Nocca*
filifolium, *Gaudich.*
grandiflorum, *Dougl.*, var. album.
striatum, *Sm.*

Skimmia
Fortunei, *Mast.*

Solanum
crispum, *Ruiz* et *Pav.*
Dulcamara, *Linn.*

Soldanella
alpina, *Willd.*, var. pyrolaefolia.

Solidago
arguta, *Ait.*
Buckleyi, *Torr.* et *Gray*
multiradiata, *Ait.*, var. scopulorum.
odora, *Ait.*
sempervirens, *Linn.*
Virgaurea, *Linn.*
— var. cambrica.

Sonchus
palustris, *Linn.*

Sparaxis
tricolor, *Ker-Gawl.*

Spartina
polystachya, *Willd.*
stricta, *Roth*

Spartium
junceum, *Linn.*

Specularia
Speculum, *A. DC.*

Spergula
arvensis, *Linn.*

Spergularia
media, *Presl*
salina, *Presl*

Spiraea
Aitchisonii, *Hemsl.*
Aruncus, *Linn.*
— var. astilboides.
camtschatica, *Pall.*
decumbens, *W. Koch*
— var. tomentosa.
discolor, *Pursh*
— var. dumosa.
Douglasii, *Hook.*
Foxii, *Hort.*
japonica, *Linn. f.*
— var. alba.
lancifolia, *Hoffmgg.*
Lindleyana, *Wall.*
Menziesii, *Hook.*, var. Billiardii.
Nobleana, *Hook.*
palmata, *Thunb.*
— var. alba.
pectinata, *Torr.* et *Gray*
salicifolia, *Linn.*
— var. paniculata.
sorbifolia, *Linn.*

Stachys
Betonica, *Benth.*
discolor, *Benth.*
grandiflora, *Benth.*
recta, *Linn.*

Staphylea
Coulombierii, *André,* var. variegata.

Statice
altaica, *Hort.*
Gmelinii, *Willd.*
Gougetiana, *Girard*
purpurata, *Linn.*
Suworowii, *Regel*

Stenanthium
angustifolium, *Kunth*

Stephanandra
Tanakae, *Franch.* et *Sav.*

Stevia
Eupatoria, *Willd.*
purpurea, *Pers.*

Stipa
papposa, *Delile*

Stokesia
cyanea, *L'Hérit.*

Succowia
balearica, *Medic.*

Symphyandra
Hofmannii, *Pant.*
ossetica, *A. DC.*

Symplocarpus
foetidus, *Nutt.*

Symphoricarpus
orbiculatus, *Moench*
racemosus, *Michx.*

Synedrella
nodiflora, *Gaertn.*

Synthyris
plantaginea, *Benth.*
reniformis, *Benth.*

Taraxacum
officinale, *Weber*

Taxus
baccata, *Linn.*
— var. adpressa.
— var. Dovastonii.
— var. pyramidalis.

Teesdalia
nudicaulis, *R. Br.*

Tellima
grandiflora, *R. Br.*
parviflora, *Hook.*

Tetragonia
expansa, *Murr.*

Teucrium
canadense, *Linn.*
pyrenaicum, *Linn.*
Scorodonia, *Linn.*

Thalictrum
alpinum, *Linn.*
aquilegiaefolium, *Linn.*
calabricum, *Spreng.*
caucasicum, *Hort.*
corynellum, *DC.*
glaucum, *Desf.*
isopyroides, *C. A. Mey.*
majus, *Jacq.*
minus, *Linn.*
— var. affine.
— var. elatum.
purpurascens, *Linn.*

Thaspium
aureum, *Nutt.*

Thermopsis
fabacea, *DC.*
lanceolata, *R. Br.*

Thlaspi
alpestre, *Linn.*
arvense, *Linn.*
bulbosum, *Sprun.*
rosulare, *Boiss.* et *Balansa*
violascens, *Schott* et *Kotschy*

Thymus
Chamaedrys, *Fries*
Serpyllum, *Linn.*
— var. coccineus.
— var. micans.
— var. pannonicus.
vulgaris, *Linn.*
— var. argenteus.

Tiarella
cordifolia, *Linn.*, var. purea.

Tigridia
Pavonia, *Ker-Gawl.*

Tillaea
connata, *Ruiz* et *Pav.*

Tofieldia
calyculata, *Wahlenb.*
palustris, *Huds.*

Townsendia
grandiflora, *Nutt.*

Trachymene
coerulea, *R. Grah.*

Tradescantia
virginiana, *Linn.*
— var. alba.
— var. elata.
— var. major.

Tragopogon
longifolius, *Heldr.* et *Sart.*

Trautvetteria
palmata, *Fisch.* et *Mey.*

Trifolium
alpinum, *Linn.*
pannonicum, *Jacq.*

Trillium
erythrocarpum, *Curt.*
stylosum, *Nutt.*

Trinia
vulgaris, *DC.*

Triticum
dicoccum, *Schrank*
Spelta, *Linn.*

Tritonia
Pottsii, *Benth.* et *Hook. f.*

Trollius
americanus, *Muhl.*
asiaticus, *Linn.*
— var. giganteus.
calthaefolius, *Hort.*
caucasicus, *Stev.*
europaeus, *Linn.*
— var. napellifolius.
patulus, *Salisb.*, var. peduncu-
latus.
— var. sibiricus.

Tropaeolum
majus, *Linn.*
minus, *Linn.*

Tulipa
Kaufmanniana, *Regel*
Lownei, *Baker*

Tunica
olympica, *Boiss.*
prolifera, *Scop.*
Saxifraga, *Scop.*

Ulex
europaeus, *Linn.*

Uniola
latifolia, *Michx.*

Urospermum
Dalechampii, *F. W. Schmidt*

Ursinia
speciosa, *DC.*

Vaccinium
hirsutum, *Buckl.*
padifolium, *Sm.*

Valeriana
alliariaefolia, *Vahl*
officinalis, *Linn.*
pyrenaica, *Linn.*
tripteris, *Linn.*

Vancouveria
hexandra, *Morr.* et *Decnc.*

Veratrum
album, *Linn.*

Verbascum
longifolium, *Tenore*, var. pannosum.
phoeniceum, *Linn.*
— var. hybridum.
pulverulentum, *Vill.*, var. hybridum.
Wiedemannianum, *Fisch.* et *Mey.*

Verbesina
helianthoides, *Michx.*

Vernonia
novaeboracensis, *Willd.*

Veronica
anomala, *Armstr.*
austriaca, *Linn.*
— var. pinnatifida.
— var. Prenja.
bellidioides, *Linn.*
Bidwillii, *Hook. f.*
buxifolia, *Benth.*
carnosula, *Hook. f.*
Catarractae, *Forst.*, var. compacta.
Colensoi, *Hook. f.*
— var. glauca.
— var. major.
— var. viridis.
Cookiana, *Colenso*
corymbosa, *Hort.*, var. variegata.
crassifolia, *Zeyh.*
decumbens, *Armstr.*
didyma, *Tenore*
Eastonii, *Hort.*
glaucophylla, *Cock.*
Godefroyana, *Carr.*
Guthriana, *Hort.*
Hulkeana, *F. Muell.*
Kirkii, *Armstr.*
latifolia, *Linn.*
longifolia, *Linn.*
— var. alba.
Lyallii, *Hook. f.*
monticola, *Armstr.*
parviflora, *Vahl*, var. angustifolia.
peregrina, *Linn.*
pinguifolia, *Hook, f.*, var. decumbens.
pinnata, *Linn.*
polifolia, *Benth.*
pseudo-Traversii, *Hort.*
rakaiensis, *Armstr.*
repens, *DC.*
saxatilis, *Scop.*
— var. alba.
spicata, *Linn.*, var. alba.
spuria, *Linn.*
Teucrium, *Linn.*
Traversii, *Hook. f.*
vernicosa, *Hook. f.*

Vesicaria
graeca, *Reut.*
utriculata, *DC.*

Viburnum
burejaeticum, *Regel* et *Herd.*
Lantana, *Linn.*
— var. lanceolatum.
Lentago, *Linn.*
Opulus, *Linn.*

Vicia
bithynica, *Linn.*
Cracca, *Linn.*
oroboides, *Wulf.*
Orobus, *DC.*
— var. variegata.
pyrenaica, *Pourr.*
sylvatica, *Linn.*
unijuga, *A. Braun*

Vincetoxicum
fuscatum, *Reichb. f.*
officinale, *Moench*

Viola
aetolica, *Boiss.* et *Heldr.*
alpina, *Jacq.*
biflora, *Linn.*
canina, *Linn.*
cornuta, *Linn.*
— var. alba.
— var. glabella.
glabella, *Nutt.*
hederacea, *Labill.*

Viola—*continued.*
lutea, *Huds.*
Munbyana, *Boiss.* et *Reut.*
odorata, *Linn.*
palustris, *Linn.*
Patrinii, *Ging.*
pedatifida, *G. Don*
primulaefolia, *Linn.*
Ruppii, *All.*

Wahlenbergia
serpyllifolia, *G. Beck*
— var. dinarica.

Wulfenia
carinthiaca, *Jacq.*

Xerophyllum
asphodeloides, *Nutt.*

Zaluzianskya
selaginoides, *Walp.*

Zenobia
speciosa, *D. Don*, var. pulverulenta.

Zygadenus
elegans, *Pursh*
— var. glaucus.
muscitoxicum, *Regel*
venenosus, *S. Wats.*

PLANTS UNDER GLASS.

Abutilon
megapotamicum, *St. Hil.*

Acacia
armata, *R. Br.*
calamifolia, *Sweet*
dealbata, *Link*
extensa, *Lindl.*
juncifolia, *Benth.*
neriifolia, *A. Cunn.*
spectabilis, *A. Cunn.*
verticillata, *Willd.*

Acalypha
caroliniana, *Ell.*
hispida, *Burm.*
sidaefolia, *A. Rich.*
Wilkesiana, *Muell. Arg.*

Acokanthera
venenata, *G. Don*

Acrophyllum
venosum, *Benth.*

Adenocarpus
foliolosus, *DC.*, var. villosus.

Aechmea
bromeliaefolia, *Baker*
— var. pulchra.
coerulescens, *Baker*
exsudans, *E. Morr.*
fulgens, *Brongn.*
glomerata, *Hook.*

Agapetes
buxifolia, *Nutt.*
variegata, *D. Don*

Agapanthus
umbellatus, *L'Hérit.*

Agave
albicans, *Jacobi*
densiflora, *Hook.*
heteracantha, *Zucc.*
maculata, *Regel*
striata, *Zucc.*
— var. stricta.
xylonacantha, *Salm-Dyck*

Aglaonema
commutatum, *Schott*

Albizzia
lophantha, *Benth.*

Albuca
Nelsoni, *N. E. Br.*

Alchornea
ilicifolia, *Muell. Arg.*

Allionia
latifolia, *Greene*

Aloe
abyssinica, *Lam.*
mitriformis, *Mill.*, var. flavispina.
— var. spinulosa.
obscura, *Mill.*
striata, *Haw.*

Alonsoa
linifolia, *Roezl*
Warscewiczii, *Regel*

Alpinia
coerulea, *Benth.*
mutica, *Roxb.*

Altamiranoa
Goldmanii, *Rose*

Alyxia
buxifolia, *R. Br.*

Amorphophallus
bulbifer, *Blume*

Anagallis
tenella, *Linn.*

Androcymbium
leucanthum, *Willd.*

Anhalonium
Williamsii, *Lem.*, var. Lewinii.

Anigozanthos
rufa, *Labill.*

Anisolotus
brachycarpus, *Heller*

Anoda
Thurberi, *A. Gray*

Anopterus
glandulosus, *Labill.*

Antholyza
aethiopica, *Linn.*
revoluta, *Burm. f.*

Anthurium
acaule, *Schott*
Andreanum, *Linden*
— var. conchiflorum.
denudatum, *Engl.*
robustum ×, *Hort.*

Antidesma
Bunius, *Spreng.*

Aphelandra
aurantiaca, *Lindl.*, var. Roezlii.

Apicra
pentagona, *Willd.*

Arachis
hypogaea, *Linn.*

Arctotis
aspera, *Linn.*

Ardisia
crenata, *Roxb.*
mamillata, *Hance*

Aristea
Ecklonii, *Baker*

Aristolochia
elegans, *Mast.*
fimbriata, *Cham.*

Armeria
latifolia, *Willd.*

Artocarpus
laciniata, *Hort.*

Arundinella
tenella, *Nees* et *Wight*

Asclepias
curassavica, *Linn.*
linifolia, *H. B.* et *K.*
physocarpa, *Schlechter*

Asparagus
albus, *Linn.*
comorensis, *Hort.*
madagascariensis, *Baker*
medeoloides, *Thunb.*
Sprengeri, *Regel*
virgatus, *Baker*

Astelia
nervosa, *Banks*

Astragalus
cerbicus, *Panç.*

Astrocaryum
mexicanum, *Liebm.*

Astroloma
pinifolium, *Benth.*

Asystasia
bella, *Harv.*

Atriplex
californica, *Moq.*
patula, *Linn.*
spongiosa, *F. Muell.*

Barleria
cristata, *Linn.*

Bauera
rubioides, *Andr.*

Begonia
argenteo-guttata ×, *Hort.*
corallina, *Carr.*, var. lucerna.
dichotoma, *Jacq.*
Dregei, *Otto* et *Dietr.*
foliosa, *H. B.* et *K.*
fuchsioides, *Hook.*
hirtella, *Link*
kewensis, *Hort.*
malabarica, *Lam.*
manicata, *Cels*
Martiana, *Link* et *Otto*
peltata, *A. DC.*
pubescens, *Hort.*
semperflorens, *Link* et *Otto*. var. alba.
socotrana, *Hook. f.*
ulmifolia, *Willd.*
undulata, *Otto*
Wallichiana, *Steud.*

Benincasa
cerifera, *Savi*
— var. macrocarpa.

Bertolonia
maculata, *DC.*
marmorata, *Naud.*

Billardiera
longiflora, *Labill.*
scandens, *Sm.*

Billbergia
decora, *Poepp.*
thyrsoidea, *Mart.*
zebrina, *Lindl.*

Biophytum
sensitivum, *DC.*

Blandfordia
nobilis, *Sm.*

Boehmeria
biloba, *Miq.*

Boenninghausenia
albiflora, *Reichb.*

Bowiea
volubilis, *Harv.*

Brachychilum
Horsfieldii, *Baker*

Brachycome
Thomsonii, *T. Kirk*

Brodiaea
hyacinthina, *Baker*, var. lactea
ixioides, *Sims*, var. splendens.

Browallia
speciosa, *Hook.*, var. major

Brownea
coccinea, *Jacq.*
grandiceps, *Jacq.*

Brunfelsia
americana, *Linn.*
eximia, *Scheid.*

Bryophyllum
crenatum, *Baker*

Burbidgea
schizocheila, *Hort.*

Burchellia
capensis, *R. Br.*

Calathea
flavescens, *Lindl.*

Calceolaria
hyssopifolia, *H. B.* et *K.*

Callicarpa
purpurea, *Juss.*

Callistemon
linearis, *DC.*
rigidus, *R. Br.*
salignus, *Sweet*
speciosus, *DC.*

Callitris
robusta, *R. Br.*

Calopogonium
caeruleum, *Hemsl.*

Calvoa
sessiliflora, *Cogn.*

Camellia
japonica, *Linn.*

Campanula
fragilis, *Cyrill.*
pyramidalis, *Linn.*
— var. alba.
Vidalii, *H. C. Wats.*

Campanumoea
javanica, *Blume*

Canavalia
ensiformis, *DC.*

Candollea
tetrandra, *Lindl.*

Canna
angustifolia, *Linn.*
coccinea, *Rosc.*

Capparis
flexuosa, *Blume*

Capsicum
annuum, *Linn.*

Carex
baccans, *Nees*
japonica, *Thunb.*

Carissa
acuminata, *A. DC.*
Arduina, *Lam.*
grandiflora, *A. DC.*

Carlina
salicifolia, *Cav.*

Carludovica
palmata, *Ruiz* et *Pav.*
Wendlandii, *Hort.*

Carmichaelia
australis, *R. Br.*
Enysii, *T. Kirk*

Carrichtera
Vella, *DC.*

Cassia
laevigata, *Willd.*
nictitans, *Linn*

Casuarina
stricta, *Ait.*

Cedronella
triphylla, *Moench*

Celosia
cristata, *Linn.*, var. pyramidalis.

Centaurea
acanthodes, *Spreng.*

Centipeda
Cunninghamii, *A. Br.* et *Aschers.*

Centradenia
floribunda, *Planch.*

Ceratopetalum
gummiferum, *Sm.*

Ceratozamia
mexicana, *Brongn.*

Cereus
Fendlerii, *Engelm.*

Cestrum
aurantiacum, *Lindl.*
Newellii, *Veitch*
Smithii, *Hort. Bull*

Chamaedorea
Sartorii, *Liebm.*

Chenopodium
cornutum, *Benth.* et *Hook. f.*

Chironia
linoides, *Linn.*

Chlorophytum
elatum, *R. Br.*
— var. variegatum, *Hort.*
inornatum, *Ker-Gawl.*
Orchidastrum, *Lindl.*

Cistus
vaginatus, *Ait.*

Citrus
nobilis, *Lour.*, var. major.

Clematis
grewiaeflora, *DC.*
indivisa, *Willd.*

Cleome
spinosa, *Jacq.*

Clerodendron
fallax, *Lindl.*
infortunatum, *Gaertn.*
splendens, *G. Don*
Thomsonae, *Balf.*
— var. variegata.

Clethra
arborea, *Ait.*

Clianthus
puniceus, *Banks* et *Sol.*
— var. albus.

Clitoria
Ternatea, *Linn.*
— var. alba, *G. Don*

Clivia
miniata, *Regel*
nobilis, *Lindl.*

Cneorum
tricoccon, *Linn.*

Cochliostema
Jacobianum, *C. Koch* et *Linden*

Coffea
arabica, *Linn.*
bengalensis, *Roxb.*

Combretum
grandiflorum, *G. Don*

Corallobotrys
acuminata, *Hook. f.*

Corchorus
olitorius, *Linn.*
pilolobus, *Link*

Corethrogyne
rigida, *Heller*

Coronilla
scorpioides, *Koch*
viminalis, *Salisb.*

Corydalis
thalictrifolia, *Jameson*

Costus
——elegans, *Veitch*
——igneus, *N. E. Br.*

Cotula
anthemoides, *Linn.*

Cotyledon
amoena, *L. de Smet.*
atropurpurea, *Baker*
gibbiflora, *Moç.* et *Sesse*
— var. metallica.
Grusonii, *Hort.*
imbricata, *Hort.*
maculata, *Salm-Dyck*
pachyphyta, *Baker*
platyphylla, *Hort.*
pulverulenta, *Baker*
racemosa, *E. Mey.*
secunda, *Baker*
teretifolia, *Thunb.*
Zeyheri, *Harv.*

Crambe
strigosa, *L'Hérit.*

Crassula
arborescens, *Willd.*
ericoides, *Haw.*
glomerata, *Berg*
hemisphaerica, *Thunb.*
Crassula—*continued.*
lycopodioides, *Lam.*
sarcocaulis, *Eckl.* et *Zeyh.*
tenuifolia, *Schoenl.*

Crinum
Macowani, *Baker*
Moorei, *Hook. f.*
variabile, *Herb.*

Crossandra
undulaefolia, *Salisb.*

Croton
lucidus, *Linn.*

Cucumis
metuliferus, *E. Mey.*

Cummingia
trimaculata, *D. Don*

Cuphea
lanceolata, *Hook. f.*
procumbens, *Cav.*
viscosissima, *Jacq.*

Cyclanthera
explodens, *Naud.*

Cyperus
alternifolius, *Linn.*
fertilis, *Boeck.*
laxus, *Willem.*
Luzulae, *Rottl.*

Cyphomandra
betacea, *Sendt.*

Cytisus
candicans, *Lam.*

Cyrilla
racemiflora, *Linn.*

Cyrtanthus
Huttonii, *Baker*

Dalechampia
Roezliana, *Muell. Arg.*

Daucus
australis, *Poepp.*

Davidsonia
pruriens, *F. Muell.*

Deeringia
celosioides, *R. Br.*

Dermatobotrys
Saundersiæ, *Bolus*

Desmodium
gyrans, *DC.*
viridiflorum, *Beck*

Dianella
caerulea, *Sims*
graminifolia, *Kunth* et *Bouché*
nemorosa, *Lam.*
revoluta, *R. Br.*

Dianthera
nodosa, *Benth.* et *Hook. f.*

Didiscus
pilosus, *Benth.*

Dionaea
muscipula, *Ellis*

Dioscorea
cayenensis, *Lam.*
Forbesii, *Baker*
pentaphylla, *Linn.*
sativa, *Linn.* (tuber)

Diosma
fragrans, *Sims*

Diotostemon
Hookerii, *Salm-Dyck*

Dodonaea
triquetra, *Wendl.*
viscosa, *Jacq.*

Dolichos
Lablab, *Linn.*

Dorstenia
Contrajerva, *Linn.*
Drakena, *Linn.*
Mannii, *Hook. f.*

Dracaena
elliptica, *Thunb.*
Godseffiana, *Baker*
surculosa, *Lindl.*

Dracocephalum
parviflorum, *Nutt.*

Drimys
Winterii, *Forst.*

Drosera
binata, *Labill.*
— var. dichotoma.
capensis, *Linn.*
hilaris, *Cham.* et *Schlecht.*
rotundifolia, *Linn.*
spathulata, *Labill.*

Drosophyllum
lusitanicum, *Link*

Drymaria
tenella, *A. Gray*

Dudleya
Cotyledon, *Britton* et *Rose*

Dyckia
rariflora, *Schult.*

Eccremocarpus
scaber, *Ruiz* et *Pav.*

Echeandia
terniflora, *Orteg.*

Echeveria
australis, *Rose*
obtusifolia, *Rose*
subrigida, *Rose*

Elaeocarpus
cyaneus, *Sims*

Elvira
Martynii, *Cass.*

Entelea
arborescens, *R. Br.*

Erica
imbricata, *Linn.*
Irbyana, *Andr.*
Lowiana, *Hort.*
Macnabiana, × *Hort.*
regerminans, *Linn.*

Erigeron
tephrodes, *Greene*

Eriogonum
arborescens, *Greene*

Eriostemon
buxifolius, *Sm.*
densiflorus, *Hort.*

Erythrochiton
brasiliensis, *Nees*

Euadenia
eminens, *Hook. f.*

Eucalyptus
amygdalina, *Labill.*
incrassata, *Labill.*

Eucomis
amaryllidifolia, *Baker*
bicolor, *Baker*
punctata, *L'Hérit.*
— var. striata, *Don*

Eugenia
myrtifolia, *Sims*
punicaefolia, *DC.*

Eupatorium
ianthinum, *Hemsl.*
riparium, *Regel*

Euphorbia
bilobata, *Engelm.*
globosa, *Sims*
fulgens, *Karw.*
maculata, *Linn.*
Regis-Jubae, *Webb* et *Berth.*
splendens, *Boj.*

Euryops
pectinatus, *Cass.*
socotranus, *Balf. f.*

Eustoma
Andrewsii, *A. Nelson*

Evodia
elegans, *Hort.*
formosa, *Hort.*
meliaefolia, *Benth.*

Ficus
Carica, *Linn.*
diversifolia, *Blume*
pyriformis, *Hook.* et *Arn.*

Fieldia
australis, *A. Cunn.*

Francoa
appendiculata, *Cav.*
ramosa, *D. Don*
sonchifolia, *Cav.*

Froelichia
gracilis, *Moq.*

Fuchsia
arborescens, *Sims*
corymbiflora, *Ruiz* et *Pav.*
integrifolia, *Cambess.*
parviflora, *Lindl.*
procumbens, *R. Cunn.*
triphylla, *Linn.*

Galphimia
brasiliensis, *A. Juss.*

Garcinia
Xanthochymus, *Hook. f.*

Gasteria
decipiens, *Haw.*
disticha, *Haw.*
excavata, *Haw.*
maculata, *Haw.*
— var. fallax.

Gaultheria
hispida, *R. Br.*

Geitonoplesium
cymosum, *A. Cunn.*

Gelasine
azurea, *Herb.*

Genista
elegans, *Hort.*

Geranium
canariense, *Reut.*

Gerbera
Jamesonii, *Bolus*

Gesnera
cardinalis, *Lehm.*

Gladiolus
erectiflorus, *Baker*
psittacinus, *Hook.*

Globba
alba, *Zipp.*
strobilifera, *Zoll.* (bulbil)

Gloriosa
superba, *Linn.*

Gnaphalium
hypoleucum, *DC.*

Gomphia
olivaeformis, *St. Hil.*

Goodenia
filiformis, *R. Br.*
ovata, *Sm.*
paniculata, *Sm.*

Goodia
lotifolia, *Salisb.*
pubescens, *Sims*

Gossypium
herbaceum, *Linn*

Grevillea
buxifolia, *R. Br.*
glabrata, *Meissn.*

Guyonia
tenella, *Naud.*

Haemanthus
hirsutus, *Baker*

Hakea
acicularis, *Knight*
pugioniformis, *Cav.*
ulicina, *R. Br.*
— var. carinata.

Haloragis
alata, *Jacq.*
erecta, *Schindler*

Haworthia
albicans, *Haw.*, var. laevis.
fasciata, *Haw.*
— var. major
margaritifera, *Haw.*
Radula, *Haw.*
rigida, *Haw.*
— var. expansa.

Hedeoma
Drummondii, *Benth.*
hyssopifolia, *A. Gray*
pulegioides, *Pers.*

Hedychium
formosum, *Wall.*
thyrsiforme, *Sm.*

Heeria
elegans, *Schlecht.*
subtriplinervia, *Triana*

Helichrysum
bracteatum, *Andr.*
subulifolium, *F. Muell.*

Heliophila
Eckloniana, *Sond.*

Heliotropium
anchusifolium, *Poir.*
curassavicum, *Linn.*
peruvianum, *Linn.*

Hemiphragma
heterophyllum, *Wall.*

Hermannia
candicans, *Ait.*
montana, *N.E. Br.*
venosa, *Thunb.*

Heterospermum
pinnatum, *Cav.*

Hibbertia
dentata, *R. Br.*

Hibiscus
esculentus, *Linn.*
lunariifolius, *Willd.*
Manihot, *Linn.*
pedunculatus, *Linn.*
vitifolius, *Linn.*

Hippeastrum
equestre, *Herb.*
procerum, *Lem.*

Hippocrepis
cornigera, *Parl.*

Homalanthus
Leschenaultianus, *A. Juss.*

Hosackia
Purshiana, *Benth.*

Humea
elegans, *Sm.*

Hydrangea
Hortensia, *Sieb.* var. Mariesii.
— var. stellata, *Maxim.*

Hydrolea
spinosa, *Linn.*

Hymenanthera
dentata, *R. Br.*, var. angustifolia.

Hypericum
canariense, *Linn.*
gracile, *Boiss.*
Hookerianum, *W.* et *A.*
japonicum, *Thunb.*
lanceolatum, *Lam.*

Hypoxis
erecta, *Linn.*
Krebsii, *Fisch.*
Rooperii, *T. Moore*
villosa, *Linn.*

Impatiens
Hawkerii, *Bull*
Oliverii, *C. H. Wright*
Sultani, *Hook. f.*

Indigofera
atropurpurea, *Buch.-Ham.*
australis, *Willd.*

Iochroma
tubulosa, *Benth.*

Ipomœa
Learii, *Paxt.*
purpurea, *Roth*
Quamoclit, *Linn.*
— var. alba.
tuberosa, *Linn.*

Isopogon
anemonifolius, *Knight*
anethifolius, *Knight*

Isotoma
Brownii, *G. Don*
scapigera, *G. Don*

Ixiolirion
Pallasii, *Fisch.* et *Mey.*

Jaegeria
hirta, *Less.*

Jasminum
lucidum, *Banks*

Jussieuea
suffruticosa, *Linn.*

Justicia
calycotricha, *Link*

Kalanchoë
flammea, *Stapf*
kewensis ×, *Hort.*
Kirkii, *N. E. Br.*
Petitiana, *A. Rich.*
rotundifolia, *Haw.*

Karatas
amazonica, *Baker*
Plumierii, *E. Morr.*
spectabilis, *Antoine*

Kedrostis
africana, *Cogn.*

Kennedya
Baumannii, *Meissn.*
prostrata, *R. Br.*
— var. glabrata.
— var. Marryattae.

Kunzea
corifolia, *Reichb.*
parvifolia, *Schau.*

Kyllinga
monocephala, *Rottl.*

Lachnostoma
maritimum, *Nichols.*

Lactuca
Scariola, *Linn.*

Lagenaria
vulgaris, *Ser.*

Lagerstroemia
indica, *Linn.*

Lantana
Camara, *Linn.*

Lapageria
rosea, *Ruiz* et *Pav.*

Lapeyrousia
cruenta, *Benth.*

Laportea
moroides, *Wedd.*
peltata, *Gaudich.*

Lathyrus
pubescens, *Hook.* et *Arn.*

Leptodermis
lanceolatus, *Wall.*

Leptospermum
arachnoideum, *Sm.*
flavescens, *Sm.*
scoparium, *Forst.*

Leucas
lavandulaefolia, *Sm.*

Leucopogon
lanceolatus, *R. Br.*
Richei, *R. Br.*

Levenhookia
pusilla, *R. Br.*

Libertia
grandiflora, *Sweet*
ixioides, *Spreng.*

Lilium
Brownii, *Mielle* (bulbils)
ochroleucum, *Wall.*

Limnophila
sessiliflora, *Blume*

Limosella
aquatica, *Linn.*
— var. tenuifolia.

Lippia
chamaedrifolia, *Steud.*

Littonia
modesta, *Hook.*

Lobelia
debilis, *Linn.*
laxiflora, *H. B.* et *K.*
tenuior, *R. Br.*
— var. alba.

Lomatia
longifolia, *R. Br.*

Lomatophyllum
macrum, *Salm-Dyck*

Lonicera
sempervirens, *Linn.*, var. minor.

Lotus
tenuifolius, *Presl*
villosus, *Burm. f.*

Luffa
acutangula, *Roxb.*
ægyptiaca, *Mill.*
cylindrica, *Roem.*
macrocapa, *Hort.*

Lupinus
Lozanii, *Rose*

Luzula
purpurea, *Link*

Lycopersicum
cerasiforme, *Dun.*
esculentum, *Mill.*
semperfructiferum, *Hort.*

Lysimachia
violascens, *Franch.*

Mallotus
japonicus, *Muell. Arg.*

Malortiea
gracilis, *H. Wendl.*

Malvastrum
capense, *Garcke*
hypomadarum, *Sprague*
limense, *Ball*

Mammillaria
Celsiana, *Lem.*
Odieriana, *Lem.*
polythele, *Mart.*

Marica
caerulea, *Ker-Gawl.*
Northiana, *Ker-Gawl.*

Massonia
latifolia, *Linn. f.*

Maurandia
Barclayana, *Lindl.*
scandens, *A. Gray*

Melaleuca
hypericifolia, *Sm.*

Melia
arguta, *DC.*
Azedarach, *Linn.*

Melianthus
major, *Linn.*

Melothria
suavis, *Hort.*

Mesembryanthemum
barbatum, *Linn.*
bicolor, *Linn.*
curviflorum, *Haw.*
Ecklonis, *Salm-Dyck*
lepidum, *Haw.*
Mesembryanthemum—*continued.*
micans, *Linn.*
muricatum, *Haw.*
pomeridianum, *Linn.*
roseum, *Willd.*
sanguineum, *Hort.*

Metrosideros
robusta, *A. Cunn.*

Microseris
californica, *Greene*
melanocarpha, *Greene*

Mimosa
marginata, *Lindl.*
pudica, *Linn.*
Speggazzinii, *Pirotta*

Mimulus
Langsdorffii, *Donn*
luteus, *L.*
Pulsiferae, *A. Gray*

Mirabilis
Jalapa, *Linn.*

Miscanthus
nepalensis, *Hack.*

Mitraria
coccinea, *Cav.*

Momordica
Balsamina, *Linn.*
Charantia, *Linn.*
cochinchinensis, *Spreng.*
involucrata, *E. Mey.*

Moraea
iridioides, *Linn.*
Mac-leayi, *Hort.*
spathacea, *Ker-Gawl.*

Muehlenbeckia
chilensis, *Meissn.*

Musschia
Wollastonii, *Lowe*

Myrica
aethiopica, *Linn.*

Myrtus
communis, *Linn.*
— var. variegata.
Luma, *Barn.*
tenuifolia, *Sm.*

Nama
jamaicense, *Linn.*

Nemophila
micrantha, *Eastw.*

Nephthytis
liberica, *N. E. Br.*
picturata, *N. E. Br.*

Nerine
candida, *Hort.*
flexuosa, *Herb.*
pancratioides, *Baker*

Nertera
depressa, *Banks*

Nicandra
physaloides, *Gaertn.*

Nicotiana
nudicaulis, *S. Wats.*
rustica, *Linn.*
Sanderae ×, *Hort.*

Nierembergia
frutescens, *Dur.*

Notelaea
longifolia, *Vent.*

Ochna
mossambicensis, *Klotzsch*
multiflora, *DC.*

Ocimum
viride, *Willd.*

Oncinocalyx
Betchei, *F. Muell.*

Oenothera
hirta, *Link*
mollissima, *Linn.*
rosea, *Ait.*
tenuifolia, *Cav.*

Olearia
insignis, *Hook. f.*

Oliveranthus
elegans, *Rose*

Olyra
floribunda, *Raddi*

Ononis
minutissima, *Linn.*
reclinata, *Linn.*

Opuntia
Dillenii, *Haw.*, var. hybrida.
mesacantha, *Raf.*
nigricans, *Haw.*
polyacantha, *Haw.*
tomentosa, *Salm-Dyck*

Ornithogalum
arabicum, *Linn.*
lacteum, *Jacq.*
tenellum, *Jacq.*
thyrsoides, *Jacq.*

Orthrosanthus
multiflorus, *Sweet*

Oryza
sativa, *Linn.*
— var. atropurpurea.
— var. rufibarba.

Oxalis
corniculata, *Linn.*
Hirthii, *Phil.*
Wrightii, *A. Gray*

Palisota
Barterii, *Hook. f.*
Maclaudii, *Cornu*
Pynaertii, *Wildem.*

Pancratium
fragrans, *Salisb.*

Panicum
sphaerocarpum, *Salzm.*

Paronychia
argentea, *Lam.*

Passiflora
edulis, *Sims*
quadrangularis, *Linn.*
suberosa, *Linn*

Pavonia
hastata, *Cav.*
spinifex, *Cav.*

Pelargonium
australe, *Jacq.*
Skelii, *Hoffmgg.*
tomentosum, *Jacq.*

Pellionia
Daveauana, *N. E. Br.*
pulchra, *N. E. Br.*

Pentarhaphia
libanensis, *Hanst.*

Pentas
carnea, *Benth.*

Peperomia
argyreia, *E. Morr.*
blanda, *H. B.* et *K.*
metallica, *Lind.* et *Rod.*
pellucida, *H. B.* et *K.*
Sandersii, *C. DC.*
scandens, *Ruiz* et *Pav.*

Petiveria
alliacea, *Linn.*

Phacelia
circinata, *Jacq. f.*
rupestris, *Greene*

Phaedranassa
chloracra, *Herb.*

Phaenocoma
prolifera, *D. Don*, var. Barnesii.

Phaseolus
acutifolius, *A. Gray*

Phyllanthus
grandifolius, *Linn.*
montanus, *Sw.*
parvifolius, *Buch.-Ham.*

Phyllis
Nobla, *Linn.*

Phyllocactus
crenulatus, *Walp.*
multiflorus, *Hort.*
thalia ×, *Hort.*

Physalis
peruviana, *Linn.*

Picradenia
floribunda, *Greene*

Pilea
grandis, *Wedd.*
muscosa, *Lindl.*
Spruceana, *Wedd.*

Pimelea
ligustrina, *Labill.*

Pinguicula
cordata, *Schl.*
lusitanica, *Linn.*

Pitcairnia
Altensteinii, *Lem.*
Andreana, *Linden*
aphelandraeflora, *Verschaff.*
heterophylla, *Beer*
Lamarckiana, *E. Morr.*
latifolia, *Soland.*
maidifolia, *Decne.*
pruinosa, *H. B.* et *K.*
pulverulenta, *Ruiz* et *Pav.*

Pittosporum
crassifolium, *Sol.*
eugenioides, *A. Cunn.*
Ralphii, *T. Kirk*
tenuifolium, *Gaertn.*

Plantago
asperrima, *Gandoger*
erecta, *Morris*
Grahamii, *Blumer*
notata, *Lag.*
squarrosa, *Murr.*, var. brachystachys.
virginica, *Linn.*

Platytheca
galioides, *Steetz*

Plumbago
scandens, *Linn.*

Polyalthia
suberosa, *Benth.* et *Hook. f.*

Polycarpaea
divaricata, *Balf. f.*

Polygonum
alatum, *Buch.-Ham.*

Pomaderris
prunifolia, *A. Cunn.*

Pontederia
cordata, *Linn.*

Poterium
spinosum, *Linn.*

Prasium
majus, *Linn.*

Primula
Beesiana, *Hort.*
Bulleyana, *G. Forrest*
calliantha, *Franch.*
capitata, *Hook.*
cortusoides, *Linn.*, var. lichiangensis.
floribunda, *Wall.*
Forrestii, *Balf. f.*
kewensis ×, *Hort.*
— var. farinosa.
Listeri, *King*
Littoniana, *G. Forrest*
mollis, *Nutt.*
obconica, *Hance*
Palinuri, *Petagn.*
Poissonii, *Franch.*
verticillata, *Forsk.*

Proserpinaca
palustris, *Linn.*
pectinata, *Linn.*

Prostanthera
lasianthos, *Labill.*

Pseuderanthemum
seticalyx, *Hort.*

Psidium
chinense, *Lodd.*
montana, *Sw.*

Psoralea
bituminosa, *Linn.*
plumosa, *F. Muell.*

Psychotria
cyanococca, *Seem.*
micrantha, *Hiern*

Quassia
amara, *Linn.*

Raimannia
confusa, *Rose*

Ranunculus
cortusaefolius, *Willd.*

Raphiolepis
ovata, *Briot*

Reboudia
microcarpa, *Boiss.*

Reinwardtia
tetragyna, *Planch.*

Rhabdothamnus
Solandri, *A. Cunn.*

Rhamnus
californicus, *Eschsch.*

Rhodanthe
maculata, *Hort.*
— var. alba.

Rhodochiton
volubile, *Zucc.*

Rhododendron
arboreum, *Sm.*
Nuttallii, *Booth*

Rhopalostylis
sapida, *H. Wendl.* et *Drude*

Rhynchosia
caribaea, *DC.*

Ribes
viburnifolium, *A. Gray*

Ricinus
communis, *Linn.*

Rivina
aurantiaca, *Warsc.*
humilis, *Linn.*
tinctoria, *Hamil.*

Rochea
coccinea, *DC.*

Romneya
trichocalyx, *Eastw.*

Rondeletia
odorata, *Jacq.*

Ruellia
amoena, *Nees*
rubicaulis, *Cav.*
tuberosa, *Linn.*

Sabal
Blackburniana, *Glazebr.*
mexicana, *Mart.*

Salvia
canariensis, *Linn.*
coccinea, *Juss.*

Sandersonia
aurantiaca, *Hook.*

Sarracenia
Tolliana ×, *Nichols.*

Saxifraga
Candelabrum, *Franch.*
sarmentosa, *Linn.*

Schismatoglottis
Roebelina, *Hort.*
Treubii, *Hort.*

Schizanthus
pinnatus, *Ruiz* et *Pav.*
— var. compactus.
— var. grandiflorus.

Scirpus
cyperoides, *Spreng.*
riparius, *J.* et *C. Presl*

Sedum
dasyphyllum, *Linn.*
Greggii, *Hemsl.*
Griffithsii, *Rose*
pruinatum, *Brot.*
Sieboldii, *Hort.*
spathulifolium, *Hook.*

Sempervivum
annuum, *C. Sm.*
arachnoideum, *Linn.*
Ballii, *Hort.*
canariense, *Linn.*
decorum, *Christ*
dichotomum, *DC.*
Youngianum, *Webb* et *Berth.*

Senecio
coronopifolius, *Desf.*
Decaisnei, *DC.*
diversifolius, *Wall.*
grandifolius, *Less.*
Kleinia, *Less.*
macroglossus, *DC.*
Petasitis, *DC.*

Sida
acuta, *Burm.*
Hookeriana, *Miq.*
veronicaefolia, *Lam.*

Sideritis
hyssopifolia, *Linn.*
Massoniana, *Benth.*
montana, *Linn.*

Siphocampylus
lanceolatus, *Regel*

Sisyrinchium
Bermudiana, *Linn.*
micranthum, *Cav.*

Solanum
auriculatum, *Ait.*
Capsicastrum, *Link*, var. Hendersoni.
fastigiatum, *Willd.*
haematocladum, *Dun.*
jasminoides, *Paxt.*
nigrum, *Linn.*
pyracanthum, *Jacq.*
venustum, *Kunth*
verbascifolium, *Linn.*

Sollya
Drummondii, *C. Morr.*

Sorghum
vulgare, *Pers.*

Sparmannia
africana, *Linn.*

Spathiphyllum
cochlearispathum, *Engl.*
floribundum, *N. E. Br.*
Patinii, *N. E. Br.*

Sphaeralcea
cuspidata, *Britton*

Sphaerosicyos
sphaericus, *Hook.*

Stachytarpheta
indica, *Vahl*

Statice
echioides, *Linn.*
filicaulis, *Boiss.*

Streptocarpus
caulescens, *Vatke*
Daviesii, *N. E. Br.*
Holstii, *Engl.*
Rexii, *Lindl.*

Stromanthe
sanguinea, *Sond.*

Stylidium
adnatum, *R. Br.*
calcaratum, *R. Br.*

Sutherlandia
frutescens, *R. Br.*

Swainsona
coronillaefolia, *Salisb.*, var.
rosea.

Tacca
cristata, *Jack*
integrifolia, *Ker-Gawl.*
macrantha, *Limpr.*
viridis, *Hemsl.*

Tacsonia
exoniensis ×, *Hort.*
mollissima, *H. B.* et *K.*
Van-Volxemii, *Hook.*

Talinum
patens, *Willd.*
triangulare, *Willd.*

Tecoma
Smithii, *Hort.*

Tetranema
mexicana, *Benth.*

Thomasia
solanacea, *J. Gay*

Thoracostachyum
bancanum, *Kurz*

Thysanocarpus
elegans, *Fisch.* et *Mey.*

Tibouchina
semidecandra, *Cogn.*

Tillaea
connata, *Ruiz* et *Pav.*

Tillandsia
splendens, *Brongn.*
viminalis, *Hemsl.*

Tinantia
fugax, *Scheidw.*

Tonella
tenella, *Jepson*

Torenia
cordifolia, *Roxb.*
Fournierii, *Linden*

Tournefortia
heliotropioides, *Hook.*

Trachelium
caeruleum, *Linn.*
rumelianum, *Hampe*

Tradescantia
discolor, *L'Hérit.*

Trichocladus
crinitus, *Pers.*

Triglochin
bulbosum, *Linn.*

Trigonella
maritima, *Delile*

Triolaena
hirsuta, *Triana*

Tristania
neriifolia, *R. Br.*

Tropaeolum
pentaphyllum, *Lam.*

Troximon
heterophyllum, *Greene*, var.
californicum.

Tulbaghia
acutiloba, *Harv.*

Utricularia
emarginata, *Benj.*

Vellozia
elegans, *Talbot*

Veltheimia
viridifolia, *Jacq.*

Vigna
Catjang, *Walp.*

Villarsia
parnassiaefolia, *R. Br.*

Viminaria
denudata, *Sm.*

Viola
hederacea, *Labill.*

Vitis
discolor, *Dalz.*
heterophylla, *Thunb.*, var. humulifolia.
vinifera, *Linn.*

Wachendorfia
paniculata, *Linn.*

Waitzia
paniculata, *F. Muell.*

Watsonia
rosea, *Ker-Gawl.*

Wikstroemia
retusa, *A. Gray*

Wormia
Burbidgei, *Hook. f.*

Xanthium
orientale, *Linn.*

Xanthosia
rotundifolia, *DC.*

Xiphidium
coeruleum, *Aubl.*

Zephyranthes
Andersoni, *Baker*

For Official Use.]

NOTES

FROM THE

ROYAL BOTANIC GARDEN,

EDINBURGH.

DECEMBER 1910.

CONTENTS.

Page

List of Seeds collected in the Royal Botanic Garden, Edinburgh, during the Year 1910, - - - - cccxxxiii

EDINBURGH:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By MORRISON & GIBB LIMITED,
At Tanfield.

SOLD AT THE GARDEN,
And to be purchased, either directly or through any Bookseller, from
OLIVER & BOYD, Edinburgh.

[PRICE NINEPENCE.]

[All rights reserved.]

M & G Ltd Wt. 27955/929/58 12-10 575

List of Seeds Collected in the Royal Botanic Garden, Edinburgh, during the Year 1910.

The following is a list of plants cultivated in the Royal Botanic Garden, Edinburgh, from which ripened seeds have been collected during the year 1910. The quantity of seed obtained from some of the species is of limited amount. The seeds are available for exchange, but they are not for sale :—

PLANTS IN THE OPEN.

Acaena

glabra, *J. Buch.*
laevigata, *Ait.*
Novae-Zelandiae, *T. Kirk*
ovalifolia, *Ruiz* et *Pav.*
splendens, *Hook.* et *Arn.*

Acantholimon

glumaceum, *Boiss.*

Acanthus

mollis, *Linn.*
niger, *Mill.*
Schottii, *Hort.*

Acer

campestre, *Linn.*
— var. austriacum.
opulifolium, *Vill.*, var. obtusatum.
platanoides, *Linn.*
Pseudo-platanus, *Linn.*
— var. euchlorum.
— var. purpureum.
spicatum, *Linn.*

Achillea

acanthifolia, *Hort.*
ageratifolia, *Benth.* et *Hook. f.*
Jaborneggii ×, *Halácsy*
lingulata, *Waldst.* et *Kit.*, var. buglossis.
pedemontana, *Hort.*
Portae ×, *Bruegg.*
Ptarmica, *Linn.*
Santolina. *Linn.*
sibirica, *Ledeb.*, var. mongolica.
tanacetifolia, *All.*
Wilczekii, *Hort.*

Aconitum

ferox, *Wall.*
Fischeri, *Reichb.*
Forresti, *Hort.*
heterophyllum, *Wall.*
longigaleatum, *Hort.*
Lycoctonum, *Linn.*
Napellus, *Linn.*
paniculatum, *Lam.*
volubile, *Koelle*, var. latisectum.
Wilsoni, *Dunn*

Adenocarpus

intermedius, *DC.*

Adenostyles

albida, *Cass.*
alpina, *Kern.*

Æthionema
armenum, *Boiss.*
cappadocicum, *Spreng.*
pulchellum, *Boiss.* et *Huet*

Agathaea
coelestis, *Cass.*

Agrimonia
agrimonioides, *Linn.*
Eupatoria, *Linn.*
odorata, *Mill.*

Agropyron
acutum, *Roem.* et *Schult.*
dasyanthum, *Ledeb.*
tenerum, *Vasey*

Agrostis
nigra, *With.*

Aira
atropurpurea, *Wahlenb.*

Ajuga
alpicola, *Hort.*
genevensis, *Linn.*

Alchemilla
alpina, *Linn.*
arvensis, *Scop.*
hirsuta, *H. B.* et *K.*
vulgaris, *Linn.*

Alisma
Plantago, *Linn.*

Allium
Aschersonianum, *Barbey*
cardiostemon, *Fisch.* et *Mey.*
carinatum, *Linn.*
flavum, *Linn.*
fragrans, *Vent.*
giganteum, *Regel*
kansuense, *Regel*
margaritaceum, *Sibth.* et *Sm.*

Allium—*continued.*
narcissiflorum, *Vill.*
odorum, *Linn.*
oreophilum, *C. A. Mey.*
pulchellum, *G. Don*
Schoenoprasum, *Linn.*
senescens, *Linn.*

Alnus
glutinosa, *Medic.*
— var. quercifolia.
incana, *Moench*
— var. glauca, *Regel*
japonica, *Sieb.* et *Zucc.*
serrulata, *Willd.*
sitchensis, *Sarg.*
tenuifolia, *Nutt.*

Alopecurus
pratensis, *Linn.*

Alstroemeria
aurantiaca, *D. Don*
Ligtu, *Linn.*

Alyssum
alpestre, *Linn.*
creticum, *Linn.*
gemonense, *Linn.*
idaeum, *Boiss.* et *Heldr.*
maritimum, *Lam.*
Moellendorfianum, *Aschers.*
montanum, *Linn.*
podolicum, *Bess.*
rostratum, *Stev.*
saxatile, *Linn.*
— var. sulphureum.
— var. variegatum.
spinosum, *Linn.*
tortuosum, *Rupr.*

Amaranthus
tenuifolius, *Willd.*

Amphicarpaea
monoica, *Ell.*

Anagallis
arvensis, *Linn.*
— var. caerulea.
— — phoenicea.

Anaphalis
margaritacea, *Benth.* et *Hook. f.*
triplinervis, *Sims*

Anchusa
Barrelieri, *Vitm.*
granatensis, *Boiss.*, var. sayrensis.
italica, *Retz.*
officinalis, *Linn.*
sempervirens, *Linn.*

Androsace
Bulleyana, *G. Forrest*
carnea, *Linn.*
imbricata, *Lam.*
lactiflora, *Fisch.*
lanuginosa, *Wall.*
obtusifolia, *All.*
pyrenaica, *Lam.*
sarmentosa, *Wall.*
villosa, *Linn.*
— var. Chamaejasme.

Andryala
integrifolia, *Linn.*

Anemone
alpina, *Linn.*
— var. sulphurea.
decapetala, *Linn.*
magellanica, *Hort.*
multifida, *Poir.*
nemorosa, *Linn.*
palmata, *Linn.*
— var. alba.
pratensis, *Linn.*
Pulsatilla, *Linn.*
Regeliana, *Maxim.*
rivularis, *Buch.-Ham.*

Anemone—*continued.*
sylvestris, *Linn.*
— var. majus.
vernalis, *Linn.*
virginiana, *Linn.*

Angelica
sylvestris, *Linn.*

Antennaria
decipiens, *Greene*
dioica, *Gaertn.*
— var. parvifolia.
— var. tomentosa.
rosea, *Greene*
— var. imbricata.

Anthemis
alpina, *Linn.*
tinctoria, *Linn.*
transylvanica, *Hort.*

Anthericum
Liliago, *Linn.*

Anthriscus
sylvestris, *Hoffm.*

Antirrhinum
Asarina, *Linn.*
majus, *Linn.*

Aphyllanthes
monspeliensis, *Linn.*

Aplopappus
croceus, *A. Gray*

Aquilegia
caerulea, *James*
chrysantha, *A. Gray*
Einseleana, *Fr. Schultz*
flabellata, *Sieb.* et *Zucc.*
norvegica, *Hort.*
olympica, *Boiss.*
Ottonis, *Orph.*

Aquilegia—*continued.*
pyrenaica, *DC.*
Skinneri, *Hook.*
viridiflora, *Pall.*
vulgaris, *Linn.*

Arabis
alpina, *Linn.*
caerulea, *Haenke*
serpyllifolia, *Vill.*
Stelleri, *DC.*, var. rosea.
stricta, *Huds.*
Turrita, *Linn.*

Arbutus
— Menziesii, *Pursh*
— Unedo, *Linn.*

Arctotis
acaulis, *Linn.*
stoechadifolia, *Berg.*

Arenaria
balearica, *Linn.*
cephalotes, *Bieb.*
ciliata, *Linn.*
congesta, *Nutt.*, var. subcongesta.
foliosa, *Royle*
graminifolia, *Schrad.*
juniperina, *Linn.*
Ledebouriana, *Fenzl*
montana, *Linn.*, var. grandiflora.
pinifolia, *Bieb.*
purpurascens, *Ramond*
recurva, *All.*
saxatilis, *Linn.*
stricta, *Michx.*
verna, *Linn.*
Villarsii, *Balb.*, var. villosula.

Aristolochia
rotunda, *Linn.*

Aristotelia
Macqui, *L'Hérit.*
— var. variegata.

Armeria
allioides, *Boiss.*, var. ciliata.
alpina, *Willd.*
— var. alba.
japonica, *Hort.*
juncea, *Girard*
labradorica, *Wallr.*
leucocephala, *Koch*
majellensis, *Boiss.*
maritima, *Willd.*
— var. alba.
— var. alpina.
mauritanica, *Wallr.*
— var. hybrida.
pinifolia, *Hoffmgg.* et *Link*
plantaginea, *Willd.*
sardoa, *Spreng.*
Welwitschii, *Boiss.*

Arnica
amplexicaulis, *Nutt.*
Chamissonis, *Less.*
discoides, *Benth.*
longifolia, *Eaton*
montana, *Linn.*
speciosa, *Hort.*

Arrhenantherum
avenaceum, *Beauv.*

Artemisia
discolor, *Dougl.*
granatensis, *Boiss.*
Stelleriana, *Bess.*
tanacetifolia, *Linn.*
vulgaris, *Linn.*

Asarum
canadense, *Linn.*
caudatum, *Lindl.*
europaeum, *Linn.*
grandiflorum, *Klotzsch*
Hartwegii, *S. Wats.*

Asperula
arvensis, *Linn.*
ciliata, *Rochel*

Aster

acris, *Linn.*
— var. dracunculoides.
alpinus, *Linn.*
— var. albus.
— var. altaicus.
Amellus, *Linn.*, var. amelloides.
— var. bessarabicus.
amethystinus, *Nutt.*
azureus, *Lindl.*
baldensis, *Hort.*
Bellidiastrum, *Scop.*
caucasicus, *Willd.*
corymbosus, *Ait.*
dahuricus, *Benth.*
diplostephioides, *Benth.* et *Hook. f.*
ericoides, *Linn.*
falcatus, *Lindl.*
floribundus, *Nutt.*
foliaceus, *Lindl.*
himalaicus, *C. B. Clarke*
junceus, *Ait.*
laevis, *Linn.*
— var. decorus.
— var. stella.
latifolius, *Hort.*
leucanthemus, *Rafin.*
Lindleyanus, *Torr.* et *Gray*
longifolius, *Lam.*
macrophyllus, *Linn.*
microcephalus, *Franch.* et *Sav.*
Novae-Angliae, *Linn.*
— var. ruber.
oreophilus, *Franch.*
paniculatus, *Lam.*
patens, *Ait.*
patulus, *Lam.*
polyphyllus, *Willd.*
prenanthoides, *Muhl.*
puniceus, *Linn.*
— var. lucidulus.
— var. compactus.
pyrenaeus, *DC.*
Radula, *Ait.*
rivularis, *Cass.*
sagittaefolius, *Willd.*

Aster—*continued.*

salicifolius, *Ait.*
scaber, *Thunb.*
sibiricus, *Linn.*
sikkimensis, *Hook. f.* et *Thoms.*
subcaeruleus, *S. Moore*
tataricus, *Linn. f.*
Thomsoni, *C. B. Clarke*
turbinellus, *Lindl.*

Astilbe

japonica, *A. Gray*

Astragalus

caspicus, *Bieb.*
danicus, *Retz.*, var. albus.
depressus, *Linn.*
galegiformis, *Linn.*
Glyciphyllos, *Linn.*
Laxmanni, *Hort.*
monspessulanus, *Linn.*
narbonensis, *Gouan*
Onobrychis, *Linn.*
podocarpus, *C. A. Mey.*
purpureus, *Lam.*
xiphocarpus, *Benth.*

Astrantia

carniolica, *Wulf.*
helleborifolia, *Salisb.*
major, *Linn.*

Athamanta

Matthioli, *Wulf.*

Atraphaxis

Billardieri, *Jaub.* et *Spach*

Atriplex

hortensis, *Linn.*, var. rubra.
patula, *Linn.*

Atropa

Belladonna, *Linn.*

Aubrietia

Columnae, *Guss.*
croatica, *Schott, Nym.* et *Kotschy*

Aubrietia—*continued.*
deltoidea, *DC.*
— var. Campbellii.
— var. cilicica.
— var. luteo-variegata.
— var. spathulata.
gracilis, *Sprun.*

Avena
sterilis, *Linn.*

Baccharis
patagonica, *Hook.* et *Arn*

Baldwinia
multiflora, *Nutt.*

Ballota
nigra, *Linn.*
spinosa, *Link*

Barbarea
praecox, *R. Br.*

Bellis
sylvestris, *Cyr.*

Bellium
minutum, *Linn.*

Berberis
Aquifolium, *Pursh*
aristata, *DC.*
Darwinii, *Hook.*
Thunbergii, *DC.*
virescens, *Hook. f.*
vulgaris, *Linn.*

Beta
trigyna, *Waldst.* et *Kit.*

Betula
alba, *Linn.*
— var. pubescens.
fruticosa, *Pall.*
lutea, *Michx.*
occidentalis, *Hook.*
papyrifera, *Marsh.*
populifolia, *Marsh.*
ulmifolia, *Sieb.* et *Zucc.*

Bidens
humilis, *H. B.* et *K.*

Billardiera
scandens, *Sm.*

Biscutella
laevigata, *Linn.*

Blumenbachia
Hieronymi, *Urb.*

Borago
laxiflora, *Willd.*
officinalis, *Linn.*

Bowlesia
tenera, *Spreng.*

Boykinia
aconitifolia, *Nutt.*
major, *A. Gray*
occidentalis, *Torr.* et *Gray*

Brachycome
Thomsonii, *T. Kirk*

Brassica
Erucastrum, *Linn.*
juncea, *Coss.*
nigra, *Koch*
oleracea, *Linn.*

Braya
alpina, *Sternb.* et *Hoppe*

Brittonastrum
ionocalyx, *B. L. Robins.*

Brodiaea
Douglasii, *S. Wats.*
hyacinthina, *Baker*, var. lactea.
ixioides, *S. Wats.*

Bromus
ciliatus, *Linn.*
Kalmii, *A. Gray*
madritensis, *Linn.*
mollis, *Linn.*

Bruckenthalia
spiculifolia, *Reichb.*

Bryanthus
empetriformis, *A. Gray*

Buddleia
albiflora, *Hemsl.*
globosa, *Hope*
Hemsleyana, *Hort.*
intermedia, *Carr.*
variabilis, *Hemsl.*
— var. Veitchiana.
— — — magnifica.

Bulbinella
Hookeri, *Benth.* et *Hook. f.*

Bulbocodium
vernum, *Linn.*

Buphthalmum
salicifolium, *Linn.*
speciosum, *Schreb.*

Bupleurum
aureum, *Fisch.*
Candollei, *Wall.*
fruticosum, *Linn.*
longicaule, *Wall.*

Cakile
maritima, *Scop.*

Calamintha
Acinos, *Clairv.*
bicolor, *Hort.*
grandiflora, *Moench*

Calandrinia
umbellata, *DC.*

Calceolaria
pinnata, *Linn.*
plantaginea, *Sm.*

Calendula
arvensis, *Linn.*

Callirhoë
digitata, *Nutt.*

Calochortus
pulchellus, *Dougl.*
venustus, *Dougl.*
— var. Eldorado.

Caltha
leptosepala, *DC.*
polypetala, *Hochst.*

Campanula
alaskana, *Hort.*
alliariaefolia, *Willd.*
alpina, *Jacq.*
barbata, *Linn.*
bononiensis, *Linn.*
carpatica, *Jacq.*
— var. turbinata.
— — alba.
— — compacta.
glomerata, *Linn.*, var. acaulis.
Grossekii, *Heuffl.*
imeretina, *Rupr.*
latifolia, *Linn.*
— var. Burghalti.
— var. caerulea.
— var. macrantha.
— var. — alba.
phyteumoides, *Sibth.*
pseudocarnica, *Hort.*
pulcherrima, *Schrank* et *Zeyh.*
punctata, *Lam.*, var. alba.
— var. rosea.
Raddeana, *Trautv.*
rapunculoides, *Linn.*
Reuteriana, *Boiss.* et *Bal.*
rotundifolia, *Linn.*

Campanula—*continued.*
rotundifolia, *Linn.* var. alba.
salicifolia, *Boiss.* et *Kotschy*
sarmatica, *Ker-Gawl.*
turbinata × Raineri.

Capsella
Bursa-Pastoris, *Medic.*

Caragana
arborescens, *Lam.*

Carduus
cernuus, *Steud.*
leptolepis, *Hort.*
stenolepis, *Benth.*

Carex
aquatilis, *Wahlenb.*
atrata, *Linn.*
binervis, *Sm.*
canescens, *Linn.*
capillaris, *Linn.*
diluta, *Bieb.*
divulsa, *Good.*
extensa, *Good.*, var. pumila.
flava, *Linn.*
— var. viridula.
glauca, *Scop.*
Grahami, *Boott*
helvola, *Blytt*
irrigua, *Sm.*
laevigata, *Sm.*
leporina, *Linn.*
livida, *Willd.*
muricata, *Linn.*
Oederi, *Retz.*
pallescens, *Linn.*
paludosa, *Good.*
panicea, *Linn.*
paniculata, *Linn.*
paradoxa, *Willd.*
pulicaris, *Linn.*
punctata, *Gaud.*
pyrenaica, *Wahlenb.*
remota, *Linn.*

Carex—*continued.*
rigida, *Good.*
— × binervis.
sparganioides, *Muhl.*
stricta, *Good.*
strigosa, *Huds.*
vaginata, *Tausch*
vesicaria, *Linn.*

Carmichaelia
flagelliformis, *Colenso*

Carpesium
cernuum, *Linn.*

Carpinus
Betulus, *Linn.*

Cassinia
fulvida, *Hook. f.*
leptophylla, *R. Br.*

Catananche
bicolor, *Hort.*
caerulea, *Linn.*

Cathcartia
villosa, *Hook. f.*

Cedronella
cana, *Hook.*

Celmisia
Armstrongii, *Petrie*
coriacea, *Raoul*
longifolia, *Cass.*
Munroi, *Hook. f.*

Celsia
Arcturus, *Jacq.*
pontica, *Boiss.*

Centaurea
atropurpurea, *Waldst.* et *Kit.*
babylonica, *Linn.*
Cyanus, *Linn.*
cynaroides, *Link*

Centaurea—*continued.*
glastifolia, *Linn.*
incana, *Tenore*
Jacea, *Linn.*
macrocephala, *Puschk.*
nervosa, *Willd.*
nigra, *Linn.*
nigrescens, *Willd.*
orientalis, *Linn.*
phrygia, *Linn.*
ruthenica, *Lam.*
Scabiosa, *Linn.*
sphaerocephala, *Linn.*
Urvillei, *DC.*

Centranthus
ruber, *DC.*

Cephalaria
alpina, *Schrad.*
tatarica, *Schrad.*

Cerastium
alpinum, *Linn.*
arvense, *Linn.*
grandiflorum, *Waldst.* et *Kit.*
ovatum, *Hoppe*
quaternellum, *Fenzl*
tomentosum, *Linn.*

Cerinthe
alpina, *Kit.*
major, *Linn.*
retorta, *Sibth.* et *Sm.*

Chaenostoma
fastigiatum, *Benth.*

Chaerophyllum
aromaticum, *Linn.*
aureum, *Linn.*
roseum, *Bieb.*

Chamaelirium
carolinianum, *Willd.*

Chaptalia
alsophila, *Greene*

Charieis
heterophylla, *Cass.*

Cheiranthus
Cheiri, *Linn.*
Menziesii, *Benth.* et *Hook. f.*

Chelidonium
Franchetianum, *Prain*
majus, *Linn.*
— var. laciniatum.

Chenopodium
Bonus-Henricus, *Linn.*

Chondrilla
juncea, *Linn.*

Chrysanthemum
cinerariaefolium, *Vis.*
corymbosum, *Linn.*
Leucanthemum, *Linn.*
maximum, *Ramond*
nodosum, *DC.*, var. dentatum.
Parthenium, *Bernh.*
tauricum, *Hort.*
Zawadzkii, *Herbich*

Chrysopsis
camporum, *Greene*

Cichorium
Intybus, *Linn.*

Cimicifuga
davurica, *Maxim.*
racemosa, *Nutt.*

Cistus
albidocrispus, *Hort.*
laurifolius, *Linn.*
purpureus, *Lam.*

Clematis
aethusaefolia, *Turcz.*, var. latisecta.
Flammula, *Linn.*
— var. Pallasii.
— var. foliis purpureis.
paniculata, *Thunb.*
recta, *Linn.*

Cnicus
acaulis, *Willd.*
Carolorum, *Hook. f.*
eriophorus, *Roth*
pratensis, *Willd.*
rivularis, *Willd.*
tartaricus, *Willd.*

Cochlearia
officinalis, *Linn.*

Codonopsis
rotundifolia, *Royle*

Colchicum
giganteum, *Hort.*
montanum, *Linn.*
speciosum, *Stev.*

Collinsia
bicolor, *Benth.*
grandiflora, *Dougl.*
parviflora, *Lindl.*

Colutea
cruenta, *Ait.*
longialata, *Koehne*

Coptis
trifolia, *Salisb.*

Cornus
alba, *Linn.*
sanguinea, *Linn.*

Coronilla
montana, *Scop.*
varia, *Linn.*

Cortusa
Matthioli, *Linn.*, var. pubens.
— var. villoso-hirsuta.
pubens, *Schott, Nym.* et *Kotschy*
villosa, *Hort.*

Corydalis
cheilanthifolia, *Hemsl.*
lutea, *DC.*
— var. alba.
nobilis, *Pers.*
ochroleuca, *Koch*
ophiocarpa, *Hook. f.* et *Thoms.*
ophioglossifolia, *Hort.*
rosea, *Zeyh.*
tomentella, *Franch.*
tuberosa, *DC.*

Cotoneaster
acuminata, *Lindl.*
affinis, *Lindl.*
bacillaris, *Wall.*
buxifolia, *Wall.*
Francheti, *Bois*
frigida, *Wall.*
horizontalis, *Decne.*
laxiflora, *Jacq.*
microphylla, *Wall.*
Nummularia, *Fisch.* et *Mey.*
pannosa, *Franch.*
rotundifolia, *Wall.*
Simonsii, *Baker*
thymifolia, *Baker*

Cotyledon
orbiculata, *Linn.*

Crambe
Tataria, *Sebéok*

Craspedia
uniflora, *Forst. f.*

Crataegus

Azarolus, *Linn.*
Carrierei, *Vauvel*
coccinea, *Linn.*
Crus-Galli, *Linn.*, var. splendens.
Douglasii, *Lindl.*
intricata, *Lange*
mollis, *Scheele*
nigra, *Waldst.* et *Kit.*
orientalis, *Pall.*
Oxyacantha, *Linn.*
— var. flore puniceo.
— var. fuscata.
— var. monogyna.
— var. oxyacanthoides.
— var. semperflorens.
parvifolia, *Ait.*
Pyracantha, *Pers.*
— var. Lalandi.
tomentosa, *Linn.*

Crepis

aurea, *Reichb.*
blattarioides, *Vill.*
grandiflora, *Tausch*
Jacquini, *Tausch*
paludosa, *Moench*
pygmaea, *Linn.*
sibirica, *Linn.*

Crupina

vulgaris, *Cass.*

Cuminum

Cyminum, *Linn.*

Cuphea

silenoides, *Nees*

Cupressus

Lawsoniana, *A. Murr.*

Cyananthus

lobatus, *Wall.*

Cydonia

japonica, *Thunb.*
— var. grandiflora.
Maulei, *T. Moore*

Cynoglossum

furcatum, *Wall.*
nervosum, *Benth.*
officinale, *Linn.*
petiolatum, *A. DC.*
pictum, *Ait.*
Wallichii, *G. Don*

Cypripedium

candidum, *Muhl.*

Cytisus

albus, *Linn.*
Ardoini, *Fourn.*
biflorus, *L'Hérit.*
capitatus, *Jacq.*
decumbens, *Walp.*
elongatus, *Waldst.* et *Kit*
Heuffelii, *Wierzb.*
hirsutus, *Linn.*
nigricans, *Linn.*
purgans, *Boiss.*
purpureus, *Scop.*
scoparius, *Link*
— var. Andreanus.
shipkaënsis, *Dippel*
triflorus, *L'Hérit.*

Daboëcia

polifolia, *D. Don*
— var. alba.
— var. bicolor.

Dactylis

glomerata, *Linn.*
— var. variegata.

Dahlia

Merckii, *Lehm.*
variabilis, *Desf.*
zimapani, *Roezl*

Daphne
alpina, *Linn.*

Datisca
cannabina, *Linn.*

Datura
Stramonium, *Linn.*

Daucus
maximus, *Desf.*
pusillus, *Michx.*

Delphinium
cashmirianum, *Royle*
Duhmbergii, *Huth*
elatum, *Linn.*
— var. alpinum.
flexuosum, *Rafin.*
formosum, *Boiss.* et *Huet*
hybridum, *Steph.*
Maackianum, *Regel*
occidentale, *S. Wats.*
tatsienense, *Franch.*
triste, *Fisch.*
vestitum, *Wall.*

Demazeria
sicula, *Dum.*

Deschampsia
flexuosa, *Trin.*

Deutzia
gracilis, *Sieb.* et *Zucc.*

Dianthus
alpinus, *Linn.*
arboreus, *Linn.*
atrorubens, *All.*
barbatus, *Linn.*
caesius, *Sm.*
carthusianorum, *Linn.*
ciliatus, *Guss.*
cinnabarinus, *Sprun.*
crinitus, *Sm.*
cyclops ×.

Dianthus—*continued.*
delicatus, *Hort.*
deltoides, *Linn.*
fragrans, *Bieb.*
furcatus, *Balb.*
grandiflorus, *Poir.*
humilis, *Willd.*
monspessulanus, *Linn.*, var. alpestris.
neglectus, *Loisel.*
— var. roseus.
petraeus, *Waldst.* et *Kit.*
plumarius, *Linn.*
pubescens, *Sibth.* et *Sm.*
pungens, *Linn.*
Requienii, *Gren.* et *Godr.*
squarrosus, *Bieb.*
Sternbergii, *Sibth.*
strictus, *Sibth.* et *Sm.*
superbus, *Linn.*
sylvestris, *Wulf.*
zonatus, *Fenzl*

Diascia
Barberae, *Hook. f.*

Dicentra
Cucullaria, *Bernh.*
eximia, *Torr.*

Dictamnus
albus, *Linn.*

Diervilla
florida, *Sieb.* et *Zucc.*
sessilifolia, *Buckl.*

Digitalis
laevigata, *Waldst.* et *Kit.*
lutea, *Linn.*
purpurea, *Linn.*
— var. alba.

Diphylleia
cymosa, *Michx.*

Dipsacus
sylvestris, *Mill.*

Dodecatheon
Meadia, *Linn.*
radicatum, *Greene*

Dorema
Aucheri, *Boiss.*

Doronicum
glaciale, *Nym.*
macrophyllum, *Fisch.*

Draba
aizoides, *Linn.*
— var. montana.
Aizoon, *Wahlenb.*
alpina, *Linn.*
altaica, *Ledeb.*
aurea, *Vahl*
bruniaefolia, *Stev.*
— var. incana.
Dedeana, *Boiss.* et *Reut.*
hirta, *Linn.*
hispanica, *Boiss.*
hispida, *Willd.*
incana, *Linn.*
Kotschyi, *Stur.*
Loiseleurii, *Boiss.*
longirostrata, *Schott, Nym.* et *Kotschy*
magellanica, *Lam.*
pyrenaica, *Linn.*
rigida, *Willd.*
rupestris, *R. Br.*
Salomoni, *Hort.*
streptocarpa, *A. Gray*
subamplexicaulis, *C. A. Mey.*
surculosa, *Franch.*
tomentosa, *Wahlenb.*

Dracocephalum
bullatum, *G. Forrest*
Ruyschiana, *Linn.*
speciosum, *Benth.*

Dryas
Drummondii, *Richards.*
octopetala, *Linn.*

Echinops
bannaticus, *Rochel*
exaltatus, *Schrad.*
niveus, *Wall.*
Ritro, *Linn.*
sphaerocephalus, *Linn.*
— var. albidus.

Echium
violaceum, *Linn.*
vulgare, *Linn.*

Elaeagnus
umbellata, *Thunb.*

Elymus
sibiricus, *Linn.*

Emex
spinosa, *Campd.*

Empetrum
nigrum, *Linn.*

Enkianthus
himalaicus, *Hook. f.* et *Thoms.*
japonicus, *Hook. f.*

Epigaea
repens, *Linn.*

Epilobium
alsinifolium, *Vill.*
angustifolium, *Linn.*
Dodonaei, *Vill.*
frigidum, *Hausskn.*
haloragifolium, *A. Cunn.*
Hectori, *Hausskn.*
microphyllum, *A. Rich.*
montanum, *Linn.*
pyrricholophum, *Franch.* et *Sav.*
reticulatum, *C. B. Clarke*
rosmarinifolium, *Haenke*

Eremurus
altaicus, *Stev.*
himalaicus, *Baker*

Erica
australis, *Linn.*
ciliaris, *Linn.*
cinerea, *Linn.*
— var. alba.
— var. alba major.
— var. alba minor.
— var. atropurpurea.
— var. atrosanguinea.
— var. coccinea.
— var. pallida.
— var. rosea.
mediterranea, *Linn.*
— var. hibernica.
stricta, *Donn*
Tetralix, *Linn.*
— var. alba.
— var. rubra.
vagans, *Linn.*
— var. alba.
— var. rubra.
Watsoni, *DC.*

Erigeron
alpinus, *Linn.*
aurantiacus, *Regel*
compositus, *Pursh*
Coulteri, *Porter* et *Coult.*
glabellus, *Nutt.*, var. mollis.
hyssopifolius, *Michx.*
leiomerus, *A. Gray*
linifolius, *Willd.*
multiradiatus, *Benth.* et *Hook f.*
patentisquama, *Hort.*
pulchellus, *DC.*
Roemeri, *Hort.*
salsuginosus, *A. Gray*
speciosus, *DC.*
— var. major.
— var. superbus.
trifidus, *Schlecht.*
— var. albescens.
uniflorus, *Linn.*

Erinus
alpinus, *Linn.*
— var. carmineus.
— var. hirsutus.

Eriogonum
ursinum, *S. Wats.*

Eriophyllum
caespitosum, *Dougl.*

Erodium
carvifolium, *Boiss.*
chelidonifolium, *Hort.*

Eryngium
agavifolium, *Griseb.*
alpinum, *Linn.*
amethystinum, *Linn.*
dichotomum, *Desf.*
Oliverianum, *Delar.*
planum, *Linn.*
Rothenbergii, *Hort.*
Zabelii, *Hort.*

Erysimum
canescens, *Roth*
parvifolium, *Nutt.*
Perofskianum, *Fisch.* et *Mey.*

Erythraea
Elodes, *Roem.* et *Schult.*
Massoni, *Sweet*

Erythronium
grandiflorum, *Pursh*, var. albiflorum.

Escallonia
— exoniensis ×.
— Philippiana, *Mast.*
— punctata, *DC.*
viscosa, *Forbes*

Eschscholzia
californica, *Cham.*
Helleriana, *Greene*

Eucomis
punctata, *L'Hérit.*, var. stricta.

Euonymus
europaeus, *Linn.*
yedoensis, *Koehne*

Eupatorium
ageratoides, *Linn.*
cannabinum, *Linn.*

Euphorbia
colletioides, *Benth.*
Myrsinites, *Linn.*

Ferula
communis, *Linn.*

Festuca
Halleri, *All.*
ovina, *Linn.*
— var. vivipara.

Foeniculum
giganteum, *Hort.*

Forsythia
suspensa, *Vahl*

Fragaria
bracteata, *A. A. Heller*

Francoa
sonchifolia, *Cav.*

Frankenia
laevis, *Linn.*

Fraxinus
excelsior, *Linn.*

Fritillaria
aurea, *Schott*, var. elatior.
Elwesii, *Boiss.*
Meleagris, *Linn.*
Wittmackii, *Hort.*

Fuchsia
Riccartoni ×.

Funkia
Sieboldiana, *Hook.*

Gaillardia
aristata, *Pursh*

Galanthus
Fosteri, *Baker*

Galax
aphylla, *Linn.*

Galega
officinalis, *Lam.*
orientalis, *Lam.*

Galeopsis
ochroleuca, *Lam.*
Tetrahit, *Linn.*
versicolor, *Curt.*

Galium
intermedium, *Schult.*
Mollugo, *Linn.*

Gaultheria
trichophylla, *Royle*

Genista
dalmatica, *Bartl.* et *Wendl. f.*
germanica, *Linn.*
sagittalis, *Linn.*
tinctoria, *Linn.*
— var. prostrata.
virgata, *DC.*

Gentiana
asclepiadea, *Linn.*
calycosa, *Griseb.*
Freyniana, *Bornm.*
Froelichii, *Jan*
macrophylla, *Pall.*
— var. cyanea.
Pneumonanthe, *Linn.*
Saponaria, *Linn.*
septemfida, *Pall.*
— var. cordifolia.

Geranium
anemonaefolium, *L'Hérit.*
armenum, *Boiss.*
cinereum, *Cav.*
Fremontii, *Torr.*
Lamberti, *Sweet*
polyanthes, *Edgew.* et *Hook. f.*
pratense, *Linn.*
— var. album.
Richardsonii, *Fisch.* et *Trautv.*
sanguineum, *Linn.*
— var. prostratum.
sessiliflorum, *Cav.*
striatum, *Linn.*
sylvaticum, *Linn.*
Traversii, *Hook. f.*
Wallichianum, *G. Don*
Wilfordi, *Maxim.*

Gerbera
Jamesoni, *Bolus*
Kunzeana, *A. Br.* et *Aschers.*
nivea, *Sch. Bip.*

Geum
atrosanguineum, *Hort.*
Heldreichii, *Hort.*
— var. superba.
intermedium, *Ehrh.*
Laxmanni, *Gaertn.*
montanum, *Linn.*
— var. aurantiacum.
parviflorum, *Commers.*
reptans, *Linn.*
rhaeticum, *Bruegg.*
rivale, *Linn.*
Rossii, *Ser.*
triflorum, *Pursh*
tyrolense, *Kern.*

Gilia
androsacea, *Steud.*
dichotoma, *Benth.*
tricolor, *Benth.*

Glaucium
elegans, *Fisch.* et *Mey.*
flavum, *Crantz*

Globularia
nudicaulis, *Linn.*
vulgaris, *Linn.*

Gnaphalium
luteo-album, *Linn.*
trinerve, *Forst. f.*

Gymnolomia
multiflora, *Benth.* et *Hook. f.*

Gypsophila
dubia, *Willd.*
prostrata, *Linn.*

Haberlea
rhodopensis, *Frivald.*

Halimodendron
argenteum, *DC.*

Hebenstretia
comosa, *Hochst.*

Hedysarum
obscurum, *Linn.*
sibiricum, *Poir.*

Helenium
autumnale, *Linn.*
— var. Halleri.
Hoopesii, *A. Gray*

Helianthella
uniflora, *Torr.* et *Gray*

Helianthemum
canum, *Boiss.*
echioides, *Pers.*
formosum, *Dun.*, var. concolor.
italicum, *Pers.*, var. oelandicum
polifolium, *DC.*, var. rubrum.
Tuberaria, *Mill.*
vulgare, *Gaertn.*
— var. variegatum.
— var. venustum.

Helianthus
strumosus, *Linn.*

Helichrysum
angustifolium, *DC.*
callichrysum, *DC.*
lanatum, *DC.*
rutidolepis, *DC.*

Heliophila
amplexicaulis, *Linn.*

Heliopsis
scabra, *Dun.*

Helipterum
corymbiflorum, *Schlecht.*

Helonias
bullata, *Linn.*

Heracleum
asperum, *Bieb.*

Herniaria
latifolia, *Lapeyr.*

Hesperis
humilis, *Boiss.*
matronalis, *Linn.*

Heuchera
americana, *Linn.*
cylindrica, *Dougl.* var. ovalifolia.
Drummondi, *Hort.*
laxa, *Hort.*
pubescens, *Pursh*
rubescens, *Torr.*
sanguinea, *Engelm.*

Hibiscus
pedunculatus, *Linn. f.*

Hieracium
alpinum, *Linn.*
andryaloides, *Vill.*
Auricula, *Linn.*

Hieracium—*continued.*
Bornmülleri, *Freyn*
bupleuroides, *C. C. Gmel.*
crinitum, *Sibth.* et *Sm.*
crocatum, *Fries*
foliosum, *Waldst.* et *Kit.*
glomeratum, *Froel.*
gymnocephalum, *Griseb.*
humile, *Jacq.*
incisum, *Hoppe*
intybaceum, *Jacq.*
iricum, *Fries*
Jankæ, *Uechtritz*
lanatum, *Waldst.* et *Kit.*
Marshallii, *Linton*
norvegicum, *Fries*
pallidum, *Biv.*
Pilosella, *Linn.*
— var. aurantiacum.
— var. monstrosum.
pratense, *Tausch*
prenanthoides, *Vill.*
pulmonarioides, *Vill.*
pyrenaicum, *Jord.*
rubescens, *Gilib.*
sabaudum, *Linn.*
stoloniflorum, *Waldst.* et *Kit.*
strictum, *Fries*
tridentatum, *Fries*
villosum, *Jacq.*
vulgatum, *Fries*

Hierochloë
borealis, *Roem.* et *Schult.*

Hippophaë
rhamnoides, *Linn.*

Holcus
mollis, *Linn.*

Homeria
collina, *Vent.*

Homogyne
alpina, *Cass.*

Hordeum
- astrachanense, *Hort.*
- bulbosum, *Linn.*

Horminum
- pyrenaicum, *Linn.*
- — var. album.
- — var. roseum.

Houstonia
- caerulea, *Linn.*

Hyacinthus
- azureus, *Baker*
- — var. giganteus.
- dubius, *Guss.*

Hyoscyamus
- niger, *Linn.*

Hypericum
- Androsaemum, *Linn.*
- fragile, *Heldr.* et *Sart.*
- inodorum, *Mill.*
- Kotschyanum, *Boiss.*
- nummularium, *Linn.*
- olympicum, *Linn.*
- repens, *Linn.*
- Richeri, *Vaill.*, var. Burseri, *Spach*
- Scouleri, *Hook.*

Hypochoeris
- maculata, *Linn.*
- radicata, *Linn.*
- uniflora, *Vill.*

Hyssopus
- officinalis, *Linn.*

Iberis
- Pruiti, *Tineo*
- semperflorens, *Linn.*
- sempervirens, *Linn.*
- — var. superba.

Ilex
- Aquifolium, *Linn.*
- — var. aurea medio-picta.
- — var. camelliaefolia.
- — var. Hodginsii variegata.
- — var. maderensis.

Impatiens
- Roylei, *Walp.*
- — var. glanduligera.

Incarvillea
- Delavayi, *Bur.* et *Franch.*

Inula
- Conyza, *DC.*
- ensifolia, *Linn.*
- glandulosa, *Puschk.*
- Helenium, *Linn.*
- racemosa, *Hook. f.*
- Royleana, *DC.*
- salicina, *Linn.*

Iris
- bracteata, *S. Wats.*
- Chamæiris, *Bertol.*, var. olbiensis.
- Clarkei, *Baker*
- foetidissima, *Linn.*
- graminea, *Linn.*
- juncea, *Poir.*
- nepalensis, *D. Don*
- Polakii, *Stapf*
- pumila, *Linn.*
- — var. cyanea.
- — var. formosa.
- — var. lutea.
- sibirica, *Linn.*
- — var. alba.
- — var. coreana.
- — var. grandis.
- — var. orientalis.
- spuria, *Linn.*, var. notha.
- Talischi, *Foster*
- tectorum, *Maxim.*, var. lilacina.
- versicolor, *Linn.*
- virginica, *Linn.*
- Watsoniana, *Purdy*

Isatis

alpina, *All.*
glauca, *Auch.*
tinctoria, *Linn.*

Jasione

Jankæ, *Neilr.*
perennis, *Lam.*

Jasminum

humile, *Linn.*

Juncus

arcticus, *Willd.*
balticus, *Willd.*
effusus, *Linn.*
— var. conglomeratus.
— var. spiralis.
— var. variegatus.
glaucus, *Sibth.*
lamprocarpus, *Ehrh.*

Jurinea

glycacantha, *DC.*

Kalmia

angustifolia, *Linn.*
— var. rubra.
glauca, *Ait.*

Kniphofia

aloides, *Moench*
corallina, *Hort.*
pauciflora, *Baker*
Tuckii, *Baker*

Kundmannia

sicula, *DC.*

Laburnum

alpinum, *J. S. Presl*
— var. autumnale.
Vossii, *Hort.*
vulgare, *J. S. Presl*
— var. quercifolium.

Lactuca

Bourgaei, *Boiss.*
Dubyaea, *C. B. Clarke*
muralis, *E. Mey.*
Plumieri, *Gren.* et *Godr.*
thianschanica, *Regel* et *Schmalh.*

Lagenophora

Forsteri, *DC.*

Laggera

flava, *Benth.* et *Hook. f.*

Lamium

album, *Linn.*
maculatum, *Linn.*
— var. album.
puralbum ×.
striatum, *Sibth.* et *Sm.*

Lapsana

intermedia, *Bieb.*

Laserpitium

Siler, *Linn.*

Lathraea

Clandestina, *Linn.*

Lathyrus

filiformis, *J. Gay*
hirsutus, *Linn.*
Lowii, *Hort.*
luteus, *Baker*
— var. aureus.
maritimus, *Bigel.*
sylvestris, *Linn.*
undulatus, *Boiss.*
variegatus, *Gren.* et *Godr.*
vernus, *Bernh.*
— var. azureus.

Laurentia

tenella, *A. DC.*

Lavandula
vera, *DC.*
— var. compacta.

Lavatera
arborea, *Linn.*, var. variegata.

Ledum
palustre, *Linn.*
— var. latifolium, *Michx.*

Leontodon
hispidus, *Linn.*
macranthus, *Hort.*

Leontopodium
alpinum, *Cass.*
— var. sibiricum.
— var. transsylvanicum.
hybridum, *Hort.*

Lepidium
monticolum, *Hort.*

Leonurus
sibiricus, *Linn.*

Leucojum
trichophyllum, *Schousb.*

Leycesteria
formosa, *Wall.*

Liatris
spicata, *Willd.*

Libertia
formosa, *R. Grah.*
grandiflora, *Sweet*
ixioides, *Spreng.*

Ligustrum
Ibota, *Sieb.*
ovalifolium, *Hassk.*
vulgare, *Linn.*
— var. italicum.

Lilium
cordifolium, *Thunb.*
croceum, *Chaix*
dauricum, *Ker-Gawl.*
elegans, *Thunb.*, var. incomparabile.
Hansoni, *Leichtl.*
Martagon, *Linn.*
nepalense, *D. Don*
sulphureum, *Baker*
umbellatum, *Hort.*, var. erectum.

Limnanthes
Douglasii, *R. Br.*

Linaria
anticaria, *Boiss.* et *Reut.*
alpina, *Mill.*
— var. alba rosea.
genistifolia, *Mill.*
macedonica, *Griseb.*
Sibthorpiana, *Boiss.* et *Heldr.*
triornithophora, *Willd.*
tristis, *Mill.*

Lindelofia
spectabilis, *Lehm.*

Linum
campanulatum, *Linn.*
capitatum, *Kit.*
corymbiferum, *Desf.*
monogynum, *Forst.*
perenne, *Linn.*
viscosum, *Linn.*

Lithospermum
Froebelii, *Hort.*
graminifolium, *Viv.*
prostratum, *Loisel.*

Loasa
lateritia, *Gill.*

Lobelia
erecta, *Hook. f.* et *Thoms.*
linnaeoides, *Petrie*
syphilitica, *Linn.*

Lolium
perenne, *Linn.*

Lonicera
alpigena, *Linn.*
bella, *Zabel*, var. atro-rosea.
hirsuta, *Eaton*
involucrata, *Banks*, var. serotina.
macrophylla, *Willd.*
Morrowii, *A. Gray*
orientalis, *Lam.*
Sullivantii, *A. Gray*

Lophosciadium
meifolium, *DC.*

Lotus
corniculatus, *Linn.*
tenuifolius, *Presl*
Tetragonolobus, *Linn.*

Lunaria
annua, *Linn.*

Lupinus
arboreus, *Linn.*
— var. albus.
— var. violaceus.
luteus, *Linn.*
micranthus, *Dougl.*
polyphyllus, *Lindl.*
— var. Moerheimi.
sparsiflorus, *Benth.*

Luzula
albida, *DC.*
campestris, *DC.*
spicata, *DC.*
sylvatica, *DC.*

Lychnis
alpina, *Linn.*
— var. lapponica.
Bungeana, *Fisch.*
chalcedonica, *Linn.*
coronaria, *Desr.*
— var. alba.
dioica, *Linn.*
Flos-cuculi, *Linn.*
— var. alba.
Flos-Jovis, *Desr.*
Haageana, *Lemaire*
himalayensis, *Edgew.*
lacinata, *Maxim.*
Preslii, *Sekera*
pyrenaica, *Berger*, var. vera.
Viscaria, *Linn.*

Lysimachia
barystachys, *Bunge*
punctata, *Linn.*

Lythrum
Salicaria, *Linn.*

Malva
Alcea, *Linn.*
sylvestris, *Linn.*

Malvastrum
capense, *Garcke*

Margyricarpus
setosus, *Ruiz* et *Pav.*

Marrubium
Kotschyi, *Boiss.* et *Hohen.*

Matricaria
oreades, *Boiss.*

Meconopsis
aculeata, *Royle*
cambrica, *Vig.*
grandis, *Prain*

Meconopsis—*continued.*
integrifola, *Franch.*
nepalensis, *DC.*
paniculata, *Prain*
racemosa, *Maxim.*
sinuata, *Prain*, var. latifolia.
Wallichii, *Hook.*

Medicago
carstiensis, *Wulf.*

Melica
nutans, *Linn.*

Melilotus
alba, *Desr.*

Mentha
piperita, *Linn.*

Mertensia
lanceolata, *DC.*

Meum
athamanticum, *Jacq.*

Milium
effusum, *Linn.*

Mimulus
alsinoides, *Dougl.*
cardinalis, *Dougl.*
grandis, *A. A. Heller*
Langsdorffii, *Sims*
Lewisii, *Pursh*
luteus, *Linn.*
— var. alpinus.
primuloides, *Benth.*

Molinia
caerulea, *Moench*

Monarda
Bradburiana, *Beck*

Monardella
undulata, *Benth.*

Moricandia
arvensis, *DC.*

Morina
longifolia, *Wall.*

Muscari
alpinum, *J. Gay*
Argaei, *Hort.*
armeniacum, *Baker*
botryoides, *Mill.*
comosum, *Mill.*
elegans, *Hort.*
moschatum, *Willd.*
neglectum, *Guss.*
parviflorum, *Desf.*
polyanthum, *Boiss.*
racemosum, *Mill.*

Myosotis
alpestris, *F. W. Schmidt*
corsica, *Hort.*
palustris, *Lam.*
stricta, *Link*, var. alba.
sylvatica, *Hoffm.*
Traversii, *Hook. f.*
Welwitschii, *Boiss.* et *Reut.*

Myosurus
minimus, *Linn.*

Myriactis
Wallichii, *Less.*

Myricaria
germanica, *Desv.*

Myrrhis
odorata, *Scop.*

Narcissus
Bulbocodium, *Linn.*, var. citrinus.
viridiflorus, *Schousb.*

Neillia
amurensis, *Benth.* et *Hook. f.*
opulifolia, *Benth.* et *Hook. f*
— var. lutea.
thyrsiflora, *D. Don*
Torreyi, *S. Wats.*

Nemesia
strumosa, *Benth.* vars.

Nemophila
integrifolia, *Abrams*

Nepeta
Cataria, *Linn.*
concolor, *Boiss.* et *Heldr.*
distans, *Royle*
kokanica, *Regel*
lamiopsis, *Benth.*
longiflora, *Vent.*
macrantha, *Fisch.*
nuda. *Linn.*
pycnantha, *Boiss.*
racemosa, *Lam.*, var. crassifolia.

Nicotiana
Tabacum, *Linn.*

Noccaea
alpina, *Reichb.*

Nuttallia
cerasiformis, *Torr.* et *Gray*

Ocimum
viride, *Willd.*

Oenanthe
crocata, *Linn.*
pimpinelloides, *Linn.*

Oenothera
biennis, *Linn.*
mollissima, *Linn.*
triloba, *Nutt.*

Olearia
Haastii, *Hook. f.*
macrodonta, *Baker*
nummularifolia, *Hook. f.*
stellulata, *DC.*

Oligomeris
glaucescens, *Cambess.*

Omphalodes
Luciliae, *Boiss.*

Onobrychis
viciaefolia, *Scop.*

Ononis
antiquorum, *Linn.*
fruticosa, *Linn.*
rotundifolia, *Linn.*
spinosa, *Linn.*

Onopordon
Acanthium, *Linn.*

Onosma
Thomsoni, *C. B. Clarke*

Onosmodium
Thurberi, *A. Gray*

Ophiopogon
Jaburan, *Lodd.*

Orchis
foliosa, *Soland.*

Origanum
Tournefortii, *Ait.*
vulgare, *Linn.*

Ornithogalum
narbonense, *Linn.*, var. pyramidale.
nutans, *Linn.*
pyrenaicum, *Linn.*

Orobanche
rubra, *Sm.*

Oryzopsis
miliacea, *Benth.* et *Hook. f.*

Osteospermum
moniliferum, *Linn.*

Oxalis
corniculata, *Linn.*, var. atro-purpurea.
enneaphylla, *Cav.*
valdiviensis, *Barn.*

Oxybaphus
angustifolius, *Sweet*

Oxyria
digyna, *Hill*

Oxytropis
baicalensis, *Pall.*
campestris, *DC.*
ochroleuca, *Bunge*
pilosa, *DC.*
uralensis, *DC.*

Paeonia
anomala, *Linn.*
arietina, *Anders.*
decora, *Anders.*, var. elatior.
officinalis, *Linn.*
Wittmanniana, *Hartwiss*

Pančičia
serbica, *Vis.*

Papaver
alpinum, *Linn.*
glaucum, *Boiss.* et *Hausskn.*
nudicaule, *Linn.*
— var. miniatum.
orientale, *Linn.*
pilosum, *Sibth.* et *Sm.*
rupifragum, *Boiss.* et *Reut.*
tauricolum, *Boiss.*
var. leucocarpum.

Paracaryum
glochidiatum, *Benth.* et *Hook. f.*

Paradisea
Liliastrum, *Bertol.*

Parietaria
officinalis, *Linn.*

Parnassia
palustris, *Linn.*

Parrya
Menziesii, *Hort.*
microcarpa, *Ledeb.*

Pelargonium
hispidum, *Willd.*

Pentstemon
confertus, *Dougl.*
— var. coeruleo-purpureus.
deustus, *Dougl.*
glaber, *Pursh*, var. alpinus.
— var. cyananthus.
glaucus, *R. Grah.*
heterophyllus, *Lindl.*
Menziesii, *Hook.*, var. Douglasii.
— var. Newberryi.
Watsoni, *A. Gray*

Perezia
multiflora, *Less.*

Pernettya
mucronata, *Gaudich.*

Petteria
ramentacea, *Presl*

Peucedanum
coriaceum, *Reichb.*
Galbanum, *Benth.* et *Hook. f.*
officinale, *Linn.*

Phacelia
pimpinelloides, *A. Gray*
tanacetifolia, *Benth.*

Phalaris
arundinacea, *Linn.*

Phaseolus
aconitifolius, *Jacq.*

Philadelphus
coronarius, *Linn.*
Gordonianus, *Lindl.*
Lewisii, *Pursh*
microphyllus, *A. Gray*
Satsumi, *Siebold*, var. acuminatus.

Phlomis
fruticosa, *Linn.*
pratensis, *Kar.* et *Kir.*
samia, *Linn.*
tuberosa, *Linn.*

Phragmites
communis, *Trin.*

Phuopsis
stylosa, *Benth.* et *Hook. f.*

Phyteuma
lobelioides, *Willd.*
orbiculare, *Linn.*
Scheuchzeri, *All.*
— var. Charmelii, *Vill.*
Sieberi, *Spreng.*

Picradenia
floribunda, *Greene*

Pimpinella
achilleifolia, *C. B. Clarke*

Pisum
sativum, *Linn.*

Plantago
argentea, *Chaix*
brachystachys, *Kuntze*
carinata, *Schrad.*
lanceolata, *Linn.*
— var. variegata.
major, *Linn.*
— var. monstrosa.
— var. rubra.
maritima, *Linn.*
media, *Linn.*
mexicana, *Link*
Raoulii, *Decne.*

Platystemon
californicus, *Benth.*

Pluchea
Bulleyana, *Hort.*

Poa
caespitosa, *Forst. f.*
nemoralis, *Linn.*
trivialis, *Linn.*

Podophyllum
Emodi, *Wall.*

Polemonium
boreale, *Adams.*
caeruleum, *Linn.*
— var. gracile.
— var. monstrosum.
filicinum, *Greene*
flavo-caeruleum, *Hort.*
foliosissimum, *A. Gray*
himalayanum, *Baker*
humile, *Willd.*
— var. pulchellum.
mexicanum, *Cerv.*
reptans, *Linn.*

Polygala
Chamaebuxus, *Linn.*
— var. lutea.

Polygonatum
officinale, *All.*

Polygonum

Bistorta, *Linn.*
capitatum, *Buch.-Ham.*
chinense, *Linn.*
Emodi, *Meissn.*
sphaerostachyum, *Meissn.*
Weyrichii, *F. Schmidt*

Polypogon

maritimus, *Willd.*

Potentilla

alchemilloides, *Lapeyr.*
alpestris, *Hall. f.*
apennina, *Tenore*
argentea, *Linn.*, var. calabra.
argyrophylla, *Wall.*
bifurca, *Linn.*
Brennia ×, *Huter*
caulescens, *Linn.*
concolor, *Rolfe*
crinita, *A. Gray*
dissecta, *Pursh*
Dombeyi, *Nestl.*
flagellaris, *Willd.*
Fragariastrum, *Ehrh.*
Friedrichsenii ×, *Späth*
fruticosa, *Linn.*
— var. tenuifolia.
glandulosa, *Lindl.*
gracilis, *Dougl.*
grandiflora, *Linn.*
Hippiana, *Lehm.*
Leschenaultiana, *Ser.*
leuconota, *D. Don*
Macnabiana ×, *Lem.*
Menziesii ×, *Paxt.*
Mooniana, *Wight*
multifida, *Linn.*
nepalensis, *Hook.*
— var. Willmottiana.
nivea, *Linn.*
obovata, *Bertol.*
opaca, *Linn.*
palustris, *Scop.*
pensylvanica, *Linn.*
recta, *Linn.*, var. sulphurea.
rhodopeum, *Hort.*

Potentilla—*continued.*

rivalis, *Nutt.*
rupestris, *Linn.*
Rydbergiana, *Rose*
sericea, *Linn.*
Sibbaldi, *Hall. f.*
speciosa, *Willd.*
tanacetifolia, *Willd.*
Tonguei, *W. Baxt.*
Tormentilla, *Neck.*
tridentata, *Soland.*
valderia, *Linn.*, var. glabra.
villosa, *Pall.*

Poterium

canadense, *A. Gray*
Sanguisorba, *Linn.*

Prenanthes

purpurea, *Linn.*

Primula

Allionii, *Loisel.*
apennina, *Wid.*
Auricula, *Linn.*
— var. marginata.
Beesiana, *G. Forrest*
Bulleyana, *G. Forrest*
cashmiriana, *Munro*
Cockburniana, *Hemsl.*
cortusoides, *Linn.*, var. lichiangensis, *G. Forrest*
denticulata, *Sm.*
floribunda, *Wall.*
Forrestii, *Balf. f.*
frondosa, *Janka*
grandis, *Trautv.*
involucrata, *Wall.*, var. Munroi.
japonica, *A. Gray*
— var. lilacina.
Littoniana, *G. Forrest*
malacoides, *Franch.*
marginata, *Curt.*
muscarioides, *Hemsl.*
Obristii ×, *Stein*
Paxiana, *Gilg*

Primula—*continued.*
pseudodenticulata, *Pax*
pubescens ×, *Jacq.*
pulverulenta, *Duthie*
Reidii, *Duthie*
rosea, *Royle*
saxatilis, *Komarov*
Schottii ×.
Sieboldi, *Morr.*
sikkimensis, *Hook. f.*
Veitchii, *Duthie*
viscosa, *Vill.*
vulgaris, *Huds.*
— var. caulescens.

Prunella
grandiflora, *Jacq.*
— var. pinnatifida.
hyssopifolia, *Linn.*
laciniata, *Linn.*
vulgaris, *Linn.*

Ptelea
trifoliata, *Linn.*
— var. aurea.
— var. major.

Pulicaria
vulgaris, *Gaertn.*

Pulmonaria
arvernense. *Hort.*, var. alba.

Pyrola
rotundifolia, *Linn.*

Pyrus
arbutifolia, *Linn. f.*
Aria, *Linn.*
— var. obtusata.
Aucuparia, *Gaertn.*
— var. Fifeana.
— var. satureiaefolia, *Hort.*
baccata, *Linn.*
— var. cerasifera.
— var. costata.

Pyrus—*continued.*
baccata, *Linn.*, var. maxima
germanica, *Hook. f.*
hybrida, *Moench*
Malus, *Linn.*
— var. alba.
melanocarpa, *K. Koch*
pinnatifida, *Ehrh.*
prunifolia, *Willd.*, var. fructu luteo.
rotundifolia, *Bechst.*
Torminalis, *DC.*

Ramondia
pyrenaica, *Rich.*

Ranunculus
aconitifolius, *Linn.*
acris, *Linn.*
— var. minor.
alpestris, *Linn.*
amplexicaulis, *Linn.*
anemonoides, *Zahlbr.*
auricomus, *Linn.*
crenatus, *Waldst.* et *Kit.*
demissus, *DC.*
gramineus, *Linn.*
insignis, *Hook. f.*
—var. lobulatus, *T. Kirk*
libanoticus, *Freyn*
montanus, *Willd.*
Monroi, *Hook. f.*, var. dentatus, *T. Kirk*
nemorosus, *DC.*
orthorhynchus, *Hook.*
sceleratus, *Linn.*
Thora, *Linn.*

Raphanus
sativus, *Linn.*

Reseda
alba, *Linn.*
glauca, *Linn.*
Luteola, *Linn.*
odorata, *Linn.*

Rhamnus
caroliniana, *Walt.*
Frangula, *Linn.*

Rheum
hybridum, *Murr.*
Rhaponticum, *Linn.*
Ribes, *Linn.*

Rhododendron
californicum, *Hook.*
campanulatum, *D. Don*, var. aeruginosum.
catawbiense, *Michx.*
ferrugineum, *Linn.*
— var. album.
— var. atrococcineum.
— var. majus.
flavum, *G. Don*
kamtschaticum, *Pall.*
lepidotum, *Wall.*
myrtifolium, *Schott* et *Kotschy*
ponticum, *Linn.*
Thomsoni, *Hook. f.*

Rhodotypos
kerrioides, *Sieb.* et *Zucc.*

Ribes
americanum, *Mill.*
aureum, *Pursh*
multiflorum, *Waldst.* et *Kit.*
sanguineum, *Pursh*
— var. albidum.
— var. atrosanguineum.

Romanzoffia
sitchensis, *Bong.*

Romulea
Bulbocodium, *Sebast.* et *Mauri*

Rosa
acicularis, *Lindl.*
alpina, *Linn.*
Rosa—*continued.*
alpina, *Linn.*, var. pyrenaica.
blanda, *Ait.*, var. Sayi.
californica, *Schlecht.*
cinnamomea, *Linn.*
Fendleri, *Crép.*
gallica, *Linn.*
glauca, *Vill.*
glutinosa, *Sibth.* et *Sm.*
laxa, *Retz.*
macrophylla, *Lindl.*
moschata, *Herrm.*
pomifera, *Herrm.*
poteriifolia, *Schott*
rugosa, *Thunb.*
— var. alba.
spinosissima, *Linn.*
— var. rubra.

Rubus
fruticosus, *Linn.*
laciniatus, *Willd.*
nutkanus, *Linn.*
odoratus, *Linn.*
phoenicolasius, *Maxim.*
sorbifolius, *Maxim.*
xanthocarpus, *Bur.* et *Franch.*

Rudbeckia
triloba, *Linn.*

Rumex
alpinus, *Linn.*
Berlandieri, *Meissn.*
chrysocarpos, *Moris*
exaltatus, *Hort.*
flexuosus, *Soland.*
intermedius, *DC.*
nepalensis, *Spreng.*
nivalis, *Hegetschw.*
occidentalis, *S. Wats.*
salicifolius, *Weinm.*

Ruta
graveolens, *Linn.*

Sagina

glabra, *Fenzl*, var. pilifera.

Salvia

azurea, *Lam.*
cleistogama, *De Bary* et *Paul*
frigida, *Boiss.*
glutinosa, *Linn.*
grandiflora, *Etling.*
Horminum, *Linn.*
hians, *Royle*
officinalis, *Linn.*
orgyalis, *Fenzl*
patens, *Cav.*
pratensis, *Linn.*
Przewalskii, *Maxim.*
rigida, *Benth.*
Roemeriana, *Scheele*
Sclarea, *Linn.*
sylvestris, *Linn.*
verbascifolia, *Bieb.*
Verbenaca, *Linn.*
verticillata, *Linn.*
viscosa, *Jacq.*

Sambucus

canadensis, *Linn.*
— var. aurea.
nigra, *Linn.*
— var. variegata.
racemosa, *Linn.*

Saponaria

lutea, *Linn.*
ocymoides, *Linn.*

Satureia

montana, *Linn.*
— var. illyrica.

Saussurea

candicans, *C. B. Clarke*
discolor, *DC.*
salicifolia, *DC.*
uniflora, *Wall.*

Saxifraga

ventricosa, *Hort.*
Aizoon, *Jacq.*
— f. elongata.
— f. flavescens.
— f. intermedia.
— f. La Graveana.
— f. lutea.
— f. Malyi.
— f. pectinata.
— f. recta.
— f. rosularis.
— f. Sturmiana.
ambigua × *Sund.*
androsacea, *Linn.*
aretioides, *Lapeyr.*
aspera, *Linn.*
bronchialis, *Linn.*, var. cherlerioides.
Burseriana, *Linn.*
— f. crenata.
— f. tridentata grandiflora.
caesia, *Linn.*
caespitosa, *Linn.*
californica, *Greene*
Camposii, *Boiss.* et *Reut.*
canaliculata, *Boiss.* et *Reut.*
cartilaginea, *Willd.*
cernua × granulata.
Churchilli × .
cochlearis, *Reichb.*
— var. minor.
corsica, *Gren.* et *Godr.*
Cotyledon, *Linn.*
— var. montavoniensis.
— var. pyramidalis.
— var. pyrenaica.
crustata, *Vest.*
cuneifolia, *Linn.*
— var. capillipes.
decipiens, *Ehrh.*
— f. adscendens.
— f. gemmifera.
— f. globosa.
— f. Haworthii.
— f. hibernica.
— f. hirta.
— f. incurvifolia.

Saxifraga—*continued.*

decipiens, f. platypetala.
— f. pulchella.
— f. Sternbergii.
Engleri, *Dalla Torre*
exarata, *Vill.*
— f. glacialis.
— f. Fergusoni.
flagellaris, *Willd.*
Forbesii, *Vasey*
Gaudini ×, *Bruegg.*
geranioides, *Linn.*
Geum, *Linn.*
— f. crenulata.
— f. crispa.
— f. dentata, *Link*
— f. elegans, *Mackay*
— f. ovalifolia.
Hostii, *Tausch*
hypnoides, *Linn.*
intacta, *Willd*, f. farinosa.
irrigua, *Bieb.*
laevis, *Bieb.*
leucanthemifolia, *Michx.*
ligulata, *Wall.*
lingulata, *Bell.*
— f. cultrata.
— f. speciosa.
— f. superba.
— × cochlearis.
luteo-viridis, *Schott* et *Kotschy*
marginata, *Sternb.*
media, *Gouan*
Mertensiana, *Bong.*
Michauxii, *Britton*
micrantha, *Edgew.*
muscoides, *Wulf.*
— f. purpurea.
nivalis, *Linn.*
nutkana, *Moç.*
oppositifolia, *Linn.*
paniculata, *Cav.*
paradoxa, *Sternb.*
pedatifida, *Ehrh.*
pedemontana, *All.*, f. aromatica.
pensylvanica, *Linn.*
pentadactylis, *Lapeyr.*

Saxifraga—*continued.*

pentadactylis, f. Allionii.
— f. aromatica.
perdurans, *Kit.*
Petraschii ×, *Sund.*
porophylla, *Bertol.*
Portae ×.
purpurascens, *Hook. f.*
Regeli ×, *Kerner*
Rhei, *Schott, Nym.*, et *Kotschy*
rotundifolia, *Linn.*
— f. glandulosa.
— f. graeca.
— f. hederaefolia.
— f. repanda.
Salomoni ×, *Sund.*
Schotti ×.
sibirica, *Linn.*
sponhemica, *C. C. Gmel.*
squarrosa, *Sieber*
Stansfieldii ×.
stellaris, *Linn.*
stenoglossa, *Tausch*
strigosa, *Wall.*
tellimoides, *Maxim.*
umbrosa, *Linn.*
— f. Aegilops.
— f. Colvillei.
— f. elegans.
— f. glacialis.
— f. Ogilvieana.
— f. primuloides.
— f. punctata.
— f. serratifolia.
— f. variegata.
valdensis, *DC.*
virginiensis, *Michx.*
Wallacei ×, *M'Nab*
Webbiana, *Hort.*
yunnanensis, *Franch.*

Scabiosa

australis, *Wulf.*
caucasica, *Bieb.*
gramuntia, *Linn.*
hispidula, *Boiss.*
holosericea, *Bert.*
lucida, *Vill.*

Scabiosa—*continued.*
magnifica, *Benth.* et *Hook. f.*
Portae, *Huter*
Succisa, *Linn.*
sylvatica, *Linn.*

Scandix
Pecten-Veneris, *Linn.*

Schizanthus
pinnatus, *Ruiz* et *Pav.*
retusus, *Hook.*

Scilla
festalis, *Salisb.*
hispanica, *Mill.*
sibirica, *Andr.*

Scirpus
Holoschoenus, *Linn.*
lacustris, *Linn.*, var. Tabernæmontani.
sylvaticus, *Linn.*

Scoliopus
Bigelovii, *Torr.*

Scolymus
grandiflorus, *Desf.*

Scorzonera
hispanica, *Linn.*

Scrophularia
alata, *Gilib.*
auriculata, *Linn.*
Hoppei, *Koch*
nodosa, *Linn.*

Scutellaria
alpina, *Linn.*
hirta, *Sibth.* et *Sm.*
indica, *Linn.*, var. japonica.

Sedum
Aizoon, *Linn.*
altaicum, *G. Don*
atratum, *Linn.*

Sedum—*continued.*
asiaticum, *Spreng.*
euphorbioides, *Schlecht.*
Ewersii, *Ledeb.*
Fabaria, *Koch*
hybridum, *Linn.*
Maximowiczii, *Regel*
maximum, *Suter*
oppositifolium, *Sims*
primuloides, *Franch.*
pruinatum, *Brot.*, var. Forsterianum glaucum.
roseum, *Scop.*
— var. linifolium.
rupestre, *Linn.*
Selkirkii, *Hort.*
Selskianum, *Regel* et *Maack*
sempervivoides, *Fisch.*
stoloniferum, *S. T. Gmel.*
var. ibericum.
Telephium, *Linn.*

Selinum
tenuifolium, *Wall.*
— var. album.

Sempervivum
arenarium, *Koch*
assimile, *Schott*
atropurpureum, *Hort.*
Boutignyanum, *Billot* et *Gren.*
Braunii, *Funk*
Bungeanum, *Hort.*
Delponti, *Hort.*
fontanae ×, *Bruegg.*
Funckii, *F. Braun*
glaucum, *Tenore*
Hookeri, *Hort.*
ponticum, *Hort.*
pyrenaicum, *Lamotte*
sanguineum, *Jeanb.*
Schottii, *Baker*, var. acuminatum.
tectorum, *Linn.*
— var. robustum.
triste, *Hort.*, var. bicolor.
— var. sanguineum.

Senecio

abrotanifolius, *Linn.*
aurantiacus, *Reichb.*
bellidioides, *Hook. f.*
clivorum, *Maxim.*
Doria, *Linn.*
Doronicum, *Linn.*
echinatus, *DC.*
erubescens, *Pančˇ.*
Fuchsii, *C. C. Gmel.*
grandiflorus, *Berg.*
incanus, *Linn.*
japonicus, *Sch. Bip.*
lagopus, *Raoul*
lanatus, *Scop.*
laxifolius, *J. Buch.*
Ledebouri, *Sch. Bip.*
Ligularia, *Hook. f.*
nobilis, *Hort.*
rotundifolius, *Hook. f.*
sarracenicus, *Linn.*
saxifragoides, *Hook. f.*
Smithii, *DC.*
squalidus, *Linn.*
stenocephalus, *Boiss.*, var. comosa.
Veitchianus, *Hemsl.*
vulgaris, *Linn.*
— × squalidus.

Serratula

Gmelini, *Ledeb.*
heterophylla, *Desf.*
macrocephala, *Bertol.*
tinctoria, *Linn.*

Seseli

osseum, *Crantz*
validum, *Hort.*

Sidalcea

candida, *A. Gray*
Listeri, *Hort.*
malvaeflora, *A. Gray*
spicata, *Greene*

Sideritis

hyssopifolia, *Linn.*
montana, *Linn.*
scordioides, *Linn.*

Silaus

tenuifolius, *DC.*

Silene

alpestris, *Jacq.*
Armeria, *Linn.*
— var. alba.
bellidifolia, *Eckl.* et *Zeyh.*
caucasica, *Boiss.*
Cucubalus, *Wibel*
dinarica, *Spreng.*
Elizabethae, *Janka*
fruticosa, *Linn.*
gallica, *Linn.*
italica, *Pers.*
longiflora, *Ehrh.*
majellensis, *Hort.*
maritima, *With.*
parviflora, *Boiss.*
pharnaceifolia, *Fenzl*
quadridentata, *Pers.*
— var. pusilla.
Reichenbachii, *Vis.*
Requienii, *Otth*
rhynchocarpa, *Boiss.*
rubicunda, *Franch.*
rupestris, *Linn.*
Saxifraga, *Linn.*
Schafta, *Gmel.*
sericea, *All.*
tatarica, *Pers.*
taurica, *Fisch.*
turgida, *Bieb.*
Waldsteinii, *Griseb.*
Zawadzkii, *Herbich*

Silphium

scaberrimum, *Ell.*

Silybum

Marianum, *Gaertn.*

Sisymbrium
Alliaria, *Scop.*
pinnatifidum, *DC.*

Sisyrinchium
augustifolium, *Mill.*
— var. mucronatum.
grandiflorum, *Dougl.*, var. album.
striatum, *Sm.*

Skimmia
Fortunei, *Mast.*

Solanum
Dulcamara, *Linn.*

Solidago
Buckleyi, *Torr.* et *Gray*
canadensis, *Linn.*
nana, *Nutt.*
neglecta, *Torr.* et *Gray*
odora, *Ait.*
Virgaurea, *Linn.*

Sonchus
palustris, *Linn.*

Spartina
stricta, *Roth*

Spenceria
ramalana, *Trimen*

Spergula
arvensis, *Linn.*
— var. coronata.

Spergularia
media, *Presl*
salina, *Presl*

Spiraea
Aitchisoni, *Hemsl.*
Aruncus, *Linn.*
assurgens, *Hort.*
bella, *Sims*

Spiraea—*continued.*
bracteata, *Zabel*
camtschatica, *Pall.*
discolor, *Pursh*
— var. dumosa.
Douglasii, *Hook.*
Filipendula, *Linn.*
Foxii, *Hort.*
Humboldtii, *Spae*
japonica, *Linn. f.*
— var. alba.
Lindleyana, *Wall.*
Menziesii, *Hook.*, var. Billiardii.
Nobleana, *Hook.*
salicifolia, *Linn.*
sorbifolia, *Linn.*

Stachys
Betonica, *Benth.*
densiflora, *Benth.*
discolor, *Benth.*
grandiflora, *Benth.*
recta, *Linn.*
repens, *Mart.* et *Gal.*
sericea, *Cav.*

Staphylea
Coulombieri, *André*, var. variegata.

Statice
Suworowi, *Regel*

Stenanthium
angustifolium, *Kunth*

Stephanandra
Tanakae, *Franch.* et *Sav.*

Stipa
papposa, *Delile*

Streptanthus
longirostris, *S. Wats.*

Succowia
balearica, *Medic.*

Symphoricarpus
orbiculatus, *Moench*
racemosus, *Michx.*

Symphyandra
Hofmanni, *Pant.*
pendula, *A. DC.*

Symphyostemon
odoratissimus, *Miers*

Symplocarpus
foetidus, *Nutt.*

Synthyris
reniformis, *Benth.*

Syringa
Emodi, *Wall.* var. variegata.

Tanacetum
cappadocicum, *Sch. Bip.*

Taraxacum
officinale, *Weber*

Taxus
baccata, *Linn.*
— var. adpressa.
— var. Dovastoni.

Teesdalia
nudicaulis, *R. Br.*

Tellima
grandiflora, *R. Br.*

Tetragonia
expansa, *Murr.*

Teucrium
Scorodonia, *Linn.*

Thalictrum
alpinum, *Linn.*
aquilegiaefolium, *Linn.*
calabricum, *Spreng.*

Thalictrum—*continued.*
caucasicum, *Hort.*
corynellum, *DC.*
dioicum, *Linn.*
glaucum, *Desf.*
isopyroides, *C. A. Mey.*
majus, *Jacq.*
minus, *Linn.*
— var. affine.
— var. elatum.
purpurascens, *Linn.*
simplex, *Linn.*

Thaspium
aureum, *Nutt.*

Thermopsis
fabacea, *DC.*
lanceolata, *R. Br.*

Thlaspi
elongatum, *Hort.*
Kerneri, *Huter*
rivale, *Presl*

Thymus
Serpyllum, *Linn.*
— var. coccineus.
— var. nummularius.
vulgaris, *Linn.*

Tofieldia
calyculata, *Wahlenb.*
palustris, *Huds.*

Tradescantia
virginiana, *Linn.*
— var. alba.
— var. elata.
— var. major.

Tragopogon
longifolius, *Heldr.* et *Sart.*

Trautvetteria
palmata, *Fisch.* et *Mey.*

Tridax
bicolor, *A. Gray*

Trifolium
alpinum, *Linn.*
pannonicum, *Jacq.*
pratense, *Linn.*
repens, *Linn.*

Trillium
Smallii, *Maxim.*

Triosteum
pinnatifidum, *Maxim.*

Triticum
Spelta, *Linn.*

Trollius
asiaticus, *Linn.*
— var. aurantiacus.
— var. giganteus.
calthaefolius, *Hort.*
caucasicus, *Stev.*
europaeus, *Linn.*
— var. napellifolius.
patulus, *Salisb.*, var. pedunculatus.
pumilus, *D. Don*, var. yunnanensis.

Tropaeolum
minus, *Linn.*

Tulipa
Didieri, *Jord.*
Kaufmanniana, *Regel*
Lownei, *Baker*

Tunica
olympica, *Boiss.*
Saxifraga, *Scop.*

Ulex
europaeus, *Linn.*

Urtica
cannabina, *Linn.*

Vaccinium
Myrtillus, *Linn.*
Vitis-Idaea, *Linn.*

Valeriana
alliariaefolia, *Vahl*
officinalis, *Linn.*
pyrenaica, *Linn.*
simplex, *Clos*
tripteris, *Linn.*
tuberosa, *Linn.*

Valerianella
congesta, *Lindl.*

Verbascum
Chaixi, *Vill.*
longifolium, *Tenore*, var. pannosum.
nigrum, *Linn.*
phoeniceum, *Linn.*
— var. hybridum.

Veronica
amplexicaulis, *Armstr.*
Anagallis, *Linn.*
anomala, *Armstr.*
austriaca, *Linn.*
— var. pinnatifida.
Bidwillii, *Hook. f.*
buxifolia, *Benth.*
candida, *Lodd.*
carnosula, *Hook. f.*
Catarractae, *Forst.*, var. compacta.
Chamaedrys, *Linn.*
Colensoi, *Hook. f.*
— var. glauca.
— var. major.
— var. viridis.
coelestina × .
decumbens, *Armstr.*
Eastonii, *Hort.*
Fairfieldii, *Hook.*
fruticulosa, *Linn.*
glaucophylla, *Cock.*
Godefroyana, *Carr.*

Veronica—*continued.*
Guthriana, *Hort.*
Hulkeana, *F. Muell.*
imperialis, *Hort.*
incana, *Linn.*
Kirkii, *Armstr.*
Lavaudiana, *Raoul*
Lindsayi × .
linifolia, *Hook. f.*
longifolia, *Linn.*
Lyallii, *Hook. f.*
monticola, *Armstr.*
Nummularia, *Gouan*
officinalis, *Linn.*
parviflora, *Vahl*, var. angustifolia, *Hook. f.*
pinguifolia, *Hook, f.*, var. decumbens.
pinnata, *Linn.*
polifolia, *Benth.*
pseudo-Traversii, *Hort.*
rakaiensis, *Armstr.*
saxatilis, *Scop.*
— var. alba.
serpyllifolia, *Linn.*
spicata, *Linn.*, var. alba.
— var. rosea.
spuria, *Linn.*, × incana.
Teucrium, *Linn.*
Traversii, *Hook. f.*
vernicosa, *Hook. f.*
virginica, *Linn.*
wardiensis × .

Vesicaria
utriculata, *DC.*

Viburnum
burejaeticum, *Regel* et *Herd.*
Lantana, *Linn.*
— var. lanceolatum.
Lentago, *Linn.*
Opulus, *Linn.*

Vicia
Cracca, *Linn.*
oroboides, *Wulf.*
unijuga, *A. Braun*

Vincetoxicum
fuscatum, *Reichb. f.*
officinale, *Moench*

Viola
aetolica, *Boiss.* et *Heldr.*
alpina, *Jacq.*
blanda, *Willd.*
canina, *Linn.*
cornuta, *Linn.*
— var. alba.
— var. papilio.
Dehnhardtii, *Ten.*
gracilis, *Sibth.* et *Sm.*
— var. valderia.
hederacea, *Labill.*
lutea, *Huds.*
— var. amoena.
palustris, *Linn.*
Patrinii, *Ging.*
primulaefolia, *Linn.*
pyrenaica, *Ram.*
Rydbergii, *Greene*

Vittadenia
australis, *A. Rich.*

Wahlenbergia
Pumilio, *A. DC.*
serpyllifolia, *G. Beck*
— var. dinarica.

Wulfenia
carinthiaca, *Jacq.*

Wyethia
mollis, *A. Gray*

Zygadenus
elegans, *Pursh*
venenosus, *S. Wats.*

PLANTS UNDER GLASS.

Abutilon
megapotamicum, *St. Hil.*,
var. variegatum.

Acacia
armata, *R. Br.*
calamifolia, *Sweet*
dealbata, *Link*
Drummondii, *Benth.*
extensa, *Lindl.*
juncifolia, *Benth.*
neriifolia, *A. Cunn.*
rubida, *A. Cunn.*
spectabilis, *A. Cunn.*
verticillata, *Willd.*

Acalypha
australis, *Linn.*
caroliniana, *Ell.*
hispida, *Burm.*
sidaefolia, *A. Rich.*

Acokanthera
spectabilis, *Hook. f.*
venenata, *G. Don*

Acrophyllum
venosum, *Benth.*

Adenocarpus
foliolosus, *DC.*, var. villosus.

Aechmea
bromeliaefolia, *Baker*
— var. pulchra.
coerulescens, *Baker*
exsudans, *E. Morr.*
fulgens, *Brongn.*
glomerata, *Hook.*
Nichollsii, *Baker*

Agapetes
buxifolia, *Nutt.*
variegata, *D. Don*

Agapanthus
umbellatus, *L'Hérit.*

Agave
albicans, *Jacobi*
densiflora, *Hook.*
heteracantha, *Zucc.*
maculata, *Regel*
striata, *Zucc.*
— var. stricta.
xylonacantha, *Salm-Dyck*

Aglaonema
commutatum, *Schott*

Albizzia
lophantha, *Benth.*

Albuca
Nelsoni, *N. E. Br.*

Alchornea
ilicifolia, *Muell. Arg.*

Allionia
latifolia, *Greene*
melanotricha, *Standley*

Alocasia
cuprea, *C. Koch*

Aloe
abyssinica, *Lam.*
caesia, *Salm-Dyck*
distans, *Haw.*
mitriformis, *Mill.*, var. spinulosa.
plicatilis, *Mill.*
obscura, *Mill.*
striata, *Haw.*

Alonsoa
linifolia, *Roezl*
Warscewiczii, *Regel*

Alpinia
mutica, *Roxb.*

Altamiranoa
elongata, *Rose*
Goldmani, *Rose*

Alternanthera
sessilis, *R. Br.*

Alyxia
buxifolia, *R. Br.*
daphnoides, *A. Cunn.*

Amaranthus
spinosus, *Linn.*

Amorphophallus
bulbifer, *Blume*

Anacampseros
filamentosa, *Sims*

Anagallis
tenella, *Linn.*

Anaphalis
yedoensis, *Maxim.*

Androcymbium
leucanthum, *Willd.*

Androsace
Bulleyana, *G. Forrest*
imbricata, *Lam.*
pyrenaica, *Lam.*
sempervivoides, *Jacquem.*

Anhalonium
Williamsii, *Lem.*, var. Lewinii.

Anigozanthos
rufa, *Labill.*

Anisolotus
brachycarpus, *Heller*

Anoda
Thurberi, *A. Gray*

Anopterus
glandulosus, *Labill.*

Antholyza
aethiopica, *Linn.*
revoluta, *Burm. f.*

Anthurium
acaule, *Schott*
Andreanum, *Linden*
— var. conchiflorum.
— var. sanguineum.
denudatum, *Engl.*
leodiense × .
leuconeurum, *Lem.*
robustum × .

Antidesma
Bunius, *Spreng.*

Aphelandra
aurantiaca, *Lindl.*, var. Roezlii.
pumila, *Nichols.*

Apicra
pentagona, *Willd.*

Arachis
hypogaea, *Linn.*

Arctotis
acaulis, *Linn.*
aspera, *Linn.*
revoluta, *Jacq.*

Ardisia
crenata, *Roxb.*
mamillata, *Hance*
Wallichii, *A. DC.*

Aristea
Eckloni, *Baker*

Aristida
ciliata, *Desf.*

Aristolochia
altissima, *Desf.*
elegans, *Mast.*
fimbriata, *Cham.*

Armeria
latifolia, *Willd.*

Arundinella
tenella, *Nees* et *Wight*

Asclepias
curassavica, *Linn.*
linifolia, *H. B.* et *K.*
physocarpa, *Schlechter*

Asparagus
comorensis, *Hort.*
gonocladus, *Baker*
gracilis, *Royle*
madagascariensis, *Baker*
medeoloides, *Thunb.*
plumosus, *Baker*
sarmentosus, *Linn.*
Sprengeri, *Regel*

Astelia
Banksii, *A. Cunn.*

Aster
batangensis, *Bur.* et *Franch.*

Astragalus
baeticus, *Linn.*
cerbicus, *Panč.*
hamosus, *Linn.*

Astrocaryum
Ayri, *Mart.*
mexicanum, *Liebm.*

Astroloma
pinifolium, *Benth.*

Asystasia
bella, *Harv.*

Atriplex
californica, *Moq.*
spongiosa, *F. Muell.*

Baileya
multiradiata, *Harv.* et *Gray*

Barleria
cristata, *Linn.*

Bauera
rubioides, *Andr.*

Beaumontia
grandiflora, *Wall.*

Begonia
argenteo-guttata ×.
Bruanti ×.
coccinea, *Hook.*
conchaefolia, *Dietr.*
corallina, *Carr.*, var. lucerna.
dichotoma, *Jacq.*
Dregei, *Otto* et *Dietr.*
echinosepala, *Regel*
erfordia, *Hort.*
foliosa, *H. B.* et *K.*
geranioides, *Hook. f.*
Haageana, *W. Watson*
hirtella, *Link*
Ingrami ×.
kewensis, *Hort.*
longipes, *Hook.*
malabarica, *Lam.*
manicata, *Cels*
Martiana, *Link* et *Otto*
metallica, *L. Sm.*
peltata, *A. DC.*
pubescens, *Hort.*

Begonia—*continued.*
sanguinea, *Raddi*
semperflorens, *Link* et *Otto*,
var. alba.
socotrana, *Hook. f.*
ulmifolia, *Willd.*
undulata, *Otto*
Verschaffeltii ×.
vitifolia, *Schott*
Wallichiana, *Steud.*

Benincasa
cerifera, *Savi*
— var. macrocarpa.

Bertolonia
maculata, *DC.*
marmorata, *Naud.*

Billardiera
longiflora, *Labill.*
scandens, *Sm.*

Billbergia
decora, *Poepp.*
pyramidalis, *Lindl.*, var. farinosa, *K. Koch*
zebrina, *Lindl.*

Biophytum
sensitivum, *DC.*

Blakea
gracilis, *Hemsl.*

Blandfordia
aurea, *Hook. f.*
nobilis, *Sm.*

Boehmeria
biloba, *Miq.*

Boenninghausenia
albiflora, *Reichb.*

Bowiea
volubilis, *Harv.*

Brachychilum
Horsfieldii, *Baker*

Brachycome
Thomsonii, *T. Kirk*

Brassica
Saruna, *Siebold*

Brodiaea
hyacinthina, *Baker*, var. lactea.
ixioides, *Sims*, var. splendens.

Browallia
speciosa, *Hook.*, var. major.

Brownea
coccinea, *Jacq.*
grandiceps, *Jacq.*

Brunfelsia
americana, *Linn.*
eximia, *Scheid.*

Bryophyllum
crenatum, *Baker*

Burbidgea
schizocheila, *Hort.*

Burchellia
capensis, *R. Br.*

Cajanus
indicus, *Spreng.*

Calathea
Bachemiana, *E. Morr.*
grandiflora, *K. Schum.*

Calceolaria
fuchsiaefolia, *Hort.*
hyssopifolia, *H. B.* et *K.*

Calliandra
haematocephala, *Hassk.*

Callicarpa
purpurea, *Juss.*

Callistemon
linearis, *DC.*
rigidus, *R. Br.*
salignus, *Sweet*
speciosus, *DC.*

Callitris
—— Gunnii, *Hook. f.*
robusta, *R. Br.*

Calocephalus
Brownii, *F. Muell.*

Calopogonium
caeruleum, *Hemsl.*

Calvoa
sessiliflora, *Cogn.*

Camellia
japonica, *Linn.*

Camoensia
maxima, *Welw.*

Campanula
fragilis, *Cyrill.*
pyramidalis, *Linn.*
— var. alba.
Vidalii, *H. C. Wats.*

Campanumoea
javanica, *Blume*

Canavalia
ensiformis, *DC.*

Candollea
—— tetrandra, *Lindl.*

Canna
amoena, *Hort.*
angustifolia, *Linn.*
coccinea, *Rosc.*

Capsicum
annuum, *Linn.*

Caraguata
lingulata, *Lindl.*

Carex
baccans, *Nees*
japonica, *Thunb.*

Carica
candamarcensis, *Hook. f.*

Carissa
acuminata, *A. DC.*
Arduina, *Lam.*
grandiflora, *A. DC.*

Carlina
—— salicifolia, *Cav.*

Carludovica
palmata, *Ruiz* et *Pav.*
—— Wendlandii, *Hort.*

Carmichaelia
australis, *R. Br.*
Enysii, *T. Kirk*

Carrichtera
Vella, *DC.*

Cassia
laevigata, *Willd.*

Cassine
Maurocenia, *Linn.*

Cedronella
triphylla, *Moench*

Celosia
cristata, *Linn.*, var. pyramidalis.

Celsia
Arcturus, *Jacq.*
orientalis, *Linn.*

Centaurea
acanthodes, *Spreng.*
solstitialis, *Linn.*

Centipeda
Cunninghami, *A. Br.* et *Aschers.*

Centradenia
floribunda, *Planch.*

Ceratopetalum
gummiferum, *Sm.*

Ceratozamia
mexicana, *Brongn.*

Cereus
Fendleri, *Engelm.*

Ceropegia
Woodii, *Schl.* (bulbil)

Cestrum
aurantiacum, *Lindl.*
Newellii, *Veitch*
Smithii, *Hort. Bull.*

Chamaedorea
Sartorii, *Liebm.*

Chaptalia
alsophila, *Greene*

Chenopodium
cornutum, *Benth.* et *Hook. f.*

Chironia
linoides, *Linn.*

Chlorophytum
elatum, *R. Br.*
— var. variegatum.
inornatum, *Ker-Gawl.*
Orchidastrum, *Lindl.*

Choananthus
cyrtanthiflorus, *Rendle*

Cissus
adenopodus, *Sprague*

Cistus
vaginatus, *Ait.*

Citrus
nobilis, *Lour.*, var. major.

Clematis
grewiaeflora, *DC.*
microphylla, *DC.*
Prattii, *Hemsl.*

Cleome
grandiflora, *Ehrenb.*
spinosa, *Jacq.*
— var. alba.

Clerodendron
calamitosum, *Linn.*
Campbellii, *Hort.*
fallax, *Lindl.*
infortunatum, *Gaertn.*
splendens, *G. Don*
Thomsonae, *Balf.*
— var. variegata.

Clethra
arborea, *Ait.*

Clianthus
Dampieri, *A. Cunn.*
puniceus, *Banks* et *Sol.*
— var. albus.

Clidemia
hirta, *D. Don*

Clitoria
Ternatea, *Linn.*
— var. alba, *G. Don*

Clivia
miniata, *Regel*
nobilis, *Lindl.*

Cneorum
tricoccon, *Linn.*

Cochliostema
Jacobianum, *C. Koch* et *Linden*

Coffea
arabica, *Linn.*
bengalensis, *Roxb.*

Collinsia
Childii, *Parry*

Collomia
gracilis, *Dougl.*

Combretum
grandiflorum, *G. Don*
purpureum, *Vahl*

Convolvulus
crenatifolius, *Ruiz* et *Pav.*,
var. argenteus.

Corallobotrys
acuminata, *Hook. f.*

Corchorus
olitorius, *Linn.*
pilolobus, *Link*

Corethrogyne
rigida, *Heller*

Cornus
capitata, *Wall.*

Coronilla
scorpioides, *Koch*
viminalis, *Salisb.*

Corydalis
thalictrifolia, *Jameson*

Costus
elegans, *Veitch*
igneus, *N. E. Br.*

Cotula
anthemoides, *Linn.*
filifolia, *Thunb.*

Cotyledon
amoena, *L. de Smet*
atropurpurea, *Baker*
Desmetiana, *Hemsl.*
dichotoma, *Haw.*
fulgens, *Baker*
gibbiflora, *Moç.* et *Sesse*
— var. metallica.
Grusoni, *Hort.*
imbricata, *Hort.*
maculata, *Salm-Dyck*
malacophylla, *Pall.*
nodulosa, *Baker*
orbiculata, *Linn.*
pachyphyta, *Baker*
platyphylla, *Hort.*
pulverulenta, *Baker*
racemosa, *E. Mey.*
secunda, *Baker*
Zeyheri, *Harv.*

Crambe
strigosa, *L'Hérit.*

Crassula
Aitonii, *Hort.*
arborescens, *Willd.*
ericoides, *Haw.*
glomerata, *Berg*
hemisphaerica, *Thunb.*
lycopodioides, *Lam.*
monticola, *N. E. Br.*
nudicaulis, *Linn.*
quadrifida, *Baker*
rosularis, *Haw.*
sarcocaulis, *Eckl.* et *Zeyh.*
tenuifolia, *Schoenl.*

Crawfurdia
speciosa, *Wall.*

Crinum
longifolium, *Roxb.*
Macowani, *Baker*
Moorei, *Hook. f.*
scabrum, *Herb.*
variabile, *Herb.*

Crossandra
undulaefolia, *Salisb.*

Crotalaria
calycina, *Schrank*

Croton
lucidus, *Linn.*

Ctenanthe
Lubbersiana, *Eichl.*

Cucumis
metuliferus, *E. Mey.*

Cummingia
trimaculata, *D. Don*

Cuphea
ignea, *A. DC.*
lanceolata, *Hook. f.*
procumbens, *Cav.*
viscosissima, *Jacq.*

Cupressus
Benthami, *Endl.*
Goveniana, *Gord.*

Cyanotis
somaliensis, *C. B. Clarke*

Cyclanthera
edulis, *Hort.*
explodens, *Naud.*

Cyperus
alternifolius, *Linn.*
— var. compactus.
bulbosus, *Vahl*
fertilis, *Boeck.*
laxus, *Willem.*
Luzulae, *Rottl.*
Papyrus, *Linn.*

Cyphomandra
betacea, *Sendt.*

Cytisus
candicans, *Lam.*

Cyrilla
racemiflora, *Linn.*

Cyrtanthus
Huttoni, *Baker*

Dalechampia
Roezliana, *Muell. Arg.*

Damnacanthus
indicus, *Gaertn.*

Danthonia
Raoulii, *Steud.*

Daucus
australis, *Poepp.*

Davidsonia
pruriens, *F. Muell.*

Deeringia
celosioides, *R. Br.*

Dermatobotrys
Saundersiæ, *Bolus*

Desmodium
gyrans, *DC.*
incanum, *DC.*
polycarpum, *DC.*
viridiflorum, *Beck*

Dianella
caerulea, *Sims*
graminifolia, *Kunth* et *Bouché*

Dianthera
nodosa, *Benth.* et *Hook. f.*

Dicentra
scandens, *Walp.*

Didiscus
pilosus, *Benth.*

Dioscorea
Forbesii, *Baker*
sativa, *Linn.* (tuber)

Diotostemon
Hookeri, *Salm-Dyck*

Dizygotheca
Reginae, *Hemsl.*

Dodonaea
triquetra, *Wendl.*
viscosa, *Jacq.*

Dolichos
Lablab, *Linn.*
purpureus, *Linn.*

Dorstenia
argentata, *Hook. f.*
arifolia, *Lam.*
Contrajerva, *Linn.*
Drakena, *Linn.*
Mannii, *Hook. f.*
urceolata, *Schott*

Dracaena
elliptica, *Thunb.*
Godseffiana, *Baker*
surculosa, *Lindl.*

Dracocephalum
parviflorum, *Nutt.*

Drimiopsis
Kirkii, *Hook. f.*

Drimys
Winteri, *Forst.*

Drosera
binata, *Labill.*
capensis, *Linn.*
filiformis, *Rafin.*
hilaris, *Cham.* et *Schlecht.*
rotundifolia, *Linn.*
stolonifera, *Endl.*

Drosophyllum
lusitanicum, *Link*

Drymaria
tenella, *A. Gray*

Dudleya
Cotyledon, *Britton* et *Rose*

Dumasia
villosa, *DC.*

Dyckia
rariflora, *Schult.*

Eccremocarpus
scaber, *Ruiz* et *Pav.*

Echeandia
terniflora, *Orteg.*

Echeveria
alpina, *Hort.*
australis, *Rose*
obtusifolia, *Rose*
Pringlei, *Rose*
pulchella, *Berger*

Echinocactus
recurvus, *Link* et *Otto*
solenacanthus, *Scheidw.*

Elaeocarpus
cyaneus, *Sims*

Elephantopus
scaber, *Linn.*

Entelea
arborescens, *R. Br.*

Epilobium
Franciscanum, *Barbey*
hirsutum, *Linn.*
pyrricholophum, *Franch.* et *Sav.*

Eranthemum
albiflorum, *Hook.*
Cooperi, *Hook.*
igneum, *Linden*
leuconeurum, *Hort.*

Erica
stricta, *Donn*

Erigeron
tephrodes, *Greene*

Eriogonum
arborescens, *Greene*

Eriostemon
buxifolius, *Sm.*
densiflorus, *Hort.*

Erodium
hymenodes, *L'Hérit.*

Erythrochiton
brasiliensis, *Nees*

Euadenia
eminens, *Hook. f.*

Eucalyptus
amygdalina, *Labill.*
incrassata, *Labill.*

Eucomis
amaryllidifolia, *Baker*
bicolor, *Baker*
punctata, *L'Hérit.*
— var. striata, *Don*

Eugenia
myrtifolia, *Sims*
punicaefolia, *DC.*

Eupatorium
grandiflorum, *André*
ianthinum, *Hemsl.*
micranthum, *Less.*
petiolare, *Moç* et *Sesse*
riparium, *Regel*
Rothrockii, *A. Gray*

Euphorbia
bilobata, *Engelm.*
globosa, *Sims*
Regis-Jubae, *Webb* et *Berth.*
splendens, *Boj.*

Euryops
pectinatus, *Cass.*
socotranus, *Balf. f.*

Eustoma
silenifolium, *Salisb.*

Evodia
elegans, *Hort.*
formosa, *Hort.*
meliaefolia, *Benth.*

Exacum
affine, *Balf. f.*

Fatsia
japonica, *Decne.*

Ficus
diversifolia, *Blume*
Parcelli, *Veitch*
pyriformis, *Hook.* et *Arn.*
Sartori, *Hort.*

Fieldia
australis, *A. Cunn.*

Francoa
appendiculata, *Cav.*
ramosa, *D. Don*
sonchifolia, *Cav.*

Froelichia
gracilis, *Moq.*

Fuchsia
arborescens, *Sims*
corymbiflora, *Ruiz* et *Pav.*
integrifolia, *Cambess.*
parviflora, *Lindl.*
procumbens, *R. Cunn.*

Galphimia
brasiliensis, *A. Juss.*

Galtonia
candicans, *Decne.*

Garcinia
Xanthochymus, *Hook. f.*

Gasteria
decipiens, *Haw.*
disticha, *Haw.*, var. angulata, *Baker*
excavata, *Haw.*
maculata, *Haw.*
— var. fallax.
nigricans, *Haw.*
planifolia, *Baker*

Gaultheria
hispida, *R. Br.*

Geitonoplesium
cymosum, *A. Cunn.*

Gelasine
azurea, *Herb.*

Genista
elegans, *Hort.*

Geranium
canariense, *Reut.*
durangense, *Rose*

Gerbera
Anandria, *Sch. Bip.*
Jamesoni, *Bolus*

Gesnera
Blassii, *Regel*
cardinalis, *Lehm.*
macrantha, *Spreng.*

Gilia
abrotanifolia, *Nutt.*

Gladiolus
blandus, *Ait.*, var. albidus (*Jacq.*)
erectiflorus, *Baker*
psittacinus, *Hook.*
praecox, *Hort.*

Glaucium
Fischeri, *Bernh.*

Globba
alba, *Zipp.* (bulbil)
strobilifera, *Zoll.* (bulbil)

Gloriosa
superba, *Linn.*
virescens, *Lindl.*

Gnaphalium
hypoleucum, *DC.*
palustre, *Nutt.*

Gomphia
olivaeformis, *St. Hil.*

Goodenia
filiformis, *R. Br.*
ovata, *Sm.*
paniculata, *Sm.*

Goodia
lotifolia, *Salisb.*
pubescens, *Sims*

Gossypium
herbaceum, *Linn.*

Grevillea
—buxifolia, *R. Br.*
—Forsteri, *Hort.*
— glabrata, *Meissn.*

Guyonia
tenella, *Naud.*

Haemanthus
hirsutus, *Baker*

Hakea
gibbosa, *Cav.*
ulicina, *R. Br.*
— var. carinata.

Haloragis
alata, *Jacq.*
erecta, *Schindler*

Hartmannia
montana, *Rose*

Haworthia
albicans, *Haw.*, var. laevis.
bicarinata, *Hort.*
cymbiformis, *Haw.*, var. planifolia, *Baker*
fasciata, *Haw.*
— var. major.
margaritifera, *Haw.*
— var erecta.
Radula, *Haw.*
rigida, *Haw.*
— var. expansa.
subattenuata, *Baker*

Hedeoma
Drummondii, *Benth.*
hyssopifolia, *A. Gray*
pulegioides, *Pers.*

Hedychium
—formosum, *Wall.*

Heeria
elegans, *Schlecht.*

Helichrysum
bracteatum, *Andr.*
humile, *Less.*
semipapposum, *DC.*
subulifolium, *F. Muell.*

Heliophila
Eckloniana, *Sond.*

Heliotropium
anchusifolium, *Poir.*
curassavicum, *Linn.*
indicum, *Linn.*
peruvianum, *Linn.*

Hemiphragma
heterophyllum, *Wall.*

Hemizonella
Durandi, *A. Gray*

Heritiera
—Fomes, *Syme*

Hermannia
candicans, *Ait.*
venosa, *Thunb.*

Heterospermum
pinnatum, *Cav.*

Hibbertia
dentata, *R. Br.*

Hibiscus
esculentus, *Linn.*
lunariifolius, *Willd.*
Manihot, *Linn.*
pedunculatus, *Linn.*
Rosa-sinensis, *Linn.*
schizopetalus, *Hook. f.*
vitifolius, *Linn.*

Hippeastrum
equestre, *Herb.*
procerum, *Lem.*

Hippocrepis
cornigera, *Boiss.*

Homalanthus
Leschenaultianus, *A. Juss.*

Hosackia
Purshiana, *Benth.*

Humea
elegans, *Sm.*

Hydrangea
Hortensia, *Sieb.* var. Mariesii.
— var. stellata, *Maxim.*

Hydrolea
spinosa, *Linn.*

Hymenanthera
dentata, *R. Br.*, var. angustifolia.

Hymenatherum
acerosum, *A. Gray*

Hymenocallis
glauca, *M. Roem.*
littoralis, *Salisb.*

Hypericum
canariense, *Linn.*
gracile, *Boiss.*
Hookerianum, *Wight* et *Arn.*
japonicum, *Thunb.*
lanceolatum, *Lam.*

Hypoxis
Krebsii, *Fisch.*
Rooperii, *T. Moore*
villosa, *Linn.*

Impatiens
Hawkeri, *Bull*
Holstii, *Engl.* et *Warb.*
Sultani, *Hook. f.*
Textori, *Miq.*

Indigofera
atropurpurea, *Buch.-Ham.*
australis, *Willd.*

Ipomœa
Bona-nox, *Linn.*
macrorrhiza, *Michx.*
purpurea, *Roth*
Quamoclit, *Linn.*
— var. alba.

Isopogon
anemonifolius, *Knight*
anethifolius, *Knight*

Isotoma
scapigera, *G. Don*

Ixiolirion
Pallasii, *Fisch.* et *Mey.*

Ixora
coccinea, *Linn.*

Jaegeria
hirta, *Less.*

Jatropha
podagrica, *Hook.*

Jasminum
lucidum, *Banks*

Jussieuia
suffruticosa, *Linn.*

Justicia
calycotricha, *Link*

Kalanchoë
crenata, *Haw.*
flammea, *Stapf*
kewensis ×.
Kirkii, *N. E. Br.*
Petitiana, *A. Rich.*
rotundifolia, *Haw.*
spathulata, *DC.*

Karatas
amazonica, *Baker*
Plumieri, *E. Morr.*
spectabilis, *Antoine*

Kedrostis
africana, *Cogn.*

Kennedya
Baumanni, *Meissn.*
prostrata, *R. Br.*
— var. glabrata.
— var. Marryattae.
rubicunda, *Vent.*

Kunzea
corifolia, *Reichb.*
parvifolia, *Schau.*

Kyllinga
monocephala, *Rottl.*
nepalensis, *C. B. Clarke*

Lachnostoma
maritimum, *Nichols.*

Lactuca
Scariola, *Linn.*

Lagenaria
pelerrina, *Hort.*
rotunda, *Hort.*
vulgaris, *Ser.*

Lagerstroemia
indica, *Linn.*

Lagurus
ovatus, *Linn.*

Lantana
Camara, *Linn.*
hybrida, *Hort.*, var. alba.

Lapageria
rosea, *Ruiz* et *Pav.*

Lapeyrousia
cruenta, *Benth.*

Laportea
moroides, *Wedd.*
peltata, *Gaudich.*

Lathyrus
pubescens, *Hook.* et *Arn.*

Leea
sambucina, *Willd.*

Leptodermis
lanceolatus, *Wall.*

Leptospermum
arachnoideum, *Sm.*
flavescens, *Sm.*
scoparium, *Forst.*

Lessertia
linearis, *DC.*

Leucas
lavandulaefolia, *Sm.*

Levenhookia
pusilla, *R. Br.*

Libertia
grandiflora, *Sweet*

Lilium
Brownii, *Mielle* (bulbils)
ochroleucum, *Wall.*

Limnia
gypsophiloides, *Heller*

Limnophila
conferta, *Benth.*
sessiliflora, *Blume*

Limosella
aquatica, *Linn.*
— var. tenuifolia.

Linaria
arvensis, *Desf.*

Linum
neomexicanum, *Greene*

Lippia
chamaedrifolia, *Steud.*

Littonia
modesta, *Hook.*

Lobelia
debilis, *Linn.*
tenuior, *R. Br.*
— var. alba.

Lomatia
longifolia, *R. Br.*

Lonicera
pileata, *Oliver*
sempervirens, *Linn.*, var. minor.

Lotus
tenuifolius, *Presl*
villosus, *Burm. f.*

Ludovia
crenifolia, *Drude*

Luffa
ægyptiaca, *Mill.*
cylindrica, *Roem.*

Lupinus
Lozani, *Rose*
micranthus, *Dougl.*

Luzula
purpurea, *Link*

Lycopersicum
cerasiforme, *Dun.*
esculentum, *Mill.*
semperfructiferum, *Hort.*

Lysimachia
amoena, *G. Forrest*
lichiangensis, *G. Forrest*
violascens, *Franch.*

Madia
filipes, *A. Gray*

Mallotus
japonicus, *Muell. Arg.*

Malortiea
gracilis, *H. Wendl.*

Malpighia
coccifera, *Linn.*

Malvastrum
capense, *Garcke*
digitatum, *Hort.*
hypomadarum, *Sprague*
limense, *Ball*

Mammillaria
gracilis, *Pfr.*
Odieriana, *Lem.*
polythele, *Mart.*
stellata, *Willd.*

Maranta
noctiflora, *Regel* et *Koernicke*

Marica
caerulea, *Ker-Gawl.*
Northiana, *Ker-Gawl.*

Massonia
latifolia, *Linn. f.*

Maurandia
Barclayana, *Lindl.*
scandens, *A. Gray*

Medinilla
Curtisii, *Hook.*

Melaleuca
hypericifolia, *Sm.*

Melia
arguta, *DC.*
Azedarach, *Linn.*

Melianthus
major, *Linn.*

Melothria
suavis, *Hort.*

Mesembryanthemum
amoenum, *Salm-Dyck*
blandum, *Haw.*
cordifolium, *Linn.*
cultratum, *Hort.*
curviflorum, *Haw.*
deltoides, *Linn.*
Ecklonis, *Salm-Dyck*
elegans, *Jacq.*
falciforme, *Haw.*
formosum, *Haw.*
Haworthii, *Donn*
heteropetalum, *Haw.*
inclaudens, *Haw.*
inflexum, *Haw.*
lepidum, *Haw.*
micans, *Linn.*

Mesembryanthemum—*continued.*
muricatum, *Haw.*
polyanthon, *Haw.*
pomeridianum, *Linn.*
rhomboideum, *Salm-Dyck*
roseum, *Willd.*
sanguineum, *Hort.*
serrulatum, *Haw.*

Metrosideros
robusta, *A. Cunn.*

Microcodon
glomeratum, *A. DC.*

Microseris
californica, *Greene*
melanocarpha, *Greene*

Mimosa
latispinosa, *Hort.*
pudica, *Linn.*

Mimulus
cardinalis, *Dougl.*
Langsdorffii, *Donn*
Lewisii, *Pursh*
luteus, *Linn.*
Pulsiferae, *A. Gray*

Mirabilis
Jalapa, *Linn.*

Miscanthus
nepalensis, *Hack.*
sinensis, *Anders.*

Mitraria
coccinea, *Cav.*

Mitriostigma
axillaris, *Hochst.*

Momordica
Charantia, *Linn.*
cochinchinensis, *Spreng.*
involucrata, *E. Mey.*

Monolena
primulaeflora, *Hook. f.*

Monolepis
trifida, *Schrad.*

Montia
linearis, *Greene*

Moraea
flexuosa, *Linn.*
iridioides, *Linn.*
Macleayi, *Hort.*
spathacea, *Ker-Gawl.*

Muehlenbeckia
chilensis, *Meissn.*
complexa, *Meissn.*
platyclada, *Meissn.*

Musschia
Wollastoni, *Lowe*

Mutisia
decurrens, *Cav.*
ilicifolia, *Cav.*

Myosurus
aristatus, *Benth.*

Myosotis
capitata, *Hook. f.*, var. albiflora.

Myrica
aethiopica, *Linn.*

Myrtus
communis, *Linn.*
— var. variegata.
Luma, *Barn.*
tenuifolia, *Sm.*

Nama
jamaicense, *Linn.*

Nemophila
micrantha, *Eastw.*

Neonicholsonia
Georgei, *Damm.*

Nephthytis
liberica, *N. E. Br.*

Nerine
Bowdeni, *W. Watson*
candida, *Hort.*
flexuosa, *Herb.*

Nertera
depressa, *Banks*

Nicandra
physaloides, *Gaertn.*

Nicotiana
nudicaulis, *S. Wats.*
rustica, *Linn.*
Sanderae ×, *Hort.*

Nierembergia
frutescens, *Dur.*

Notelaea
longifolia, *Vent.*

Ochna
mossambicensis, *Klotzsch*
multiflora, *DC.*

Ocimum
sanctum, *Linn.*
viride, *Willd.*

Oenothera
caespitosa, *Nutt.*
hirtella, *Greene*
rosea, *Ait.*
tenuifolia, *Cav.*

Oliveranthus
elegans, *Rose*

Olyra
floribunda, *Raddi*

Oncinocalyx
Betchei, *F. Muell.*

Oncoba
aristata, *Oliver*

Ononis
minutissima, *Linn.*
reclinata, *Linn.*

Ophiopogon
Jaburan, *Lodd.*

Opuntia
tomentosa, *Salm-Dyck*

Ornithogalum
arabicum, *Linn.*
caudatum, *Ait.*
lacteum, *Jacq.*
tenellum, *Jacq.*
thyrsoides, *Jacq.*

Orthrosanthus
multiflorus, *Sweet*

Oryza
sativa, *Linn.*
— var. atropurpurea.
— var. mutica.
— var. perennis.
— var. rufibarba.

Othonna
carnosa, *Less.*

Oxalis
articulata, *Sav.*
corniculata, *Linn.*
Hirthii, *Phil.*
purpurea, *Linn.*
tortuosa, *Lindl.*
Wrightii, *A. Gray*

Palisota
Barteri, *Hook. f.*
Maclaudi, *Cornu*
Pynaertii, *Wildem.*

Pancratium
fragrans, *Salisb.*

Panicum
sphaerocarpum, *Salzm.*

Paronychia
arabica, *DC.*
argentea, *Lam.*

Paspalum
setaceum, *Michx.*

Passiflora
edulis, *Sims*
quadrangularis, *Linn.*
suberosa, *Linn.*

Pavonia
hastata, *Cav.*
spinifex, *Cav.*

Pelargonium
australe, *Jacq.*
Skelii, *Hoffmgg.*
tomentosum, *Jacq.*

Pellionia
Daveauana, *N. E. Br.*
pulchra, *N. E. Br.*

Pennisetum
latifolium, *Spreng.*
typhoideum, *Rich.*

Pentarhaphia
libanensis, *Hanst.*

Pentas
carnea, *Benth.*

Peperomia
argyreia, *E. Morr.*
blanda, *H. B.* et *K.*
metallica, *Lind.* et *Rod.*
pellucida, *H. B.* et *K.*
pereskiaefolia, *H. B.* et *K.*
Sandersii, *C. DC.*
scandens, *Ruiz* et *Pav.*
velutina, *Linden* et *André*

Petiveria
alliacea, *Linn.*

Phacelia
circinata, *Jacq. f.*
rupestris, *Greene*

Phaedranassa
chloracra, *Herb.*

Phaenocoma
prolifera, *D. Don*, var. Barnesii.

Phaseolus
acutifolius, *A. Gray*

Philodendron
digitatum, *Hort.*

Phyllanthus
grandifolius, *Linn.*
montanus, *Sw.*
parvifolius, *Buch.-Ham.*
speciosus, *Jacq.*

Phyllis
Nobla, *Linn.*

Phyllocactus
crenulatus, *Walp.*
multiflorus, *Hort.*
thalia ×.

Physalis
peruviana, *Linn.*

Pilea
grandis, *Wedd.*
muscosa, *Lindl.*
Spruceana, *Wedd.*

Pimelea
ligustrina, *Labill.*

Pinguicula
cordata, *Schl.*

Piqueria
trinervia, *Cav.*

Pithecolobium
Unguis-cati, *Benth.*

Pitcairnia
Altensteinii, *Lem.*
aphelandraeflora, *Verschaff.*
heterophylla, *Beer*
Lamarckiana, *E. Morr.*
latifolia, *Soland.*
maidifolia, *Decne.*
pruinosa, *H. B.* et *K.*
pulverulenta, *Ruiz* et *Pav.*

Pittosporum
crassifolium, *Sol.*
eugenioides, *A. Cunn.*
Ralphii, *T. Kirk*

Plantago
asperrima, *Gandoger*
brachystachys, *Kuntze*
erecta, *Morris*
Grahami, *Blumer*
virginica, *Linn.*

Platytheca
galioides, *Steetz*

Plectranthus
cylindraceus, *Hochst.*
irroratus, *G. Forrest*
parviflorus, *Willd.*

Pleuropetatum
costaricense, *Hemsl.*

Plumbago
scandens, *Linn.*

Polemonium
filicinum, *Greene*

Polyalthia
suberosa, *Benth.* et *Hook. f.*

Polycarpaea
divaricata, *Balf. f.*

Polygala
major, *Jacq.*

Polygonum
alatum, *Buch.-Ham.*

Pomaderris
prunifolia, *A. Cunn.*
subrepanda, *F. Muell.*

Pontederia
cordata, *Linn.*

Poterium
spinosum, *Linn.*

Prasium
majus, *Linn.*

Primula
Bulleyana, *G. Forrest*
capitata, *Hook.*
cortusoides, *Linn.*, var. lichiangensis, *G. Forrest*
Forrestii, *Balf. f.*
frondosa, *Janka*
kewensis ×.
— var. farinosa.
Listeri, *King*
Littoniana, *G. Forrest*
malacoides, *Franch.*

Primula—*continued.*
mollis, *Nutt.*
obconica, *Hance*
Palinuri, *Petagn.*
Poissoni, *Franch.*
saxatalis, *Komarov*
verticillata, *Forsk.*
vittata, *Bur.* et *Franch.*

Proserpinaca
palustris, *Linn.*
pectinata, *Linn.*

Prostanthera
lasianthos, *Labill.*

Pseuderanthemum
seticalyx, *Hort.*

Psidium
montanum, *Sw.*

Psilostrophe
tagetina, *Greene*

Psoralea
bituminosa, *Linn.*
plumosa, *F. Muell.*

Psychotria
cyanococca, *Seem.*
jasminiflora, *Mast.*
micrantha, *Hiern*

Pulicaria
undulata, *Kostel.*

Quassia
amara, *Linn.*

Quesnelia
rufa, *Gaud.*

Raimannia
confusa, *Rose*

Ranunculus
alpeophilus, *A. Nelson*
cortusaefolius, *Willd.*
Godleyanus, *Hook. f.*
insignis, *Hook. f.*, var. lobulatus, *T. Kirk*

Raphiolepis
ovata, *Briot*

Rapistrum
ægyptium, *Baill.*

Reboudia
microcarpa, *Boiss.*

Relhania
sessiliflora, *Thunb.*

Rhabdothamnus
Solandri, *A. Cunn.*

Rhamnus
californicus, *Eschsch.*

Rhodochiton
volubile, *Zucc.*

Rhododendron
arboreum, *Sm.*
Keysii, *Nutt.*
Nuttallii, *Booth*

Rhopalostylis
sapida, *H. Wendl.* et *Drude*

Rhynchosia
caribaea, *DC.*

Ribes
viburnifolium, *A. Gray*

Ricinus
communis, *Linn.*

Rivina
aurantiaca, *Warsc.*
humilis, *Linn.*
tinctoria, *Hamil.*

Rochea
coccinea, *DC.*

Romneya
trichocalyx, *Eastw.*

Rondeletia
odorata, *Jacq.*

Ruellia
amoena, *Nees*
rubicaulis, *Cav.*
tuberosa, *Linn.*

Sabal
Blackburniana, *Glazebr.*

Salvia
Blumeri, *Greene*
canariensis, *Linn.*
coccinea, *Juss.*
Roemeriana, *Scheele*

Sandersonia
aurantiaca, *Hook.*

Sansevieria
trifasciata, *Hort.*

Sarracenia
illustrata ×, *Hort.*
Tolliana ×, *Nichols.*

Saxifraga
Brunoniana, *Wall.*
Candelabrum, *Franch.*
flagellaris, *Willd.*
hederacea, *Linn.*
sarmentosa, *Linn.*

Schismatoglottis
Roebelina, *Hort.*
Treubii, *Hort.*

Schizanthus
pinnatus, *Ruiz* et *Pav.*
— var. compactus.
— var. grandiflorus.

Schoenia
Cassiniana, *Steetz*

Scilla
axillaris, *C. H. Wright*

Scirpus
cyperoides, *Spreng.*
riparius, *J.* et *C. Presl*

Scrophularia
pyrenaica, *Benth.*

Scutellaria
discolor, *Colebr.*
indica, *Linn.*, var. japonica.
javanensis, *Jungh.*
Lehmanni, *Hort.*

Sedum
album, *Linn.*
dasyphyllum, *Linn.*
Greggii, *Hemsl.*
Griffithsii, *Rose*
pruinatum, *Brot.*
Sieboldii, *Hort.*
spathulifolium, *Hook.*

Selago
corymbosa, *Linn.*

Sempervivum
annuum, *C. Sm.*
arachnoideum, *Linn.*
Ballii, *Hort.*
canariense, *Linn.*
decorum, *Christ*
dichotomum, *DC.*
glaucum, *Tenore*
hybridum ×, *Bruegg.*
montanum, *Linn.*
repens, *Hort.*
tabuliforme, *Haw.*
Youngianum, *Webb* et *Berth.*

Senecio
auriculatissimus, *Britton*
coronopifolius, *Desf.*
Decaisnei, *DC.*
diversifolius, *Wall.*
Douglasii, *DC.*
echinatus, *DC.*
eurycephalus, *Torr.* et *Gray*
grandifolius, *Less.*
Kleinia, *Less.*
macroglossus, *DC.*
Moorei ×,
Petasitis, *DC.*
populifolius, *DC.*
subscandens, *Hochst.*
tropaeolifolius, *MacOwan*
Wootoni, *Greene*

Sida
acuta, *Burm.*
Hookeriana, *Miq.*
veronicaefolia, *Lam.*

Sideritis
hyssopifolia, *Linn.*
Massoniana, *Benth.*
montana, *Linn.*

Siphocampylus
lanceolatus, *Regel*

Sisyrinchium
Bermudiana, *Linn.*
micranthum, *Cav.*

Solanum
aculeatissimum, *Jacq.*
auriculatum, *Ait.*
aviculare, *Forst. f.*
Capsicastrum, *Link*, var. Hendersoni.
fastigiatum, *Willd.*
haematocladum, *Dun.*
jasminoides, *Paxt.*
nigrum, *Linn.*
pyracanthum, *Jacq.*
venustum, *Kunth*
verbascifolium, *Linn.*

Solenomelus
chilensis, *Miers*

Sollya
Drummondii, *C. Morr.*
heterophylla, *Lindl.*

Sorghum
vulgare, *Pers.*

Sparmannia
africana, *Linn.*

Spathiphyllum
cannaefolium, *Schott*
cochlearispathum, *Engl.*
floribundum, *N. E. Br.*
Patinii, *N. E. Br.*

Spergula
vernalis, *Willd.*

Sphaeralcea
cuspidata, *Britton*
pedata, *Torr.*

Stachytarpheta
indica, *Vahl*

Statice
echioides, *Linn.*
filicaulis, *Boiss.*

Streptocarpus
caulescens, *Vatke*
Daviesii, *N. E. Br.*
Holstii, *Engl.*
Rexii, *Lindl.*

Stromanthe
sanguinea, *Sond.*

Stylidium
adnatum, *R. Br.*
calcaratum, *R. Br.*

Sutherlandia
frutescens, *R. Br.*

Swainsona
coronillaefolia, *Salisb.*, var. rosea.
Greyana, *Lindl.*, var. coccinea.

Tacca
cristata, *Jack*
integrifolia, *Ker-Gawl.*
macrantha, *Limpr.*
viridis, *Hemsl.*

Tacsonia
exoniensis ×.
mollissima, *H. B.* et *K.*
Van-Volxemii, *Hook.*

Talinum
patens, *Willd.*
triangulare, *Willd.*

Tecoma
Smithii, *Hort.*

Tetranema
mexicana, *Benth.*

Tetragonia
expansa, *Murr.*

Thomasia
solanacea, *J. Gay*

Thoracostachyum
bancanum, *Kurz*

Thunbergia
erecta, *Andr.*

Thysanocarpus
elegans, *Fisch.* et *Mey.*

Thysanotus
Patersoni, *R. Br.*

Tibouchina
semidecandra, *Cogn.*

Tillaea
connata, *Ruiz* et *Pav.*

Tillandsia
splendens, *Brongn.*

Tinantia
fugax, *Scheidw.*

Tinnea
aethiopica, *Kotschy* et *Peyr.*
Sadeuxii, *Hort.*

Tonella
tenella, *Jepson*

Torenia
cordifolia, *Roxb.*
Fournieri, *Linden*

Tournefortia
heliotropioides, *Hook.*

Trachelium
caeruleum, *Linn.*
rumelianum, *Hampe*

Trachyphrynium
Danckelmannianum, *J. Braun* et *Schum.*

Tradescantia
discolor, *L'Hérit.*
navicularis, *Ortg.*

Trema
orientalis, *Blume*

Trichocladus
crinitus, *Pers.*

Triglochin
bulbosum, *Linn.*

Trigonella
maritima, *Delile*

Triolaena
hirsuta, *Triana*

Tristania
neriifolia, *R. Br.*

Tropaeolum
pentaphyllum, *Lam.*

Troximon
heterophyllum, *Greene*, var. californicum.

Tulbaghia
acutiloba, *Harv.*

Uroskinnera
spectabilis, *Lindl.*

Utricularia
emarginata, *Benj.*
prehensilis, *E. Mey.*

Valerianella
dentata, *Pollich*

Vanilla
planifolia, *Andr.*

Vellozia
elegans, *Talbot*

Veltheimia
viridifolia, *Jacq.*

Verbesina
crocata, *Less.*

Vigna
Catjang, *Walp.*

Villarsia
parnassiaefolia, *R. Br.*

Viminaria
denudata, *Sm.*

Viola
hederacea, *Labill.*

Vitis
discolor, *Dalz.*
heterophylla, *Thunb.*, var. humulifolia.
vinifera, *Linn.*
vinifera, *Linn.*, var. corinthiaca, *Rafin.*

Wachendorfia
paniculata, *Linn.*

Waitzia
paniculata, *F. Muell.*

Watsonia
rosea, *Ker-Gawl.*

Wikstroemia
retusa, *A. Gray*

Wormia
Burbidgei, *Hook. f.*

Xanthium
orientale, *Linn.*

Xanthosia
rotundifolia, *DC.*

Xiphidium
coeruleum, *Aubl.*

Xyris
capensis, *Baker*

For Official Use.]

NOTES

FROM THE

ROYAL BOTANIC GARDEN,

EDINBURGH.

DECEMBER 1911.

CONTENTS.

Page

List of Seeds collected in the Royal Botanic Garden, Edinburgh, during the Year 1911 - - - - i

EDINBURGH:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By MORRISON & GIBB LIMITED.
At Tanfield.

SOLD AT THE GARDEN,
And to be purchased, either directly or through any Bookseller, from
OLIVER & BOYD, Edinburgh

[PRICE NINEPENCE.]

[All rights reserved.]

M & G Ltd Wt. 28789/496 12/11 600

List of Seeds Collected in the Royal Botanic Garden, Edinburgh, during the Year 1911.

The following is a list of plants cultivated in the Royal Botanic Garden, Edinburgh, from which ripened seeds have been collected during the year 1911. The quantity of seed obtained from some of the species is of limited amount, and in many cases has been entirely absorbed for sowing in the Garden. Of these, therefore, none can be distributed, otherwise the seeds are available for exchange, but they are not for sale :—

PLANTS IN THE OPEN.

Genera in Alphabetical Order.

Acaena
- argentea, *Ruiz* et *Pav.*
- cylindristachya, *Ruiz* et *Pav.*
- glabra, *J. Buch.*
- laevigata, *Ait.*
- microphylla, *Hook. f.*
- — var. glauca.
- Novae-Zelandiae, *T. Kirk*
- ovalifolia, *Ruiz* et *Pav.*
- Sanguisorbae, *Vahl*
- splendens, *Hook.* et *Arn.*

Acantholimon
- glumaceum, *Boiss.*

Acanthopanax
- sessiliflorum, *Seem.*

Acanthus
- mollis, *Linn.*
- niger, *Mill.*
- Schottii, *Hort.*

Acer
- campestre, *Linn.*
- — var. austriacum.
- opulifolium, *Vill.*, var. obtusatum.
- pensylvanicum, *Linn.*
- platanoides, *Linn.*
- Pseudo-platanus, *Linn.*
- — var. euchlorum.
- — var. purpureum.

Achillea
- alpina, *Linn.*
- compacta, *Willd.*
- crithmifolia, *Waldst.* et *Kit.*
- Haussknechtii, *Boiss.*
- Huteri, *Sendt.*
- Jaborneggii ×, *Halácsy*
- lanulosa, *Nutt.*
- lingulata, *Waldst.* et *Kit.*, var. buglossis.
- macrophylla, *Linn.*
- magna, *Linn.*
- nobilis, *Linn.*
- pedemontana, *Hort.*
- Portae ×, *Bruegg.*
- Ptarmica, *Linn.*
- Santolina, *Linn.*
- tanacetifolia, *All.*
- Wilczekii, *Hort.*

Aconitum
ferox, *Wall.*
Fischeri, *Reichb.*
Forrestii, *Stapf*
heterophyllum, *Wall.*
longigaleatum, *Hort.*
Lycoctonum, *Linn.*
— var. pyrenaicum.
Napellus, *Linn.*
volubile, *Koelle*, var. latisectum.
Wilsoni, *Dunn*

Actaea
alba, *Mill.*
eburnea, *Rydb.*
spicata, *Linn.*, var. rubra.

Adenocarpus
intermedius, *DC.*

Adenophora
communis, *Fisch.*
nikoensis, *Franch.* et *Sav.*
verticillata, *Fisch.*

Adenostyles
albida, *Cass.*
alpina, *Kern.*
viridis, *Cass.*

Aesculus
glabra, *Willd.*
Hippocastanum, *Linn.*

Æthionema
armenum, *Boiss.*
cappadocicum, *Spreng.*
cordatum, *Boiss.*
gracile, *DC.*
Kotschyanum, *Hort.*
pulchellum, *Boiss.* et *Huet*
saxatile, *R. Br.*
schistosum, *Boiss.* et *Kotschy*

Agathaea
coelestis, *Cass.*
— var. monstrosa.

Ageratum
conyzoides, *Linn.*

Agrimonia
agrimonioides, *Linn.*
Eupatoria, *Linn.*
odorata, *Mill.*

Agropyron
acutum, *Roem.* et *Schult.*
dasyanthum, *Ledeb.*
tenerum, *Vasey*

Agrostis
laxiflora, *Poir.*
nigra, *With.*

Ajuga
alpicola, *Hort.*
genevensis, *Linn.*
orientalis, *Linn.*
reptans, *Linn.*, var. pallida.

Alchemilla
alpina, *Linn.*
— var. conjuncta.
arvensis, *Scop.*
chirophylla, *Buser*
gemmia ×, *Buser*
Grayi, *Hort.*
helvetica ×, *Bruegg.*
hirsuta, *H. B.* et *K.*
retinervis, *Buser*
speciosa, *Buser*
splendens, *Christ*
vulgaris, *Linn.*

Alisma
Plantago, *Linn.*

Allium
Aschersonianum, *Barbey*
cardiostemon, *Fisch.* et *Mey.*
carinatum, *Linn.*
cernuum, *Roth*
cyaneum, *Regel*

Allium—*continued.*
fragrans, *Vent.*
giganteum, *Regel*
kansuense, *Regel*
margaritaceum, *Sibth.* et *Sm.*
narcissiflorum, *Vill.*
odorum, *Linn.*
orientale, *Boiss.*
polyphyllum, *Kar.* et *Kir.*
pulchellum, *G. Don*
Schoenoprasum, *Linn.*
senescens, *Linn.*
sikkimense, *Baker*
stenopetalum, *Boiss.* et *Kotschy*
viviparum, *Kar.* et *Kir.*

Alnus
cordifolia, *Tenore*
glutinosa, *Medic.*
— var. rubrinervia.
incana, *Moench*
— var. glauca, *Regel*
japonica, *Sieb.* et *Zucc.*
rhombifolia, *Nutt.*
serrulata, *Willd.*
sitchensis, *Sarg.*
tenuifolia, *Nutt.*
viridis, *DC.*

Alonsoa
caulialata, *Ruiz* et *Pav.*
incisifolia, *Ruiz* et *Pav.*
Warscewiczii, *Regel*
— var. compacta.

Alopecurus
pratensis, *Linn.*

Alstroemeria
aurantiaca, *D. Don*

Althaea
narbonnensis, *Pourr.*
officinalis, *Linn.*

Alyssum
calycinum, *Linn.*
constellatum, *Boiss.*
gemonense, *Linn.*
idaeum, *Boiss.* et *Heldr.*
maritimum, *Lam.*
— var. minimum.
minimum, *Willd.*
Moellendorfianum, *Aschers.*
montanum, *Linn.*
podolicum, *Bess.*
rostratum, *Stev.*
saxatile, *Linn.*
— var. sulphureum.
sinuatum, *Linn.*
spinosum, *Linn.*
Stribrnyi, *Velen.*
Wulfenianum, *Willd.*

Amaranthus
tenuifolius, *Willd.*

Amelanchier
oligocarpa, *Roem.*
vulgaris, *Moench*

Ammobium
alatum, *R. Br.*

Amphicarpaea
monoica, *Ell.*

Amsinckia
— intermedia, *Fisch.* et *Mey.*
— lycopsoides, *Lehm.*

Anagallis
arvensis, *Linn.*
— var. caerulea.
— — phoenicea.
linifolia, *Linn.*, var. Phillipsii.

Anaphalis
cinnamomea, *C. B. Clarke*
pterocaulon, *Maxim.*
margaritacea, *Benth.* et *Hook. f.*
triplinervis, *Sims*
yedoensis, *Maxim.*

Anchusa
Barrelieri, *Vitm.*
italica, *Retz.*
officinalis, *Linn.*
sempervirens, *Linn.*

Androsace
albana, *Stev.*
Bulleyana, *G. Forrest*
carnea, *Linn.*
Chamaejasme, *Willd.*
Charpentieri, *Heer*
Chumbyi ×, *Hort.*
imbricata, *Lam.*
lactea, *Linn.*
lactiflora, *Fisch.*
lanuginosa, *Wall.*
— var. Leichtlini.
pyrenaica, *Lam.*
sarmentosa, *Wall.*
villosa, *Linn.*

Andryala
integrifolia, *Linn.*

Anemone
albana, *Stev.*
alpina, *Linn.*
— var. sulphurea.
demissa, *Hookf.* et *Thoms.*
dichotoma, *Linn.*
magellanica, *Hort.*
multifida, *Poir.*
— var. Hudsoniana.
Pulsatilla, *Linn.*
rivularis, *Buch.-Ham.*
sylvestris, *Linn.*
— var. majus.
vernalis, *Linn.*

Angelica
sylvestris, *Linn.*

Antennaria
decipiens, *Greene*
dioica, *Gaertn.*

Antennaria—*continued.*
— var. alpina rosea.
— var. parvifolia.
— var. tomentosa.
imbricata, *E. Nelson*, var. rosea.
magellanica, *Sch. Bip.*
rosea, *Greene*
— var. imbricata.

Anthemis
arabica, *Linn.*
santolinoides, *Munby*
tinctoria, *Linn.*

Anthericum
Liliago, *Linn.*
ramosum, *Linn.*

Anthriscus
sylvestris, *Hoffm.*

Antirrhinum
Asarina, *Linn.*
glutinosum, *Boiss.* et *Reut.*
Haneyezii, *Hort.*
majus, *Linn.*
— var. variegatum.

Aphyllanthes
monspeliensis, *Linn.*

Aplopappus
croceus, *A. Gray*

Aquilegia
arizonica, *Heller*
caerulea, *James*
canadensis, *Linn.*
chrysantha, *A. Gray*
Einseleana, *Fr. Schultz*
formosa, *Fisch.*
glandulosa, *Fisch.*
olympica, *Boiss.*
pubiflora, *Wall.*

Aquilegia—*continued.*
pyrenaica, *DC.*
Skinneri, *Hook.*
viridiflora, *Pall.*
vulgaris, *Linn.*
— var. atrata.
— — Haenkeana.

Arabis
albida, *Stev.*
alpina, *Linn.*
— var. albida ochrida.
arenaria, *Schrank*
bellidifolia, *Jacq.*
caerulea, *Haenke*
contracta, *Celak.*
depauperata, *Nels.* et *Kenn.*
Halleri, *Linn.*
petraea, *Lam.*
procurrens, *Waldst.* et *Kit.*
Stelleri, *DC.*, var. rosea.
stricta, *Huds.*
Turrita, *Linn.*

Aralia
cachemirica, *Decne.*

Arbutus
Menziesii, *Pursh*
Unedo, *Linn.*

Arctium
minus, *Bernh.*

Arctotis
leptorhiza, *DC.*
stoechadifolia, *Berg.*

Arenaria
balearica, *Linn.*
Bertolonii, *Fiori* et *Paol.*
cephalotes, *Bieb.*
ciliata, *Linn.*
— var. norvegica.
confusa, *Rydb.*
cucubaloides, *Smith*
fasciculata, *Gouan*
Fendleri, *A. Gray*
foliosa, *Royle*

Arenaria—*continued.*
graminifolia, *Schrad.*
grandiflora, *Linn.*
juniperina, *Linn.*
Kingii, *M. E. Jones*
lanuginosa, *Rohrb.*
laricifolia, *Linn.*
lineata, *C. A. Mey.*
montana, *Linn.*, var. grandiflora.
pinifolia, *Bieb.*
purpurascens, *Ramond*
recurva, *All.*
saxatilis, *Linn.*
setacea, *Thuill.*
stricta, *Michx.*
verna, *Linn.*
Villarsii, *Balb.*, var. villosula.

Argemone
Barclayana, *Penny*
mexicana, *Linn.*

Aristolochia
rotunda, *Linn.*

Armeria
Adamovici, *Hort.*
allioides, *Boiss.*, var. ciliata.
alpina, *Willd.*
— var. alba.
caespitosa, *Boiss.*
canescens, *Boiss.*
elongata, *Hoffm.*
fasciculata, *Willd.*
japonica, *Hort.*
latifolia, *Willd.*, var. bracteata.
leucocephala, *Koch*
majellensis, *Boiss.*
maritima, *Willd.*
— var. alba.
— — Laucheana.
mauritanica, *Wallr.*, var. hybrida.
pinifolia, *Hoffmgg.* et *Link*
plantaginea, *Willd.*
sibirica, *Turcz.*
Welwitschii, *Boiss.*

Arnica
amplexicaulis, *Nutt.*
Chamissonis, *Less.*
montana, *Linn.*

Arrhenantherum
avenaceum, *Beauv.*

Artemisia
discolor, *Dougl.*
vulgaris, *Linn.*

Asarum
canadense, *Linn.*
europaeum, *Linn.*
Hartwegii, *S. Wats.*

Asclepias
incarnata, *Linn.*

Asperula
aristata, *Linn.*
azurea, *Jaub.* et *Spach,* var. setosa.
ciliata, *Rochel*
tinctoria, *Linn.*

Asphodelus
albus, *Willd.*
fistulosus, *Linn.*

Aster
acris, *Linn.*
— var. dracunculoides.
alpinus, *Linn.*
— var. albus.
Amellus, *Linn.*, var. bessarabicus.
amethystinus, *Nutt.*
arcticus, *Eastw.*
azureus, *Lindl.*
canescens, *Pursh*
caucasicus, *Willd.*
conspicuus, *Lindl.*
dahuricus, *Benth.*

Aster—*continued.*
diplostephioides, *Benth.* et *Hook. f.*
Douglasii, *Lindl.*
fastigiatus, *Fisch.*
floribundus, *Nutt.*
foliaceus, *Lindl.*
Fremonti, *A. Gray*
himalaicus, *C. B. Clarke*
junceus, *Ait.*
laevis, *Linn.*
leucanthemus, *Rafin.*
Lindleyanus, *Torr.* et *Gray*
Linosyris, *Bernh.*, var. Willmottae.
longifolius, *Lam.*
Novae-Angliae, *Linn.*
— var. ruber.
oreophilus, *Franch.*
paniculatus, *Lam.*
patens, *Ait.*
patulus, *Lam.*
puniceus, *Linn.*
pyrenaeus, *DC.*
Radula, *Ait.*
sagittaefolius, *Willd.*
salicifolius, *Ait.*
scaber, *Thunb.*
sibiricus, *Linn.*
sikkimensis, *Hook. f.* et *Thoms.*
subcaeruleus, *S. Moore*
tataricus, *Linn. f.*
Thomsoni, *C. B. Clarke*
turbinellus, *Lindl.*

Astilbe
japonica, *A. Gray*
Thunbergii, *Miq.*

Astragalus
asper, *Jacq.*
caspicus, *Bieb.*
danicus, *Retz.*, var. albus.
depressus, *Linn.*
fraxinifolius, *DC.*
galegiformis, *Linn.*
Glyciphyllos, *Linn.*

Astragalus—*continued.*
Laxmanni, *Hort.*
narbonensis, *Gouan*
Onobrychis, *Linn.*
podocarpus, *C. A. Mey.*
ponticus, *Pall.*
purpureus, *Lam.*
sinicus, *Linn.*, var. roseus.
Wulfeni, *Koch*
xiphocarpus, *Benth.*

Astrantia
carniolica, *Wulf.*
helleborifolia, *Salisb.*
major, *Linn.*
minor, *Linn.*
pauciflora, *Bertol.*

Astydamia
canariensis, *DC.*

Athamanta
Matthioli, *Wulf.*

Atraphaxis
Billardieri, *Jaub.* et *Spach*

Atropa
Belladonna, *Linn.*

Aubrietia
Columnae, *Guss.*
croatica, *Schott, Nym.* et *Kotschy*
deltoidea, *DC.*
— var. Campbellii.
— var. cilicica.
— var. Moerheimi.
— var. rosea.
gracilis, *Sprun.*

Avena
pratensis, *Linn.*
sativa, *Linn.*
sterilis, *Linn.*

Baccharis
patagonica, *Hook.* et *Arn.*

Baldwinia
multiflora, *Nutt.*

Ballota
nigra, *Linn.*
spinosa, *Link*

Barbarea
orthoceras, *Ledeb.*
praecox, *R. Br.*
vulgaris, *R. Br.*

Bellium
minutum, *Linn.*

Berberis
Aquifolium, *Pursh*
aristata, *DC.*
Darwinii, *Hook.*
Guimpelii, *C. Koch* et *Bouché*
stenophylla, *Hance*
Thunbergii, *DC.*
virescens, *Hook. f.*
vulgaris, *Linn.*
— *f.* angulizans, *Hort.*

Berkheya
Radula, *Hort. Kew.*

Beta
trigyna, *Waldst.* et *Kit.*

Betula
alba, *Linn.*
— var. pubescens.
fruticosa, *Pall.*
lutea, *Michx.*
occidentalis, *Hook.*
papyrifera, *Marsh.*
populifolia, *Marsh.*
ulmifolia, *Sieb.* et *Zucc.*

Bidens
ferulaefolia, *DC.*
grandiflora, *Balb.*
humilis, *H. B.* et *K.*

Biebersteinia
Orphanidis, *Boiss.*

Biscutella
laevigata, *Linn.*

Blitum
subacaule, *Hort.*

Blumenbachia
Hieronymi, *Urb.*

Borago
laxiflora, *Willd.*
officinalis, *Linn.*

Bowlesia
tenera, *Spreng.*

Boykinia
aconitifolia, *Nutt.*
occidentalis, *Torr.* et *Gray*

Brachycome
iberidifolia, *Benth.*
Thomsonii, *T. Kirk*

Brachypodium
platystachyum,
sylvaticum, *Beauv.*

Brassica
Erucastrum, *Linn.*
juncea, *Coss.*
nigra, *Koch*
oleracea, *Linn.*
— var. caulo-rapa.

Brittonastrum
ionocalyx, *B. L. Robins.*

Briza
maxima, *Linn.*

Brodiaea
Douglasii, *S. Wats.*
hyacinthina, *Baker*, var. lactea.
ixioides, *S. Wats.*
uniflora, *Baker*

Bromus
breviaristatus, *Buckl.*
ciliatus, *Linn.*
erectus, *Huds.*
intermedius, *Guss.*
madritensis, *Linn.*
mollis, *Linn.*
sterilis, *Linn.*
unioloides, *H. B.* et *K.*

Bruckenthalia
spiculifolia, *Reichb.*

Bryanthus
empetriformis, *A. Gray*
taxifolius, *A. Gray*

Buddleia
globosa, *Hope*
Hemsleyana, *Hort.*
intermedia, *Carr.*
nivea, *Duthie*
variabilis, *Hemsl.*
— var. Veitchiana.
— — — magnifica.

Bulbinella
Hookeri, *Benth.* et *Hook. f.*

Buphthalmum
salicifolium, *Linn.*
speciosum, *Schreb.*

Bupleurum
aureum, *Fisch.*
Candollei, *Wall.*
fruticosum, *Linn.*
longicaule, *Wall.*

Cakile
maritima, *Scop.*

Calamagrostis
epigeios, *Roth*

Calamintha
Acinos, *Clairv.*
Clinopodium, *Benth.*
grandiflora, *Moench*

Calandrinia
umbellata, *DC.*

Calceolaria
amplexicaulis, *H. B.* et *K.*
hyssopifolia, *H. B.* et *K.*
pinnata, *Linn.*
plantaginea, *Sm.*

Calendula
arvensis, *Linn.*

Callianthemum
rutaefolium, *C. A. Mey.*

Callirhoë
digitata, *Nutt.*

Callistephus
hortensis, *Cass.*

Calluna
vulgaris, *Salisb.*
— var. alba.
— var. — Hammondii.
— var. Alporti.
— var. cuprea.
— var. flore pleno.
— var. hypnoides.
— var. pygmaea.
— var. Serlei.

Calochortus
Benthami, *Baker*

Calophaca
wolgarica, *Fisch.*

Caltha
palustris, *Linn.*
polypetala, *Hochst.*

Camassia
esculenta, *Lindl.*
Leichtlinii, *S. Wats.*

Campanula
alaskana, *Hort.*
alliariaefolia, *Willd.*
barbata, *Linn.*
bononiensis, *Linn.*
caespitosa, *Scop.*, var. Vensloi.
carpatica, *Jacq.*
— var. albescens.
— var. pelviformis.
— var. turbinata.
— — alba.
— — compacta.
elatinoides, *Moretti*
glomerata, *Linn.*, var. acaulis.
— var. dahurica.
— var. pallida.
Grossekii, *Heuffl.*
lactiflora, *Bieb.*, var. violacea.
latifolia, *Linn.*
— var. caerulea.
— var. macrantha.
— var. — alba.
— var. — lilacina.
— var. urticifolia fl. pleno.
linifolia, *Scop.*
— var. hirta.
longestyla, *Fomine*
macrorrhiza, *J. Gay*
mollis, *Linn.*
persicifolia, *Linn.*
— var. alba.
— var. — grandiflora.
— var. grandiflora.
phyteumoides, *Sibth.*

Campanula—*continued.*
pseudocarnica, *Hort.*
pulcherrima, *Schrank* et *Zeyh.*
pulloides, *Hort.*
— var. kewensis.
punctata, *Lam.*
— var. alba.
— var. rosea.
pusilla, *Haenke*, var. pallida.
pyramidalis, *Linn.*
— var. alba.
pyrenaica, *A. DC.*
Raddeana, *Trautv.*
rapunculoides, *Linn.*
Reuteriana, *Boiss.* et *Bal.*
rhomboidalis, *Linn.*
rhomboidea, *Murr.*
rotundifolia, *Linn.*
— var. alba.
— var. magnifica.
sabatia, *De Not.*
salicifolia, *Boiss.* et *Kotschy*
sarmatica, *Ker-Gawl.*
Scheuchzeri, *Vill.*
sibirica, *Linn.*, var. eximia.
speciosa, *Pourr.*
Steveni, *Bieb.*
— var. alba.
Teymonsii, *Hort.*
thyrsoides, *Linn.*
Trachelium, *Linn.*, var. aggregata.
trichopoda, *Boiss.*
tridentata, *Schreb.*
turbinata × Raineri.
Waldsteiniana, *Roem.* et *Schult.*

Capsella
Bursa-Pastoris, *Medic.*

Caragana
arborescens, *Lam.*

Cardamine
alpina, *Willd.*

Carduus
defloratus, *Linn.*
nutans, *Linn.*
pycnocephalus, *Linn*
struminanus, *Hort.*

Carex
acuta, *Linn.*, var. variegata
aquatilis, *Wahlenb.*
— × Goodenowii.
arenaria, *Linn.*
atrata, *Linn.*
binervis, *Sm.*
Buchanani, *Berggr.*
canescens, *Linn.*
diluta, *Bieb.*
distans, *Linn.*
disticha, *Huds.*
divulsa, *Good.*
elongata, *Linn.*
exaltata, *Kit.*
extensa, *Good.*, var. pumila.
flava, *Linn.*
— var. viridula.
glauca, *Scop.*
Grahami, *Boott*
helvola, *Blytt*
hordeistichos, *Vill.*
incurva, *Lightf.*, var. erecta.
irrigua, *Sm.*
laevigata, *Sm.*
leporina, *Linn.*
livida, *Willd.*
muricata, *Linn.*
— var. virens.
Oederi, *Retz.*
pallescens, *Linn.*
paludosa, *Good.*
panicea, *Linn.*
paniculata, *Linn.*
pendula, *Huds.*
pilulifera, *Linn.*
Pseudo-cyperus, *Linn.*
pulicaris, *Linn.*
punctata, *Gaud.*
rariflora, *Sm.*
remota, *Linn.*

Carex—*continued.*
rigida, *Good.*
— × binervis.
riparia, *Curt.*
saxatilis, *Linn.*
sempervirens, *Vill.*
sparganioides, *Muhl.*
stricta, *Good.*
strigosa, *Huds.*
vesicaria, *Linn.*
vulgaris, *Fries*

Carmichaelia
flagelliformis, *Colenso*

Carpoceras
cilicicum, *Boiss.* et *Kurz*

Carrichtera
Vella, *DC.*

Carum
Carvi, *Linn.*

Cassandra
calyculata, *D. Do*

Cassinia
fulvida, *Hook. f.*
leptophylla, *R. Br.*

Catananche
bicolor, *Hort.*
caerulea, *Linn.*

Cathcartia
villosa, *Hook. f.*

Caucalis
arvensis, *Huds.*
glaucus, *Hort.*

Ceanothus
Arnoldi ×, *Hort.*
Fendleri, *A. Gray*

Cedronella
cana, *Hook.*

Celmisia
coriacea, *Raoul*
discolor, *Hook. f.*
hieracifolia, *Hook. f.*
holosericea, *Hook. f.*
laricifolia, *Hook. f.*
Lindsayi, *Hook. f.*
longifolia, *Cass.*
Lyallii, *Hook. f.*, var. pseudo-Lyallii.
Munroi, *Hook. f.*
verbascifolia, *Hook. f.*
viscosa, *Hook. f.*

Celsia
Arcturus, *Jacq.*
pontica, *Boiss.*

Centaurea
acaulis, *Linn.*
alpina, *Linn.*
axillaris, *Willd.*
babylonica, *Linn.*
centauroides, *Linn.*
Cyanus, *Linn.*
cynaroides, *Link*
glastifolia, *Linn.*
gymnocarpa, *Moris* et *De Not.*
incana, *Tenore*
Jacea, *Linn.*
macrocephala, *Puschk.*
moschata, *Linn.*
nervosa, *Willd.*
nigra, *Linn.*
nigrescens, *Willd.*
orientalis, *Linn.*
pallescens, *Delile*
phrygia, *Linn.*
rutifolia, *Sibth.* et *Sm.*
Scabiosa, *Linn.*
stereophylla, *Bess.*
Urvillei, *DC.*
— var. acaulis.
variegata, *Lam.*

Centipeda
Cunninghami, *A. Br.* et *Aschers.*

Centranthus
macrosiphon, *Boiss.*
ruber, *DC.*

Cephalaria
alpina, *Schrad.*

Cerastium
alpinum, *Linn.*
arvense, *Linn.*
grandiflorum, *Waldst.* et *Kit.*
purpurascens, *Adams*
tomentosum, *Linn.*

Cerinthe
alpina, *Kit.*

Chaerophyllum
aromaticum, *Linn.*
hirsutum, *Linn.*
roseum, *Bieb.*

Chamaelirium
carolinianum, *Willd.*

Chaptalia
alsophila, *Greene*

Charieis
heterophylla, *Cass.*

Cheiranthus
Cheiri, *Linn.*

Chelidonium
Franchetianum, *Prain*
majus, *Linn.*
— var. laciniatum.

Chenopodium
Bonus-Henricus, *Linn.*
Botrys, *Linn.*
cornutum, *Benth.* et *Hook. f.*
glaucum, *Linn.*
murale, *Linn.*

Chiogenes
serpyllifolia, *Salisb.*

Chionodoxa
Luciliae, *Boiss.*, var. gigantea.

Chondrilla
juncea, *Linn.*

Chrysanthemum
coronarium, *Linn.*
Leucanthemum, *Linn.*
maximum, *Ramond*
montanum, *Linn.*
pallens, *J. Gay*, var. discoideum.
Parthenium, *Bernh.*

Chrysogonum
virginianum, *Linn.*

Chrysopsis
camporum, *Greene*
villosa, *DC.*, var. Rutteri.

Cichorium
Intybus, *Linn.*

Cimicifuga
davurica, *Maxim.*
foetida, *Linn.*

Cinna
arundinacea, *Linn.*

Circaeaster
agrestis, *Maxim.*

Cistus

albidocrispus, *Hort.*
crispus, *Linn.*
hirsutus, *Lam.*
laurifolius, *Linn.*
platysepalus, *Sweet*
polymorphus, *Willk.*
purpureus, *Lam.*

Clarkia

elegans, *Dougl.*
— var. marginata.

Claytonia

perfoliata, *Donn*
virginica, *Linn.*

Clematis

alpina, *Mill.*, var. alba.
campaniflora, *Brot.*
Flammula, *Linn.*
integrifolia, *Linn.*
intermedia, *Carr.*
orientalis, *Linn.*
paniculata, *Thunb.*
Pitcheri, *Torr.* et *Gray*, var. lasiostylis.
recta, *Linn.*
songorica, *Bunge*
virginiana, *Linn.*
Vitalba, *Linn.*
Viticella, *Linn.*, var. rubra grandiflora.
Wenderothii, *Steud.*

Clethra

alnifolia, *Linn.*
— var. tomentosa, *Michx.*

Cneorum

tricoccon, *Linn.*

Cnicus

acaulis, *Willd.*
canus, *Roth*
Carolorum, *Hook. f.*

Cnicus—*continued.*

eriophorus, *Roth*
Erisithales, *Linn.*
pratensis, *Willd.*
tartaricus, *Willd.*

Cochlearia

officinalis, *Linn.*
saxatilis, *Linn.*

Codonopsis

Bulleyana, *Diels* et *G. Forrest*
ovata, *Benth.*
rotundifolia, *Royle*

Colchicum

speciosum, *Stev.*

Collinsia

bicolor, *Benth.*
— var. violacea.
grandiflora, *Dougl.*
parviflora, *Lindl.*

Collomia

coccinea, *Lehm.*
heterophylla, *Hook.*
linearis, *Nutt.*

Colutea

cruenta, *Ait.*
longialata, *Koehne*

Conium

maculatum, *Linn.*

Convolvulus

unicaulis, *Hort.*

Coptis

trifolia, *Salisb.*

Coreopsis

cardaminefolia, *Torr.* et *Gray*, var. atrosanguinea.
Drummondii, *Torr.* et *Gray*
tinctoria, *Nutt.*

Coriandrum
sativum, *Linn.*

Cornus
alba, *Linn.*
— var. flaviramea.
— var. foliis tricoloribus.
alternifolia, *Linn.*
sanguinea, *Linn.*

Coronilla
Emerus, *Linn.*
varia, *Linn.*

Cortusa
Matthioli, *Linn.*, var. pubens.
villosa, *Hort.*

Corydalis
cheilanthifolia, *Hemsl.*
lutea, *DC.*
ochroleuca, *Koch*
ophiocarpa, *Hook. f.* et *Thoms.*
rosea, *Zeyh.*
Scouleri, *Hook.*

Cosmos
bipinnatus, *Cav.*

Cotoneaster
acuminata, *Lindl.*
affinis, *Lindl.*
bacillaris, *Wall.*
bullata, *Bois*
Francheti, *Bois*
frigida, *Wall.*
horizontalis, *Decne.*
laxiflora, *Jacq.*
Meyeri, *Hort.*
microphylla, *Wall.*
moupinensis, *Franch.*
Nummularia, *Fisch.* et *Mey.*
pannosa, *Franch.*
rotundifolia, *Wall.*
Simonsii, *Baker*
thymifolia, *Baker*

Cotyledon
Umbilicus, *Linn.*

Crambe
hispanica, *Linn.*
Tataria, *Sebéok*

Craspedia
uniflora, *Forst. f.*
— var. robusta.

Crataegus
Azarolus, *Linn.*
Carrierei, *Vauvel*
coccinea, *Linn.*
— var. flabellata, *Britton*
— var. rotundifolia, *Sargent*
collina, *Chapman*
Crus-Galli, *Linn.*
— var. splendens, *Lodd.*
Douglasii, *Lindl.*
intricata, *Lange*
mollis, *Scheele*
nigra, *Waldst.* et *Kit.*
nitida, *Sargent*
orientalis, *Pall.*
Oxyacantha, *Linn.*
— var. fastigiata.
— var. flore pleno albo.
— var. flore pleno roseo.
— var. flore puniceo.
— var. foliis luteis.
— var. fructu luteo.
— var. fuscata, *Hort.*
— var. monogyna, *Jacq.*
— var. pendula, *Lodd.*
— var. pinnatiloba.
— var. ramulis aureis.
— var. variegata.
parvifolia, *Ait.*
Pyracantha, *Pers.*
— var. Lalandi, *Hort.*
sorbifolia, *Desf.*
tomentosa, *Linn.*

Crepis
aculeata, *Boiss.*
aurea, *Reichb.*
blattarioides, *Vill.*
grandiflora, *Tausch*
Jacquini, *Tausch*
paludosa, *Moench*
pygmaea, *Linn.*
setosa, *Hall. f.*

Crocus
zonatus, *J. Gay*

Crucianella
aegyptiaca, *Linn.*
angustifolia, *Linn.*

Crupina
vulgaris, *Cass.*

Cryptotaenia
canadensis, *DC.*

Cucubalus
baccifer, *Linn.*

Cuminum
Cyminum, *Linn.*

Cuphea
silenoides, *Nees*

Cupressus
Lawsoniana, *A. Murr.*
— var. argentea.

Cyananthus
lobatus, *Wall.*

Cyclamen
latifolium, *Sibth.* et *Sm.*

Cydonia
japonica, *Thunb.*
— var. grandiflora.
Maulei, *T. Moore*

Cynanchum
acutum, *Linn.*

Cynoglossum
furcatum, *Wall.*
microglochin, *Benth.*
nervosum, *Benth.*
officinale, *Linn.*
petiolatum, *A. DC.*
pictum, *Ait.*
Wallichii, *G. Don*

Cypripedium
candidum, *Muhl.*
spectabile, *Salisb.*
tibeticum, *King*

Cytisus
albus, *Linn.*
Ardoini, *Fourn.*
austriacus, *Linn.*
biflorus, *L'Hérit.*
capitatus, *Jacq.*
decumbens, *Walp.*
elongatus, *Waldst.* et *Kit.*
Heuffelii, *Wierzb.*
hirsutus, *Linn.*
— var. hirsutissimus.
nigricans, *Linn.*
praecox ×, *Hort.*
purgans, *Boiss.*
scoparius, *Link*
— var. Andreanus.
— var. foliis variegatis.
shipkaënsis, *Dippel*
triflorus, *L'Hérit.*

Daboëcia
polifolia, *D. Don*
— var. alba.
— var. bicolor.
— var. purpurea.

Dahlia
Merckii, *Lehm.*
variabilis, *Desf.*
zimapani, *Roezl*

Danthonia
airoides, *Nees.*

Daphne
alpina, *Linn.*

Datura
Stramonium, *Linn.*

Daucus
maximus, *Desf.*

Delphinium
Ajacis, *Reichb.*
azureum, *Michx.*
Belladonna, *Hort.*
cardiopetalum, *DC.*
cashmirianum, *Royle*
cheilanthum, *Fisch.*
Duhmbergii, *Huth*
dictyocarpum, *DC.*
elatum, *Linn.*
flexuosum, *Rafin.*
formosum, *Boiss.* et *Huet*
grandiflorum, *Linn.*
halteratum, *Sibth.* et *Sm.*
hispanicum, *Willk.*
hybridum, *Steph.*
Maackianum, *Regel*
nudicaule, *Torr.* et *Gray*, var. aurantiacum.
occidentale, *S. Wats.*
Potanini, *Huth*
scopulorum, *A. Gray*
tatsienense, *Franch.*
— var. album.
triste, *Fisch.*

Deschampsia
flexuosa, *Trin.*

Deutzia
gracilis, *Sieb.* et *Zucc.*

Dianthus
alpinus, *Linn.*
— var. albus.
arboreus, *Linn.*
arenarius, *Linn.*
atrococcineus, *Hort.*
atrorubens, *All.*
barbatus, *Linn.*
caesius, *Sm.*
callizonus, *Schott*, et *Kotschy*
campestris, *Bieb.*
Carthusianorum, *Linn.*
chinensis, *Linn.*
ciliatus, *Guss.*
cinnabarinus, *Sprun.*
coccineus, *Hort.*
crinitus, *Sm.*
croaticus, *Borbas*
cyclops ×.
delicatus, *Hort.*
— var. pulchellus.
fragrans, *Bieb.*
Freynii, *Vandas*
furcatus, *Balb.*
grandiflorus, *Poir.*
graniticus, *Jord.*
humilis, *Willd.*
longicaulis, *Tenore*
monspessulanus, *Linn.*
neglectus, *Loisel.*
orientalis, *Donn*
pallens, *Sibth.* et *Sm.*
petraeus, *Waldst.* et *Kit.*
— var. spiculifolius
plumarius, *Linn.*
polycladus, *Boiss.*
pungens, *Linn.*
Requienii, *Gren.* et *Godr.*
scardicus, *Wettst.*
squarrosus, *Bieb.*
Sternbergii, *Sibth.*
strictus, *Sibth.* et *Sm.*
superbus, *Linn.*
— var. chinensis.
sylvestris, *Wulf.*
tenuiflorus, *Griseb.*
zonatus, *Fenzl*

Dicentra
eximia, *Torr.*
formosa, *Walp.*

Dictamnus
albus, *Linn.*
— var. tauricus.

Didissandra
lanuginosa, *C. B. Clarke*

Diervilla
florida, *Sieb.* et *Zucc.*
sessilifolia, *Buckl.*

Digitalis
laevigata, *Waldst.* et *Kit.*
lutea, *Linn.*
purpurea, *Linn.*

Dimorphotheca
aurantiaca, *DC.*
Ecklonis, *DC.*
pluvialis, *Moench*

Diotis
candidissima, *Desf.*

Diplotaxis
viminea, *DC.*

Dipsacus
sylvestris, *Mill.*

Discopleura
Nuttallii, *DC.*

Dodecatheon
radicatum, *Greene*

Dorema
Aucheri, *Boiss.*

Doronicum
caucasicum, *Bieb.*
glaciale, *Nym.*
macrophyllum, *Fisch.*
plantagineum, *Linn.*, var. excelsum.

Dorycnium
suffruticosum, *Vill.*

Draba
aizoides, *Linn.*, var. montana.
Aizoon, *Wahlenb.*
altaica, *Ledeb.*
arabisans, *Michx.*
aurea, *Vahl*
australis, *Hook. f.*
bronchialis, *Hort.*
cornuta, *Hort.*
fladnizensis, *Wulf.*
hirta, *Linn.*
hispanica, *Boiss.*
incana, *Linn.*
Loiseleurii, *Boiss.*
nivalis, *Lilj.*
pyrenaica, *Linn.*
repens, *Bieb.*
rupestris, *R. Br.*
Salomoni, *Hort.*
scandinavica, *Lindblom*
siliquosa, *Bieb.*
streptocarpa, *A. Gray*
subamplexicaulis, *C. A. Mey.*
surculosa, *Franch.*
tibetica, *Hook. f.* et *Thoms.*
Vesicaria, *Desv.*

Dracocephalum
bullatum, *G. Forrest*
grandiflorum, *Linn.*
Ruyschiana, *Linn.*
speciosum, *Benth.*

Dryas
Drummondii, *Richards.*
octopetala, *Linn.*
— var. lanata.

Echinops
exaltatus, *Schrad.*
sphaerocephalus, *Linn.*
— × bannaticus.

Echium
violaceum, *Linn.*
vulgare, *Linn.*

Elaeagnus
umbellata, *Thunb.*

Eleocharis
palustris, *R. Br.*

Eleutherococcus
Henryi, *Oliver*

Elymus
sibiricus, *Linn.*

Enkianthus
himalaicus, *Hook. f.* et *Thoms.*

Epigaea
repens, *Linn.*

Epilobium
alsinifolium, *Vill.*
angustifolium, *Linn.*
— var. album.
Dodonaei, *Vill.*
glabellum, *Forst.*
Hectori, *Hausskn.*
hirsutum, *Linn.*
luteum, *Pursh*
obcordatum, *A. Gray*
pallidiflorum, *Soland.*
pyrricholophum, *Franch.* et *Sav.*
rosmarinifolium, *Haenke*

Eremurus
altaicus, *Stev.*

Erica
australis, *Linn.*
carnea, *Linn.*
Erica—*continued.*
— var. alba.
— var. rubra.
ciliaris, *Linn.*
cinerea, *Linn.*
— var. alba.
— var. alba major.
— var. alba minor.
— var. atropurpurea.
— var. atrosanguinea.
— var. coccinea.
— var. pallida.
— var. rosea.
mediterranea, *Linn.*
stricta, *Donn*
Tetralix, *Linn.*
— var. alba.
— var. Lawsoniana.
— var. Mackaiana.
— var. Stuarti.
vagans, *Linn.*
— var. alba.
— var. alba minor.
— var. pallida.
— var. rubra.
Watsoni, *DC.*

Erigeron
alpinus, *Linn.*
aurantiacus, *Regel*
compositus, *Pursh*
Coulteri, *Porter* et *Coult.*
glabellus, *Nutt.*
— var. asper.
— var. mollis.
glabratus, *Hoppe* et *Hornsch.*
glaucus, *Ker-Gawl.*
montevidensis, *Baker*
multiradiatus, *Benth.* et *Hook. f.*
patentisquama, *Hort.*
Roemeri, *Hort.*
roseus, *Hort.*
salsuginosus, *A. Gray*
speciosus, *DC.*, var. major.
— var. superbus.
trifidus, *Schlecht.*
uniflorus, *Linn.*

Erinus
alpinus, *Linn.*
— var. carmineus.
— var. hirsutus.

Eriogonum
ursinum, *S. Wats.*

Eriophorum
vaginatum, *Linn.*

Eriophyllum
caespitosum, *Dougl.*

Erodium
absinthoides, *Willd.*
carvifolium, *Boiss.*
chelidonifolium, *Hort.*
chium, *Willd.*
gruinum, *Soland.*
hymenodes, *L'Hérit.*
Kolbianum, *Hort.*
laciniatum, *Willd.*
macradenum, *L'Hérit.*
Manescavi, *Coss.*
Willkommianum, *Hort.*

Eryngium
agavifolium, *Griseb.*
alpinum, *Linn.*
amethystinum, *Linn.*
Bourgati, *Gouan*
dichotomum, *Desf.*
grande, *Hemsl.* et *Rose*
planum, *Linn.*
prostratum, *Nutt.*
Wrightii, *A. Gray*

Erysimum
asperum, *DC.*
canescens, *Roth*
hieracifolium, *Linn.*
nanum, *Boiss.* et *Hohen.*
Perofskianum, *Fisch.* et *Mey.*
rupestre, *DC.*

Erythraea
Elodes, *Roem.* et *Schult.*
littoralis, *Fries*

Escallonia
macrantha, *Hook.* et *Arn.*
Philippiana, *Mast.*
pterocladon, *Hook.*
punctata, *DC.*
revoluta, *Pers.*
viscosa, *Forbes*

Eschscholzia
californica, *Cham.*
Helleriana, *Greene*

Eucharidium
grandiflorum, *Fisch.* et *Mey.*

Euonymus
europaeus, *Linn.*
yedoensis, *Koehne*

Eupatorium
ageratoides, *Linn.*
cannabinum, *Linn.*
deltoideum, *Jacq.*
glechonophyllum, *Less.*

Euphorbia
amygdaloides, *Linn,*
colletioides, *Benth.*
hyberna, *Linn.*
Myrsinites, *Linn.*

Euphrasia
officinalis, *Linn.*

Evax
asterisciflora, *Pers.*

Fabiana
imbricata, *Ruiz* et *Pav.*

Fagopyrum
esculentum, *Moench*

Falcaria
vulgaris, *Bernh.*

Farsetia
clypeata, *R. Br.*

Fedia
Cornucopiae, *Gaertn.*

Fendlera
rupicola, *A. Gray*

Festuca
duriuscula, *Linn.*
ovina, *Linn.*
— var. tenuiflora.
rubra, *Linn.*

Foeniculum
giganteum, *Hort.*
vulgare, *Mill.*

Forsythia
suspensa, *Vahl*

Fragaria
bracteata, *A. A. Heller*
Daltoniana, *J. Gay*
vesca, *Linn.*
— var. muricata.

Francoa
ramosa, *D. Don*

Fraxinus
excelsior, *Linn.*

Fritillaria
aurea, *Schott*, var. elatior.
Elwesii, *Boiss.*
Meleagris, *Linn.*
— var. alba.
taurica, *Hort.*
Wittmackii, *Hort.*

Fuchsia
Riccartoni ×.

Funkia
Sieboldiana, *Hook.*

Gaillardia
aristata, *Pursh*
— var. grandiflora.
pulchella, *Fouger*

Galax
aphylla, *Linn.*

Galega
officinalis, *Lam.*
— var. roseus.
orientalis, *Lam.*

Galeopsis
Tetrahit, *Linn.*

Galium
boreale, *Linn.*
coeruleum, *Hort.*
erectum, *Huds.*
gracile, *Bunge*
rubrum, *Linn.*
saxatile, *Linn.*

Galtonia
candicans, *Decne.*

Garrya
elliptica, *Dougl.*
Fadyena, *Hook.*

Gaultheria
trichophylla, *Royle*

Gaura
suffulta, *Engelm.*

Gaylussacia
resinosa, *Torr.* et *Gray*

Genista

aethnensis, *DC.*
anglica, *Linn.*
anxantica, *Tenore*
dalmatica, *Bartl.* et *Wendl. f.*
germanica, *Linn.*
sagittalis, *Linn.*
tinctoria, *Linn.*
— var. elatior.
— var. mantica.
— var. prostrata.
virgata, *DC.*

Gentiana

acaulis, *Linn.*
asclepiadea, *Linn.*
calycosa, *Griseb.*
Freyniana, *Bornm.*
Kesselringi, *Regel*
macrophylla, *Pall.*
— var. cyanea.
Pneumonanthe, *Linn.*
punctata, *Linn.*
Saponaria, *Linn.*
septemfida, *Pall.*
— var. cordifolia.
verna, *Linn.*

Geranium

albiflorum, *Ledeb.*
anemonaefolium, *L'Hérit.*
balkanum, *Hort.*
Bicknellii, *Britton*
cinereum, *Cav.*
Endressi, *J. Gay*
Fremontii, *Torr.*
ibericum, *Cav.*
libanoticum, *Boiss.* et *Blanche*
lucidum, *Linn.*
maculatum, *Linn.*
nepalense, *Sweet*
pratense, *Linn.*
— var. album.
— var. roseum.
pyrenaicum, *Linn.*
Richardsonii, *Fisch.* et *Trautv.*, var. album.
sanguineum, *Linn.*
— var. album.
— var. lancastriense.
— var. prostratum.
sessiliflorum, *Cav.*
striatum, *Linn.*
sylvaticum, *Linn.*
— var. album.
Traversii, *Hook. f.*
— var. elegans.
Wallichianum, *G. Don*
Wilfordi, *Maxim.*

Gerbera

Kunzeana, *A. Br.* et *Aschers.*

Geum

atrosanguineum, *Hort.*
Heldreichii, *Hort.*, var. superba.
intermedium, *Ehrh.*
macrophyllum, *Willd.*
montanum, *Linn.*
parviflorum, *Commers.*
reptans, *Linn.*
rhaeticum, *Bruegg.*
rivale, *Linn.*
tyrolense, *Kern.*
urbanum, *Linn.*

Gilia

dichotoma, *Benth.*
tricolor, *Benth.*
— var. violacea.

Gillenia

stipulacea, *Nutt.*
trifoliata, *Moench*

Gladiolus

imbricatus, *Linn.*

Glaucium

flavum, *Crantz*

Globularia
nudicaulis, *Linn.*
trichosantha, *Fisch.* et *Mey.*
vulgaris, *Linn.*

Glyceria
aquatica, *Wahlenbg.*

Gnaphalium
trinerve, *Forst. f.*

Goodyera
Menziesii, *Lindl.*

Grammanthes
gentianoides, *DC.*

Grindelia
squarrosa, *Dunal*

Gunnera
magellanica, *Lam.*

Gymnolomia
multiflora, *Benth.* et *Hook. f.*

Gypsophila
cerastoides, *D. Don*
dubia, *Willd.*
elegans, *Bieb.*
— var. coccinea.
— var. rosea.
prostrata, *Linn.*
trichotoma, *Wender.*

Haberlea
Ferdinandi-Coburgii, *Urumoff*
rhodopensis, *Frivald.*

Halenia
sibirica, *Borckh.*

Halimodendron
argenteum, *DC.*

Hebenstretia
comosa, *Hochst.*

Hedeoma
pulegioides, *Pers.*

Hedysarum
microcalyx, *Baker*
obscurum, *Linn.*
sibiricum, *Poir.*

Helenium
autumnale, *Linn.*
— var. Halleri.
Hoopesii, *A. Gray*

Helianthemum
canum, *Boiss.*
echioides, *Pers.*
formosum, *Dun.*, var. concolor.
ocymoides, *Pers.*
polifolium, *DC.*, var. rubrum.
procumbens, *Dun.*, var. concolor.
salicifolium, *Mill.*
Tuberaria, *Mill.*
umbellatum, *Mill.*
vulgare, *Gaertn.*
— var. bicolor.
— var. variegatum.

Helianthus
parviflorus, *Bernh.*
pumilus, *Nutt.*

Helichrysum
antennarium, *F. Muell.*
callichrysum, *DC.*
rutidolepis, *DC.*
Stoechas, *DC.*

Heliophila
amplexicaulis, *Linn.*

Heliopsis
laevis, *Pers.*
scabra, *Dun.*
— var. Pitcheriana.

Heliotropium
peruvianum, *Linn.*

Helipterum
corymbiflorum, *Schlecht.*
Manglesii, *F. Muell.*

Helleborus
lividus, *Ait.*

Hemerocallis
Thunbergii, *Baker*

Hemiphragma
heterophyllum, *Wall.*

Heracleum
asperum, *Bieb.*
villosum, *Fisch.*

Herniaria
latifolia, *Lapeyr.*

Hesperis
macedonica, *Adam.*
matronalis, *Linn.*

Heuchera
americana, *Linn.*
brizoides, *Hort.*
cylindrica, *Dougl.*
Drummondi, *Hort.*
pubescens, *Pursh*
sanguinea, *Engelm.*

Hibiscus
Trionum, *Linn.*, var. majus.

Hieracium
alpinum, *Linn.*
andryaloides, *Vill.*
Auricula, *Linn.*
Bornmülleri, *Freyn*
bupleuroides, *C. C. Gmel.*

Hieracium—*continued.*
crinitum, *Sibth.* et *Sm.*
crocatum, *Fries*
foliosum, *Waldst.* et *Kit.*
glomeratum, *Froel.*
gymnocephalum, *Griseb.*
Heldreichii, *Boiss.*
humile, *Jacq.*
incanum, *Bieb.*
incisum, *Hoppe*
intybaceum, *Jacq.*
iricum, *Fries*
Jankæ, *Uechtritz*
latifolium, *Froel.*
Marshallii, *Linton*
norvegicum, *Fries*
Pilosella, *Linn.*
— var. aurantiacum.
praealtum, *Vill.*
prenanthoides, *Vill.*
pulmonarioides, *Vill.*
pyrenaicum, *Jord.*
rubescens, *Gilib.*
rupestre, *All.*
sabaudum, *Linn.*
stoloniflorum, *Waldst.* et *Kit.*
strictum, *Fries*
tridentatum, *Fries*
umbellatum, *Linn.*
villosum, *Jacq.*
vulgatum, *Fries*

Hierochloë
borealis, *Roem.* et *Schult.*

Hippocrepis
comosa, *Linn.*

Hippophaë
rhamnoides, *Linn*

Holcus
mollis, *Linn.*

Homeria
collina, *Vent.*

Homogyne
alpina, *Cass.*
sylvestris, *Cass.*

Hordeum
astrachanense, *Hort.*
bulbosum, *Linn.*
cylindricum, *Steud.*
jubatum, *Linn.*

Horminum
pyrenaicum, *Linn.*
— var. album.
— var. grandiflorum.
— var. purpureum.
— var. roseum.

Houstonia
caerulea, *Linn.*

Hovenia
dulcis, *Thunb.*

Hyacinthus
amethystinus, *Linn.*, var. albus.
azureus, *Baker*
— var. giganteus.
— × Muscari botryoides.

Hyoscyamus
niger, *Linn.*

Hypericum
Androsaemum, *Linn.*
elatum, *Ait.*
fragile, *Heldr.* et *Sart.*
hircinum, *Linn.*
Hookerianum, *Wight* et *Arn.*
hyssopifolium, *Vill.*
inodorum, *Mill.*
intermedium, *Steud.*
Kotschyanum, *Boiss.*
lysimachioides, *Wall.*
orientale, *Linn.*
perforatum, *Linn.*

Hypericum—*continued.*
polyphyllum, *Boiss.*
prolificum, *Linn.*
repens, *Linn.*
Richeri, *Vaill.*
— var. Burseri, *Spach*
Scouleri, *Hook.*
tetrapterum, *Fries*

Hypochoeris
glabra, *Linn.*
maculata, *Linn.*
radicata, *Linn.*
taraxacoides, *Benth.* et *Hook. f.*
uniflora, *Vill.*

Hyptis
pectinata, *Poit.*

Hyssopus
officinalis, *Linn.*

Iberidella
trinervia, *Boiss.*

Iberis
carnosa, *Willd.*
corifolia, *Sweet*
Jordani, *Boiss.*
odorata, *Linn.*
— var. carminea.
Pruiti, *Tineo*
saxatilis, *Linn.*
semperflorens, *Linn.*
sempervirens, *Linn.*
— var. Garrexiana.
— var. superba.
taurica, *DC.*
umbellata, *Linn.*

Ilex
Aquifolium, *Linn.*
— var. argentea medio-picta.
— var. aurantiaca marginata.

Ilex—*continued.*
— var. aurea marginata.
— var. aurea medio-picta.
— var. camelliaefolia.
— var. flavescens.
— var. Hodginsii.
— var. — variegata.
— var. intermedia.
— var. lurida variegata.
— var. maderensis.
— var. platyphylla.

Impatiens
Roylei, *Walp.*

Incarvillea
Delavayi, *Bur.* et *Franch.*

Indigofera
Gerardiana, *Wall.*

Inula
acaulis, *Schott* et *Kotschy*
ensifolia, *Linn.*
glandulosa, *Puschk.*
grandiflora, *Willd.*
Helenium, *Linn.*
Royleana, *DC.*
salicifolia, *Gueldenst.*, var. subhirsuta.

Ionopsidium
acaule, *Reichb.*

Iris
Clarkei, *Baker*
constantinopolitana, *Hort.*
Douglasiana, *Herb.*
ensata, *Thunb.*, var. triflora, *Balb.*
foetidissima, *Linn.*
Gueldenstaedtiana, *Lepech.*, var. subbarbata.
juncea, *Poir.*
— var. lusitanica.
kumaonensis, *Wall.*
lurida, *Ait.*
Milesii, *Foster*
pulchella, *Regel*
pumila, *Linn.*
setosa, *Pall.*
sibirica, *Linn.*
— var. alba.
— var. coreana.
sordida, *Willd.*
spuria, *Linn.*, var. notha.
Talischi, *Foster*
tectorum, *Maxim.*
tenax, *Dougl.*
unguicularis, *Poir.*
virginica, *Linn.*
Watsoniana, *Purdy*

Isatis
alpina, *All.*
glauca, *Auch.*
tinctoria, *Linn.*

Jamesia
americana, *Torr.* et *Gray*

Jasione
humilis, *Loisel.*
Jankæ, *Neilr.*
perennis, *Lam.*

Jasminum
humile, *Linn.*

Juncus
alpinus, *Vill.*
arcticus, *Willd.*
balticus, *Willd.*
biglumis, *Linn.*
effusus, *Linn.*
— var. conglomeratus.
— var. luteus.
— var. spiralis.
glaucus, *Sibth.*
squarrosus, *Linn.*
triglumis, *Linn.*

Jurinea
glycacantha, *DC.*

Kalmia
angustifolia, *Linn.*
— var. rubra.

Kniphofia
aloides, *Moench*
corallina, *Hort.*
Northiae, *Baker*
Tuckii, *Baker*

Koeleria
cristata, *Pers.*

Laburnum
Adami ×, *Lavall.*
alpinum, *J. S. Presl*
— var. autumnale.
Vossii, *Hort.*
vulgare, *J. S. Presl*
— var. Alschingeri, *Briq.*
— var. quercifolium.

Lachnanthes
tinctoria, *Ell.*

Lactuca
Bourgaei, *Boiss.*
Dubyaea, *C. B. Clarke*
macrophylla, *A. Gray*
perennis, *Linn.*
Plumieri, *Gren.* et *Godr.*
Scariola, *Linn.*

Lagenophora
Forsteri, *DC.*
petiolata, *Hook. f.*

Laggera
flava, *Benth.* et *Hook. f.*

Lallemantia
pulchella, *Hort.*

Lamium
album, *Linn.*
Galeobdolon, *Crantz*
longiflorum, *Tenore*
maculatum, *Linn.*
— var. album.
Orvala, *Linn.*
puralbum ×.
striatum, *Sibth.* et *Sm.*

Lapsana
intermedia, *Bieb.*

Laserpitium
marginatum, *Waldst.* et *Kit.*
Siler, *Linn.*

Lathraea
Clandestina, *Linn.*

Lathyrus
Aphaca, *Linn.*
Clymenum, *Linn.*, var. tenuifolius.
Drummondii, *Hort.*
filiformis, *J. Gay*
hirsutus, *Linn.*
latifolius, *Linn.*
— var. albus.
Lowii, *Hort.*
luteus, *Baker*
— var. aureus.
maritimus, *Bigel.*
montanus, *Bernh.*
Nissolia, *Linn.*
sphaericus, *Retz.*
splendens, *Kellogg*
sylvestris, *Linn.*
undulatus, *Boiss.*
variegatus, *Gren.* et *Godr.*
vernus, *Bernh.*
— var. azureus.
— var. flaccidus.

Laurentia
tenella, *A. DC.*

Lavandula
vera, *DC.*
— var. compacta.

Lavatera
arborea, *Linn.*, var. variegata.
cretica, *Linn.*

Layia
Douglasii, *Hook.* et *Arn.*
elegans, *Torr.* et *Gray*
heterotricha, *Hook.* et *Arn.*

Ledum
palustre, *Linn.*
— var. latifolium, *Michx.*

Leontodon
hastilis, *Linn.*
hispidus, *Linn.*

Leontopodium
alpinum, *Cass.*
— var. sibiricum.
— var. transsylvanicum.
hybridum, *Hort.*
japonicum, *Miq.*

Leonurus
Cardiaca, *Linn.*

Lepidium
campestre, *R. Br.*
pubicarpum, *A. Nelson*

Leptosyne
maritima, *A. Gray*
Stillmannii, *A. Gray*

Leucojum
trichophyllum, *Schousb.*

Levisticum
officinale, *Koch*

Leycesteria
formosa, *Wall.*

Liatris
pycnostachya, *Michx.*

Libertia
formosa, *R. Grah.*
grandiflora, *Sweet*
ixioides, *Spreng.*

Ligustrum
Ibota, *Sieb.*
ovalifolium, *Hassk.*
vulgare, *Linn.*
— var. italicum.

Lilium
cordifolium, *Thunb.*
croceum, *Chaix*
dauricum, *Ker-Gawl.*
Hansoni, *Leichtl.*
Martagon, *Linn.*
— var. dalmaticum.
nepalense, *D. Don*
pardalinum, *Kellogg*
pomponium, *Linn.*
sulphureum, *Baker*
tenuifolium, *Fisch.*
umbellatum, *Hort.*, var. erectum.

Limnanthes
Douglasii, *R. Br.*

Linaria
alpina, *Mill.*
— var. alba rosea.
— var. rosea.
anticaria, *Boiss.* et *Reut.*
Cymbalaria, *Mill.*
genistifolia, *Mill.*
Hendersoni, *Hort.*
hepaticaefolia, *Steud.*
macedonica, *Griseb.*
maroccana, *Hook. f.*
origanifolia, *DC.*
pilosa, *DC.*
repens, *Mill.*
supina, *Desf.*
triornithophora, *Willd.*
tristis, *Mill.*

Lindelofia
spectabilis, *Lehm.*

Linum
campanulatum, *Linn.*
capitatum, *Kit.*
grandiflorum, *Desf.*, var. roseum.
maritimum, *Linn.*
monogynum, *Forst.*
narbonense, *Linn.*
perenne, *Linn.*
salsoloides, *Lam.*
tenuifolium, *Linn.*
viscosum, *Linn.*

Lithospermum
graminifolium, *Viv.*
prostratum, *Loisel.*

Loasa
triphylla, *Juss.*

Lobelia
erecta, *Hook. f.* et *Thoms.*
Erinus, *Linn.*, var. compacta caerulea.
linnaeoides, *Petrie*

Lolium
perenne, *Linn.*

Lonicera
alpigena, *Linn.*
angustifolia, *Wall.*
bella, *Zabel*
— var. albida.
var. atro-rosea.
Caprifolium, *Linn.*
involucrata, *Banks*, var. serotina.
macrophylla, *Willd.*
Morrowii, *A. Gray*
orientalis, *Lam.*
Periclymenum, *Linn.*
pyrenaica, *Linn.*
quinquelocularis, *Hardw.*
Stabiana, *Guss.*

Lophanthus
scrophulariaefolius, *Benth.*

Lophosciadium
meifolium, *DC.*

Lotus
corniculatus, *Linn.*
tenuifolius, *Presl*
Tetragonolobus, *Linn.*

Lunaria
annua, *Linn.*

Lupinus
arboreus, *Linn.*
— var. albus.
— var. violaceus.
Cosentini, *Guss.*
luteus, *Linn.*
nootkatensis, *Donn*
perennis, *Linn.*
polyphyllus, *Lindl.*, var. albus.

Luzula
albida, *DC.*
campestris, *DC.*
vernalis, *DC.*

Lychnis
alpina, *Linn.*
— var. lapponica.
Bungeana, *Fisch.*
chalcedonica, *Linn.*
coronaria, *Desr.*
— var. alba.
dioica, *Linn.*
Flos-cuculi, *Linn.*
— var. alba.
Flos-Jovis, *Desr.*
fulgens, *Fisch.*, var. aurantiaca.
Haageana, *Lemaire*
himalayensis, *Edgew.*

Lychnis—*continued.*
lacinata, *Maxim.*
Preslii, *Sekera*
pyrenaica, *Berger*, var. vera.
Sartorii, *Boiss.*
Viscaria, *Linn.*
— var. splendens.

Lysimachia
atropurpurea, *Linn.*
lichiangensis, *G. Forrest*
stenosepala, *Hemsl.*
violascens, *Franch.*

Lythrum
Salicaria, *Linn.*
— var. rosea.
virgatum, *Linn.*

Malcomia
maritima, *R. Br.*
mongolica, *Maxim.*

Malva
Alcea, *Linn.*
sylvestris, *Linn.*

Malvastrum
capense, *Garcke*

Margyricarpus
setosus, *Ruiz* et *Pav.*

Marrubium
Kotschyi, *Boiss.* et *Hohen.*

Matricaria
inodora, *Linn.*, var. plenissima.
oreades, *Boiss.*

Matthiola
tricuspidata, *R. Br.*

Meconopsis
aculeata, *Royle*
cambrica, *Vig.*
— var. aurantiaca.
grandis, *Prain*
heterophylla, *Benth.*
integrifola, *Franch.*
napaulensis, *DC.*
paniculata, *Prain*
racemosa, *Maxim.*
sinuata, *Prain*, var. latifolia.
Wallichii, *Hook.*

Medicago
carstiensis, *Wulf.*
falcata, *Linn.*
sativa, *Linn.*
truncatula, *Gaertn.*

Melica
altissima, *Linn.*
nutans, *Linn.*
Torreyana, *Scribner*

Melittis
Melissophyllum, *Linn.*

Mentha
piperita, *Linn.*

Menziesia
globularis, *Salisb.*
multiflora, *Maxim.*

Meum
athamanticum, *Jacq.*

Microglossa
albescens, *C. B. Clarke*

Micromeria
croatica, *Schott*
filiformis, *Benth.*

Microsteris
micrantha, *Greene*

Milium
effusum, *Linn.*

Mimulus
Burnettii ×.
cardinalis, *Dougl.*
cupreus, *Regel*
Langsdorffii, *Sims*
Lewisii, *Pursh*
luteus, *Linn.*
— var. alpinus.
moschatus, *Dougl.*
primuloides, *Benth.*
ringens, *Linn.*
sessilifolius, *Maxim.*

Mirabilis
Jalapa, *Linn.*

Mitchella
repens, *Linn.*

Moehringia
papulosa, *Bertol.*

Molinia
caerulea, *Moench*

Molopospermum
cicutarium, *DC.*

Moltkia
petraea, *Boiss.*

Monarda
didyma, *Linn.*, var. purpurea.
— var. rosea.
fistulosa, *Linn.*

Morina
longifolia, *Wall.*

Muehlenbergia
mexicana, *Trin.*

Mulgedium
Bourgaei, *Boiss.*

Muscari
alpinum, *J. Gay*
Argaei, *Hort.*
armeniacum, *Baker*
Aucheri, *Baker*
botryoides, *Mill.*
comosum, *Mill.*
— var. monstrosum.
conicum, *Baker*
elegans, *Hort.*
moschatum, *Willd.*
polyanthum, *Boiss.*
racemosum, *Mill.*
tauricum, *Hort.*

Myosotis
alpestris, *F. W. Schmidt*
corsica, *Hort.*
palustris, *Lam.*
pygmaea, *Colenso*
stricta, *Link*, var. alba.
sylvatica, *Hoffm.*
Traversii, *Hook. f.*

Myosurus
minimus, *Linn.*

Myriactis
Wallichii, *Less.*

Myricaria
germanica, *Desv.*

Myrrhis
odorata, *Scop.*

Narcissus
Bulbocodium, *Linn.*
cyclamineus, *Baker*
Jonquilla, *Linn.*
viridiflorus, *Schousb.*

Narthecium
ossifragum, *Huds.*

Neillia
opulifolia, *Benth.* et *Hook. f.*
— var. lutea.
Torreyi, *S. Wats.*

Nemesia
strumosa, *Benth.* vars.

Nemophila
insignis, *Benth.*
integrifolia, *Abrams*
Menziesii, *Hook.* et *Arn.*, var. atomaria.
micrantha, *Eastw.*

Nepeta
cilicica, *Boiss.*
distans, *Royle*
eriostachys, *Benth.*
Glechoma, *Benth.*
kokanica, *Regel*
lamiopsis, *Benth.*
longiflora, *Vent.*
macrantha, *Fisch.*
nuda, *Linn.*
racemosa, *Lam.*, var. crassifolia.
Sibthorpii, *Benth.*
ucranica, *Linn.*

Nertera
depressa, *Banks* et *Soland.*

Neslia
paniculata, *Desv.*

Nicotiana
alata, *Link* et *Otto*

Noccaea
alpina, *Reichb.*
— var. Auerswaldii.

Nuttallia
cerasiformis, *Torr.* et *Gray*

Oenanthe
crocata, *Linn.*
pimpinelloides, *Linn.*
silaifolia, *Bieb.*

Oenothera
amoena, *Lehm.*
biennis, *Linn.*
hirtella, *Greene*
pumila, *Linn.*
rosea, *Ait.*
triloba, *Nutt.*

Olearia
Haastii, *Hook. f.*
ilicifolia, *Hook. f.*
macrodonta, *Baker*
nummularifolia, *Hook. f.*
stellulata, *DC.*

Omphalodes
Luciliae, *Boiss.*

Onobrychis
viciaefolia, *Scop.*

Ononis
antiquorum, *Linn.*
arvensis, *Linn.*
fruticosa, *Linn.*
rotundifolia, *Linn.*
sicula, *Guss.*
spinosa, *Linn.*

Onopordon
Acanthium, *Linn.*
bracteatum, *Boiss.* et *Heldr.*

Onosma
albo-roseum, *Fisch.* et *Mey.*
cassium, *Boiss.*
Thomsoni, *C. B. Clarke*

Onosmodium
Thurberi, *A. Gray*

Opopanax
Chironium, *Koch*

Orchis
foliosa, *Soland.*
latifolia, *Linn.*
maculata, *Linn.*
— var. superba.

Origanum
vulgare, *Linn.*

Ornithogalum
agnaticum, *Hort.*
narbonense, *Linn.*
nutans, *Linn.*
oligophyllum, *Clarke*
pyrenaicum, *Linn.*

Orobanche
rubra, *Sm.*

Oryzopsis
miliacea, *Benth.* et *Hook. f.*

Osteospermum
moniliferum, *Linn.*

Othonnopsis
cheirifolia, *Benth.* et *Hook. f.*

Ourisia
coccinea, *Pers.*
Colensoi, *Hook. f.*
macrocarpa, *Hook. f.*
macrophylla, *Hook.*

Oxalis
corniculata, *Linn.*, var. atropurpurea.
— var. tropaeoloides.
enneaphylla, *Cav.*
floribunda, *Lehm.*
valdiviensis, *Barn.*

Oxybaphus
angustifolius, *Sweet*

Oxygraphis
glacialis, *Bunge*

Oxyria
digyna, *Hill*

Oxytropis
baicalensis, *Pall.*
campestris, *DC.*
foetida, *DC.*
montana, *DC.*
ochroleuca, *Bunge*
pilosa, *DC.*
uralensis, *DC.*

Paeonia
anomala, *Linn.*
lutea, *Franch.*

Palaua
malvaefolia, *Cav.*

Paliurus
australis, *Gaertn.*

Panicum
miliaceum, *Linn.*

Papaver
alpinum, *Linn.*
— var. Burseri.
anomalum, *Hort.*
glaucum, *Boiss.* et *Hausskn.*
heterophyllum, *Greene*
monanthum, *Trautv.*
nudicaule, *Linn.*
— var. coccineum.
— var. croceum.
— var. miniatum.
obtusifolium, *Desf.*
pilosum, *Sibth.* et *Sm.*
rupifragum, *Boiss.* et *Reut.*
spicatum, *Boiss.* et *Bal.*
triniaefolium, *Boiss.*

Paracaryum
glochidiatum, *Benth.* et *Hook. f.*

Paradisea
Liliastrum, *Bertol.*

Parietaria
alsinaefolia, *Delile*
officinalis, *Linn.*

Parnassia
palustris, *Linn.*

Paronychia
Kapela, *A. Kern.*

Parrya
microcarpa, *Ledeb.*

Pedicularis
sylvatica, *Linn.*

Pelargonium
capitatum, *Ait.*

Pentstemon
antirrhinoides, *Benth.*
barbatus, *Roth*
breviflorus, *Lindl.*
Cobaea, *Nutt.*
confertus, *Dougl.*
— var. coeruleo-purpureus.
deustus, *Dougl.*
gentianoides, *Poir.*
glaber, *Pursh*, var. alpinus.
— var. cyananthus.
gracilentus, *A. Gray*
gracilis, *Nutt.*
heterophyllus, *Lindl.*
Menziesii, *Hook.*, var. Douglasii.
— var. Newberryi.
— var. Scouleri.
Richardsonii, *Dougl.*
Watsoni, *A. Gray*

Perezia
multiflora, *Less.*

Pernettya
mucronata, *Gaudich.*

Perovskia
atriplicifolia, *Benth.*

Pertya
sinensis, *Oliver*

Petteria
ramentacea, *Presl*

Peucedanum
coriaceum, *Reichb.*
Galbanum, *Benth.* et *Hook. f.*
officinale, *Linn.*
Ostruthium, *Koch*
sativum, *Benth.* et *Hook. f.*
verticillare, *Spreng.*

Phacelia
campanularia, *A. Gray*
Parryi, *Torr.*
pimpinelloides, *A. Gray*
tanacetifolia, *Benth.*

Phaseolus
multiflorus, *Willd.*

Philadelphus
coronarius, *Linn.*
Gordonianus, *Lindl.*
Lewisii, *Pursh*
microphyllus, *A. Gray*
Satsumi, *Siebold*, var. acuminatus.

Phlomis
fruticosa, *Linn.*
samia, *Linn.*
tuberosa, *Linn.*
umbrosa, *Turcz.*, var. australis.
viscosa, *Poir.*

Phlox
Drummondii, *Hook.*
— var. coccinea.
— var. cuspidata.
— var. nana compacta.
— var. rubra.

Phuopsis
stylosa, *Benth.* et *Hook. f.*

Phygelius
capensis, *E. Mey.*

Physalis
Alkekengi, *Linn.*

Physostegia
virginiana, *Benth.*

Phyteuma
anthericoides, *Nym.*
canescens, *Waldst.* et *Kit.*
Michelii, *All.*
orbiculare, *Linn.*
Scheuchzeri, *All.*
— var. Charmelii, *Vill.*
Sieberi, *Spreng.*

Picradenia
floribunda, *Greene*

Picris
hieracioides, *Linn.*

Pimpinella
magna, *Linn.*, var. rosea.

Pinguicula
Reuteri, *Genty*
— var. rosea.
vulgaris, *Linn.*

Piptanthus
nepalensis, *Sweet*

Pisum
sativum, *Linn.*

Plantago
argentea, *Chaix*
Brownii, *Rafin.*
carinata, *Schrad.*
Coronopus, *Linn.*
Cynops, *Linn.*
graminifolia, *Hort.*
insularis, *Eastw.*
lanceolata, *Linn.*
— var. variegata.
major, *Linn.*
— var. monstrosa.
— var. rubra.
maritima, *Linn.*
media, *Linn.*
Psyllium, *Linn.*
Raoulii, *Decne.*
Rugelii, *Decne.*

Platycodon
grandiflorum, *A. DC.*, var. Mariesii.

Platystemon
californicus, *Benth.*

Plectranthus
glaucocalyx, *Maxim.*

Pluchea
Bulleyana, *J. F. Jeffrey*

Poa
Balfourii, *Parn.*
caespitosa, *Forst. f.*
Chaixii, *Vill.*
nemoralis, *Linn.*
pannonica, *Kern.*
pratensis, *Linn.*
trivialis, *Linn.*

Podophyllum
Emodi, *Wall.*

Pogonia
ophioglossoides, *Ker-Gawl.*

Polemonium

boreale, *Adams.*
caeruleum, *Linn.*
— var. album.
— var. dissectum.
— var. monstrosum.
filicinum, *Greene*
flavo-caeruleum, *Hort.*
flavum, *Greene*, var. album.
foliosissimum, *A. Gray*
humile, *Willd.*
— var. pulchellum.
mexicanum, *Cerv.*
reptans, *Linn.*
viscosum, *Nutt.*

Polygala

Chamaebuxus, *Linn.*

Polygonum

alpinum, *All.*
Bistorta, *Linn.*
— var. gigantea.
capitatum, *Buch.-Ham.*
Emodi, *Meissn.*
sphaerostachyum, *Meissn.*

Polypogon

monspeliensis, *Desf.*

Portulaca

grandiflora, *Hook.*

Potentilla

alchemilloides, *Lapeyr.*
alpestris, *Hall. f.*
apennina, *Tenore*
argentea, *Linn.*, var. calabra.
argyrophylla, *Wall.*
aurea, *Linn.*, var. chrysocraspeda.
bifurca, *Linn.*
Brennia ×, *Huter*
concolor, *Rolfe*
crinita, *A. Gray*
Cryptotaeniae, *Maxim.*

Potentilla—*continued.*

delphinensis, *Gren.* et *Godr.*
Detommasii, *Tenore*
dissecta, *Pursh*
Dombeyi, *Nestl.*
effusa, *Dougl.*
flagellaris, *Willd.*
Fragariastrum, *Ehrh.*
Friedrichsenii ×, *Späth*
fruticosa, *Linn.*
— var. glabrata.
— var. tenuifolia.
— var. tomentosa.
glandulosa, *Lindl.*
gracilis, *Dougl.*
grandiflora, *Linn.*
Herbichii, *Blocki*
Hippiana, *Lehm.*
leuconota, *D. Don*
litoralis, *Rydb.*
Macnabiana ×, *Lem.*
Menziesii ×, *Paxt.*
montenegrina, *Pantoč*
Mooniana, *Wight*
multifida, *Linn.*
multiflora, *Hort.*
nepalensis, *Hook.*
— var. Willmottiana.
nivea, *Linn.*
opaca, *Linn.*
palustris, *Scop.*
pensylvanica, *Linn.*
recta, *Linn.*
— var. laciniata.
— var. pedata.
— var. sulphurea.
reptans, *Linn.*
rhodopeum, *Hort.*
rhomboidea, *Rydb.*
rupestris, *Linn.*
Rydbergiana, *Rose*
sericea, *Linn.*
speciosa, *Willd.*
tanacetifolia, *Willd.*
Tonguei, *W. Baxt.*
Tormentilla, *Neck.*
tridentata, *Soland.*
villosa, *Pall.*

Poterium

canadense, *A. Gray*
officinale, *A. Gray*
Sanguisorba, *Linn.*

Prenanthes

purpurea, *Linn.*

Preslia

cervina, *Fresen.*

Primula

admontensis ×, *Gusm.*
apennina, *Wid.*
Auricula, *Linn.*
— var. hybrida.
Beesiana, *G. Forrest*
Bulleyana, *G. Forrest*
capitata, *Hook. f.*
Cockburniana, *Hemsl.*
cortusoides, *Linn.*, var. lichiangensis, *G. Forrest*
deflexa, *Duthie*
denticulata, *Sm.*
elatior, *Hill*, var. carpatica.
— var. gigantea.
erosa, *Wall.*
farinosa, *Linn.* var. scotica.
floribunda, *Wall.*
frondosa, *Hort.*
grandis, *Trautv.*
imperialis, *Jungh.*
japonica, *A. Gray*
Lindsayi, *Hort.*
Littoniana, *G. Forrest*
malacoides, *Franch.*
marginata, *Curt.*
officinalis, *Jacq.*
Paxiana, *Gilg*
Poissoni, *Franch.*
pubescens ×, *Jacq.*
pulverulenta, *Duthie*
Reidii, *Duthie*
rosea, *Royle*
saxatilis, *Komarov*
septemloba, *Franch.*
sibirica, *Jacq.*, var. chinensis.
sikkimensis, *Hook. f.*
Stuartii, *Wall.*
suffrutescens, *A. Gray*
tibetica, *Watt.*
unique ×, *Veitch*
Veitchii, *Duthie*
viscosa, *Vill.*
— var. ciliata.
vulgaris, *Huds.*
— var. caulescens.
yunnanensis, *Franch.*

Prunella

grandiflora, *Jacq.*
— var. pinnatifida.
hyssopifolia, *Linn.*
laciniata, *Linn.*
vulgaris, *Linn.*

Prunus

acida, *Borkh.*, var. semperflorens.
Avium, *Linn.*
Laurocerasus, *Linn.*, var. colchica.

Przewalskia

tangutica, *Maxim.*

Psoralea

acaulis, *Stev.*

Ptelea

Baldwinii, *Torr.* et *Gray*
trifoliata, *Linn.*
— var. aurea.

Pulicaria

vulgaris, *Gaertn.*

Puschkinia

scilloides, *Adams*
— var. compacta.

Pyrola

rotundifolia, *Linn.*

Pyrus

alnifolia, *Franch.* et *Sav.*
alpina, *Willd.*
— var. superaria.
americana, *DC.*
arbutifolia, *Linn. f.*
Aria, *Linn.*
— var. obtusata.
— var. salicifolia, *Hort.*
Aucuparia, *Gaertn.*
— var. Fifeana.
— var. fructu luteo.
— var. pendula variegata.
— var. satureiaefolia, *Hort.*
baccata, *Linn.*
— var. cerasifera.
— var. costata.
baccata, *Linn.*, var. maxima.
germanica, *Hook. f.*
Hostii, *Hort.*
hybrida, *Moench*
intermedia, *Ehrh.*
Malus, *Linn.*
— var. alba.
melanocarpa, *K. Koch*
pinnatifida, *Ehrh.*
prunifolia, *Willd.*
— var. fructu luteo.
rotundifolia, *Bechst.*
Torminalis, *DC.*

Ramondia

pyrenaica, *Rich.*

Ranunculus

aconitifolius, *Linn.*
acris, *Linn.*
— var. minor.
alpestris, *Linn.*
— var. Traunfellneri.
amplexicaulis, *Linn.*
anemonefolius, *DC.*
bulbosus, *Linn.*
caucasicus, *Bieb.*
crenatus, *Waldst.* et *Kit.*
demissus, *DC.*

Ranunculus—*continued.*

gracilis, *Clarke*
gramineus, *Linn.*
insignis, *Hook. f.*, var. lobulatus, *T. Kirk*
libanoticus, *Freyn*
montanus, *Willd.*
nemorosus, *DC.*
orthorhynchus, *Hook.*
Reuterianus, *Boiss.*
sceleratus, *Linn.*
serbicus, *Vis.*
Thora, *Linn.*
velutinus, *Tenore*

Raphanus

sativus, *Linn.*

Rapistrum

rugosum, *All.*, var. clavatum.

Rehmannia

angulata, *Hemsl.*

Reseda

alba, *Linn.*
complicata, *Bory*
glauca, *Linn.*
Luteola, *Linn.*
odorata, *Linn.*
— var. *Bismarck.*

Rhamnus

californica, *Eschsch.*
caroliniana, *Walt.*
Frangula, *Linn.*

Rheum

Collinianum, *Baill.*
hybridum, *Murr.*
Moorcroftianum, *Royle*
palmatum, *Linn.*, var. rubrum.
Rhaponticum, *Linn.*

Rhododendron

californicum, *Hook.*
catawbiense, *Michx.*
caucasicum, *Pall.*
ciliatum, *Hook. f.*
ferrugineum, *Linn.*
— var. album.
— var. atrococcineum.
— var. hybridum.
— var. majus.
flavum, *G. Don*
hirsutum, *Linn.*
— var. album.
kamtschaticum, *Pall.*
latifolium, *Hoffmgg.*
lepidotum, *Wall.*
myrtifolium, *Schott* et *Kotschy*
ponticum, *Linn.*
Thomsoni, *Hook. f.*

Rhodotypos

kerrioides, *Sieb.* et *Zucc.*

Ribes

americanum, *Mill.*
aureum, *Pursh*, var. leiobotrys.
multiflorum, *Waldst.* et *Kit.*
nigrum, *Linn.*, var. fructu luteo.
rubrum, *Linn.*, var. Schlechtendalii.
sanguineum, *Pursh*
— var. albidum.
— var. atrosanguineum.
— var. glutinosum.

Ricotia

Lunaria, *DC.*

Romanzoffia

sitchensis, *Bong.*

Romulea

Bulbocodium, *Sebast.* et *Mauri*

Rosa

acicularis, *Lindl.*
alba, *Linn.*, var. suaveolens, *Dieck*
Alberti, *Regel*
alpina, *Linn.*
— var. pyrenaica.
blanda, *Ait.*, var. Sayi.
californica, *Schlecht.*
— var. pisocarpa.
Fendleri, *Crép.*
ferox, *Bieb.*
gallica, *Linn.*
glauca, *Vill.*
glutinosa, *Sibth.* et *Sm.*
laxa, *Retz.*
macrophylla, *Lindl.*
Malyi, *Kern.*
moschata, *Herrm.*
nitida, *Willd.*
pomifera, *Herrm.*
rugosa, *Thunb.*
— var. alba.
spinosissima, *Linn.*
— var. rubra.
villosa, *Linn.*
— var. pomifera.
Webbiana, *Wall.*

Roscoea

lutea, *Hassk.*

Rubus

caesius, *Linn.*
Idaeus, *Linn.*
laciniatus, *Willd.*
leucostachys, *Sm.*
nutkanus, *Linn.*
odoratus, *Linn.*
phoenicolasius, *Maxim.*
rosaefolius, *Sm.*
sorbifolius, *Maxim.*
xanthocarpus, *Bur.* et *Franch.*

Rudbeckia

nitida, *Nutt.*
triloba, *Linn.*

Rumex
alpinus, *Linn.*
Berlandieri, *Meissn.*
chrysocarpos, *Moris*
crispus, *Linn.*
exaltatus, *Hort.*
flexuosus, *Soland.*
Hydrolapathum, *Huds.*
intermedius, *DC.*
maritimus, *Linn.*
nepalensis, *Spreng.*
nivalis, *Hegetschw.*
obtusifolius, *Linn.*
occidentalis, *S. Wats.*
roseus, *Linn.*
salicifolius, *Weinm.*
scutatus, *Linn.*

Ruta
graveolens, *Linn.*
macrophylla, *Soland.*

Sagina
glabra, *Fenzl*, var. pilifera.
Linnaei, *Presl*
nivalis, *Fries*
occidentalis, *S. Wats.*
procumbens, *Linn.*

Salvia
acetabulosa, *Linn.*
azurea, *Lam.*
bracteata, *Russ.*
cadmica, *Boiss.*
cleistogama, *De Bary* et *Paul*
cypria, *Ung.* et *Kotschy*
glutinosa, *Linn.*
grandiflora, *Etling.*
Horminum, *Linn.*
— var. violacea.
hians, *Royle*
lilaefolia, *Hort.*
officinalis, *Linn.*
orgyalis, *Fenzl*
patens, *Cav.*
— var. alba.
Salvia—*continued.*
pratensis, *Linn.*
— var. alba.
Przewalskii, *Maxim.*
Roemeriana, *Scheele*
Sclarea, *Linn.*
Souliei, *Hort.*
sylvestris, *Linn.*
verbascifolia, *Bieb.*, var. kurdica.
Verbenaca, *Linn.*
verticillata, *Linn.*
virgata, *Ait.*
— var. nemorosa.

Sambucus
canadensis, *Linn*
— var. aurea.
glauca, *Nutt.*
nigra, *Linn.*
— var. variegata.
— var. virescens.
racemosa, *Linn.*

Samolus
Valerandi, *Linn.*

Sanvitalia
procumbens, *Lam.*

Saponaria
calabrica, *Guss.*
lutea, *Linn.*
ocymoides, *Linn.*
pulvinaris, *Boiss.*

Satureia
montana, *Linn.*
— var. illyrica.

Saussurea
candicans, *C. B. Clarke*
discolor, *DC.*

Saxifraga
Aizoon, *Jacq.*
— f. hirsuta.
— f. lutea.

Saxifraga—*continued.*

Aizoon, *Jacq.*, f. minima.
— f. rosularis.
— f. Sturmiana.
ambigua × *Sund.*
arachnoidea, *Sternb.*
aretioides, *Lapeyr.*
aretioides ×, calyciflora.
aspera, *Linn.*
aurantiaca, *Franch.*
Brunoniana, *Wall.*
Bucklandi, *Hort.*
Burseriana, *Linn.*
— var. minor.
caesia, *Linn.*
caespitosa, *Linn.*
— var. palmata.
californica, *Greene*
canaliculata, *Boiss.* et *Reut.*
cartilaginea, *Willd.*
cernua × granulata.
Churchilli ×.
cochlearis, *Reichb.*
— var. minor.
Cotyledon, *Linn.*
— var. montavoniensis.
— var. pyramidalis.
crassifolia, *Linn.*
cuneifolia, *Linn.*
— var. apennina.
decipiens, *Ehrh.*, f. gemmifera.
— f. globosa.
— f. grandiflora.
— f. groenlandica.
— f. hirta.
— f. hybrida grandiflora.
— f. — splendens.
— f. incurvifolia.
— f. Kingii.
— f. platypetala.
— f. Sternbergii.
erosa, *Pursh*
Ferdinandi-Coburgi, *Keller.* et *Sund.*
flagellaris, *Willd.*
geranioides, *Linn.*
Geum, *Linn.*
— f. crenulata.

Saxifraga—*continued.*

Geum, *Linn.*; f. crispa.
— f. Donii.
— f. elegans, *Mackay*
— f. ovalifolia.
— f. rotundifolia repanda.
Gusmusii ×, *Sund.*
Haagii ×, *Sund.*
Hausmanni ×, *Kern.*
Hostii, *Tausch.* var. altissima.
Huetiana, *Boiss.*
hypnoides, *Linn.*
irrigua, *Bieb.*
lactea, *Turcz.*
leucanthemifolia, *Michx.*
ligulata, *Wall.*
lingulata, *Bell.*, f. cultrata.
— var. lantoscana.
— f. speciosa.
luteo-purpurea, *Sternb.*
luteo-viridis, *Schott* et *Kotschy*
marginata, *Sternb.*
Mertensiana, *Bong.*
micrantha, *Edgew.*
muscoides, *Wulf.*
mutata, *Linn.*
nivalis, *Linn.*
Nuttallii, *Small*
occidentalis, *S. Wats.*
oppositifolia, *Linn.*
pedatifida, *Ehrh.*
pedemontana, *All.*, f. aromatica.
— var. cervicornis.
pentadactylis, *Lapeyr.*
Portae ×.
pubescens, *Pourr.*
purpurascens, *Hook. f.*
Regeli ×, *Kerner*
Rossii, *Oliver*
rotundifolia, *Linn.*
— f. corsica.
— f. glandulosa.
— f. graeca.
— f. hederaefolia.
— f. repanda.
sancta, *Griseb.*
Schotti ×,

Saxifraga—*continued.*
sibirica, *Linn.*
Sibthorpii, *Boiss.*
squarrosa, *Sieber*
stellaris, *Linn.*
strigosa, *Wall.*
Stuartii ×.
tenella, *Wulf.*
tyrolensis ×, *A. Kern.*
umbrosa, *Linn.*
— f. Aegilops.
— f. bulgarica.
— f. Colvillei.
— f. elegans.
— f. glacialis.
— f. gracilis.
— f. Ogilvieana.
— f. primuloides.
— f. punctata.
— f. serratifolia.
— f. — Melvillei.
— f. variegata.
virginiensis, *Michx.*
vochinensis, *Gusm.*
Wallacei ×, *M'Nab*
Webbiana, *Hort.*
yunnanensis, *Franch.*

Scabiosa
australis, *Wulf.*
balcanica, *Velen.*
caucasica, *Bieb.*
— var. alba.
graminifolia, *Linn.*
gramuntia, *Linn.*
holosericea, *Bert.*
lucida, *Vill.*
magnifica, *Benth.* et *Hook. f.*
montana, *Bieb.*
plumosa, *Sibth.* et *Sm.*
Portae, *Huter*
Pterocephala, *Linn.*
Succisa, *Linn.*
sylvatica, *Linn.*
vestina, *Facc.*

Scandix
Pecten-Veneris, *Linn.*

Schizanthus
pinnatus, *Ruiz* et *Pav.*

Schizopetalon
Walkeri, *Sims*

Schizostylis
coccinea, *Backh.* et *Harv.*

Scilla
festalis, *Salisb.*
hispanica, *Mill.*
sibirica, *Andr.*

Scirpus
lacustris, *Linn.*, var. Tabernaemontani.
sylvaticus, *Linn.*

Scoliopus
Bigelovii, *Torr.*

Scorzonera
hispanica, *Linn.*
humilis, *Linn.*

Scrophularia
alata, *Gilib.*
altaica, *Murr.*
auriculata, *Linn.*
cryptophilla, *Boiss.* et *Heldr.*
Herminii, *Hoffmgg.* et *Link*
heterophylla, *Willd.*
Kotschyana, *Benth.*, var. lutea.
nodosa, *Linn.*
Scorodonia, *Linn.*

Scutellaria
albida, *Linn.*
alpina, *Linn.*
altissima, *Linn.*
baicalensis, *Georgi*
— var. caelestina.
hirta, *Sibth.* et *Sm.*
indica, *Linn.*, var. japonica.
splendens, *Link, Klotzsch* et *Otto*

Sedum

Aizoon, *Linn.*
album, *Linn.*
altaicum, *G. Don*
Anacampseros, *Linn.*
asiaticum, *Spreng.*
coeruleum, *Vahl*
Ewersii, *Ledeb.*
gracile, *C. A. Mey.*
Maximowiczii, *Regel*
maximum, *Suter*
— var. purpureum.
oppositifolium, *Sims*
populifolium, *Pall.*
primuloides, *Franch.*
pruinatum, *Brot.*
rhodanthum, *A. Gray*
roseum, *Scop.*
— var. linifolium.
rupestre, *Linn.*
— var. collinum.
— var. minus.
sempervivoides, *Fisch.*
stoloniferum, *S. T. Gmel.* var. ibericum.
— var. major.
Telephium, *Linn.*
— var. purpureum.

Selinum

pyrenaeum, *Gouan*
tenuifolium, *Wall.*
— var. album.

Sempervivum

arachnoideum, *Linn.*
arenarium, *Koch*
arvernense, *Lecoq* et *Lamotte*
barbatum, *C. Sm.*
blandum, *Schott*
Boutignyanum, *Billot* et *Gren.*
Bungeanum, *Hort.*
Chavini, *Lagg.*
Delponti, *Hort.*
flagelliforme, *Fisch.*
fontanae ×, *Bruegg.*
Funckii, *F. Braun*

Sempervivum—*continued.*

glaucum, *Tenore*
Hookeri, *Hort.*
Lehmanni, *Hort.*
Pittonii, *Schott, Nym.* et *Kotschy*
Pomelii, *Lamotte*
ponticum, *Hort.*
pulchellum, *Walp.*
ruthenicum, *Koch*
sanguineum, *Jeanb.*
Schnittspahni, *Lagg.*
Schottii, *Baker*, var. acuminatum.
spinulosum, *Lagg.*
tectorum, *Linn.*
— var. densum.
— var. pulchrum.
— var. robustum.
triste, *Hort.*
— var. bicolor.
— var. sanguineum.
Verloti, *Lamotte*

Senebiera

pinnatifida, *DC.*

Senecio

abrotanifolius, *Linn.*
— var. grandiflorus.
aurantiacus, *Reichb.*
bellidioides, *Hook. f.*
campestris, *DC.*
clivorum, *Maxim.*
Correvonianus, *Hort.*
Doria, *Linn.*
Doronicum, *Linn.*
elegans, *Linn.*, var. alba.
erubescens, *Panč.*
Hodgsoni, *Benth.* et *Hook. f.*
incanus, *Linn.*
lagopus, *Raoul*
lautus, *Soland.*
laxifolius, *J. Buch.*
Ledebouri, *Sch. Bip.*
Ligularia, *Hook. f.*
Lyallii, *Hook. f.*

Senecio—*continued.*
macrophyllus, *Bieb.*
nebrodensis, *Linn.*
sarracenicus, *Linn.*
Smithii, *DC.*
squalidus, *Linn.*
subalpinus, *Koch*
tropaeolifolius, *MacOwan*
Veitchianus, *Hemsl.*
Wootoni, *Greene*
vulgaris, *Linn.*
— × squalidus.

Serratula
coronata, *Linn.*
Gmelini, *Ledeb.*
heterophylla, *Desf.*
macrocephala, *Bertol.*
tinctoria, *Linn.*

Seseli
caespitosum, *Sibth.* et *Sm.*

Sesleria
tenella, *Host*

Setaria
macrostachya, *H. B. et K.*

Sidalcea
candida, *A. Gray*
malvaeflora, *A. Gray*
— var. atropurpurea.
spicata, *Greene*

Sideritis
hyssopifolia, *Linn.*
montana, *Linn.*
scordioides, *Linn.*

Siegesbeckia
orientalis, *Linn.*

Silaus
tenuifolius, *DC.*

Silene
alpestris, *Jacq.*
aprica, *Turcz.*
Armeria, *Linn.*
— var. alba.
Asterias, *Griseb.*, var. grandiflora.
caucasica, *Boiss.*
congesta, *Sibth.* et *Sm.*
conoidea, *Linn.*
Cucubalus, *Wibel*
dinarica, *Spreng.*
fimbriata, *Sims*
fruticosa, *Linn.*
fuscata, *Link*
gigantea, *Linn*
italica, *Pers.*
laciniata, *Cav.*
longiflora, *Ehrh.*
maritima, *With.*
multicaulis, *Guss.*
Otites, *Sm.*
palaestina, *Boiss.*
pauciflora, *Kit.*
pendula, *Linn.*, var. compacta.
pharnaceifolia, *Fenzl*
picta, *Pers.*
quadridentata, *Pers.*
— var. pusilla.
Reichenbachii, *Vis.*
Requienii, *Otth*
Roemeri, *Friv.*
rubicunda, *Franch.*
rupestris, *Linn.*
Saxifraga, *Linn.*
Schafta, *Gmel.*
Thorei, *Duf.*
turgida, *Bieb.*
Zawadzkii, *Herbich*

Siler
trilobum, *Crantz*

Silphium
perfoliatum, *Linn.*

Silybum
Marianum, *Gaertn.*

Sisymbrium
Alliaria, *Scop.*
pinnatifidum, *DC.*

Sisyrinchium
angustifolium, *Mill.*
— var. bellum.
— var. mucronatum.
grandiflorum, *Dougl.*, var. album.
iridifolium, *H. B.* et *K.*
pachyrhizum, *Baker*
striatum, *Sm.*
tenuifolium, *Humb.* et *Bonpl.*

Skimmia
Fortunei, *Mast.*
japonica, *Thunb.*
Laureola, *Sieb.* et *Zucc.*

Solanum
Dulcamara, *Linn.*

Solenanthus
apenninus, *Hohen.*

Solenomelus
chilensis, *Miers*

Solidago
Buckleyi, *Torr.* et *Gray*
canadensis, *Linn.*
multiradiata, *Ait.*
odora, *Ait.*
sempervirens, *Linn.*
Virgaurea, *Linn.*

Sonchus
maritimus, *Linn.*
palustris, *Linn.*

Spartium
junceum, *Linn.*

Specularia
Speculum, *A. DC.*
— var. album.

Spergula
arvensis, *Linn.*
vernalis, *Willd.*

Spergularia
longipes, *Rouy*
media, *Presl*

Spinacia
oleracea, *Linn.*

Spiraea
Aitchisoni, *Hemsl.*
Aruncus, *Linn.*
assurgens, *Hort.*
bella, *Sims*
betulifolia, *Pall.*
bracteata, *Zabel*
caespitosa, *Nutt.*
chamaedrifolia, *Linn.*
decumbens, *W. Koch*
discolor, *Pursh*, var. dumosa.
Douglasii, *Hook.*
Foxii, *Hort.*
japonica, *Linn. f.*
— var. variegata.
Lindleyana, *Wall.*
Menziesii, *Hook.*, var. Billiardii.
Nobleana, *Hook.*
pectinata, *Torr.* et *Gray*
salicifolia, *Linn.*
— var. paniculata, *Maxim.*
sorbifolia, *Linn.*
vestita, *Wall.*

Stachys
alopecuros, *Benth.*
annua, *Linn.*
Betonica, *Benth.*
discolor, *Benth.*
grandiflora, *Benth.*
— var. robusta.
iberica, *Bieb.*
lanata, *Jacq.*
recta, *Linn.*
repens, *Mart.* et *Gal.*
sericea, *Cav.*
setifera, *C. A. Mey.*
sylvatica, *Linn.*

Statice
Suworowi, *Regel*

Stellaria
hybrida, *Bég.*
media, *Cyrill.*, var. Cupaniana.
— var. dolichopoda.
— var. glaberrima.
— var. grandiflora.
— var. gymnocalyx.
— var. intermedia.

Stenanthium
angustifolium, *Kunth*

Stephanandra
Tanakae, *Franch.* et *Sav.*

Stipa
Calamagrostis, *Wahlenb.*
Lagascae, *Roem.* et *Schult.*
papposa, *Delile*

Stylophorum
diphyllum, *Torr.*

Symphoricarpus
occidentalis, *Hook.*
orbiculatus, *Moench*
racemosus, *Michx.*

Symphyandra
Hofmanni, *Pant.*
pendula, *A. DC.*
Wanneri, *Heuff.*

Symphyostemon
odoratissimus, *Miers*

Symplocarpus
foetidus, *Nutt.*

Synthyris
reniformis, *Benth.*

Syringa
Emodi, *Wall.*
— var. variegata.
vulgaris, *Linn.*

Tagetes
lucida, *Cav.*
patula, *Linn*

Talinum
patens, *Willd.*

Tamarix
gallica, *Linn.*

Tanacetum
vulgare, *Linn.*

Taraxacum
officinale, *Weber*
palustre, *DC.*

Taxus
baccata, *Linn.*
— var. adpressa.
— var. Dovastoni.
— var. fastigiata, *Loud.*

Teesdalia
nudicaulis, *R. Br.*

Tellima
grandiflora, *R. Br.*

Tetragonia
expansa, *Murr.*

Teucrium
Chamaedrys, *Linn.*
lucidum, *Linn.*
montanum, *Linn.*
pyrenaicum, *Linn.*
Scorodonia, *Linn.*
— var. crispum.

Thalictrum
alpinum, *Linn.*
angustifolium, *Linn.*, var. minus.
aquilegiaefolium, *Linn.*
— var. album.
calabricum, *Spreng.*
caucasicum, *Hort.*
glaucum, *Desf.*
isopyroides, *C. A. Mey.*
minus, *Linn.*
— var. elatum.
purpurascens, *Linn.*
simplex, *Linn.*
tuberosum, *Linn.*

Thaspium
aureum, *Nutt.*

Thelesperma
filifolium, *A. Gray*

Thermopsis
fabacea, *DC.*
lanceolata, *R. Br.*

Thlaspi
alpestre, *Linn.*
arvense, *Linn.*
bulbosum, *Sprun.*
elongatum, *Hort.*
rivale, *Presl*
— var. brevistylum.
rosulare, *Boiss.* et *Balansa*

Thymus
Chamaedrys, *Fries*, var. nummularius.
Herba-barona, *Loisel.*
Serpyllum, *Linn.*
— var. album.
— var. coccineus.
— var. micans.
— var. Snowdonianus.
vulgaris, *Linn.*

Thysanocarpus
elegans, *Fisch.* et *Mey.*

Tiarella
trifoliata, *Linn.*

Tilia
cordata, *Mill.*

Tofieldia
calyculata, *Wahlenb.*
palustris, *Huds.*

Tolmiea
Menziesii, *Torr.* et *Gray*

Tradescantia
virginiana, *Linn.*
— var. alba.
— var. elata.
— var. major.

Trautvetteria
palmata, *Fisch.* et *Mey.*

Tridax
bicolor, *A. Gray*

Trifolium
alpinum, *Linn.*
filiforme, *Linn.*
Lupinaster, *Linn.*
Macraei, *Hook.* et *Arn.*
medium, *Linn.*
palaestinum, *Boiss.*
repens, *Linn.*

Trigonella
caerulea, *Ser.*

Trillium
Smallii, *Maxim.*

Trisetum
flavescens, *Beauv.*

Triticum
dicoccum, *Schrank*
Spelta, *Linn.*

Trollius
acaulis, *Lindl.*
asiaticus, *Linn.*
— var. giganteus.
caucasicus, *Stev.*
europaeus, *Linn.*
— var. napellifolius.
patulus, *Salisb.*, var. peduncu-
latus.
pumilus, *D. Don*
var. yunnanensis.

Tropaeolum
majus, *Linn.*
minus, *Linn.*

Tunica
Saxifraga, *Scop.*

Ulex
europaeus, *Linn.*

Urospermum
Dalechampii, *Desf.*

Urtica
dioica, *Linn.*

Vaccinium
pensylvanicum, *Lam.*

Valeriana
alliariaefolia, *Vahl*
montana, *Linn.*
officinalis, *Linn.*
pyrenaica, *Linn.*
sambucifolia, *Mikan.*
tripteris, *Linn.*
tuberosa, *Linn.*

Valerianella
congesta, *Lindl.*

Verbascum
Chaixi, *Vill.*
crenatum × .
longifolium, *Tenore*, var. pan-
nosum.
nigrum, *Linn.*
phoeniceum, *Linn.*
— var. hybridum.
thapsiforme, *Schrad.*
Thapsus, *Linn.*

Verbena
erinoides, *Lam.* var. alba.

Verbesina
helianthoides, *Michx.*

Veronica
alpina, *Linn.*
amplexicaulis, *Armstr.*
anomala, *Armstr.*
austriaca, *Linn.*
— var. pinnatifida.
Bidwillii, *Hook. f.*
buxifolia, *Benth.*
candida, *Lodd.*
carnosula, *Hook. f.*
ciliata, *Fisch.*
Colensoi, *Hook. f.*
— var. glauca.
— var. major.
— var. minor.
— var. viridis.
coelestina × .
corymbosa, *Hort.*, var. varie-
gata.
decumbens, *Armstr.*
didyma, *Tenore*
Eastonii, *Hort.*
Fairfieldii, *Hook.*
fruticulosa, *Linn.*
gentianoides, *Vahl*
glaucophylla, *Cock.*
Godefroyana, *Carr.*
Hulkeana, *F. Muell.*
imperialis, *Hort.*
incana, *Linn.*

Veronica—*continued.*
incisa, *Ait.*
Kirkii, *Armstr.*
laevis, *Benth.*
latifolia, *Linn.*
Lavaudiana, *Raoul*
ligustrifolia, *A. Cunn.*
Lindsayi × .
longifolia, *Linn.*
— var. alba.
macroura, *Hook. f.*
monticola, *Armstr.*
Nummularia, *Gouan*
obovata, *T. Kirk*
officinalis, *Linn.*
parviflora, *Vahl*, var. angustifolia, *Hook. f.*
peregrina, *Linn.*
pimeleoides, *Hook. f.*
pinguifolia, *Hook, f.*, var. decumbens.
pinnata, *Linn.*
polifolia, *Benth.*
pseudo-Traversii, *Hort.*
rakaiensis, *Armstr.*
repens, *DC.*
saxatilis, *Scop.*
— var. alba.
spicata, *Linn.*, var. rosea.
spuria, *Linn.* × incana, *Linn.*
surculosa, *Boiss.* et *Bal.*
Teucrium, *Linn.*
Tournefortii, *C. C. Gmel.*
Traversii, *Hook. f.*
vernicosa, *Hook. f.*
virginica, *Linn.*
wardiensis × .

Vesicaria
utriculata, *DC.*

Viburnum
burejaeticum, *Regel* et *Herd.*
Lantana, *Linn.*
— var. lanceolatum.
Lentago, *Linn.*
Opulus, *Linn.*

Vicia
hybrida, *Linn.*
lutea, *Linn.*
oroboides, *Wulf.*
pyrenaica, *Pourr.*
sericocarpa, *Fenzl*
unijuga, *A. Braun*

Vincetoxicum
fuscatum, *Reichb. f.*
officinale, *Moench*

Viola
alpina, *Jacq.*
arborescens, *Linn.*
arenaria, *DC.*
canadensis, *Linn.*
canina, *Linn.*
cognata, *Greene*
cornuta, *Linn.*
— var. alba.
declinata, *Waldst.* et *Kit.*
Dehnhardtii, *Ten.*
elatior, *Fries*
gracilis, *Sibth.* et *Sm.*
hederacea, *Labill.*
lutea, *Huds.*
— var. amoena.
Munbyana, *Boiss.* et *Reut.*
odorata, *Linn.*, var. sulphurea.
oreocallis, *Greene*
palustris, *Linn.*
polychroma, *Kern.*
primulaefolia, *Linn.*
pyrenaica, *Ram.*
Ruppii, *All.*
Rydbergii, *Greene*
sarmentosa, *Dougl.*
tricolor, *Linn.*, var. alpina.

Vittadenia
australis, *A. Rich.*

Volutarella
muricata, *Benth.* et *Hook. f.*

Wahlenbergia
bosniaca, *Hort.*
dalmatica, *A. DC.*
hederacea, *Reichb.*
Pumilio, *A. DC.*
saxicola, *A. DC.*, var. alba.
serpyllifolia, *G. Beck*, var. dinarica.

Wulfenia
Amherstiana, *Benth.*
carinthiaca, *Jacq.*

Wyethia
mollis, *A. Gray*

Xerophyllum
asphodeloides, *Nutt.*

Zaluzianskya
capensis, *Walp.*
selaginoides, *Walp.*

Zenobia
speciosa, *D. Don*

Zygadenus
elegans, *Pursh*
— var. glaucus.

PLANTS UNDER GLASS.

GENERA IN ALPHABETICAL ORDER.

Abutilon
- insigne, *Planch.*
- megapotamicum, *St. Hil.*,
  - var. variegatum.

Acacia
- alata, *R. Br.*
- armata, *R. Br.*
- Baileyana, *F. Muell.*
- calamifolia, *Sweet*
- cultriformis, *A. Cunn.*
- dealbata, *Link*
- decurrens, *Willd.*
- Drummondii, *Benth.*
- extensa, *Lindl.*
- neriifolia, *A. Cunn.*
- spectabilis, *A. Cunn.*
- verticillata, *Willd.*
- Whanii, *F. Muell.*

Acalypha
- Godseffiana, *Mast.*
- hispida, *Burm.*
- sidaefolia, *A. Rich.*

Achimenes
- minor, *Hort.*

Acokanthera
- spectabilis, *Hook. f.*

Acrophyllum
- venosum, *Benth.*

Adenandra
- umbellata, *Willd.*

Aechmea
- bromeliaefolia, *Baker*
  - var. pulchra.
- coerulescens, *Baker*
- exsudans, *E. Morr*
- glomerata, *Hook.*

Agapanthus
- umbellatus, *L'Hérit.*

Agapetes
- buxifolia, *Nutt.*
- variegata, *D. Don*

Agathaea
- coelestis, *Cass.*

Agathis
- australis, *Steud.*

Agave
- albicans, *Jacobi*
- densiflora, *Hook.*
- heteracantha, *Zucc.*
- maculata, *Regel*
- striata, *Zucc.*
- xylonacantha, *Salm-Dyck*

Aglaonema
- commutatum, *Schott*

Ajuga
- Chamaepitys, *Schreb.*, var. grandiflora.

Albizzia
- lophantha, *Benth.*

Alchornea
- ilicifolia, *Muell. Arg.*

Allionia
- latifolia, *Greene*
- melanotricha, *Standley*

Alloplectus
- vittatus, *André*

Alocasia
- cuprea, *C. Koch*

Aloe
arborescens, *Mill.*
caesia, *Salm-Dyck*
ciliaris, *Haw.*
plicatilis, *Mill.*
striata, *Haw.*

Alonsoa
linifolia, *Roezl*

Alpinia
mutica, *Roxb.*

Altamiranoa
elongata, *Rose*
Goldmani, *Rose*

Alternanthera
paronychioides, *St. Hil.*
sessilis, *R. Br.*

Alyssum
libycum, *Coss.*

Alyxia
buxifolia, *R. Br.*
daphnoides, *A. Cunn.*

Amaranthus
aragonensis, *Hort.*
gangeticus, *Linn.*
spinosus, *Linn.*

Amellus
Lychnitis, *Linn.*

Amorphophallus
bulbifer, *Blume*

Amphicome
arguta, *Royle*

Anacampseros
filamentosa, *Sims*

Anagallis
tenella, *Linn.*

Anaphalis
yedoensis, *Maxim.*

Anchomanes
dubius, *Schott*

Androcymbium
leucanthum, *Willd.*

Anhalonium
Williamsii, *Lem.*, var. Lewinii.

Anigozanthos
rufa, *Labill.*

Anisolotus
brachycarpus, *Heller*

Anoda
Thurberi, *A. Gray*

Anopterus
glandulosus, *Labill.*

Antholyza
aethiopica, *Linn.*
revoluta, *Burm. f.*

Anthurium
acaule, *Schott*
Andreanum, *Linden*
— var. conchiflorum.
— var. sanguineum.
denudatum, *Engl.*
hybridum, *Hort.*
leodiense ×.
leuconeurum, *Lem.*
robustum ×.

Antidesma
Bunius, *Spreng.*

Aphelandra
aurantiaca, *Lindl.*, var. Roezlii.
pumila, *Nichols.*
velutina, *Hort.*

Apicra
pentagona, *Willd.*

Arachis
hypogaea, *Linn.*

Arctotis
acaulis, *Linn.*
aspera, *Linn.*
revoluta, *Jacq.*

Ardisia
crenata, *Roxb.*, var. fructu rubro
— var. fructu albo
mamillata, *Hance*
Wallichii, *A. DC.*

Aristea
Eckloni, *Baker*

Aristida
ciliata, *Desf.*

Aristolochia
altissima, *Desf.*
elegans, *Mast.*
fimbriata, *Cham.*

Armeria
latifolia, *Willd.*

Artocarpus
laciniata, *Hort.*

Arundinella
tenella, *Nees* et *Wight*

Asclepias
curassavica, *Linn.*
linifolia, *H. B.* et *K.*

Asparagus
gonocladus, *Baker*
gracilis, *Royle*
madagascariensis, *Baker*
plumosus, *Baker*
racemosus, *Willd.*
scandens, *Thunb.*

Astelia
grandis, *Hook. f.*

Aster
fruticosus, *Linn.*

Astilbe
simplicifolia, *Makino*

Astragalus
baeticus, *Linn.*
Bungeanus, *Boiss.*
hamosus, *Linn.*
sesameus, *Linn.*
sinicus, *Linn.*
Stella, *Gouan*

Astrocaryum
Ayri, *Mart.*
mexicanum, *Liebm.*

Astroloma
pinifolium, *Benth.*

Asystasia
bella, *Harv.*

Atriplex
californica, *Moq.*
patula, *Linn.*

Baccharis
mucronata, *H. B.* et *K.*

Baileya
multiradiata, *Harv.* et *Gray*

Barleria
cristata, *Linn.*

Barnadesia
rosea, *Lindl.*

Bauera
rubioides, *Andr.*

Beaumontia
grandiflora, *Wall.*

Begonia
Alleryi, *Hort.*
argenteo-guttata ×.
assamica, *Hook.*
Bruanti ×.
coccinea, *Hook.*
conchaefolia, *Dietr.*
corallina, *Carr.*, var. lucerna.
dichotoma, *Jacq.*
Dregei, *Otto* et *Dietr.*
echinosepala, *Regel*
erfordia, *Hort.*
foliosa, *H. B.* et *K.*
frigida, *A. DC.*
geranioides, *Hook. f.*
Haageana, *W. Watson*
heracleifolia, *Cham.* et *Schlecht.*
hirtella, *Link*
Ingrami ×.
kewensis, *Hort.*
longipes, *Hook.*
malabarica, *Lam.*
manicata, *Cels*
Martiana, *Link* et *Otto*
metallica, *L. Sm.*
peltata, *A. DC.*
pubescens, *Hort.*
Reichenheimii, *Hort.*
sanguinea, *Raddi*
semperflorens, *Link* et *Otto*, var. alba.
socotrana, *Hook. f.*
subcucullata, *C. DC.*
ulmifolia, *Willd.*
undulata, *Otto*
Verschaffeltii ×.
vitifolia, *Schott*
Wallichiana, *Steud.*

Benincasa
cerifera, *Savi*
— var. macrocarpa.

Bertolonia
maculata, *DC.*
marmorata, *Naud.*

Billardiera
longiflora, *Labill.*
scandens, *Sm.*

Billbergia
decora, *Poepp.*
leodinensis ×, *Hort.*
pyramidalis, *Lindl.*, var. farinosa, *K. Koch*
zebrina, *Lindl.*

Biophytum
sensitivum, *DC.*

Blakea
gracilis, *Hemsl.*

Blandfordia
aurea, *Hook. f.*

Boehmeria
biloba, *Miq.*
platyphylla, *D. Don*

Boenninghausenia
albiflora, *Reichb.*

Bomarea
Lehmanni, *Baker*
multiflora, *Mirb.*

Boronia
megastigma, *Nees*

Borrichia
frutescens, *DC.*

Bouchea
Ehrenbergii, *Cham.*

Bowiea
volubilis, *Harv.*

Brachycome
Thomsonii, *T. Kirk*

Brassica
Saruna, *Siebold*

Brittonastrum
pallidum, *Briq.*

Brodiaea
hyacinthina, *Baker*, var. lactea.
ixioides, *Sims*, var. splendens.

Browallia
speciosa, *Hook.*, var. major.

Brownea
coccinea, *Jacq.*
grandiceps, *Jacq.*

Brunfelsia
americana, *Linn.*
eximia, *Scheid.*

Bryophyllum
crenatum, *Baker*

Burbidgea
schizocheila, *Hort.*

Burchellia
capensis, *R. Br.*

Caiophora
lateritia, *Benth.*

Cajanus
indicus, *Spreng.*

Calandrinia
grandiflora, *Lindl.*

Calathea
Bachemiana, *E. Morr.*
grandifolia, *K. Schum.*

Calceolaria
fuchsiaefolia, *Hort.*
hyssopifolia, *H. B.* et *K.*
violacea, *Cav.*

Callicarpa
purpurea, *Juss.*

Callistemon
linearis, *DC.*
rigidus, *R. Br.*
salignus, *Sweet*
speciosus, *DC.*

Callitris
Gunnii, *Hook. f.*
robusta, *R. Br.*

Calopogonium
caeruleum, *Hemsl.*

Calvoa
sessiliflora, *Cogn.*

Camellia
japonica, *Linn.*

Camoensia
maxima, *Welw.*

Campanula
colorata, *Wall.*
fragilis, *Cyrill.*
pyramidalis, *Linn.*
var. alba.
sulphurea, *Boiss.*
Vidalii, *H. C. Wats.*

Campanumoea
javanica, *Blume*

Canavalia
ensiformis, *DC.*

Candollea
tetrandra, *Lindl.*

Canna
amoena, *Hort.*
angustifolia, *Linn.*
coccinea, *Rosc.*

Cantua
buxifola, *Lam.*
— var. albescens.

Caraguata
lingulata, *Lindl.*

Carex
baccans, *Nees*
folliculata, *Linn.*
japonica, *Thunb.*

Carissa
acuminata, *A. DC.*
Arduina, *Lam.*

Carlina
salicifolia, *Cav.*

Carludovica
Gardneri, *Hook.*
Wendlandii, *Hort.*

Carmichaelia
Enysii, *T. Kirk*

Carpolyza
spiralis, *Salisb.*

Carrichtera
Vella, *DC.*

Cassia
laevigata, *Willd.*

Castilleja
minor, *A. Gray*

Cavendishia
acuminata, *Benth.*

Cedronella
triphylla, *Moench*

Celosia
argentea, *Linn.*
cristata, *Linn.*, var. pyramidalis.

Celsia
Arcturus, *Jacq.*
orientalis, *Linn.*

Centaurea
acanthodes, *Spreng.*
solstitialis, *Linn.*

Centradenia
floribunda, *Planch.*

Cerastium
sericeum, *S. Wats.*

Ceratopetalum
gummiferum, *Sm.*

Cereus
Fendleri, *Engelm*

Ceropegia
Woodii, *Schl.* (bulbil)

Cestrum
aurantiacum, *Lindl.*
Newellii, *Veitch*
Smithii, *Hort. Bull.*

Chamaedorea
desmoncoides, *H. Wendl.*

Chamaescilla
corymbosa, *F. Muell.*

Chaptalia
alsophila, *Greene*

Chironia
linoides, *Linn.*

Chlorophytum
elatum, *R. Br.*
— var. variegatum.
inornatum, *Ker-Gawl.*
Orchidastrum, *Lindl.*

Choananthus
cyrtanthiflorus, *Rendle*

Chorizema
cordatum, *Lindl.*

Circaeaster
agrestis, *Maxim.*

Cissus
adenopodus, *Sprague*

Cistus
vaginatus, *Ait.*

Citrus
nobilis, *Lour.*, var. major.

Clavija
Ernstii, *Hook. f.*

Clematis
grewiaeflora, *DC.*
microphylla, *DC.*

Cleome
grandiflora, *Ehrenb.*
spinosa, *Jacq.*
— var. alba.

Clerodendron
calamitosum, *Linn.*
Campbellii, *Hort.*
fallax, *Lindl.*
infortunatum, *Gaertn.*
myrmecophilum, *Ridley*
splendens, *G. Don*
Thomsonae, *Balf.*
— var. variegata.

Clethra
arborea, *Ait.*

Clianthus
puniceus, *Banks* et *Sol.*
— var. albus.

Clidemia
hirta, *D. Don*

Clitoria
Ternatea, *Linn.*
— var. alba, *G. Don*

Clivia
miniata, *Regel*
nobilis, *Lindl.*

Clypeola
Jonthlaspi, *Linn.*
— var. lasiocarpa.

Cneorum
tricoccon, *Linn.*

Cochliostema
Jacobianum, *C. Koch* et *Linden*

Coffea
arabica, *Linn.*
bengalensis, *Roxb.*

Coleus
Mahonii, *Baker*

Collinsia
Childii, *Parry*

Collomia
gracilis, *Dougl.*

Columnea
aureonitens, *Hook.*

Combretum
grandiflorum, *G. Don*
purpureum, *Vahl*

Convolvulus
crenatifolius, *Ruiz* et *Pav.*,
var. argenteus.

Coprosma
rhamnoides, *A. Cunn.*

Corallobotrys
acuminata, *Hook. f.*

Corchorus
olitorius, *Linn.*
pilolobus, *Link*

Corethrogyne
rigida, *Heller*

Cornus
capitata, *Wall.*

Coronilla
pentaphylla, *Desf.*
scorpioides, *Koch*
viminalis, *Salisb.*

Corydalis
thalictrifolia, *Jameson*
tomentosa, *N. E. Br.*
Wilsoni, *N. E. Br.*

Costus
elegans, *Veitch*
igneus, *N. E. Br.*

Cotula
anthemoides, *Linn.*
dioica, *Hook. f.*
filifolia, *Thunb.*

Cotyledon
amoena, *L. de Smet*
atropurpurea, *Baker*
Desmetiana, *Hemsl.*
dichotoma, *Haw.*
fulgens, *Baker*

Cotyledon—*continued.*
gibbiflora, *Moç.* et *Sesse*
— var. metallica.
Grusoni, *Hort.*
imbricata, *Hort.*
maculata, *Salm-Dyck*
malacophylla, *Pall.*
nodulosa, *Baker*
orbiculata, *Linn.*
pachyphyta, *Baker*
platyphylla, *Hort.*
pulverulenta, *Baker*
racemosa, *E. Mey.*
secunda, *Baker*
Zeyheri, *Harv.*

Crambe
strigosa, *L'Hérit.*

Crassula
Aitonii, *Hort.*
arborescens, *Willd.*
ericoides, *Haw.*
glomerata, *Berg*
hemisphaerica, *Thunb.*
lycopodioides, *Lam.*
monticola, *N. E. Br.*
nudicaulis, *Linn.*
quadrifida, *Baker*
rosularis, *Haw.*
sarcocaulis, *Eckl.* et *Zeyh.*
tenuifolia, *Schoenl.*

Crawfurdia
speciosa, *Wall.*

Crinum
augustum, *Roxb.*
Macowani, *Baker*
scabrum, *Herb.*
variabile, *Herb.*

Crossandra
undulaefolia, *Salisb.*

Crotalaria
collina, *Hort.*

Croton
— lucidus, *Linn.*

Crucianella
latifolia, *Linn.*

Cryptocarya
— australis, *Benth.*

Ctenanthe
Lubbersiana, *Eichl.*

Cucumis
metuliferus, *E. Mey.*
myriocarpus, *Naud.*

Cuphea
cordata, *Ruiz* et *Pav.*
ignea, *A. DC.*
lanceolata, *Hook. f.*
viscosissima, *Jacq.*

Cupressus
Benthami, *Endl.*
Goveniana, *Gord.*

Cyanotis
— somaliensis, *C. B. Clarke*

Cyclanthera
edulis, *Hort.*
explodens, *Naud.*

Cyperus
alternifolius, *Linn.*
— var. compactus.
bulbosus, *Vahl*
compactus, *Lam.*
— var. flavissimus, *C. B. Clarke*
fertilis, *Boeck.*
laxus, *Willem.*
Luzulae, *Rottl.*
Papyrus, *Linn.*

Cyphomandra
betacea, *Sendt.*

Cytisus
candicans, *Lam.*
fragans, *Lam.*
— var. elegans.
Hillebrandtii, *Briq.*

Cyrilla
racemiflora, *Linn.*

Cyrtanthus
— angustifolius, *Ait*
— Huttoni, *Baker*

Dalechampia
Roezliana, *Muell. Arg.*

Danthonia
Raoulii, *Steud.*

Darwinia
fimbriata, *Benth.*

Daucus
australis, *Poepp.*

Dermatobotrys
Saundersiæ, *Bolus*

Desmodium
gyrans, *DC.*
incanum, *DC.*
polycarpum, *DC.*
sinuatum, *Blume*
viridiflorum, *Beck*

Dianella
— caerulea, *Sims*
graminifolia, *Kunth* et *Bouché*
revoluta, *R. Br.*

Dianthera
— nodosa, *Benth.* et *Hook. f.*

Dicentra
scandens, *Walp.*

Dichroa
febrifuga, *Lour.*

Didiscus
pilosus, *Benth.*

Dimorphotheca
Ecklonis, *DC.*

Dionaea
muscipula, *Ellis*

Dioscorea
Forbesii, *Baker* (tuber)
sativa, *Linn.* (tuber)

Diotostemon
Hookeri, *Salm-Dyck*

Diplarrhena
Moraea, *Labill.*

Distylium
racemosum, *Sieb.* et *Zucc.*

Dodonaea
triquetra, *Wendl.*
viscosa, *Jacq.*

Dolichos
Lablab, *Linn.*
purpureus, *Linn.*

Dorstenia
argentata, *Hook. f.*
arifolia, *Lam.*
Contrajerva, *Linn.*
Drakena, *Linn.*
Mannii, *Hook. f.*
urceolata, *Schott*

Dracaena
elliptica, *Thunb.*
Godseffiana, *Baker*
surculosa, *Lindl.*

Dracocephalum
Forrestii, *Diels*
parviflorum, *Nutt.*

Dracophyllum
secundum, *R. Br.*

Drimys
Winteri, *Forst.*

Drosera
binata, *Labill.*
— var. dichotoma.
capensis, *Linn.*
hilaris, *Cham.* et *Schlecht.*
peltata, *Sm.*
pygmaea, *DC.*
rotundifolia, *Linn.*
spathulata, *Labill.*

Drosophyllum
lusitanicum, *Link*

Drymaria
tenella, *A. Gray*

Dudleya
Cotyledon, *Britton* et *Rose*

Dyckia
rariflora, *Schult.*

Eccremocarpus
scaber, *Ruiz* et *Pav.*

Echeandia
terniflora, *Orteg.*

Echeveria
alpina, *Hort.*
australis, *Rose*
multicaulis, *Rose*
obtusifolia, *Rose*
ovata ×, *Deleuil*
Pringlei, *Rose*
pulchella, *Berger*
racemosa, *Cham.* et *Schlecht.*

Echinocactus
recurvus, *Link* et *Otto*
solenacanthus, *Scheidw.*

Eichornea
speciosa, *Kunth*

Elaeocarpus
cyaneus, *Sims*

Elaeodendron
australe, *Vent.*

Elephantopus
scaber, *Linn.*

Elsholtzia
cristata, *Willd.*

Entelea
arborescens, *R. Br.*

Epacris
impressa, *Labill.*

Epilobium
adenocaulon, *Haussk.*
Franciscanum, *Barbey*
pyrricholophum, *Franch.* et *Sav.*

Eranthemum
Cooperi, *Hook.*
igneum, *Linden*
leuconeurum, *Hort.*

Erica
mammosa, *Linn.*
— var. pallida.
ramulosa, *Bartl.*
stricta, *Donn*

Erigeron
tephrodes, *Greene*

Eriogonum
arborescens, *Greene*

Eriostemon
buxifolius, *Sm.*
densiflorus, *Hort.*

Erythrochiton
brasiliensis, *Nees*

Euadenia
eminens, *Hook. f.*

Eucalyptus
amygdalina, *Labill.*
Globulus, *Labill.*
incrassata, *Labill.*

Eucomis
bicolor, *Baker*
punctata, *L'Hérit.*
— var. striata, *Don*

Eugenia
myrtifolia, *Sims*

Eupatorium
grandiflorum, *André*
ianthinum, *Hemsl.*
micranthum, *Less.*
petiolare, *Moç* et *Sesse*
riparium, *Regel*
Rothrockii, *A. Gray*
Weinmannianum, *Regel* et *Koern.*

Euphorbia
alcicornis, *Baker*
globosa, *Sims*
ornithopus, *Jacq.*
Regis-Jubae, *Webb* et *Berth.*
splendens, *Boj.*

Euryops
pectinatus, *Cass.*
socotranus, *Balf. f.*

Eustrephus
latifolius, *R. Br.*
— var. angustifolius.

Evodia
elegans, *Hort.*
formosa, *Hort.*
meliaefolia, *Benth.*

Exacum
affine, *Balf. f.*

Fatsia
japonica, *Decne.*

Ficus
Carica, *Linn.*
diversifolia, *Blume*
pyriformis, *Hook.* et *Arn.*
Roxburghii, *Wall.*

Fieldia
australis, *A. Cunn.*

Francoa
appendiculata, *Cav.*
ramosa, *D. Don*
sonchifolia, *Cav.*

Frankenia
hirsuta, *Linn.*

Froelichia
gracilis, *Moq.*

Fuchsia
arborescens, *Sims*
corymbiflora, *Ruiz* et *Pav.*
fulgens, *DC.*
integrifolia, *Cambess.*
parviflora, *Lindl.*
procumbens, *R. Cunn.*

Galtonia
candicans, *Decne.*

Garcinia
Livingstonei, *T. Anders.*
Xanthochymus, *Hook. f.*

Gardenia
florida, *Linn.*
— var. radicans.

Gasteria
brevifolia, *Haw.*
Croucheri, *Baker*
— var. spathulata.
decipiens, *Haw.*
disticha, *Haw.*, var. angulata, *Baker*
excavata, *Haw.*
maculata, *Haw.*
— var. fallax.
natalensis, *Hort.*

Gaultheria
antipoda, *Forst.*
hispida, *R. Br.*
rupestris, *R. Br.*

Geitonoplesium
cymosum, *A. Cunn.*

Gelasine
azurea, *Herb.*

Genista
elegans, *Hort.*

Geranium
Bicknellii, *Britton*
canariense, *Reut.*
durangense, *Rose*

Gerbera
Anandria, *Sch. Bip.*
Jamesoni, *Bolus*

Gesnera
Blassii, *Regel*
cardinalis, *Lehm.*

Gilia
abrotanifolia, *Nutt.*
laciniata, *Ruiz* et *Pav.*
nivalis, *Hérincq*

Gladiolus
blandus, *Ait.*, var. albidus (*Jacq.*)
erectiflorus, *Baker*
psittacinus, *Hook.*
praecox, *Hort.*

Glaucium
Fischeri, *Bernh.*

Globba
alba, *Zipp.* (bulbil)
strobilifera, *Zoll.* (bulbil)

Gloriosa
superba, *Linn.*
virescens, *Lindl.*

Glycosmis
pentaphylla, *Corr.*

Gnaphalium
hypoleucum, *DC.*
lagopogodiodes, *Rydb.*
palustre, *Nutt.*

Gomphia
olivaeformis, *St. Hil.*

Goodenia
filiformis, *R. Br.*
ovata, *Sm.*
paniculata, *Sm.*

Goodia
lotifolia, *Salisb.*
pubescens, *Sims*

Gossypium
herbaceum, *Linn.*

Grevillea
buxifolia, *R. Br.*
Forsteri, *Hort.*
glabrata, *Meissn.*

Guyonia
tenella, *Naud.*

Haemanthus
Katherinae, *Baker*

Hakea
gibbosa, *Cav.*
ulicina, *R. Br.*
— var. carinata.

Haloragis
alata, *Jacq.*
erecta, *Schindler*

Hamelia
patens, *Jacq.*

Hardenbergia
monophylla, *Benth.*

Hartmannia
montana, *Rose*

Haworthia
albicans, *Haw.*, var. laevis.
fasciata, *Haw.*
— var. major.
margaritifera, *Haw.*
— var. erecta.
rigida, *Haw.*
— var. expansa.

Hedeoma
Drummondii, *Benth.*
hyssopifolia, *A. Gray*
pulegioides, *Pers.*

Hedychium
formosum, *Wall.*

Heeria
elegans, *Schlecht.*

Helichrysum
angustifolium, *DC.*
bracteatum, *Andr.*
humile, *Less.*
microphyllum, *Cambess.*
semipapposum, *DC.*
subulifolium, *F. Muell.*

Heliophila
— Eckloniana, *Sond.*

Heliotropium
anchusifolium, *Poir.*
curassavicum, *Linn.*
indicum, *Linn.*
peruvianum, *Linn.*

Hemiphragma
— heterophyllum, *Wall.*

Hemizonella
Durandi, *A. Gray*

Heritiera
— Fomes, *Ham.*

Hermannia
candicans, *Ait.*
venosa, *Thunb.*

Herniaria
hirsuta, *Linn.*

Heteropappus
hispidus, *Less.*

Heterospermum
pinnatum, *Cav.*

Hibbertia
dentata, *R. Br.*

Hibiscus
esculentus, *Linn.*
furcatus, *Willd.*
lunariifolius, *Willd.*
Manihot, *Linn.*
pedunculatus, *Linn.*
Rosa-sinensis, *Linn.*
schizopetalus, *Hook. f.*
Trionum, *Linn.*
vitifolius, *Linn.*

Hidalgoa
— Wercklei, *Hook. f.*

Hippeastrum
Andersoni, *Baker*
equestre, *Herb.*
procerum, *Lem.*

Hippocrepis
cornigera, *Boiss.*

Homalanthus
Leschenaultianus, *A. Juss.*

Hosackia
juncea, *Benth.*

Humea
— elegans, *Sm.*

Hydrangea
Hortensia, *Sieb.* var. Mariesii.
— var. stellata, *Maxim.*

Hydrolea
spinosa, *Linn.*

Hymenanthera
dentata, *R. Br.*, var. angustifolia.

Hymenatherum
acerosum, *A. Gray*

Hymenocallis
glauca, *M. Roem.*
littoralis, *Salisb.*

Hypecoum
leptocarpum, *Hook. f.* et *Thoms.*

Hypericum
canariense, *Linn.*
gracile, *Boiss.*
Hookerianum. *Wight* et *Arn.*
japonicum, *Thunb.*
lanceolatum, *Lam.*
olympicum, *Linn.*
tomentosum, *Linn.*
— var. dissitiflorum.

Hypochaeris
glabra, *Linn.*

Hypoxis
Krebsii, *Fisch.*
Rooperii, *T. Moore*
villosa, *Linn.*

Impatiens
Delavayi, *Franch.*
Hawkeri, *Bull*
Herzogii, *K. Schum.*
Holstii, *Engl.* et *Warb.*
Sultani, *Hook. f.*
Textori, *Miq.*

Indigofera
atropurpurea, *Buch.-Ham.*
australis, *Willd.*
pulchella, *Roxb.*

Ipomœa
Bona-nox, *Linn.*
coccinea, *Linn.*
macrorrhiza, *Michx.*
purpurea, *Roth*
Quamoclit, *Linn.*
— var. alba.

Isopogon
anethifolius, *Knight*

Isotoma
scapigera, *G. Don*

Ixiolirion
Pallasii, *Fisch.* et *Mey.*

Jatropha
podagrica, *Hook.*

Jasminum
lucidum, *Banks*

Juncus
pygmaeus, *Rich.*

Jussieuia
suffruticosa, *Linn.*

Justicia
calycotricha, *Link*

Kalanchoë
crenata, *Haw.*
Dyeri, *N. E. Br.*
flammea, *Stapf*
kewensis ×.
Kirkii, *N. E. Br.*
Petitiana, *A. Rich.*
rotundifolia, *Haw.*
spathulata, *DC.*

Karatas
amazonica, *Baker*
Plumieri, *E. Morr.*
spectabilis, *Antoine*

Kedrostis
africana, *Cogn.*

Kennedya
Baumanni, *Meissn.*
prostrata, *R. Br.*
— var. glabrata.
— var. Marryattae.

Kunzea
corifolia, *Reichb.*
parvifolia, *Schau.*

Kyllinga
monocephala, *Rottl.*
nepalensis, *C. B. Clarke*

Lachnostoma
maritimum, *Nichols.*

Lactuca
Scariola, *Linn.*

Lagenaria
pelerrina, *Hort.*
rotunda, *Hort.*
vulgaris, *Ser.*

Lagerstroemia
indica, *Linn.*

Lagurus
ovatus, *Linn.*

Lantana
Camara, *Linn.*
delicatissima, *Poit.*
hybrida, *Hort.*, var. alba.

Lapageria
rosea, *Ruiz* et *Pav.*

Lapeyrousia
cruenta, *Benth.*

Laportea
moroides, *Wedd.*
peltata, *Gaudich.*

Lathyrus
pubescens, *Hook.* et *Arn.*

Laurentia
— Michelii, *A. DC.*

Lavatera
cretica, *Linn.*

Leea
— sambucina, *Willd.*

Leptodermis
lanceolatus, *Wall.*

Leptospermum
arachnoideum, *Sm.*
flavescens, *Sm.*
scoparium, *Forst.*
virgatum, *Forst.*

Lessertia
linearis, *DC.*

Leucas
lavandulaefolia, *Sm.*

Leucopogon
— fasciculatus, *A. Rich.*

Levenhookia
pusilla, *R. Br.*

Libertia
grandiflora, *Sweet*

Lilium
Brownii, *Mielle* (bulbils)
ochroleucum, *Wall.*
sulphureum, *Baker* (bulbils)

Limnia
gypsophiloides, *Heller*

Limnophila
conferta, *Benth.*
sessiliflora, *Blume*

Limosella
aquatica, *Linn.*
— var. tenuifolia.

Linaria
arvensis, *Desf.*

Linum
neomexicanum, *Greene*

Lippia
chamaedrifolia, *Steud.*

Littonia
modesta, *Hook.*

Lobelia
debilis, *Linn.*
tenuior, *R. Br.*
— var. alba.
triquetra, *Linn.*

Lomatia
—longifolia, *R. Br.*

Lonicera
sempervirens, *Linn.*, var. minor.

Lotus
hispidus, *Desf.*
tenuifolius, *Presl*
villosus, *Burm. f.*
— var. macranthus.

Loureiria
—cochinchinensis, *Meissn.*

Luculia
—gratissima, *Sweet*

Ludovia
—crenifolia, *Drude*

Luffa
ægyptiaca, *Mill.*
cylindrica, *Roem.*

Lupinus
micranthus, *Dougl.*

Luzula
purpurea, *Link*

Lycopersicum
cerasiforme, *Dun.*
esculentum, *Mill.*
semperfructiferum, *Hort.*

Lycopsis
orientalis, *Linn.*

Lysimachia
amoena, *G. Forrest*
lichiangensis, *G. Forrest*
luzuloides, *Hort.*

Macaranga
Mappa, *Muell. Arg.*

Madia
sativa, *Molin*
— var. racemosa, *A. Gray*

Mallotus
japonicus, *Muell. Arg.*

Malortiea
—gracilis, *H. Wendl.*

Malpighia
coccifera, *Linn.*

Malva
pusilla, *Sm.*

Malvastrum
capense, *Garcke*
digitatum, *Hort.*
hypomadarum, *Sprague*
limense, *Ball*

Mammillaria
gracilis, *Pfr.*
Odieriana, *Lem.*
polythele, *Mart.*
stellata, *Willd.*

Manihot
utilissima, *Pohl*

Maranta
noctiflora, *Regel* et *Koernicke*

Marica
caerulea, *Ker-Gawl.*
Northiana, *Ker-Gawl.*

Massonia
latifolia, *Linn. f.*

Maurandia
Barclayana, *Lindl.*
scandens, *A. Gray*

Medicago
praecox, *DC.*
tribuloides, *Desf.*
truncatula, *Gaertn.*

Medinilla
Curtisii, *Hook.*
magnifica, *Lindl.*

Melaleuca
hypericifolia, *Sm.*

Melia
Azedarach, *Linn.*

Melianthus
major, *Linn.*

Melicytus
lanceolatus, *Hook. f.*

Melothria
suavis, *Hort.*

Menyanthes
Crista-galli, *Menz.*

Mesembryanthemum
amoenum, *Salm-Dyck*
blandum, *Haw.*
calamiforme, *Linn.*
cordifolium, *Linn.*
crassulinum, *DC.*
cultratum, *Hort.*
curviflorum, *Haw.*
deltoides, *Linn.*
Ecklonis, *Salm-Dyck*
elegans, *Jacq.*
falciforme, *Haw.*
formosum, *Haw.*
glaucum, *Linn.*
Haworthii, *Donn*
heteropetalum, *Haw.*
inclaudens, *Haw.*
inflatum, *Hort.*
inflexum, *Haw.*
lepidum, *Haw.*

Mesembryanthemum—*continued.*
longum, *Haw.*
micans, *Linn.*
muricatum, *Haw.*
polyanthon, *Haw.*
pomeridianum, *Linn.*
rhomboideum, *Salm-Dyck*
roseum, *Willd.*
sanguineum, *Hort.*
serrulatum, *Haw.*

Metrosideros
robusta, *A. Cunn.*

Microcodon
glomeratum, *A. DC.*

Micromeria
Douglasii, *Benth.*

Microseris
californica, *Greene*
melanocarpha, *Greene*

Mimosa
latispinosa, *Hort.*
pudica, *Linn.*

Mimulus
Cusickii, *Piper*
glutinosus, *Wendl.*
— var. puniceus.
Pulsiferae, *A. Gray*

Miscanthus
nepalensis, *Hack.*
sinensis, *Anders.*

Mitraria
coccinea, *Cav.*

Mitriostigma
axillare, *Hochst.*

Mollugo
verticillata, *Linn.*

Momordica
Balsamina, *Linn.*
cochinchinensis, *Spreng.*

Monanthes
agriostaphys, *Christ*

Monochaetum
—dicranantherum, *Naud.*

Monolena
primulaeflora, *Hook. f.*

Monolepis
trifida, *Schrad.*

Montia
linearis, *Greene*

Moraea
flexuosa, *Linn.*
iridioides, *Linn.*

Muehlenbeckia
chilensis, *Meissn.*
complexa, *Meissn.*

Musschia
Wollastoni, *Lowe*

Mutisia
—Clematis, *Linn.*
—decurrens, *Cav.*
—ilicifolia, *Cav.*

Myosurus
aristatus, *Benth.*

Myosotis
capitata, *Hook. f.*, var. albiflora.

Myrica
aethiopica, *Linn*

Myrsine
africana, *Linn.*

Myrtus
communis, *Linn.*
— var. variegata.
Luma, *Barn.*
tenuifolia, *Sm.*
Ugni, *Mol.*

Nama
—jamaicense, *Linn.*

Napoleona
—cuspidata, *Miers*

Neonicholsonia
Georgei, *Damm.*
Watsoni, *Damm.*

Nephthytis
liberica, *N. E. Br.*

Nerine
Bowdeni, *W. Watson*
candida, *Hort.*
flexuosa, *Herb.*

Nertera
depressa, *Banks*

Nesaea
salicifolia, *H. B. K.*

Nicandra
physaloides, *Gaertn.*

Nicotiana
glauca, *R. Grah.*
nudicaulis, *S. Wats.*
rustica, *Linn.*
Sanderae ×, *Hort.*
—trigonophylla, *Dun.*

Nierembergia
frutescens, *Dur.*

Notelaea
—longifolia, *Vent.*

Notochaete
hamosa, *Benth.*

Ochna
mossambicensis, *Klotzsch*
multiflora, *DC.*

Ocimum
sanctum, *Linn.*
viride, *Willd.*

Oenothera
caespitosa, *Nutt.*
mollissima, *Linn.*
tenuifolia, *Cav.*

Oligomeris
glaucescens, *Cambess.*

Oliveranthus
elegans, *Rose*

Olyra
floribunda, *Raddi*

Oncinocalyx
Betchei, *F. Muell.*

Oncoba
aristata, *Oliver*

Onobrychis
Caput-galli, *Lam.*

Ononis
hirta, *Desf.*
minutissima, *Linn.*
reclinata, *Linn.*
sicula, *Guss.*

Ophiopogon
Jaburan, *Lodd.*

Opuntia
tomentosa, *Salm-Dyck*

Ornithogalum
arabicum, *Linn.*
caudatum, *Ait.*
lacteum, *Jacq.*
tenellum, *Jacq.*
thyrsoides, *Jacq.*

Orthrosanthus
multiflorus, *Sweet*

Oryza
sativa, *Linn.*
— var. atropurpurea.
— var. mutica.
— var. perennis.
— var. rufibarba.

Osbeckia
stellata, *Wall.*

Othonna
carnosa, *Less.*

Oxalis
articulata, *Sav.*
bupleurifolia, *A. St. Hil.*
Hirthii, *Phil.*
purpurea, *Linn.*
tortuosa, *Lindl.*
Wrightii, *A. Gray*

Pachyphytum
amethystinum, *Rose*

Palisota
Barteri, *Hook. f.*
Maclaudi, *Cornu*
Pynaertii, *Wildem.*

Pancratium
fragrans, *Salisb.*

Panicum
plicatum, *Lam.*
sphaerocarpum, *Salzm.*

Parochetus
communis, *Ham.*

Paronychia
argentea, *Lam.*
lenticulata, *Hort.*

Paspalum
setaceum, *Michx.*

Passerina
filiformis, *Linn.*

Passiflora
edulis, *Sims*
quadrangularis, *Linn.*
suberosa, *Linn.*

Pavonia
hastata, *Cav.*
spinifex, *Cav.*

Pelargonium
australe, *Jacq.*
Blandfordianum, *Sweet*
ficifolium, *Hoffmgg.*
scandens, *Ehrh.*
Skelii, *Hoffmgg.*
tabulare, *L' Hérit.*
tomentosum, *Jacq.*
versicolor ×, *Sweet*

Pellionia
Daveauana, *N. E. Br.*
pulchra, *N. E. Br.*

Pendulina
intricata, *Willk.*

Pennisetum
latifolium, *Spreng.*
typhoideum, *Rich.*

Pentacaena
polycnemoides, *Bartl.*

Pentarhaphia
libanensis, *Hanst.*

Pentas
carnea, *Benth.*
— var. kermesina.

Peperomia
argyreia, *E. Morr.*
blanda, *H. B.* et *K.*
metallica, *Lind.* et *Rod.*
pellucida, *H. B.* et *K.*
pereskiaefolia, *H. B.* et *K.*
Sandersii, *C. DC.*
scandens, *Ruiz* et *Pav.*
velutina, *Linden* et *André*

Peplis
erecta, *Req.*

Petiveria
alliacea, *Linn.*

Phacelia
circinata, *Jacq. f.*
rupestris, *Greene*

Phaedranassa
chloracra, *Herb.*

Phaenocoma
prolifera, *D. Don*, var. Barnesii.

Philodendron
digitatum, *Hort.*

Phyllanthus
grandifolius, *Linn.*
montanus, *Sw.*
parvifolius, *Buch.-Ham.*

Phyllis
Nobla, *Linn.*

Phyllocactus
crenulatus, *Walp.*
multiflorus, *Hort.*
thalia ×.

Physalis
peruviana, *Linn.*

Pilea
grandis, *Wedd.*
muscosa, *Lindl.*
Spruceana, *Wedd.*

Pimelea
ligustrina, *Labill.*

Pinguicula
cordata, *Schl.*

Piqueria
trinervia, *Cav.*

Pitcairnia
Altensteinii, *Lem.*
aphelandraeflora, *Verschaff.*
heterophylla, *Beer*
Lamarckiana, *E. Morr.*
latifolia, *Soland.*
maidifolia, *Decne.*
pruinosa, *H. B.* et *K.*
pulverulenta, *Ruiz* et *Pav.*

Pithecolobium
Unguis-cati, *Benth.*

Pittosporum
crassifolium, *Sol.*
eugenioides, *A. Cunn.*
Ralphii, *T. Kirk*
tenuifolium, *Gaertn.*

Plantago
acanthophylla, *Decne.*
asperrima, *Gandoger*
brachystachys, *Kuntze*
cretica, *Linn.*
erecta, *Morris*
Gooddingii, *Nelson* et *Kennedy*
Grahami, *Blumer*
notata, *Lag.*
ovata, *Forsk.*
patagonica, *Jacq.*
squarrosa, *Murr.*
virginica, *Linn.*

Platytheca
galioides, *Steetz*

Plectranthus
cylindraceus, *Hochst.*
irroratus, *G. Forrest*
parviflorus, *Willd.*

Pleuropetalum
costaricense, *Hemsl.*

Plumbago
scandens, *Linn.*

Polemonium
Berryi, *Estw.*
filicinum, *Greene*

Polyalthia
suberosa, *Benth.* et *Hook. f.*

Polycarpaea
divaricata, *Balf. f.*

Polygala
major, *Jacq.*
myrtifolia, *Linn.*
— var. grandiflora.

Polygonum
alatum, *Buch.-Ham.*

Pomaderris
prunifolia, *A. Cunn.*
subrepanda, *F. Muell.*

Pontederia
cordata, *Linn.*

Poterium
spinosum, *Linn.*

Prasium
majus, *Linn.*

Primula
atropurpurea, *Dunn*
capitata, *Hook.*
Forrestii, *Balf. f.*
frondosa, *Hort.*
kewensis ×.
— var. farinosa.
Listeri, *King*
malacoides, *Franch.*
mollis, *Nutt.*
obconica, *Hance*
sinensis, *Sabine*
verticillata, *Forsk.*
vittata, *Bur.* et *Franch.*

Procris
frutescens, *Blume*

Proserpinaca
palustris, *Linn.*
pectinata, *Linn.*

Prostanthera
lasianthos, *Labill.*

Pseuderanthemum
seticalyx, *Hort.*

Psilostrophe
tagetina, *Greene*

Psoralea
bituminosa, *Linn.*
plumosa, *F. Muell.*

Psychotria
cyanococca, *Seem.*
micrantha, *Hiern*

Ptilotrichum
Reverchonii, *Degen Hervier*

Pulicaria
arabica, *Cass.*
undulata, *Kostel.*

Pultenaea
flava, *Hort.*

Quassia
amara, *Linn.*

Quesnelia
rufa, *Gaud.*

Raimannia
confusa, *Rose*

Ranunculus
alpeophilus, *A. Nelson*
cortusaefolius, *Willd.*
Godleyanus, *Hook. f.*
trilobus, *Desf.*

Raphiolepis
ovata, *Briot*

Rapistrum
ægyptium, *Baill.*

Reboudia
microcarpa, *Boiss.*

Reinwardtia
trigyna, *Planch.*

Relhania
sessiliflora, *Thunb.*

Rhabdothamnus
Solandri, *A. Cunn.*

Rhamnus
californica, *Eschsch.*

Rhodochiton
volubile, *Zucc.*

Rhododendron
arboreum, *Sm.*
campylocarpum, *Hook. f.*
ciliatum, *Hook. f.*
Dalhousiae, *Hook. f.*
decorum, *Franch.*
Keiskei, *Miq.*
Keysii, *Nutt.*

Rhododendron—*continued.*
Maddeni, *Hook. f.*
Nuttallii, *Booth*
Schlippenbachii, *Maxim.*

Rhopalostylis
sapida, *H. Wendl.* et *Drude*

Rhynchosia
caribaea, *DC.*

Rhytidophyllum
tomentosum, *Mart.*

Ricinus
communis, *Linn.*

Rivina
aurantiaca, *Warsc.*
humilis, *Linn.*
tinctoria, *Hamil.*

Rochea
coccinea, *DC.*

Romanzoffia
Suksdorfii, *Greene*

Romneya
trichocalyx, *Eastw.*

Rondeletia
odorata, *Jacq.*

Ruellia
amoena, *Nees*
rubicaulis, *Cav.*
tuberosa, *Linn.*

Rumex
dentatus, *Linn.*

Sabal
Blackburniana, *Glazebr.*

Sagittaria
sagittaefolia, *Linn.*

Salvia
canariensis, *Linn.*
coccinea, *Juss.*
Roemeriana, *Scheele*

Samolus
ebracteatus, *H. B. K.*

Sandersonia
aurantiaca, *Hook.*

Sansevieria
trifasciata, *Hort.*

Sarracenia
illustrata ×, *Hort.*
Tolliana ×, *Nichols.*

Saxifraga
Candelabrum, *Franch.*
Clusii, *Gouan*
cortusaefolia, *Sieb.* et *Zucc*
hederacea, *Linn.*
rufidula, *Small*
sarmentosa, *Linn.*

Schismatoglottis
Roebelina, *Hort.*
Treubii, *Hort.*

Schizanthus
pinnatus, *Ruiz* et *Pav.*
— var. compactus.
— var. grandiflorus.
wisetonensis, *Hort.*

Schoenia
Cassiniana, *Steetz*

Scilla
axillaris, *C. H. Wright*
chinensis, *Benth.*

Scirpus
cyperoides, *Spreng.*
riparius, *J.* et *C. Presl*

Scrophularia
pyrenaica, *Benth.*

Scutellaria
discolor, *Colebr.*
javanensis, *Jungh.*
Lehmanni, *Hort.*

Sedum
alboroseum, *Baker*
Cepaea, *Linn.*
dasyphyllum, *Linn.*
Greggii, *Hemsl.*
Griffithsii, *Rose*
mellitutum, *Rose*
primuloides, *Franch.*
Sieboldii, *Hort.*
spathulifolium, *Hook.*

Selago
corymbosa, *Linn.*

Selliera
radicans, *Cav.*

Sempervivum
annuum, *C. Sm.*
arachnoideum, *Linn.*
Ballii, *Hort.*
canariense, *Linn.*
decorum, *Christ*
dichotomum, *DC.*
glaucum, *Tenore*
Haworthii, *Hort.*
hybridum ×, *Bruegg.*
montanum, *Linn.*
repens, *Hort.*
tabuliforme, *Haw.*
Webbianum, *Hort.*
Youngianum, *Webb* et *Berth.*

Senecio
auriculatissimus, *Britton*
coronopifolius, *Desf.*
cruentus, *DC.*
Decaisnei, *DC.*
diversifolius, *Wall.*

Senecio—*continued.*
Douglasii, *DC.*
echinatus, *DC.*
elegans, *Linn.*
eurycephalus, *Torr.* et *Gray*
grandifolius, *Less.*
Heritieri, *DC.*
ionophyllus, *Greene*
junceus, *Harv.*
macroglossus, *DC.*
maritimus, *Linn. f.*
Moorei ×.
mutabilis, *Greene*
palmatus, *Pall.*
Petasitis, *DC.*
populifolius, *DC.*
scandens, *Buch.-Ham.*
subscandens, *Hochst.*
vernalis, *Waldst.* et *Kit.*
Wootoni, *Greene*

Sida
acuta, *Burm.*
Hookeriana, *Miq.*
veronicaefolia, *Lam.*

Sideritis
canariensis, *Linn.*
hirsuta, *Linn.*
Massoniana, *Benth.*

Silene
antirrhina, *Linn.*
asclepiadea, *Franch*
colorata, *Poir.*
Muscipula, *Linn.*
portensis, *Hort.*
repens, *Patrin*
rubella, *Linn.*
setacea, *Viv.*

Siphocampylus
lanceolatus, *Regel*

Sisyrinchium
Bermudiana, *Linn.*
micranthum, *Cav.*

Solanum
auriculatum, *Ait.*
aviculare, *Forst. f.*
Capsicastrum, *Link*, var. Hendersoni.
fastigiatum, *Willd.*
haematocladum, *Dun.*
jasminoides, *Paxt.*
nigrum, *Linn.*
pyracanthum, *Jacq.*
venustum, *Kunth*
verbascifolium, *Linn.*
Xanti, *A. Gray*
— var. Wallacei.

Solenomelus
chilensis, *Miers*

Sollya
Drummondii, *C. Morr.*
heterophylla, *Lindl.*

Sorghum
vulgare, *Pers.*

Sparmannia
africana, *Linn.*

Spathiphyllum
cannaefolium, *Schott*
cochlearispathum, *Engl.*
floribundum, *N. E. Br.*
Patinii, *N. E. Br.*

Sphaeralcea
cuspidata, *Britton*
pedata, *Torr.*

Spiraea
Forrestii, *Diels* et *Balf. f.*

Sprekelia
formosissima, *Herb.*

Stachytarpheta
indica, *Vahl*

Statice
brassicaefolia, *Webb* et *Berth*
echioides, *Linn.*
filicaulis, *Boiss.*
rosea, *Sm.*

Stephanotis
floribunda, *Brongn.*

Streptocarpus
caulescens, *Vatke*
Holstii, *Engl.*
Rexii, *Lindl.*

Stromanthe
sanguinea, *Sond.*

Stylidium
adnatum, *R. Br.*

Stylophyllum
Hassei, *Rose*

Sutherlandia
frutescens, *R. Br.*

Swainsona
coronillaefolia, *Salisb.*, var. rosea.
colutoides, *F. Muell.*
Greyana, *Lindl.*, var. coccinea.

Swertia
angustifolia, *Buch.-Ham.*

Synedrella
nodiflora, *Gaertn.*

Tacca
cristata, *Jack*
integrifolia, *Ker-Gawl.*
macrantha, *Limpr.*
viridis, *Hemsl.*

Tacsonia
exoniensis ×.
mollissima, *H. B.* et *K.*
Van-Volxemii, *Hook.*

Talinum
patens, *Willd.*

Tephrosia
cathartica, *Urb.*

Tetragonia
expansa, *Murr.*

Tetranema
mexicanum, *Benth.*

Teucrium
africanum, *Thunb.*
Marum, *Linn.*
Polium, *Linn.*

Thelygonum
Cynocrambe, *Linn.*

Thespesia
macrophylla, *Blume*

Thomasia
solanacea, *J. Gay*

Thoracostachyum
bancanum, *Kurz*

Thunbergia
erecta, *Andr.*

Thyrsacanthus
rutilans, *Planch.*

Thysanocarpus
elegans, *Fisch.* et *Mey.*

Thysanotus
Patersoni, *R. Br.*

Tibouchina
semidecandra, *Cogn.*

Tillaea
pharnaceoides, *Hochst.*

Tillandsia
splendens, *Brongn.*

Tinantia
fugax, *Scheidw.*

Tinnea
aethiopica, *Kotschy* et *Peyr.*

Tonella
tenella, *Jepson*

Torenia
flava, *Buch.-Ham.*
Fournieri, *Linden*

Trachelium
caeruleum, *Linn.*
rumelianum, *Hampe*

Trachyphrynium
Danckelmannianum, *J. Braun* et *Schum.*

Tradescantia
crassifolia, *Cav.*
discolor, *L'Hérit.*
navicularis, *Ortg.*

Trema
orientalis, *Blume*

Triglochin
bulbosum, *Linn.*

Trigonella
maritima, *Delile*

Triolena
hirsuta, *Triana*

Tristania
— neriifolia, *R. Br.*

Tropaeolum
tricolorum, *Sw.*

Troximon
heterophyllum, *Greene*, var.
californicum.

Trymalium
— Billardieri, *Fenzl*

Tulbaghia
acutiloba, *Harv.*

Turnera
ulmifolia, *Linn.*

Tyrimnus
leucographus, *Cass.*

Uroskinnera
spectabilis, *Lindl.*

Urtica
pilulifera, *Linn.*

Utricularia
emarginata, *Benj.*
montana, *Jacq.*
prehensilis, *E. Mey.*

Valerianella
coronata, *DC.*
dentata, *Pollich*
truncata, *Betcke*
— var. muricata.

Vandellia
nummularifolia, *Don*

Velezia
rigida, *Linn.*

Vellozia
elegans, *Talbot*

Verbena
canescens, *H. B.* et *K.*

Verbesina
crocata, *Less.*

Veronica
Cymbalaria, *Bodard*
— var. cuneata.
Tournefortii, *C. C. Gmel.*

Vigna
Catjang, *Walp.*

Villarsia
parnassiaefolia, *R. Br.*

Viminaria
denudata, *Sm.*

Viola
hederacea, *Labill.*

Vitis
antarctica, *Benth.*
discolor, *Dalz.*
heterophylla, *Thunb.*, var.
humulifolia.
vinifera, *Linn.*
vinifera, *Linn.*, var. corinthiaca, *Rafin.*

Wachendorfia
paniculata, *Linn.*

Waitzia
paniculata, *F. Muell.*

Watsonia
rosea, *Ker-Gawl.*

Westringia
grandifolia, *F. Muell.*

Whitfieldia
— lateritia, *Hook.*

Wikstroemia
retusa, *A. Gray*

Wormia
Burbidgei, *Hook. f.*

Xanthium
orientale, *Linn.*

Xanthosia
rotundifolia, *DC.*

Xanthosoma
Lindeni, *T. Moore*

Xiphidium
coeruleum, *Aubl.*

Xyris
capensis, *Baker*

Zamia
Lindeni, *Regel*

PLANTS IN THE OPEN AND UNDER GLASS.

Genera in Natural Orders.

ACANTHACEAE.

Acanthus

mollis, *Linn.*
niger, *Mill.*
Schottii, *Hort.*

Aphelandra

aurantiaca, *Lindl.*, var. Roezlii.
pumila, *Nichols.*
velutina, *Hort.*

Asystasia

bella, *Harv.*

Barleria

cristata, *Linn.*

Crossandra

undulaefolia, *Salisb.*

Dianthera

nodosa, *Benth.* et *Hook. f.*

Eranthemum

Cooperi, *Hook.*
igneum, *Linden*
leuconeurum, *Hort.*

Justicia

calycotricha, *Link*

Pseuderanthemum

seticalyx, *Hort.*

Ruellia

amoena, *Ness*
rubicaulis, *Cav.*
tuberosa, *Linn.*

Thunbergia

erecta, *Andr.*

Thyrsacanthus

rutilans, *Planch.*

Whitfieldia

lateritia, *Hook.*

ACERACEAE.

Acer

campestre, *Linn.*
— var. austriacum.
opulifolium, *Vill.*, var. obtusatum.
pensylvanicum, *Linn.*
platanoides, *Linn.*
Pseudo-platanus, *Linn.*
— var. euchlorum.
— var. purpureum.

ALISMACEAE.

Alisma

Plantago, *Linn.*

Sagittaria

sagittaefolia, *Linn.*

AMARANTHACEAE.

Alternanthera

paronychioides, *St. Hil.*
sessilis, *R. Br.*

Amaranthus

aragonensis, *Hort.*
gangeticus, *Linn.*
spinosus, *Linn.*
tenuifolius, *Willd.*

Celosia

argentea, *Linn.*
cristata, *Linn.*, var. pyramidalis.

Froelichia

gracilis, *Moq.*

AMARYLLIDEAE.

Agave
albicans, *Jacobi*
densiflora, *Hook.*
heteracantha, *Zucc.*
maculata, *Regel*
striata, *Zucc.*
xylonacantha, *Salm-Dyck*

Alstroemeria
aurantiaca, *D. Don*

Bomarea
Lehmanni, *Baker*
multiflora, *Mirb.*

Carpolyza
spiralis, *Salisb.*

Choananthus
cyrtanthiflorus, *Rendle*

Clivia
miniata, *Regel*
nobilis, *Lindl.*

Crinum
augustum, *Roxb.*
Macowani, *Baker*
scabrum, *Herb.*
variabile, *Herb.*

Cyrtanthus
angustifolius, *Ait*
Huttoni, *Baker*

Haemanthus
Katherinae, *Baker*

Hippeastrum
Andersoni, *Baker*
equestre, *Herb.*
procerum, *Lem.*

Hymenocallis
glauca, *M. Roem.*
littoralis, *Salisb.*

Hypoxis
Krebsii, *Fisch.*
Rooperii, *T. Moore*
villosa, *Linn.*

AMARYLLIDEAE—*continued.*

Ixiolirion
Pallasii, *Fisch.* et *Mey.*

Leucojum
trichophyllum, *Schousb.*

Narcissus
Bulbocodium, *Linn.*
cyclamineus, *Baker*
Jonquilla, *Linn.*
viridiflorus, *Schousb.*

Nerine
Bowdeni, *W. Watson*
candida, *Hort.*
flexuosa, *Herb.*

Pancratium
fragrans, *Salisb.*

Phaedranassa
chloracra, *Herb.*

Sprekelia
formosissima, *Herb.*

Vellozia
elegans, *Talbot.*

AMPELIDEAE.

Cissus
adenopodus, *Sprague*

Leea
sambucina, *Willd.*

Vitis
antarctica, *Benth.*
discolor, *Dalz.*
heterophylla, *Thunb.*, var. humulifolia.
vinifera, *Linn.*
vinifera, *Linn.*, var. corinthiaca, *Rafin.*

ANONACEAE.

Polyalthia
suberosa, *Benth.* et *Hook. f.*

APOCYNACEAE.

Acokanthera
spectabilis, *Hook. f.*

Alyxia
buxifolia, *R. Br.*
daphnoides, *A. Cunn.*

Beaumontia
grandiflora, *Wall.*

Carissa
acuminata, *A. DC.*
Arduina, *Lam.*

ARALIACEAE.

Acanthopanax
sessiliflorum, *Seem.*

Aralia
cachemirica, *Decne.*

Eleutherococcus
Henryi, *Oliver*

Fatsia
japonica, *Decne.*

ARISTOLOCHIACEAE.

Aristolochia
altissima, *Desf.*
elegans, *Mast.*
fimbriata, *Cham.*
rotunda, *Linn.*

Asarum
canadense, *Linn.*
europaeum, *Linn.*
Hartwegii, *S. Wats.*

AROIDEAE.

Aglaonema
commutatum, *Schott*

Alocasia
cuprea, *C. Koch*

Amorphophallus
bulbifer, *Blume*

AROIDEAE —*continued.*

Anchomanes
dubius, *Schott*

Anthurium
acaule, *Schott*
Andreanum, *Linden*
— var. conchiflorum.
— var. sanguineum.
denudatum, *Engl.*
hybridum, *Hort.*
leodiense ×.
leuconeurum, *Lem.*
robustum ×.

Nephthytis
liberica, *N. E. Br.*

Philodendron
digitatum, *Hort.*

Schismatoglottis
Roebelina, *Hort.*
Treubii, *Hort.*

Spathiphyllum
cannaefolium, *Schott*
cochlearispathum, *Engl.*
floribundum, *N. E. Br.*
Patinii, *N. E. Br.*

Symplocarpus
foetidus, *Nutt.*

Xanthosoma
Lindeni, *T. Moore*

ASCLEPIADEAE.

Asclepias
curassavica, *Linn.*
incarnata, *Linn.*
linifolia, *H. B.* et *K.*

Ceropegia
Woodii, *Schl.* (bulbil)

Cynanchum
acutum, *Linn.*

Lachnostoma
maritimum, *Nichols.*

ASCLEPIADEAE—*continued.*

Stephanotis

floribunda, *Brongn.*

Vincetoxicum

fuscatum, *Reichb. f.*
officinale, *Moench*

BEGONIACEAE.

Begonia

Alleryi, *Hort.*
argenteo-guttata ×.
assamica, *Hook.*
Bruanti ×.
coccinea, *Hook.*
conchaefolia, *Dietr.*
corallina, *Carr.*, var. lucerna.
dichotoma, *Jacq.*
Dregei, *Otto* et *Dietr.*
echinosepala, *Regel*
erfordia, *Hort.*
foliosa, *H. B.* et *K.*
frigida, *A. DC.*
geranioides, *Hook. f.*
Haageana, *W. Watson*
heracleifolia, *Cham.* et *Schlecht.*
hirtella, *Link*
Ingrami ×.
kewensis, *Hort.*
longipes, *Hook.*
malabarica, *Lam.*
manicata, *Cels*
Martiana, *Link* et *Otto*
metallica, *L. Sm.*
peltata, *A. DC.*
pubescens, *Hort.*
Reichenheimii, *Hort.*
sanguinea, *Raddi*
semperflorens, *Link* et *Otto*, var. alba.
socotrana, *Hook. f.*
subcucullata, *C. DC.*
ulmifolia, *Willd.*
undulata, *Otto*
Verschaffeltii ×.
vitifolia, *Schott*
Wallichiana, *Steud.*

BERBERIDEAE.

Berberis

Aquifolium, *Pursh*
aristata, *DC.*
Darwinii, *Hook.*
Guimpelii, *C. Koch* et *Bouché*
stenophylla, *Hance*
Thunbergii, *DC.*
virescens, *Hook. f.*
vulgaris, *Linn.*
— f. angulizans, *Hort.*

Podophyllum

Emodi, *Wall.*

BIGNONIACEAE.

Amphicome

arguta, *Royle*

Eccremocarpus

scaber, *Ruiz* et *Pav.*

Incarvillea

Delavayi, *Bur.* et *Franch.*

BIXINEAE.

Oncoba

aristata, *Oliver*

BORAGINEAE.

Amsinckia

— intermedia, *Fisch.* et *Mey.*
— lycopsoides, *Lehm.*

Anchusa

Barrelieri, *Vitm.*
italica, *Retz.*
officinalis, *Linn.*
sempervirens, *Linn.*

Borago

laxiflora, *Willd.*
officinalis, *Linn.*

Cerinthe

alpina, *Kit.*

BORAGINEAE—*continued.*

Cynoglossum

furcatum, *Wall.*
microglochin, *Benth.*
nervosum, *Benth.*
officinale, *Linn.*
petiolatum, *A. DC.*
pictum, *Ait.*
Wallichii, *G. Don*

Echium

violaceum, *Linn.*
vulgare, *Linn.*

Heliotropium

anchusifolium, *Poir.*
curassavicum, *Linn.*
indicum, *Linn.*
peruvianum, *Linn.*

Lindelofia

spectabilis, *Lehm.*

Lithospermum

graminifolium, *Viv.*
prostratum, *Loisel.*

Lycopsis

orientalis, *Linn.*

Moltkia

petraea, *Boiss.*

Myosotis

alpestris, *F. W. Schmidt*
capitata, *Hook. f.*, var. albiflora.
corsica, *Hort.*
palustris, *Lam.*
pygmaea, *Colenso*
stricta, *Link*, var. alba.
sylvatica, *Hoffm.*
Traversii, *Hook. f.*

Omphalodes

Luciliae, *Boiss.*

Onosma

albo-roseum, *Fisch.* et *Mey.*
cassium, *Boiss.*
Thomsoni, *C. B. Clarke*

BORAGINEAE—*continued.*

Onosmodium

Thurberi, *A. Gray*

Paracaryum

glochidiatum, *Benth.* et *Hook. f.*

Solenanthus

apenninus, *Hohen.*

BROMELIACEAE.

Aechmea

bromeliaefolia, *Baker*
— var. pulchra.
coerulescens, *Baker*
exsudans, *E. Morr.*
glomerata, *Hook.*

Billbergia

decora, *Poepp.*
leodinensis ×, *Hort.*
pyramidalis, *Lindl.*, var. farinosa, *K. Koch*
zebrina, *Lindl.*

Caraguata

lingulata, *Lindl.*

Dyckia

rariflora, *Schult.*

Karatas

amazonica, *Baker*
Plumieri, *E. Morr.*
spectabilis, *Antoine*

Pitcairnia

Altensteinii, *Lem.*
aphelandraeflora, *Verschaff.*
heterophylla, *Beer*
Lamarckiana, *E. Morr.*
latifolia, *Soland.*
maidifolia, *Decne.*
pruinosa, *H. B.* et *K.*
pulverulenta, *Ruiz* et *Pav.*

Quesnelia

rufa, *Gaud.*

Tillandsia

splendens, *Brongn.*

CACTEAE.

Anhalonium

Williamsii, *Lem.*, var. Lewinii.

Cereus

Fendleri, *Engelm.*

Echinocactus

recurvus, *Link* et *Otto*
solenacanthus, *Scheidw.*

Mammillaria

gracilis, *Pfr.*
Odieriana, *Lem.*
polythele, *Mart.*
stellata, *Willd.*

Opuntia

tomentosa, *Salm-Dyck*

Phyllocactus

crenulatus, *Walp.*
multiflorus, *Hort.*
thalia ×.

CAMPANULACEAE.

Adenophora

communis, *Fisch.*
nikoensis, *Franch.* et *Sav.*
verticillata, *Fisch.*

Campanula

alaskana, *Hort.*
alliariaefolia, *Willd.*
barbata, *Linn.*
bononiensis, *Linn.*
caespitosa, *Scop.*, var. Vensloi.
carpatica, *Jacq.*
— var. albescens.
— var. pelviformis.
— var. turbinata.
— — alba.
— — compacta.
colorata, *Wall.*
elatinoides, *Moretti*
fragilis, *Cyrill.*
glomerata, *Linn.*, var. acaulis.

CAMPANULACEAE—*continued.*

Campanula—*continued.*

— var. dahurica.
— var. pallida.
Grossekii, *Heuffl.*
lactiflora, *Bieb.*, var. violacea.
latifolia, *Linn.*
— var. caerulea.
— var. macrantha.
— var. — alba.
— var. — lilacina.
— var. urticifoliax, fl. pleno.
linifolia, *Scop.*
— var. hirta.
longestyla, *Fomine*
macrorrhiza, *J. Gay*
mollis, *Linn.*
pyramidalis, *Linn.*
— var. alba.
persicifolia, *Linn.*
— var. alba.
— var. — grandiflora.
— var. grandiflora.
phyteumoides, *Sibth.*
pseudocarnica, *Hort.*
pulcherrima, *Schrank* et *Zeyh.*
pulloides, *Hort.*
— var. kewensis.
punctata, *Lam.*
— var. alba.
— var. rosea.
pusilla, *Haenke*, var. pallida.
pyramidalis, *Linn.*
— var. alba.
pyrenaica, *A. DC.*
Raddeana, *Trautv.*
rapunculoides, *Linn.*
Reuteriana, *Boiss.* et *Bal.*
rhomboidalis, *Linn.*
rhomboidea, *Murr.*
rotundifolia, *Linn.*
— var. alba.
— var. magnifica.
sabatia, *De Not.*
salicifolia, *Boiss.* et *Kotschy*
sarmatica, *Ker-Gawl.*
Scheuchzeri, *Vill.*
sibirica, *Linn.*, var. eximia.

CAMPANULACEAE—*continued.*

Campanula—*continued.*
speciosa, *Pourr.*
Steveni, *Bieb.*
— var. alba.
sulphurea, *Boiss.*
Teymonsii, *Hort.*
thyrsoides, *Linn.*
Trachelium, *Linn.*, var. aggregata.
trichopoda, *Boiss.*
tridentata, *Schreb.*
turbinata × Raineri.
Vidalii, *H. C. Wats.*
Waldsteiniana, *Roem.* et *Schult.*

Campanumoea
javanica, *Blume*

Codonopsis
Bulleyana, *Diels* et *G. Forrest*
ovata, *Benth.*
rotundifolia, *Royle*

Cyananthus
lobatus, *Wall.*

Isotoma
scapigera, *G. Don*

Jasione
humilis, *Loisel.*
Jankæ, *Neilr.*
perennis, *Lam.*

Laurentia
Michelii, *A. DC.*
tenella, *A. DC.*

Lobelia
debilis, *Linn.*
erecta, *Hook. f.* et *Thoms.*
Erinus, *Linn.*, var. compacta caerulea.
linnaeoides, *Petrie*
tenuior, *R. Br.*
— var. alba.
triquetra, *Linn.*

Microcodon
glomeratum, *A. DC.*

CAMPANULACEAE—*continued.*

Musschia
Wollastoni, *Lowe*

Phyteuma
anthericoides, *Nym.*
canescens, *Waldst.* et *Kit.*
Michelii, *All.*
orbiculare, *Linn.*
Scheuchzeri, *All.*
— var. Charmelii, *Vill.*
Sieberi, *Spreng.*

Platycodon
grandiflorum, *A. DC.*, var. Mariesii.

Siphocampylus
lanceolatus, *Regel*

Specularia
Speculum, *A. DC.*
— var. album.

Symphyandra
Hofmanni, *Pant.*
pendula, *A. DC.*
Wanneri, *Heuff.*

Trachelium
caeruleum, *Linn.*
rumelianum, *Hampe*

Wahlenbergia
bosniaca, *Hort.*
dalmatica, *A. DC.*
hederacea, *Reichb.*
Pumilio, *A. DC.*
saxicola, *A. DC.*, var. alba.
serpyllifolia, *G. Beck*, var. dinarica.

CAPPARIDEAE.

Cleome
grandiflora, *Ehrenb.*
spinosa, *Jacq.*
— var. alba.

Euadenia
eminens, *Hook. f.*

CAPRIFOLIACEAE.

Diervilla

florida, *Sieb.* et *Zucc.*
sessilifolia, *Buckl.*

Leycesteria

formosa, *Wall.*

Lonicera

alpigena, *Linn.*
angustifolia, *Wall.*
bella, *Zabel*
— var. albida.
var. atro-rosea.
Caprifolium, *Linn.*
involucrata, *Banks*, var. serotina.
macrophylla, *Willd.*
Morrowii, *A. Gray*
orientalis, *Lam.*
Periclymenum, *Linn.*
pyrenaica, *Linn.*
quinquelocularis, *Hardw.*
sempervirens, *Linn.*, var. minor.
Stabiana, *Guss.*

Sambucus

canadensis, *Linn*
— var. aurea.
glauca, *Nutt.*
nigra, *Linn.*
— var. variegata.
— var. virescens.
racemosa, *Linn.*

Symphoricarpus

occidentalis, *Hook.*
orbiculatus, *Moench*
racemosus, *Michx.*

Viburnum

burejaeticum, *Regel* et *Herd.*
Lantana, *Linn.*
— var. lanceolatum.
Lentago, *Linn.*
Opulus, *Linn.*

CARYOPHYLLEAE.

Arenaria

balearica, *Linn.*
Bertolonii, *Fiori* et *Paol.*
cephalotes, *Bieb.*
ciliata, *Linn.*
— var. norvegica.
confusa, *Rydb.*
cucubaloides, *Smith*
fasciculata, *Gouan*
Fendleri, *A. Gray*
foliosa, *Royle*
graminifolia, *Schrad.*
grandiflora, *Linn.*
juniperina, *Linn.*
Kingii, *M. E. Jones*
lanuginosa, *Rohrb.*
laricifolia, *Linn.*
lineata, *C. A. Mey.*
montana, *Linn.*, var. grandiflora.
pinifolia, *Bieb.*
purpurascens, *Ramond*
recurva, *All.*
saxatilis, *Linn.*
setacea, *Thuill.*
stricta, *Michx.*
verna, *Linn.*
Villarsii, *Balb.*, var. villosula.

Cerastium

alpinum, *Linn.*
arvense, *Linn.*
grandiflorum, *Waldst.* et *Kit.*
purpurascens, *Adams*
sericeum, *S. Wats.*
tomentosum, *Linn.*

Cucubalus

baccifer, *Linn.*

Dianthus

alpinus, *Linn.*
— var. albus.
arboreus, *Linn.*
arenarius, *Linn.*
atrococcineus, *Hort.*

CARYOPHYLLEAE—*continued.*

Dianthus—*continued.*

atrorubens, *All.*
barbatus, *Linn.*
caesius, *Sm.*
callizonus, *Schott*, et *Kotschy*
campestris, *Bieb.*
Carthusianorum, *Linn.*
chinensis, *Linn.*
ciliatus, *Guss.*
cinnabarinus, *Sprun.*
coccineus, *Hort.*
crinitus, *Sm.*
croaticus, *Borbas*
cyclops ×.
delicatus, *Hort.*
— var. pulchellus.
fragrans, *Bieb.*
Freynii, *Vandas*
furcatus, *Balb.*
grandiflorus, *Poir.*
graniticus, *Jord.*
humilis, *Willd.*
longicaulis, *Tenore*
monspessulanus, *Linn.*
neglectus, *Loisel.*
orientalis, *Donn*
pallens, *Sibth.* et *Sm.*
petraeus, *Waldst.* et *Kit.*
— var. spiculifolius.
plumarius, *Linn.*
polycladus, *Boiss.*
pungens, *Linn.*
Requienii, *Gren.* et *Godr.*
scardicus, *Wettst.*
squarrosus, *Bieb.*
Sternbergii, *Sibth.*
strictus, *Sibth.* et *Sm.*
superbus, *Linn.*
— var. chinensis.
sylvestris, *Wulf.*
tenuiflorus, *Griseb.*
zonatus, *Fenzl*

Drymaria

tenella, *A. Gray*

CARYOPHYLLEAE—*continued.*

Gypsophila

cerastoides, *D. Don*
dubia, *Willd.*
elegans, *Bieb.*
— var. coccinea.
— var. rosea.
prostrata, *Linn.*
trichotoma, *Wender.*

Lychnis

alpina, *Linn.*
— var. lapponica.
Bungeana, *Fisch.*
chalcedonica, *Linn.*
coronaria, *Desr.*
— var. alba.
dioica, *Linn.*
Flos-cuculi, *Linn.*
— var. alba.
Flos-Jovis, *Desr.*
fulgens, *Fisch.*, var. aurantiaca.
Haageana, *Lemaire*
himalayensis, *Edgew.*
lacinata, *Maxim.*
Preslii, *Sekera*
pyrenaica, *Berger*, var. vera.
Sartorii, *Boiss.*
Viscaria, *Linn.*
— var. splendens.

Moehringia

papulosa, *Bertol.*

Polycarpaea

divaricata, *Balf. f.*

Sagina

glabra, *Fenzl*, var. pilifera.
Linnaei, *Presl*
nivalis, *Fries*
occidentalis, *S. Wats.*
procumbens, *Linn.*

Saponaria

calabrica, *Guss.*
lutea, *Linn.*
ocymoides, *Linn.*
pulvinaris, *Boiss.*

CARYOPHYLLEAE—*continued.*

Silene

alpestris, *Jacq.*
antirrhina, *Linn.*
aprica, *Turcz.*
Armeria, *Linn.*
— var. alba.
asclepiadea, *Franch.*
Asterias, *Griseb.*, var. grandiflora.
caucasica, *Boiss.*
colorata, *Poir.*
congesta, *Sibth.* et *Sm.*
conoidea, *Linn.*
Cucubalus, *Wibel*
dinarica, *Spreng.*
fimbriata, *Sims*
fruticosa, *Linn.*
fuscata, *Link*
gigantea, *Linn.*
italica, *Pers.*
laciniata, *Cav.*
longiflora, *Ehrh.*
maritima, *With.*
multicaulis, *Guss.*
Muscipula, *Linn.*
Otites, *Sm.*
palaestina, *Boiss.*
pauciflora, *Kit.*
pendula, *Linn.*, var. compacta.
pharnaceifolia, *Fenzl*
picta, *Pers.*
portensis, *Hort.*
quadridentata, *Pers.*
— var. pusilla.
Reichenbachii, *Vis.*
repens, *Patrin*
Requienii, *Otth*
Roemeri, *Friv.*
rubella, *Linn.*
rubicunda, *Franch.*
rupestris, *Linn.*
Saxifraga, *Linn.*
Schafta, *Gmel.*
setacea, *Viv.*
Thorei, *Duf.*
turgida, *Bieb.*
Zawadzkii, *Herbich*

CARYOPHYLLEAE—*continued.*

Spergula

arvensis, *Linn.*
vernalis, *Willd.*

Spergularia

longipes, *Rouy*
media, *Presl*

Stellaria

hybrida, *Bég.*
media, *Cyrill.*, var. Cupaniana.
— var. dolichopoda.
— var. glaberrima.
— var. grandiflora.
— var. gymnocalyx.
— var. intermedia.

Tunica

Saxifraga, *Scop.*

Velezia

rigida, *Linn.*

CELASTRINEAE.

Elaeodendron

australe, *Vent.*

Euonymus

europaeus, *Linn.*
yedoensis, *Koehne*

CHENOPODIACEAE.

Atriplex

californica, *Moq.*
patula, *Linn.*

Beta

trigyna, *Waldst.* et *Kit.*

Blitum

subacaule, *Hort.*

Chenopodium

Bonus-Henricus, *Linn.*
Botrys, *Linn.*
cornutum, *Benth.* et *Hook. f.*
glaucum, *Linn.*
murale, *Linn.*

Monolepis

trifida, *Schrad.*

Spinacia

oleracea, *Linn.*

CHLORANTHACEAE.

Circaeaster

agrestis, *Maxim.*

CISTINEAE.

Cistus

albidocrispus, *Hort.*
crispus, *Linn.*
hirsutus, *Lam.*
laurifolius, *Linn.*
platysepalus, *Sweet*
polymorphus, *Willk.*
purpureus, *Lam.*
vaginatus, *Ait.*

Helianthemum

canum, *Boiss.*
echioides, *Pers.*
formosum, *Dun.*, var. concolor.
ocymoides, *Pers.*
polifolium, *DC.*, var. rubrum.
procumbens, *Dun.*, var. concolor.
salicifolium, *Mill.*
Tuberaria, *Mill.*
umbellatum, *Mill.*
vulgare, *Gaertn.*
— var. bicolor.
— var. variegatum.

COMBRETACEAE.

Combretum

grandiflorum, *G. Don*
purpureum, *Vahl*

COMMELINACEAE.

Cochliostema

Jacobianum, *C. Koch* et *Linden*

Cyanotis

somaliensis, *C. B. Clarke*

Palisota

Barteri, *Hook. f.*
Maclaudi, *Cornu*
Pynaertii, *Wildem.*

COMMELINACEAE—*continued.*

Tinantia

fugax, *Scheidw.*

Tradescantia

crassifolia, *Cav.*
discolor, *L'Hérit.*
navicularis, *Orig.*
virginiana, *Linn.*
— var. alba.
— var. elata.
— var. major.

COMPOSITAE.

Achillea

alpina, *Linn.*
compacta, *Willd.*
crithmifolia, *Waldst.* et *Kit.*
Haussknechtii, *Boiss.*
Huteri, *Sendt.*
Jaborneggii ×, *Halácsy*
lanulosa, *Nutt.*
lingulata, *Waldst.* et *Kit.*, var. buglossis.
macrophylla, *Linn.*
magna, *Linn.*
nobilis, *Linn.*
pedemontana, *Hort.*
Portae ×, *Bruegg.*
Ptarmica, *Linn.*
Santolina, *Linn.*
tanacetifolia, *All.*
Wilczekii, *Hort.*

Adenostyles

albida, *Cass.*
alpina, *Kern.*
viridis, *Cass.*

Agathaea

coelestis, *Cass.*
— var. monstrosa.

Ageratum

conyzoides, *Linn.*

Amellus

Lychnitis, *Linn.*

COMPOSITAE—*continued.*

Ammobium

alatum, *R. Br.*

Anaphalis

cinnamomea, *C. B. Clarke*
pterocaulon, *Maxim.*
margaritacea, *Benth.* et *Hook. f.*
triplinervis, *Sims*
yedoensis, *Maxim.*

Andryala

integrifolia, *Linn.*

Antennaria

decipiens, *Greene*
dioica, *Gaertn.*
— var. alpina rosea.
— var. parvifolia.
— var. tomentosa.
imbricata, *E. Nelson,* var. rosea.
magellanica, *Sch. Bip.*
rosea, *Greene*
— var. imbricata.

Anthemis

arabica, *Linn.*
santolinoides, *Munby*
tinctoria, *Linn.*

Aplopappus

croceus, *A. Gray*

Arctium

minus, *Bernh.*

Arctotis

acaulis, *Linn.*
aspera, *Linn.*
leptorhiza, *DC.*
revoluta, *Jacq.*
stoechadifolia, *Berg.*

Arnica

amplexicaulis, *Nutt.*
Chamissonis, *Less.*
montana, *Linn.*

COMPOSITAE—*continued.*

Artemisia

discolor, *Dougl.*
vulgaris, *Linn.*

Aster

acris, *Linn.*
— var. dracunculoides.
alpinus, *Linn.*
— var. albus.
Amellus, *Linn.*, var. bessarabicus.
amethystinus, *Nutt.*
arcticus, *Eastw.*
azureus, *Lindl.*
canescens, *Pursh*
caucasicus, *Willd.*
conspicuus, *Lindl.*
dahuricus, *Benth.*
diplostephioides, *Benth.* et *Hook. f.*
Douglasii, *Lindl.*
fastigiatus, *Fisch.*
floribundus, *Nutt.*
foliaceus, *Lindl.*
Fremonti, *A. Gray*
fruticosus, *Linn.*
himalaicus, *C. B. Clarke*
junceus, *Ait.*
laevis, *Linn.*
leucanthemus, *Rafin.*
Lindleyanus, *Torr.* et *Gray*
Linosyris, *Bernh.*, var. Willmottae.
longifolius, *Lam.*
Novae-Angliae, *Linn.*
— var. ruber.
oreophilus, *Franch.*
paniculatus, *Lam.*
patens, *Ait.*
patulus, *Lam.*
puniceus, *Linn.*
pyrenaeus, *DC.*
Radula, *Ait.*
sagittaefolius, *Willd.*
salicifolius, *Ait.*
scaber, *Thunb.*
sibiricus, *Linn.*

COMPOSITAE—*continued.*

Aster—*continued.*

sikkimensis, *Hook. f.* et *Thoms.*
subcaeruleus, *S. Moore*
tataricus, *Linn. f.*
Thomsoni, *C. B. Clarke*
turbinellus, *Lindl.*

Baccharis

mucronata, *H. B.* et *K.*
patagonica, *Hook.* et *Arn.*

Baileya

multiradiata, *Harv.* et *Gray*

Baldwinia

multiflora, *Nutt.*

Barnadesia

rosea, *Lindl.*

Bellium

minutum, *Linn.*

Berkheya

Radula, *Hort. Kew.*

Bidens

ferulaefolia, *DC.*
grandiflora, *Balb.*
humilis, *H. B.* et *K.*

Borrichia

frutescens, *DC.*

Brachycome

iberidifolia, *Benth.*
Thomsonii, *T. Kirk*

Buphthalmum

salicifolium, *Linn.*
speciosum, *Schreb.*

Calendula

arvensis, *Linn.*

Callistephus

hortensis, *Cass.*

COMPOSITAE—*continued.*

Carduus

defloratus, *Linn.*
nutans, *Linn.*
pycnocephalus, *Linn.*
struminanus, *Hort.*

Carlina

salicifolia, *Cav.*

Cassinia

fulvida, *Hook. f.*
leptophylla, *R. Br.*

Catananche

bicolor, *Hort.*
caerulea, *Linn.*

Celmisia

coriacea, *Raoul*
discolor, *Hook. f.*
hieracifolia, *Hook. f.*
holosericea, *Hook. f.*
laricifolia, *Hook. f.*
Lindsayi, *Hook. f.*
longifolia, *Cass.*
Lyallii, *Hook. f.*, var. pseudo-Lyallii.
Munroi, *Hook. f.*
verbascifolia, *Hook. f.*
viscosa, *Hook. f.*

Centaurea

acanthodes, *Spreng.*
acaulis, *Linn.*
alpina, *Linn.*
axillaris, *Willd.*
babylonica, *Linn.*
centauroides, *Linn.*
Cyanus, *Linn.*
cynaroides, *Link*
glastifolia, *Linn.*
gymnocarpa, *Moris* et *De Not.*
incana, *Tenore*
Jacea, *Linn.*
macrocephala, *Puschk.*
moschata, *Linn.*
nervosa, *Willd.*
nigra, *Linn.*
nigrescens, *Willd.*

COMPOSITAE—*continued.*

Centaurea—*continued.*
orientalis, *Linn.*
pallescens, *Delile*
phrygia, *Linn.*
rutifolia, *Sibth.* et *Sm.*
Scabiosa, *Linn.*
solstitialis, *Linn.*
stereophylla, *Bess.*
Urvillei, *DC.*
— var. acaulis.
variegata, *Lam.*

Centipeda
Cunninghami, *A. Br.* et *Aschers.*

Chaptalia
alsophila, *Greene*

Charieis
heterophylla, *Cass.*

Chondrilla
juncea, *Linn.*

Chrysanthemum
coronarium, *Linn.*
Leucanthemum, *Linn.*
maximum, *Ramond*
montanum, *Linn.*
pallens, *J. Gay*, var. discoideum.
Parthenium, *Bernh.*

Chrysogonum
virginianum, *Linn.*

Chrysopsis
camporum, *Greene*
villosa, *DC.*, var. Rutteri.

Cichorium
Intybus, *Linn.*

Cnicus
acaulis, *Willd.*
canus, *Roth*
Carolorum, *Hook. f.*
eriophorus, *Roth*
Erisithales, *Linn.*
pratensis, *Willd.*
tartaricus, *Willd.*

COMPOSITAE—*continued.*

Coreopsis
cardaminefolia, *Torr.* et *Gray*, var. atrosanguinea.
Drummondii, *Torr.* et *Gray*
tinctoria, *Nutt.*

Corethrogyne
rigida, *Heller*

Cosmos
bipinnatus, *Cav.*

Cotula
anthemoides, *Linn.*
dioica, *Hook. f.*
filifolia, *Thunb.*

Craspedia
uniflora, *Forst. f.*
— var. robusta.

Crepis
aculeata, *Boiss.*
aurea, *Reichb.*
blattarioides, *Vill.*
grandiflora, *Tausch*
Jacquini, *Tausch*
paludosa, *Moench*
pygmaea, *Linn.*
setosa, *Hall. f.*

Crupina
vulgaris, *Cass.*

Dahlia
Merckii, *Lehm.*
variabilis, *Desf.*
zimapani, *Roezl*

Dimorphotheca
aurantiaca, *DC.*
Ecklonis, *DC.*
pluvialis, *Moench.*

Diotis
candidissima, *Desf.*

Doronicum
caucasicum, *Bieb.*
glaciale, *Nym.*
macrophyllum, *Fisch.*
plantagineum, *Linn.*, var. excelsum.

COMPOSITAE—*continued.*

Echinops

exaltatus, *Schrad.*
sphaerocephalus, *Linn.*
— × bannaticus.

Elephantopus

scaber, *Linn.*

Erigeron

alpinus, *Linn.*
aurantiacus, *Regel*
compositus, *Pursh*
Coulteri, *Porter* et *Coult.*
glabellus, *Nutt.*
— var. asper.
— var. mollis.
glabratus, *Hoppe* et *Hornsch.*
glaucus, *Ker-Gawl.*
montevidensis, *Baker*
multiradiatus, *Benth.* et *Hook. f.*
patentisquama, *Hort.*
Roemeri, *Hort.*
roseus, *Hort.*
salsuginosus, *A. Gray*
speciosus, *DC.*, var. major.
— var. superbus.
tephrodes, *Greene*
trifidus, *Schlecht.*
uniflorus, *Linn.*

Eriophyllum

caespitosum, *Dougl.*

Eupatorium

ageratoides, *Linn.*
cannabinum, *Linn.*
deltoideum, *Jacq.*
glechonophyllum, *Less.*
grandiflorum, *André*
ianthinum, *Hemsl.*
micranthum, *Less.*
petiolare, *Moç* et *Sesse*
riparium, *Regel*
Rothrockii, *A. Gray*
Weinmannianum, *Regel* et *Koern.*

COMPOSITAE—*continued.*

Euryops

pectinatus, *Cass.*
socotranus, *Balf. f.*

Evax

asterisciflora, *Pers.*

Gaillardia

aristata, *Pursh*
— var. grandiflora.
pulchella, *Fouger*

Gerbera

Anandria, *Sch. Bip.*
Jamesoni, *Bolus*
Kunzeana, *A. Br.* et *Aschers.*

Gnaphalium

hypoleucum, *DC.*
lagopogodiodes, *Rydb.*
palustre, *Nutt.*
trinerve, *Forst. f.*

Grindelia

squarrosa, *Dunal*

Gymnolomia

multiflora, *Benth.* et *Hook. f.*

Helenium

autumnale, *Linn.*
— var. Halleri.
Hoopesii, *A. Gray*

Helianthus

parviflorus, *Bernh.*
pumilus, *Nutt.*

Helichrysum

angustifolium, *DC.*
antennarium, *F. Muell*
bracteatum, *Andr.*
callichrysum, *DC.*
humile, *Less.*
microphyllum, *Cambess.*
rutidolepis, *DC.*
semipapposum, *DC.*
Stoechas, *DC.*
subulifolium, *F. Muell.*

COMPOSITAE—*continued.*

Heliopsis
laevis, *Pers.*
scabra, *Dun.*
— var. Pitcheriana.

Helipterum
corymbiflorum, *Schlecht.*
Manglesii, *F. Muell.*

Hemizonella
Durandi, *A. Gray*

Heteropappus
hispidus, *Less.*

Heterospermum
pinnatum, *Cav.*

Hidalgoa
Wercklei, *Hook. f.*

Hieracium
alpinum, *Linn.*
andryaloides, *Vill.*
Auricula, *Linn.*
Bornmülleri, *Freyn*
bupleuroides, *C. C. Gmel.*
crinitum, *Sibth.* et *Sm.*
crocatum, *Fries*
foliosum, *Waldst.* et *Kit.*
glomeratum, *Froel.*
gymnocephalum, *Griseb.*
Heldreichii, *Boiss.*
humile, *Jacq.*
incanum, *Bieb.*
incisum, *Hoppe*
intybaceum, *Jacq.*
iricum, *Fries*
Jankæ, *Uechtritz*
latifolium, *Froel.*
Marshallii, *Linton*
norvegicum, *Fries*
Pilosella, *Linn.*
— var. aurantiacum.
praealtum, *Vill.*
prenanthoides, *Vill.*
pulmonarioides, *Vill.*

COMPOSITAE—*continued.*

Hieracium—*continued.*
pyrenaicum, *Jord.*
rubescens, *Gilib.*
rupestre, *All.*
sabaudum, *Linn.*
stoloniflorum, *Waldst.* et *Kit.*
strictum, *Fries*
tridentatum, *Fries*
umbellatum, *Linn.*
villosum, *Jacq.*
vulgatum, *Fries*

Homogyne
alpina, *Cass.*
sylvestris, *Cass.*

Humea
elegans, *Sm.*

Hymenatherum
acerosum, *A. Gray*

Hypochoeris
glabra, *Linn.*
maculata, *Linn.*
radicata, *Linn.*
taraxacoides, *Benth.* et *Hook. f.*
uniflora, *Vill.*

Inula
acaulis, *Schott* et *Kotschy*
ensifolia, *Linn.*
glandulosa, *Puschk.*
grandiflora, *Willd.*
Helenium, *Linn.*
Royleana, *DC.*
salicifolia, *Gueldenst.*, var. subhirsuta.

Jurinea
glycacantha, *DC.*

Lactuca
Bourgaei, *Boiss.*
Dubyaea, *C. B. Clarke*
macrophylla, *A. Gray*
perennis, *Linn.*
Plumieri, *Gren.* et *Godr.*
Scariola, *Linn.*

COMPOSITAE—*continued.*

Lagenophora
Forsteri, *DC.*
petiolata, *Hook. f.*

Laggera
flava, *Benth.* et *Hook. f.*

Lapsana
intermedia, *Bieb.*

Layia
Douglasii, *Hook.* et *Arn.*
elegans, *Torr.* et *Gray*
heterotricha, *Hook.* et *Arn.*

Leontodon
hastilis, *Linn.*
hispidus, *Linn.*

Leontopodium
alpinum, *Cass.*
— var. sibiricum.
— var. transsylvanicum.
hybridum, *Hort.*
japonicum, *Miq.*

Leptosyne
maritima, *A. Gray*
Stillmannii, *A. Gray*

Liatris
pycnostachya, *Michx.*

Madia
sativa, *Molin*
— var. racemosa, *A. Gray*

Matricaria
inodora, *Linn.*, var. plenissima.
oreades, *Boiss.*

Microglossa
albescens, *C. B. Clarke*

Microseris
californica, *Greene*
melanocarpha, *Greene*

COMPOSITAE—*continued.*

Mulgedium
Bourgaei, *Boiss.*

Mutisia
Clematis, *Linn.*
decurrens, *Cav.*
ilicifolia, *Cav.*

Myriactis
Wallichii, *Less.*

Olearia
Haastii, *Hook. f.*
ilicifolia, *Hook. f.*
macrodonta, *Baker*
nummularifolia, *Hook. f.*
stellulata, *DC.*

Onopordon
Acanthium, *Linn.*
bracteatum, *Boiss.* et *Heldr.*

Osteospermum
moniliferum, *Linn.*

Othonna
carnosa, *Less.*

Othonnopsis
cheirifolia, *Benth.* et *Hook. f.*

Perezia
multiflora, *Less.*

Pertya
sinensis, *Oliver*

Phaenocoma
prolifera, *D. Don*, var. Barnesii.

Picradenia
floribunda, *Greene*

Picris
hieracioides, *Linn.*

Piqueria
trinervia, *Cav.*

COMPOSITAE—*continued.*

Pluchea

Bulleyana, *J. F. Jeffrey*

Prenanthes

purpurea, *Linn.*

Psilostrophe

tagetina, *Greene*

Pulicaria

arabica, *Cass.*
undulata, *Kostel.*
vulgaris, *Gaertn.*

Relhania

sessiliflora, *Thunb.*

Rudbeckia

nitida, *Nutt.*
triloba, *Linn.*

Sanvitalia

procumbens, *Lam.*

Saussurea

candicans, *C. B. Clarke*
discolor, *DC.*

Schoenia

Cassiniana, *Steetz*

Scorzonera

hispanica, *Linn.*
humilis, *Linn.*

Senecio

abrotanifolius, *Linn.*
— var. grandiflorus.
aurantiacus, *Reichb.*
auriculatissimus, *Britton*
bellidioides, *Hook. f.*
campestris, *DC.*
clivorum, *Maxim.*
coronopifolius, *Desf.*
Correvonianus, *Hort.*
cruentus, *DC.*
Decaisnei, *DC.*
diversifolius, *Wall.*
Doria, *Linn.*

COMPOSITAE—*continued.*

Senecio—*continued.*

Doronicum, *Linn.*
Douglasii, *DC.*
echinatus, *DC.*
elegans, *Linn.*
— var. alba.
erubescens, *Pančˇ.*
eurycephalus, *Torr.* et *Gray*
grandifolius, *Less.*
Heritieri, *DC.*
Hodgsoni, *Benth.* et *Hook. f.*
incanus, *Linn.*
ionophyllus, *Greene*
junceus, *Harv.*
lagopus, *Raoul*
lautus, *Soland.*
laxifolius, *J. Buch.*
Ledebouri, *Sch. Bip.*
Ligularia, *Hook. f.*
Lyallii, *Hook. f.*
macroglossus, *DC.*
macrophyllus, *Bieb.*
maritimus, *Linn. f.*
Moorei ×.
mutabilis, *Greene*
nebrodensis, *Linn.*
palmatus, *Pall.*
Petasitis, *DC.*
populifolius, *DC.*
sarracenicus, *Linn.*
scandens, *Buch.-Ham*
Smithii, *DC.*
squalidus, *Linn.*
subalpinus, *Koch*
subscandens, *Hochst.*
tropaeolifolius, *MacOwan*
Veitchianus, *Hemsl.*
vernalis, *Waldst.* et *Kit.*
Wootoni, *Greene*
vulgaris, *Linn.*
— × squalidus.

Serratula

coronata, *Linn.*
Gmelini, *Ledeb.*
heterophylla, *Desf.*
macrocephala, *Bertol.*
tinctoria, *Linn.*

COMPOSITAE—*continued.*

Siegesbeckia
orientalis, *Linn.*

Silphium
perfoliatum, *Linn.*

Silybum
Marianum, *Gaertn.*

Solidago
Buckleyi, *Torr.* et *Gray*
canadensis, *Linn.*
multiradiata, *Ait.*
odora, *Ait.*
sempervirens, *Linn.*
Virgaurea, *Linn.*

Sonchus
maritimus, *Linn.*
palustris, *Linn.*

Synedrella
nodiflora, *Gaertn.*

Tagetes
lucida, *Cav.*
patula, *Linn.*

Tanacetum
vulgare, *Linn.*

Taraxacum
officinale, *Weber*
palustre, *DC.*

Thelesperma
filifolium, *A. Gray*

Tridax
bicolor, *A. Gray*

Troximon
heterophyllum, *Greene*, var. californicum.

Tyrimnus
leucographus, *Cass.*

Urospermum
Dalechampii, *Desf.*

COMPOSITAE—*continued.*

Verbesina
crocata, *Less.*
helianthoides, *Michx.*

Vittadenia
australis, *A. Rich.*

Volutarella
muricata, *Benth.* et *Hook. f.*

Waitzia
paniculata, *F. Muell.*

Wyethia
mollis, *A. Gray*

Xanthium
orientale, *Linn.*

CONIFERAE.

Agathis
australis, *Steud.*

Callitris
Gunnii, *Hook. f.*
robusta, *R. Br.*

Cupressus
Benthami, *Endl.*
Goveniana, *Gord.*
Lawsoniana, *A. Murr.*
— var. argentea.

Taxus
baccata, *Linn.*
— var. adpressa.
— var. Dovastoni.
— var. fastigiata, *Loud*

CONVOLVULACEAE.

Convolvulus
crenatifolius, *Ruiz* et *Pav.*,
var. argenteus.
unicaulis, *Hort.*

Ipomœa
Bona-nox, *Linn.*
coccinea, *Linn.*
macrorrhiza, *Michx.*
purpurea, *Roth*
Quamoclit, *Linn.*
— var. alba.

CORNACEAE.

Cornus

alba, *Linn.*
— var. flaviramea.
— var. foliis tricoloribus.
alternifolia, *Linn.*
capitata, *Wall.*
sanguinea, *Linn.*

Garrya

elliptica, *Dougl.*
Fadyena, *Hook.*

CRASSULACEAE.

Altamiranoa

elongata, *Rose*
Goldmani, *Rose*

Bryophyllum

crenatum, *Baker*

Cotyledon

amoena, *L. de Smet*
atropurpurea, *Baker*
Desmetiana, *Hemsl.*
dichotoma, *Haw.*
fulgens, *Baker*
gibbiflora, *Moç.* et *Sesse*
— var. metallica.
Grusoni, *Hort.*
imbricata, *Hort.*
maculata, *Salm-Dyck*
malacophylla, *Pall.*
nodulosa, *Baker*
orbiculata, *Linn.*
pachyphyta, *Baker*
platyphylla, *Hort.*
pulverulenta, *Baker*
racemosa, *E. Mey.*
secunda, *Baker*
Umbilicus, *Linn.*
Zeyheri, *Harv.*

Crassula

Aitonii, *Hort.*
arborescens, *Willd.*
ericoides, *Haw.*

CRASSULACEAE—*continued.*

Crassula—*continued.*

glomerata, *Berg*
hemisphaerica, *Thunb.*
lycopodioides, *Lam.*
monticola, *N. E. Br.*
nudicaulis, *Linn.*
quadrifida, *Baker*
rosularis, *Haw.*
sarcocaulis, *Eckl.* et *Zeyh.*
tenuifolia, *Schoenl.*

Diotostemon

Hookeri, *Salm-Dyck*

Dudleya

Cotyledon, *Britton* et *Rose*

Echeveria

alpina, *Hort.*
australis, *Rose*
multicaulis, *Rose*
obtusifolia, *Rose*
ovata ×, *Deleuil*
Pringlei, *Rose*
pulchella, *Berger*
racemosa, *Cham.* et *Schlecht.*

Grammanthes

gentianoides, *DC.*

Kalanchoë

crenata, *Haw.*
Dyeri, *N. E. Br.*
flammea, *Stapf*
kewensis ×.
Kirkii, *N. E. Br.*
Petitiana, *A. Rich.*
rotundifolia, *Haw.*
spathulata, *DC.*

Monanthes

agriostaphys, *Christ*

Oliveranthus

elegans, *Rose*

Pachyphytum

amethystinum, *Rose*

CRASSULACEAE—*continued.*

Raimannia

confusa, *Rose*

Rochea

coccinea, *DC.*

Sedum

Aizoon, *Linn.*
alboroseum, *Baker*
album, *Linn.*
altaicum, *G. Don*
Anacampseros, *Linn.*
asiaticum, *Spreng.*
Cepaea, *Linn.*
coeruleum, *Vahl*
dasyphyllum, *Linn.*
Ewersii, *Ledeb.*
gracile, *C. A. Mey.*
Greggii, *Hemsl.*
Griffithsii, *Rose*
Maximowiczii, *Regel*
maximum, *Suter*
— var. purpureum.
mellitutum, *Rose*
oppositifolium, *Sims*
populifolium, *Pall.*
primuloides, *Franch.*
pruinatum, *Brot.*
rhodanthum, *A. Gray*
roseum, *Scop.*
— var. linifolium.
rupestre, *Linn.*
— var. collinum.
— var. minus.
sempervivoides, *Fisch.*
Sieboldii, *Hort.*
spathulifolium, *Hook.*
stoloniferum, *S. T. Gmel.* var. ibericum.
— var. major.
Telephium, *Linn.*
— var. purpureum.

Sempervivum

annuum, *C. Sm.*
arachnoideum, *Linn.*
arenarium, *Koch*
arvernense, *Lecoq* et *Lamotte*
Ballii, *Hort.*

CRASSULACEAE—*continued.*

Sempervivum—*continued.*

barbatum, *C. Sm.*
blandum, *Schott*
Boutignyanum, *Billot* et *Gren.*
Bungeanum, *Hort.*
canariense, *Linn.*
Chavini, *Lagg.*
decorum, *Christ*
Delponti, *Hort.*
dichotomum, *DC.*
flagelliforme, *Fisch.*
fontanae ×, *Bruegg.*
Funckii, *F. Braun*
glaucum, *Tenore*
Haworthii, *Hort.*
Hookeri, *Hort.*
hybridum ×, *Bruegg.*
Lehmanni, *Hort.*
montanum, *Linn.*
Pittonii, *Schott, Nym.* et *Kotschy*
Pomelii, *Lamotte*
ponticum, *Hort.*
pulchellum, *Walp.*
repens, *Hort.*
ruthenicum, *Koch*
sanguineum, *Jeanb.*
Schnittspahni, *Lagg.*
Schottii, *Baker*, var. acuminatum.
spinulosum, *Lagg.*
tabuliforme, *Haw.*
tectorum, *Linn.*
— var. densum.
— var. pulchrum.
— var. robustum.
triste, *Hort.*
— var. bicolor.
— var. sanguineum.
Verloti, *Lamotte*
Webbianum, *Hort.*
Youngianum, *Webb* et *Berth.*

Stylophyllum

Hassei, *Rose*

Tillaea

pharnaceoides, *Hochst.*

CRUCIFERAE.

Æthionema

armenum, *Boiss.*
cappadocicum, *Spreng.*
cordatum, *Boiss.*
gracile, *DC.*
Kotschyanum, *Hort.*
pulchellum, *Boiss.* et *Huet*
saxatile, *R. Br.*
schistosum, *Boiss.* et *Kotschy*

Alyssum

calycinum, *Linn.*
constellatum, *Boiss.*
gemonense, *Linn.*
idaeum, *Boiss.* et *Heldr.*
libycum, *Coss.*
maritimum, *Lam.*
— var. minimum.
minimum, *Willd.*
Moellendorfianum, *Aschers.*
montanum, *Linn.*
podolicum, *Bess.*
rostratum, *Stev.*
saxatile, *Linn.*
— var. sulphureum.
sinuatum, *Linn.*
spinosum, *Linn.*
Stribrnyi, *Velen.*
Wulfenianum, *Willd.*

Arabis

albida, *Stev.*
alpina, *Linn.*
— var. albida ochrida.
arenaria, *Schrank*
bellidifolia, *Jacq.*
caerulea, *Haenke*
contracta, *Celak.*
depauperata, *Nels.* et *Kenn.*
Halleri, *Linn.*
petraea, *Lam.*
procurrens, *Waldst.* et *Kit.*
Stelleri, *DC.*, var. rosea.
stricta, *Huds.*
Turrita, *Linn.*

CRUCIFERAE—*continued.*

Aubrietia

Columnae, *Guss.*
croatica, *Schott, Nym.* et *Kotschy*
deltoidea, *DC.*
— var. Campbellii.
— var. cilicica.
— var. Moerheimi.
— var. rosea.
gracilis, *Sprun.*

Barbarea

orthoceras, *Ledeb.*
praecox, *R. Br.*
vulgaris, *R. Br.*

Biscutella

laevigata, *Linn.*

Brassica

Erucastrum, *Linn.*
juncea, *Coss.*
nigra, *Koch*
oleracea, *Linn.*
— var. caulo-rapa.
Saruna, *Siebold*

Cakile

maritima, *Scop.*

Capsella

Bursa-Pastoris, *Medic.*

Cardamine

alpina, *Willd.*

Carpoceras

cilicicum, *Boiss.* et *Kurz*

Carrichtera

Vella, *DC.*

Cheiranthus

Cheiri, *Linn.*

Clypeola

Jonthlaspi, *Linn.*
— var. lasiocarpa.

CRUCIFERAE—*continued.*

Cochlearia

officinalis, *Linn.*
saxatilis, *Linn.*

Crambe

hispanica, *Linn.*
strigosa, *L'Hérit.*
Tataria, *Sebéok*

Diplotaxis

viminea, *DC.*

Draba

aizoides, *Linn.*, var. montana.
Aizoon, *Wahlenb.*
altaica, *Ledeb.*
arabisans, *Michx.*
aurea, *Vahl*
australis, *Hook. f.*
bronchialis, *Hort.*
cornuta, *Hort.*
fladnizensis, *Wulf.*
hirta, *Linn.*
hispanica, *Boiss.*
incana, *Linn.*
Loiseleurii, *Boiss.*
nivalis, *Lilj.*
pyrenaica, *Linn.*
repens, *Bieb.*
rupestris, *R. Br.*
Salomoni, *Hort.*
scandinavica, *Lindblom*
siliquosa, *Bieb.*
streptocarpa, *A. Gray*
subamplexicaulis, *C. A. Mey.*
surculosa, *Franch.*
tibetica, *Hook. f.* et *Thoms.*
Vesicaria, *Desv.*

Erysimum

asperum, *DC.*
canescens, *Roth*
hieracifolium, *Linn.*
nanum, *Boiss.* et *Hohen.*
Perofskianum, *Fisch.* et *Mey.*
rupestre, *DC.*

Farsetia

clypeata, *R. Br.*

CRUCIFERAE—*continued.*

Heliophila

amplexicaulis, *Linn.*
Eckloniana, *Sond.*

Hesperis

macedonica, *Adam.*
matronalis, *Linn.*

Iberidella

trinervia, *Boiss.*

Iberis

carnosa, *Willd.*
corifolia, *Sweet*
Jordani, *Boiss.*
odorata, *Linn.*
— var. carminea.
Pruiti, *Tineo*
saxatilis, *Linn.*
semperflorens, *Linn.*
sempervirens, *Linn.*
— var. Garrexiana.
— var. superba.
taurica, *DC.*
umbellata, *Linn.*

Ionopsidium

acaule, *Reichb.*

Isatis

alpina, *All.*
glauca, *Auch.*
tinctoria, *Linn.*

Lepidium

campestre, *R. Br.*
pubicarpum, *A. Nelson*

Lunaria

annua, *Linn.*

Malcomia

maritima, *R. Br.*
mongolica, *Maxim.*

Matthiola

tricuspidata, *R. Br.*

Neslia

paniculata, *Desv.*

CRUCIFERAE—*continued.*

Noccaea
alpina, *Reichb.*
— var. Auerswaldii.

Parrya
microcarpa, *Ledeb.*

Pendulina
intricata, *Willk.*

Ptilotrichum
Reverchonii, *Degen Hervier*

Raphanus
sativus, *Linn.*

Rapistrum
ægyptium, *Baill.*
rugosum, *All.*, var. clavatum.

Reboudia
microcarpa, *Boiss.*

Ricotia
Lunaria, *DC.*

Schizopetalon
Walkeri, *Sims*

Senebiera
pinnatifida, *DC.*

Sisymbrium
Alliaria, *Scop.*
pinnatifidum, *DC.*

Teesdalia
nudicaulis, *R. Br.*

Thlaspi
alpestre, *Linn.*
arvense, *Linn.*
bulbosum, *Sprun.*
elongatum, *Hort.*
rivale, *Presl*
— var. brevistylum.
rosulare, *Boiss.* et *Balansa*

Thysanocarpus
elegans, *Fisch.* et *Mey.*

Vesicaria
utriculata, *DC.*

CUCURBITACEAE.

Benincasa
cerifera, *Savi*
— var. macrocarpa.

Cucumis
metuliferus, *E. Mey.*
myriocarpus, *Naud.*

Cyclanthera
edulis, *Hort.*
explodens, *Naud.*

Kedrostis
africana, *Cogn.*

Lagenaria
pelerrina, *Hort.*
rotunda, *Hort.*
vulgaris, *Ser.*

Luffa
ægyptiaca, *Mill.*
cylindrica, *Roem.*

Melothria
suavis, *Hort.*

Momordica
Balsamina, *Linn.*
cochinchinensis, *Spreng.*

CUPULIFERAE.

Alnus
cordifolia, *Tenore*
glutinosa, *Medic.*
— var. rubrinervia.
incana, *Moench*
— var. glauca, *Regel*
japonica, *Sieb.* et *Zucc.*
rhombifolia, *Nutt.*
serrulata, *Willd.*
sitchensis, *Sarg.*
tenuifolia, *Nutt.*
viridis, *DC.*

Betula
alba, *Linn.*
— var. pubescens.
fruticosa, *Pall.*
lutea, *Michx.*
occidentalis, *Hook.*
papyrifera, *Marsh.*
populifolia, *Marsh.*
ulmifolia, *Sieb.* et *Zucc.*

CYCADACEAE.

Zamia
Lindeni, *Regel*

CYCLANTHACEAE.

Carludovica
Gardneri, *Hook.*
Wendlandii, *Hort.*

Ludovia
crenifolia, *Drude*

CYPERACEAE.

Carex
acuta, *Linn.*, var. variegata.
aquatilis, *Wahlenb.*
— × Goodenowii.
arenaria, *Linn.*
atrata, *Linn.*
baccans, *Nees*
binervis, *Sm.*
Buchanani, *Berggr.*
canescens, *Linn.*
diluta, *Bieb.*
distans, *Linn.*
disticha, *Huds.*
divulsa, *Good.*
elongata, *Linn.*
exaltata, *Kit.*
extensa, *Good.*, var. pumila.
flava, *Linn.*
— var. viridula.
folliculata, *Linn.*
glauca, *Scop.*
Grahami, *Boott*
helvola, *Blytt*
hordeistichos, *Vill.*
incurva, *Lightf.*, var. erecta.
irrigua, *Sm.*
japonica, *Thunb.*
laevigata, *Sm.*
leporina, *Linn.*
livida, *Willd.*
muricata, *Linn.*
— var. virens.
Oederi, *Retz.*
pallescens, *Linn.*
paludosa, *Good.*

CYPERACEAE—*continued.*

Carex—*continued.*
panicea, *Linn.*
paniculata, *Linn.*
pendula, *Huds.*
pilulifera, *Linn.*
Pseudo-cyperus, *Linn*
pulicaris, *Linn.*
punctata, *Gaud.*
rariflora, *Sm.*
remota, *Linn.*
rigida, *Good.*
— × binervis.
riparia, *Curt.*
saxatilis, *Linn.*
sempervirens, *Vill.*
sparganioides, *Muhl.*
stricta, *Good.*
strigosa, *Huds.*
vesicaria, *Linn.*
vulgaris, *Fries*

Cyperus
alternifolius, *Linn.*
— var. compactus.
bulbosus, *Vahl*
compactus, *Lam.*
— var. flavissimus, *C. B. Clarke*
fertilis, *Boeck.*
laxus, *Willem.*
Luzulae, *Rottl.*
Papyrus, *Linn.*

Eleocharis
palustris, *R. Br.*

Eriophorum
vaginatum, *Linn.*

Kyllinga
monocephala, *Rottl.*
nepalensis, *C. B. Clarke*

Scirpus
cyperoides, *Spreng.*
lacustris, *Linn.*, var. Tabernaemontani.
riparius, *J.* et *C. Presl*
sylvaticus, *Linn.*

Thoracostachyum
bancanum, *Kurz*

CYRILLEAE.

Cyrilla

racemiflora, *Linn.*

DIAPENSIACEAE.

Galax

aphylla, *Linn*

DILLENIACEAE.

Hibbertia

dentata, *R. Br.*

Wormia

Burbidgei, *Hook. f.*

DIOSCOREACEAE.

Dioscorea

Forbesii, *Baker* (tuber)
sativa, *Linn.* (tuber)

DIPSACEAE.

Cephalaria

alpina, *Schrad.*

Dipsacus

sylvestris, *Mill.*

Morina

longifolia, *Wall.*

Scabiosa

australis, *Wulf.*
balcanica, *Velen.*
caucasica, *Bieb.*
— var. alba.
graminifolia, *Linn.*
gramuntia, *Linn.*
holosericea, *Bert.*
lucida, *Vill.*
magnifica, *Benth.* et *Hook. f.*
montana, *Bieb.*
plumosa, *Sibth.* et *Sm.*
Portae, *Huter*
Pterocephala, *Linn.*
Succisa, *Linn.*
sylvatica, *Linn.*
vestina, *Facc.*

DROSERACEAE.

Dionaea

muscipula, *Ellis*

Drosera

binata, *Labill.*
— var. dichotoma.
capensis, *Linn.*
hilaris, *Cham.* et *Schlecht.*
peltata, *Sm.*
pygmaea, *DC.*
rotundifolia, *Linn.*
spathulata, *Labill.*

Drosophyllum

lusitanicum, *Link*

ELAEAGNACEAE.

Elaeagnus

umbellata, *Thunb.*

Hippophaë

rhamnoides, *Linn*

EPACRIDEAE.

Astroloma

pinifolium, *Benth.*

Dracophyllum

secundum, *R. Br.*

Epacris

impressa, *Labill.*

Leucopogon

fasciculatus, *A. Rich.*

ERICACEAE.

Agapetes

buxifolia, *Nutt.*
variegata, *D. Don*

Arbutus

Menziesii, *Pursh*
Unedo, *Linn.*

Bruckenthalia

spiculifolia, *Reichb.*

ERICACEAE—*continued.*

Bryanthus

empetriformis, *A. Gray*
taxifolius, *A. Gray*

Calluna

vulgaris, *Salisb.*
— var. alba.
— var. — Hammondii.
— var. Alporti.
— var. cuprea.
— var. flore pleno.
— var. hypnoides.
— var. pygmaea.
— var. Serlei.

Cassandra

calyculata, *D. Don*

Chiogenes

serpyllifolia, *Salisb.*

Clethra

alnifolia, *Linn.*
— var. tomentosa, *Michx.*
arborea, *Ait.*

Daboëcia

polifolia, *D. Don*
— var. alba.
— var. bicolor.
— var. purpurea.

Enkianthus

himalaicus, *Hook. f.* et *Thoms.*

Epigaea

repens, *Linn.*

Erica

australis, *Linn.*
carnea, *Linn.*
— var. alba.
— var. rubra.
ciliaris, *Linn.*
cinerea, *Linn.*
— var. alba.
— var. alba major.
— var. alba minor.

ERICACEAE—*continued.*

Erica—*continued.*

— var. atropurpurea.
— var. atrosanguinea.
— var. coccinea.
— var. pallida.
— var. rosea.
mammosa, *Linn.*
— var. pallida.
mediterranea, *Linn.*
ramulosa, *Bartl.*
stricta, *Donn*
Tetralix, *Linn.*
— var. alba.
— var. Lawsoniana.
— var. Mackaiana.
— var. Stuarti.
vagans, *Linn.*
— var. alba.
— var. alba minor.
— var. pallida.
— var. rubra.
Watsoni, *DC.*

Gaultheria

antipoda, *Forst.*
hispida, *R. Br.*
rupestris, *R. Br.*
trichophylla, *Royle*

Gaylussacia

resinosa, *Torr.* et *Gray*

Kalmia

angustifolia, *Linn.*
— var. rubra.

Ledum

palustre, *Linn.*
— var. latifolium, *Michx.*

Menziesia

globularis, *Salisb.*
multiflora, *Maxim.*

Pernettya

mucronata, *Gaudich.*

Pyrola

rotundifolia, *Linn.*

ERICACEAE—*continued.*

Rhododendron

arboreum, *Sm.*
californicum, *Hook.*
campylocarpum, *Hook. f.*
catawbiense, *Michx.*
caucasicum, *Pall.*
ciliatum, *Hook. f.*
Dalhousiae, *Hook. f.*
decorum, *Franch.*
ferrugineum, *Linn.*
— var. album.
— var. atrococcineum.
— var. hybridum.
— var. majus.
flavum, *G. Don*
hirsutum, *Linn.*
— var. album.
kamtschaticum, *Pall.*
Keiskei, *Miq.*
Keysii, *Nutt.*
latifolium, *Hoffmgg.*
lepidotum, *Wall.*
Maddeni, *Hook. f.*
myrtifolium, *Schott* et *Kotschy*
Nuttallii, *Booth*
ponticum, *Linn.*
Schlippenbachii, *Maxim.*
Thomsoni, *Hook. f.*

Zenobia

speciosa, *D. Don*

EUPHORBIACEAE.

Acalypha

Godseffiana, *Mast.*
hispida, *Burm.*
sidaefolia, *A. Rich.*

Alchornea

ilicifolia, *Muell. Arg.*

Antidesma

Bunius, *Spreng.*

Croton

lucidus, *Linn.*

Dalechampia

Roezliana, *Muell. Arg.*

EUPHORBIACEAE—*continued.*

Euphorbia

alcicornis, *Baker*
amygdaloides, *Linn.*
colletioides, *Benth.*
globosa, *Sims*
hyberna, *Linn.*
Myrsinites, *Linn.*
ornithopus, *Jacq.*
Regis-Jubae, *Webb* et *Berth.*
splendens, *Boj.*

Homalanthus

Leschenaultianus, *A. Juss.*

Jatropha

podagrica, *Hook.*

Macaranga

Mappa, *Muell. Arg.*

Mallotus

japonicus, *Muell. Arg.*

Manihot

utilissima, *Pohl*

Phyllanthus

grandifolius, *Linn.*
montanus, *Sw.*
parvifolius, *Buch.-Ham.*

Ricinus

communis, *Linn.*

FICOIDEAE.

Mesembryanthemum

amoenum, *Salm-Dyck*
blandum, *Haw.*
calamiforme, *Linn.*
cordifolium, *Linn.*
crassulinum, *DC.*
cultratum, *Hort.*
curviflorum, *Haw.*
deltoides, *Linn.*
Ecklonis, *Salm-Dyck*
elegans, *Jacq.*
falciforme, *Haw.*
formosum, *Haw.*
glaucum, *Linn.*

FICOIDEAE—*continued.*

Mesembryanthemum—*continued.*
Haworthii, *Donn*
heteropetalum, *Haw.*
inclaudens, *Haw.*
inflatum, *Hort.*
inflexum, *Haw.*
lepidum, *Haw.*
longum, *Haw.*
micans, *Linn.*
muricatum, *Haw.*
polyanthon, *Haw.*
pomeridianum, *Linn.*
rhomboideum, *Salm-Dyck*
roseum, *Willd.*
sanguineum, *Hort.*
serrulatum, *Haw.*

Mollugo
verticillata, *Linn.*

Tetragonia
expansa, *Murr.*

FRANKENIACEAE.

Frankenia
hirsuta, *Linn.*

FUMARIACEAE.

Corydalis
cheilanthifolia, *Hemsl.*
lutea, *DC.*
ochroleuca, *Koch*
ophiocarpa, *Hook. f.* et *Thoms.*
rosea, *Zeyh.*
Scouleri, *Hook.*
thalictrifolia, *Jameson*
tomentosa, *N. E. Br.*
Wilsoni, *N. E. Br.*

Dicentra
eximia, *Torr.*
formosa, *Walp.*
scandens, *Walp.*

Hypecoum
leptocarpum, *Hook. f.* et *Thoms.*

GENTIANEAE.

Chironia
linoides, *Linn.*

Crawfurdia
speciosa, *Wall.*

Erythraea
Elodes, *Roem.* et *Schult.*
littoralis, *Fries*

Exacum
affine, *Balf. f.*

Gentiana
acaulis, *Linn.*
asclepiadea, *Linn.*
calycosa, *Griseb.*
Freyniana, *Bornm.*
Kesselringi, *Regel*
macrophylla, *Pall.*
— var. cyanea.
Pneumonanthe, *Linn.*
punctata, *Linn.*
Saponaria, *Linn.*
septemfida, *Pall.*
— var. cordifolia.
verna, *Linn.*

Halenia
sibirica, *Borckh.*

Menyanthes
Crista-galli, *Menz.*

Swertia
angustifolia, *Ham.*

Villarsia
parnassiaefolia, *R. Br.*

GERANIACEAE.

Biebersteinia
Orphanidis, *Boiss.*

Biophytum
sensitivum, *DC.*

GERANIACEAE—*continued.*

Erodium

absinthoides, *Willd.*
carvifolium, *Boiss.*
chelidonifolium, *Hort.*
chium, *Willd.*
gruinum, *Soland.*
hymenodes, *L'Hérit.*
Kolbianum, *Hort.*
laciniatum, *Willd.*
macradenum, *L'Hérit.*
Manescavi, *Coss.*
Willkommianum, *Hort.*

Geranium

albiflorum, *Ledeb.*
anemonaefolium, *L'Hérit.*
balkanum, *Hort.*
Bicknellii, *Britton*
canariense, *Reut.*
cinereum, *Cav.*
durangense, *Rose*
Endressi, *J. Gay*
Fremontii, *Torr.*
ibericum, *Cav.*
libanoticum, *Boiss.* et *Blanche*
lucidum, *Linn.*
maculatum, *Linn.*
nepalense, *Sweet*
pratense, *Linn.*
— var. album.
— var. roseum.
pyrenaicum, *Linn.*
Richardsonii, *Fisch.* et *Trautv.*, var. album.
sanguineum, *Linn.*
— var. album.
— var. lancastriense.
— var. prostratum.
sessiliflorum, *Cav.*
striatum, *Linn.*
sylvaticum, *Linn.*
— var. album.
Traversii, *Hook. f.*
— var. elegans.
Wallichianum, *G. Don*
Wilfordi, *Maxim.*

GERANIACEAE—*continued.*

Impatiens

Delavayi, *Franch.*
Hawkeri, *Bull*
Herzogii, *K. Schum.*
Holstii, *Engl.* et *Warb.*
Roylei, *Walp.*
Sultani, *Hook. f.*
Textori, *Miq.*

Limnanthes

Douglasii, *R. Br.*

Oxalis

articulata, *Sav.*
bupleurifolia, *A. St. Hil.*
corniculata, *Linn.*, var. atropurpurea.
— var. tropaeoloides.
enneaphylla, *Cav.*
floribunda, *Lehm.*
Hirthii, *Phil.*
purpurea, *Linn.*
tortuosa, *Lindl.*
valdiviensis, *Barn.*
Wrightii, *A. Gray*

Pelargonium

australe, *Jacq.*
Blandfordianum, *Sweet*
capitatum, *Ait.*
ficifolium, *Hoffmgg.*
scandens, *Ehrh.*
Skelii, *Hoffmgg.*
tabulare, *L'Hérit.*
tomentosum, *Jacq.*
versicolor ×, *Sweet*

Tropaeolum

majus, *Linn.*
minus, *Linn.*
tricolorum, *Sw.*

GESNERACEAE.

Achimenes

minor, *Hort.*

Alloplectus

vittatus, *André*

GESNERACEAE—*continued.*

Columnea
aureonitens, *Hook.*

Didissandra
lanuginosa, *C. B. Clarke*

Fieldia
australis, *A. Cunn.*

Gesnera
Blassii, *Regel*
cardinalis, *Lehm.*

Haberlea
Ferdinandi-Coburgii, *Urumoff*
rhodopensis, *Frivald.*

Mitraria
coccinea, *Cav.*

Pentarhaphia
libanensis, *Hanst.*

Ramondia
pyrenaica, *Rich.*

Rhabdothamnus
Solandri, *A. Cunn.*

Rhytidophyllum
tomentosum, *Mart.*

Streptocarpus
caulescens, *Vatke*
Holstii, *Engl.*
Rexii, *Lindl.*

GOODENOVIEAE

Goodenia
filiformis, *R. Br.*
ovata, *Sm.*
paniculata, *Sm.*

Selliera
radicans, *Cav.*

GRAMINEAE

Agropyron
acutum, *Roem.* et *Schult.*
dasyanthum, *Ledeb.*
tenerum, *Vasey*

Agrostis
laxiflora, *Poir.*
nigra, *With.*

Alopecurus
pratensis, *Linn.*

Aristida
ciliata, *Desf.*

Arrhenantherum
avenaceum, *Beauv.*

Arundinella
tenella, *Nees* et *Wight*

Avena
pratensis, *Linn.*
sativa, *Linn.*
sterilis, *Linn.*

Brachypodium
platystachyum, *Hort.*
sylvaticum, *Beauv.*

Briza
maxima, *Linn.*

Bromus
breviaristatus, *Buckl.*
ciliatus, *Linn.*
erectus, *Huds.*
intermedius, *Guss.*
madritensis, *Linn.*
mollis, *Linn.*
sterilis, *Linn.*
unioloides, *H. B.* et *K.*

Calamagrostis
epigeios, *Roth*

Cinna
arundinacea, *Linn.*

GRAMINEAE—*continued.*

Danthonia

airoides, *Nees.*
Raoulii, *Steud.*

Deschampsia

flexuosa, *Trin.*

Elymus

sibiricus, *Linn.*

Festuca

duriuscula, *Linn.*
ovina, *Linn.*
— var. tenuiflora.
rubra, *Linn.*

Glyceria

aquatica, *Wahlenbg.*

Hierochloë

borealis, *Roem.* et *Schult.*

Holcus

mollis, *Linn.*

Hordeum

astrachanense, *Hort.*
bulbosum, *Linn.*
cylindricum, *Steud.*
jubatum, *Linn.*

Koeleria

cristata, *Pers.*

Lagurus

ovatus, *Linn.*

Lolium

perenne, *Linn.*

Melica

altissima, *Linn.*
nutans, *Linn.*
Torreyana, *Scribner*

Milium

effusum, *Linn.*

Miscanthus

nepalensis, *Hack.*
sinensis, *Anders.*

GRAMINEAE—*continued.*

Molinia

caerulea, *Moench*

Muehlenbergia

mexicana, *Trin.*

Olyra

floribunda, *Raddi*

Oryza

sativa, *Linn.*
— var. atropurpurea.
— var. mutica.
— var. perennis.
— var. rufibarba.

Oryzopsis

miliacea, *Benth.* et *Hook. f.*

Panicum

miliaceum, *Linn.*
plicatum, *Lam.*
sphaerocarpum, *Salzm.*

Paspalum

setaceum, *Michx.*

Pennisetum

— latifolium, *Spreng.*
— typhoideum, *Rich.*

Poa

Balfourii, *Parn.*
caespitosa, *Forst. f.*
Chaixii, *Vill.*
nemoralis, *Linn.*
pannonica, *Kern.*
pratensis, *Linn.*
trivialis, *Linn.*

Polypogon

monspeliensis, *Desf.*

Sesleria

tenella, *Host*

Setaria

macrostachya, *H. B. et K.*

Sorghum

vulgare, *Pers.*

GRAMINEAE—*continued.*

Stipa
Calamagrostis, *Wahlenb.*
Lagascae, *Roem.* et *Schult.*
papposa, *Delile*

Trisetum
flavescens, *Beauv.*

Triticum
dicoccum, *Schrank*
Spelta, *Linn.*

GUTTIFERAE.

Garcinia
Livingstonei, *T. Anders.*
Xanthochymus, *Hook. f.*

HAEMODORACEAE.

Anigozanthos
rufa, *Labill.*

Lachnanthes
tinctoria, *Ell.*

Ophiopogon
Jaburan, *Lodd.*

Sansevieria
trifasciata, *Hort.*

Wachendorfia
paniculata, *Linn.*

Xiphidium
coeruleum, *Aubl.*

HALORAGEAE.

Gunnera
magellanica, *Lam.*

Haloragis
alata, *Jacq.*
erecta, *Schindler*

Proserpinaca
palustris, *Linn.*
pectinata, *Linn.*

HAMAMELIDEAE.

Distylium
racemosum, *Sieb.* et *Zucc.*

HIPPOCASTANACEAE.

Aesculus
glabra, *Willd.*
Hippocastanum, *Linn.*

HYDROPHYLLACEAE.

Hydrolea
spinosa, *Linn.*

Nama
jamaicense, *Linn.*

Nemophila
insignis, *Benth.*
integrifolia, *Abrams*
Menziesii, *Hook.* et *Arn.*, var. atomaria.
micrantha, *Eastw.*

Phacelia
campanularia, *A. Gray*
circinata, *Jacq. f.*
Parryi, *Torr.*
pimpinelloides, *A. Gray*
rupestris, *Greene*
tanacetifolia, *Benth.*

Romanzoffia
sitchensis, *Bong.*
Suksdorfii, *Greene*

HYPERICINEAE.

Hypericum
Androsaemum, *Linn.*
canariense, *Linn.*
elatum, *Ait.*
fragile, *Heldr.* et *Sart.*
gracile, *Boiss.*
hircinum, *Linn.*
Hookerianum, *Wight* et *Arn.*
hyssopifolium, *Vill.*

HYPERICINEAE—*continued.*

Hypericum—*continued.*
inodorum, *Mill.*
intermedium, *Steud.*
japonicum, *Thunb.*
Kotschyanum, *Boiss.*
lanceolatum, *Lam.*
lysimachioides, *Wall.*
olympicum, *Linn.*
orientale, *Linn.*
perforatum, *Linn.*
polyphyllum, *Boiss.*
prolificum, *Linn.*
repens, *Linn.*
Richeri, *Vaill.*
— var. Burseri, *Spach*
Scouleri, *Hook.*
tetrapterum, *Fries*
tomentosum, *Linn.*
— var. dissitiflorum.

ILICINEAE.

Ilex
Aquifolium, *Linn.*
— var. argentea medio-picta.
— var. aurantiaca marginata.
— var. aurea marginata.
— var. aurea medio-picta.
— var. camelliaefolia.
— var. flavescens.
— var. Hodginsii.
— var. — variegata.
— var. intermedia.
— var. lurida variegata.
— var. maderensis.
— var. platyphylla.

ILLECEBRACEAE.

Herniaria
hirsuta, *Linn.*
latifolia, *Lapeyr.*

Paronychia
argentea, *Lam.*
Kapela, *A. Kern.*
lenticulata, *Hort.*

Pentacaena
polycnemoides, *Bartl.*

IRIDEAE

Antholyza
aethiopica, *Linn.*
revoluta, *Burm. f.*

Aristea
Eckloni, *Baker*

Crocus
zonatus, *J. Gay*

Diplarrhena
Moraea, *Labill.*

Gelasine
azurea, *Herb.*

Gladiolus
blandus, *Ait.*, var. albidus (*Jacq.*)
erectiflorus, *Baker*
imbricatus, *Linn.*
psittacinus, *Hook.*
praecox, *Hort.*

Homeria
collina, *Vent.*

Iris
Clarkei, *Baker*
constantinopolitana, *Hort.*
Douglasiana, *Herb.*
ensata, *Thunb.*, var. triflora, *Balb.*
foetidissima, *Linn.*
Gueldenstaedtiana, *Lepech.*, var. subbarbata.
juncea, *Poir.*
— var. lusitanica.
kumaonensis, *Wall.*
lurida, *Ait.*
Milesii, *Foster*
pulchella, *Regel*
pumila, *Linn.*
setosa, *Pall.*
sibirica, *Linn.*
— var. alba.
— var. coreana.

IRIDEAE—*continued.*

Iris—*continued.*
sordida, *Willd.*
spuria, *Linn.*, var. notha.
Talischi, *Foster*
tectorum, *Maxim.*
tenax, *Dougl.*
unguicularis, *Poir.*
virginica, *Linn.*
Watsoniana, *Purdy*

Lapeyrousia
cruenta, *Benth.*

Libertia
formosa, *R. Grah.*
grandiflora, *Sweet*
ixioides, *Spreng.*

Marica
caerulea, *Ker-Gawl.*
Northiana, *Ker-Gawl.*

Moraea
flexuosa, *Linn.*
iridioides, *Linn.*

Orthrosanthus
multiflorus, *Sweet*

Romulea
Bulbocodium, *Sebast.* et *Mauri*

Schizostylis
coccinea, *Backh.* et *Harv.*

Sisyrinchium
angustifolium, *Mill.*
— var. bellum.
— var. mucronatum.
Bermudiana, *Linn.*
grandiflorum, *Dougl.*, var. album.
iridifolium, *H. B.* et *K.*
micranthum, *Cav.*
pachyrhizum, *Baker*
striatum, *Sm.*
tenuifolium, *Humb.* et *Bonpl.*

IRIDEAE—*continued.*

Solenomelus
chilensis, *Miers*

Symphyostemon
odoratissimus, *Miers*

Watsonia
rosea, *Ker-Gawl.*

JUNCACEAE.

Juncus
alpinus, *Vill.*
arcticus, *Willd.*
balticus, *Willd.*
biglumis, *Linn.*
effusus, *Linn.*
— var. conglomeratus.
— var. luteus.
— var. spiralis.
glaucus, *Sibth.*
pygmaeus, *Rich.*
squarrosus, *Linn.*
triglumis, *Linn.*

Luzula
albida, *DC.*
campestris, *DC.*
purpurea, *Link*
vernalis, *DC.*

LABIATAE.

Ajuga
alpicola, *Hort.*
Chamaepitys, *Schreb.*, var. grandiflora.
genevensis, *Linn.*
orientalis, *Linn.*
reptans, *Linn.*, var. pallida.

Ballota
nigra, *Linn.*
spinosa, *Link*

Brittonastrum
ionocalyx, *B. L. Robins.*
pallidum, *Briq.*

LABIATAE—*continued.*

Calamintha

Acinos, *Clairv.*
Clinopodium, *Benth.*
grandiflora, *Moench*

Cedronella

cana, *Hook.*
triphylla, *Moench*

Coleus

Mahonii, *Baker*

Dracocephalum

bullatum, *G. Forrest*
Forrestii, *Diels*
grandiflorum, *Linn.*
parviflorum, *Nutt.*
Ruyschiana, *Linn.*
speciosum, *Benth.*

Galeopsis

Tetrahit, *Linn.*

Hedeoma

Drummondii, *Benth.*
hyssopifolia, *A. Gray*
pulegioides, *Pers.*

Horminum

pyrenaicum, *Linn.*
— var. album.
— var. grandiflorum.
— var. purpureum.
— var. roseum.

Hyptis

pectinata, *Poit.*

Hyssopus

officinalis, *Linn*

Lallemantia

pulchella, *Hort.*

Lamium

album, *Linn.*
Galeobdolon, *Crantz*
longiflorum, *Tenore*
maculatum, *Linn.*
— var. album.
Orvala, *Linn.*
puralbum ×.
striatum, *Sibth.* et *Sm*

LABIATAE—*continued.*

Lavandula

vera, *DC.*
— var. compacta.

Leonurus

Cardiaca, *Linn.*

Leucas

lavandulaefolia, *Sm.*

Lophanthus

scrophulariaefolius, *Benth.*

Marrubium

Kotschyi, *Boiss.* et *Hohen.*

Melittis

Melissophyllum, *Linn.*

Mentha

piperita, *Linn.*

Micromeria

croatica, *Schott*
Douglasii, *Benth.*
filiformis, *Benth.*

Monarda

didyma, *Linn.*, var. purpurea
— var. rosea.
fistulosa, *Linn.*

Nepeta

cilicica, *Boiss.*
distans, *Royle*
eriostachys, *Benth.*
Glechoma, *Benth.*
kokanica, *Regel*
lamiopsis, *Benth.*
longiflora, *Vent.*
macrantha, *Fisch.*
nuda, *Linn.*
racemosa, *Lam.*, var. crassifolia.
Sibthorpii, *Benth.*
ucranica, *Linn.*

Notochaete

hamosa, *Benth.*

LABIATAE—*continued.*

Ocimum

sanctum, *Linn.*
viride, *Willd.*

Origanum

vulgare, *Linn.*

Perowskia

atriplicifolia, *Benth.*

Phlomis

fruticosa, *Linn.*
samia, *Linn.*
tuberosa, *Linn.*
umbrosa, *Turcz.*, var. australis.
viscosa, *Poir.*

Physostegia

virginiana, *Benth.*

Plectranthus

cylindraceus, *Hochst.*
glaucocalyx, *Maxim.*
irroratus, *G. Forrest*
parviflorus, *Willd.*

Prasium

majus, *Linn.*

Preslia

cervina, *Fresen.*

Prostanthera

lasianthos, *Labill.*

Prunella

grandiflora, *Jacq.*
— var. pinnatifida.
hyssopifolia, *Linn.*
laciniata, *Linn.*
vulgaris, *Linn.*

Salvia

acetabulosa, *Linn.*
azurea, *Lam.*
bracteata, *Russ.*

LABIATAE—*continued.*

Salvia—*continued.*

cadmica, *Boiss.*
canariensis, *Linn.*
cleistogama, *De Bary* et *Paul*
coccinea, *Juss.*
cypria, *Ung.* et *Kotschy*
glutinosa, *Linn.*
grandiflora, *Etling.*
Horminum, *Linn.*
— var. violacea.
hians, *Royle*
lilaefolia, *Hort.*
officinalis, *Linn.*
orgyalis, *Fenzl*
patens, *Cav.*
— var. alba.
pratensis, *Linn.*
— var. alba.
Przewalskii, *Maxim.*
Roemeriana, *Scheele*
Sclarea, *Linn.*
Souliei, *Hort.*
sylvestris, *Linn.*
verbascifolia, *Bieb.*, var. kurdica.
Verbenaca, *Linn.*
verticillata, *Linn.*
virgata, *Ait.*
— var. nemorosa.

Satureia

montana, *Linn.*
— var. illyrica.

Scutellaria

albida, *Linn.*
alpina, *Linn.*
altissima, *Linn.*
baicalensis, *Georgi*
— var. caelestina.
discolor, *Colebr.*
hirta, *Sibth.* et *Sm.*
indica, *Linn.*, var. japonica.
javanensis, *Jungh.*
Lehmanni, *Hort.*
splendens, *Link, Klotzsch* et *Otto*

LABIATAE—*continued.*

Sideritis

canariensis, *Linn.*
hyssopifolia, *Linn.*
hirsuta, *Linn.*
Massoniana, *Benth.*
montana, *Linn.*
scordioides, *Linn.*

Stachys

alopecuros, *Benth.*
annua, *Linn.*
Betonica, *Benth.*
discolor, *Benth.*
grandiflora, *Benth.*
— var. robusta.
iberica, *Bieb.*
lanata, *Jacq.*
recta, *Linn.*
repens, *Mart.* et *Gal.*
sericea, *Cav.*
setifera, *C. A. Mey.*
sylvatica, *Linn.*

Teucrium

africanum, *Thunb.*
Chamaedrys, *Linn.*
lucidum, *Linn.*
Marum, *Linn.*
montanum, *Linn.*
Polium, *Linn.*
pyrenaicum, *Linn.*
Scorodonia, *Linn.*
— var. crispum.

Thymus

Chamaedrys, *Fries*, var. nummularius.
Herba-barona, *Loisel.*
Serpyllum, *Linn.*
— var. albus.
— var. coccineus.
— var. micans.
— var. Snowdonianus.
vulgaris, *Linn.*

Tinnea

aethiopica, *Kotschy* et *Peyr.*

Westringia

grandifolia, *F. Muell.*

LAURINEAE.

Cryptocarya

australis, *Benth.*

LEGUMINOSAE.

Acacia

alata, *R. Br.*
armata, *R. Br.*
Baileyana, *F. Muell.*
calamifolia, *Sweet*
cultriformis, *A. Cunn.*
dealbata, *Link*
decurrens, *Willd.*
Drummondii, *Benth.*
extensa, *Lindl.*
neriifolia, *A. Cunn.*
spectabilis, *A. Cunn.*
verticillata, *Willd.*
Whanii, *F. Muell.*

Adenocarpus

intermedius, *DC.*

Albizzia

lophantha, *Benth.*

Amphicarpaea

monoica, *Ell.*

Anisolotus

brachycarpus, *Heller*

Arachis

hypogaea, *Linn.*

Astragalus

asper, *Jacq.*
baeticus, *Linn.*
Bungeanus, *Boiss.*
caspicus, *Bieb.*
danicus, *Retz.*, var. albus.
depressus, *Linn.*
fraxinifolius, *DC.*
galegiformis, *Linn.*
Glyciphyllos, *Linn.*
hamosus, *Linn.*
Laxmanni, *Hort.*
narbonensis, *Gouan*

LEGUMINOSAE—*continued.*

Astragalus—*continued.*
Onobrychis, *Linn.*
podocarpus, *C. A. Mey.*
ponticus, *Pall.*
purpureus, *Lam.*
sesameus, *Linn.*
sinicus, *Linn.*, var. roseus.
Stella, *Gouan*
Wulfeni, *Koch*
xiphocarpus, *Benth.*

Brownea
coccinea, *Jacq.*
grandiceps, *Jacq.*

Cajanus
indicus, *Spreng.*

Calophaca
wolgarica, *Fisch.*

Calopogonium
caeruleum, *Hemsl.*

Camoensia
maxima, *Welw.*

Canavalia
ensiformis, *DC.*

Caragana
arborescens, *Lam.*

Carmichaelia
Enysii, *T. Kirk*
flagelliformis, *Colenso*

Cassia
laevigata, *Willd.*

Chorizema
cordatum, *Lindl.*

Clianthus
puniceus, *Banks* et *Sol.*
— var. albus.

Clitoria
Ternatea, *Linn.*
— var. alba, *G. Don*

LEGUMINOSAE—*continued.*

Colutea
cruenta, *Ait.*
longialata, *Koehne*

Coronilla
Emerus, *Linn.*
pentaphylla, *Desf.*
scorpioides, *Koch*
varia, *Linn.*
viminalis, *Salisb.*

Crotalaria
collina, *Hort.*

Cytisus
albus, *Linn.*
Ardoini, *Fourn.*
austriacus, *Linn.*
biflorus, *L'Hérit.*
candicans, *Lam.*
capitatus, *Jacq.*
decumbens, *Walp.*
elongatus, *Waldst.* et *Kit.*
fragrans, *Lam.*
— var. elegans.
Heuffelii, *Wierzb.*
Hillebrandtii, *Briq.*
hirsutus, *Linn.*
— var. hirsutissimus.
nigricans, *Linn.*
praecox ×, *Hort.*
purgans, *Boiss.*
scoparius, *Link*
— var. Andreanus.
— var. foliis variegatis.
shipkaënsis, *Dippel*
triflorus, *L'Hérit.*

Desmodium
gyrans, *DC.*
incanum, *DC.*
polycarpum, *DC.*
sinuatum, *Blume*
viridiflorum, *Beck*

Dolichos
Lablab, *Linn.*
purpureus, *Linn.*

LEGUMINOSAE *–continued.*

Dorycnium

suffruticosum, *Vill.*

Galega

officinalis, *Lam.*
— var. rosea.
orientalis, *Lam.*

Genista

aethnensis, *DC.*
anglica, *Linn.*
anxantica, *Tenore*
dalmatica, *Bartl.* et *Wendl. f.*
elegans, *Hort.*
germanica, *Linn.*
sagittalis, *Linn.*
tinctoria, *Linn.*
— var. elatior.
— var. mantica.
— var. prostrata.
virgata, *DC.*

Goodia

lotifolia, *Salisb.*
pubescens, *Sims*

Halimodendron

argenteum, *DC.*

Hardenbergia

monophylla, *Benth.*

Hedysarum

microcalyx, *Baker*
obscurum, *Linn.*
sibiricum, *Poir.*

Hippocrepis

comosa, *Linn.*
cornigera, *Boiss.*

Hosackia

juncea, *Benth.*

Indigofera

atropurpurea, *Buch.-Ham.*
australis, *Willd.*
Gerardiana, *Wall.*
pulchella, *Roxb.*

LEGUMINOSAE—*continued.*

Kennedya

Baumanni, *Meissn.*
prostrata, *R. Br.*
— var. glabrata.
— var. Marryattae.

Laburnum

Adami ×, *Lavall.*
alpinum, *J. S. Presl*
— var. autumnale.
Vossii, *Hort.*
vulgare, *J. S. Presl*
— var. Alschingeri, *Briq.*
— var. quercifolium.

Lathyrus

Aphaca, *Linn.*
Clymenum, *Linn.*, var. tenuifolius.
Drummondii, *Hort.*
filiformis, *J. Gay*
hirsutus, *Linn.*
latifolius, *Linn.*
— var. albus.
Lowii, *Hort.*
luteus, *Baker*
— var. aureus.
maritimus, *Bigel.*
montanus, *Bernh.*
Nissolia, *Linn.*
pubescens, *Hook.* et *Arn.*
sphaericus, *Retz.*
splendens, *Kellogg*
sylvestris, *Linn.*
undulatus, *Boiss.*
variegatus, *Gren.* et *Godr.*
vernus, *Bernh.*
— var. azureus.
— var. flaccidus.

Lessertia

linearis, *DC.*

Lotus

corniculatus, *Linn.*
hispidus, *Desf.*
tenuifolius, *Presl*
Tetragonolobus, *Linn.*
villosus, *Burm. f.*
— var. macranthus.

LEGUMINOSAE—*continued.*

Lupinus

arboreus, *Linn.*
— var. albus.
— var. violaceus.
Cosentini, *Guss.*
luteus, *Linn.*
micranthus, *Dougl.*
nootkatensis, *Donn*
perennis, *Linn.*
polyphyllus, *Lindl.*, var. albus.

Medicago

carstiensis, *Wulf.*
falcata, *Linn.*
praecox, *DC.*
sativa, *Linn.*
tribuloides, *Desf.*
truncatula, *Gaertn.*

Mimosa

latispinosa, *Hort.*
pudica, *Linn.*

Onobrychis

Caput-galli, *Lam.*
viciaefolia, *Scop.*

Ononis

antiquorum, *Linn.*
arvensis, *Linn.*
fruticosa, *Linn.*
hirta, *Desf.*
minutissima, *Linn.*
reclinata, *Linn.*
rotundifolia, *Linn.*
sicula, *Guss.*
spinosa, *Linn.*

Oxytropis

baicalensis, *Pall.*
campestris, *DC.*
foetida, *DC.*
montana, *DC.*
ochroleuca, *Bunge*
pilosa, *DC.*
uralensis, *DC.*

LEGUMINOSAE—*continued.*

Parochetus

communis, *Ham.*

Petteria

ramentacea, *Presl*

Phaseolus

multiflorus, *Willd.*

Piptanthus

nepalensis, *Sweet*

Pisum

sativum, *Linn.*

Pithecolobium

Unguis-cati, *Benth.*

Psoralea

acaulis, *Stev.*
bituminosa, *Linn.*
plumosa, *F. Muell.*

Pultenaea

flava, *Hort.*

Rhynchosia

caribaea, *DC.*

Spartium

junceum, *Linn.*

Sutherlandia

frutescens, *R. Br.*

Swainsona

coronillaefolia, *Salisb.*, var. rosea.
colutoides, *F. Muell.*
Greyana, *Lindl.*, var. coccinea.

Tephrosia

cathartica, *Urb.*

Thermopsis

fabacea, *DC.*
lanceolata, *R. Br.*

Trifolium

alpinum, *Linn.*
filiforme, *Linn.*
Lupinaster, *Linn.*
Macraei, *Hook.* et *Arn.*
medium, *Linn.*
palaestinum, *Boiss*
repens, *Linn.*

LEGUMINOSAE—*continued.*

Trigonella
caerulea, *Ser.*
maritima, *Delile*

Ulex
europaeus, *Linn.*

Vicia
hybrida, *Linn.*
lutea, *Linn.*
oroboides, *Wulf.*
pyrenaica, *Pourr.*
sericocarpa, *Fenzl*
unijuga, *A. Braun*

Vigna
Catjang, *Walp.*

Viminaria
denudata, *Sm.*

LENTIBULARIEAE.

Pinguicula
cordata, *Schl.*
Reuteri, *Genty*
— var. rosea.
vulgaris, *Linn.*

Utricularia
emarginata, *Benj.*
montana, *Jacq.*
prehensilis, *E. Mey.*

LILIACEAE.

Agapanthus
umbellatus, *L'Hérit.*

Allium
Aschersonianum, *Barbey*
cardiostemon, *Fisch.* et *Mey.*
carinatum, *Linn.*
cernuum, *Roth*
cyaneum, *Regel*
fragrans, *Vent.*
giganteum, *Regel*
kansuense, *Regel*

LILIACEAE—*continued.*

Allium—*continued.*
margaritaceum, *Sibth.* et *Sm.*
narcissiflorum, *Vill.*
odorum, *Linn.*
orientale, *Boiss.*
polyphyllum, *Kar.* et *Kir.*
pulchellum, *G. Don*
Schoenoprasum, *Linn.*
senescens, *Linn.*
sikkimense, *Baker*
stenopetalum, *Boiss.* et *Kotschy*
viviparum, *Kar.* et *Kir.*

Aloe
arborescens, *Mill.*
caesia, *Salm-Dyck*
ciliaris, *Haw.*
plicatilis, *Mill.*
striata, *Haw.*

Androcymbium
leucanthum, *Willd*

Anthericum
Liliago, *Linn.*
ramosum, *Linn.*

Aphyllanthes
monspeliensis, *Linn.*

Apicra
pentagona, *Willd.*

Asparagus
gonocladus, *Baker*
gracilis, *Royle*
madagascariensis, *Baker*
plumosus, *Baker*
racemosus, *Willd.*
scandens, *Thunb.*

Asphodelus
albus, *Willd.*
fistulosus, *Linn.*

Astelia
grandis, *Hook. f.*

LILIACEAE—*continued.*

Blandfordia

aurea, *Hook. f.*

Bowiea

volubilis, *Harv.*

Brodiaea

Douglasii, *S. Wats.*
hyacinthina, *Baker,* var. lactea.
ixioides, *S. Wats.*
— var. splendens.
uniflora, *Baker*

Bulbinella

Hookeri, *Benth.* et *Hook. f.*

Calochortus

Benthami, *Baker*

Camassia

esculenta, *Lindl.*
Leichtlinii, *S. Wats.*

Chamaelirium

carolinianum, *Willd.*

Chamaescilla

corymbosa, *F. Muell.*

Chionodoxa

Luciliae, *Boiss.*, var. gigantea.

Chlorophytum

elatum, *R. Br.*
— var. variegatum.
inornatum, *Ker-Gawl.*
Orchidastrum, *Lindl.*

Colchicum

speciosum, *Stev.*

Dianella

caerulea, *Sims*
graminifolia, *Kunth* et *Bouché*
revoluta, *R. Br.*

LILIACEAE—*continued.*

Dracaena

elliptica, *Thunb.*
Godseffiana, *Baker*
surculosa, *Lindl.*

Echeandia

terniflora, *Orteg.*

Eremurus

altaicus, *Stev.*

Eucomis

bicolor, *Baker*
punctata, *L'Hérit.*
— var. striata, *Don*

Eustrephus

latifolius, *R. Br.*
— var. angustifolius.

Fritillaria

aurea, *Schott*, var. elatior.
Elwesii, *Boiss.*
Meleagris, *Linn.*
— var. alba.
taurica, *Hort.*
Wittmackii, *Hort.*

Funkia

Sieboldiana, *Hook.*

Galtonia

candicans, *Decne.*

Gasteria

brevifolia, *Haw.*
Croucheri, *Baker*
— var. spathulata.
decipiens, *Haw.*
disticha, *Haw.*, var. angulata, *Baker*
excavata, *Haw.*
maculata, *Haw.*
— var. fallax.
natalensis, *Hort.*

Geitonoplesium

cymosum, *A. Cunn.*

LILIACEAE—*continued.*

Gloriosa

superba, *Linn.*
virescens, *Lindl.*

Haworthia

albicans, *Haw.*, var. laevis.
fasciata, *Haw.*
— var. major.
margaritifera, *Haw.*
— var. erecta.
rigida, *Haw.*
— var. expansa.

Hemerocallis

Thunbergii, *Baker*

Hyacinthus

amethystinus, *Linn.*, var. albus.
azureus, *Baker*
— var. giganteus.
— × Muscari botryoides.

Kniphofia

aloides, *Moench*
corallina, *Hort.*
Northiae, *Baker*
Tuckii, *Baker*

Lapageria

rosea, *Ruiz* et *Pav.*

Lilium

Brownii, *Mielle* (bulbils)
cordifolium, *Thunb.*
croceum, *Chaix*
dauricum, *Ker-Gawl.*
Hansoni, *Leichtl.*
Martagon, *Linn.*
— var. dalmaticum.
nepalense, *D. Don*
ochroleucum, *Wall.*
pardalinum, *Kellogg*
pomponium, *Linn.*
sulphureum, *Baker*
tenuifolium, *Fisch.*
umbellatum, *Hort.*, var. erectum.

LILIACEAE—*continued.*

Littonia

modesta, *Hook.*

Massonia

latifolia, *Linn. f.*

Muscari

alpinum, *J. Gay*
Argaei, *Hort.*
armeniacum, *Baker*
Aucheri, *Baker*
botryoides, *Mill.*
comosum, *Mill.*
— var. monstrosum.
conicum, *Baker*
elegans, *Hort.*
moschatum, *Willd.*
polyanthum, *Boiss.*
racemosum, *Mill.*
tauricum, *Hort.*

Narthecium

ossifragum, *Huds.*

Ornithogalum

agnaticum, *Hort.*
arabicum, *Linn.*
caudatum, *Ait.*
lacteum, *Jacq.*
narbonense, *Linn.*
nutans, *Linn.*
oligophyllum, *Clarke*
pyrenaicum, *Linn.*
tenellum, *Jacq.*
thyrsoides, *Jacq.*

Paradisea

Liliastrum, *Bertol.*

Puschkinia

scilloides, *Adams*
— var. compacta.

Sandersonia

aurantiaca, *Hook.*

LILIACEAE—*continued.*

Scilla
axillaris, *C. H. Wright*
chinensis, *Benth.*
festalis, *Salisb.*
hispanica, *Mill.*
sibirica, *Andr.*

Scoliopus
Bigelovii, *Torr.*

Stenanthium
angustifolium, *Kunth*

Thysanotus
Patersoni, *R. Br.*

Tofieldia
calyculata, *Wahlenb*
palustris, *Huds.*

Trillium
Smallii, *Maxim.*

Tulbaghia
acutiloba, *Harv.*

Xerophyllum
asphodeloides, *Nutt.*

Zygadenus
elegans, *Pursh*
— var. glaucus.

LINEAE.

Linum
campanulatum, *Linn.*
capitatum, *Kit.*
grandiflorum, *Desf.*, var. roseum.
maritimum, *Linn.*
monogynum, *Forst.*
narbonense, *Linn.*
neomexicanum, *Greene*
perenne, *Linn.*
salsoloides, *Lam.*
tenuifolium, *Linn.*
viscosum, *Linn.*

Reinwardtia
trigyna, *Planch.*

LOASEAE.

Blumenbachia
Hieronymi, *Urb.*

Caiophora
lateritia, *Benth.*

Loasa
triphylla, *Juss.*

LOGANIACEAE.

Buddleia
globosa, *Hope*
Hemsleyana, *Hort.*
intermedia, *Carr.*
nivea, *Duthie*
variabilis, *Hemsl.*
— var. Veitchiana.
— — magnifica.

LYTHRARIEAE.

Cuphea
cordata, *Ruiz* et *Pav.*
ignea, *A. DC.*
lanceolata, *Hook. f.*
silenoides, *Nees*
viscosissima, *Jacq.*

Lagerstroemia
indica, *Linn.*

Lythrum
Salicaria, *Linn.*
— var. rosea.
virgatum, *Linn.*

Nesaea
salicifolia, *H. B. K.*

Peplis
erecta, *Req.*

MAGNOLIACEAE.

Drimys
Winteri, *Forst.*

MALPIGHIACEAE.

Malpighia

coccifera, *Linn.*

MALVACEAE.

Abutilon

insigne, *Planch.*
megapotamicum, *St. Hil.*,
var. variegatum.

Althaea

narbonnensis, *Pourr.*
officinalis, *Linn.*

Anoda

Thurberi, *A. Gray*

Callirhoë

digitata, *Nutt.*

Gossypium

herbaceum, *Linn.*

Hibiscus

esculentus, *Linn.*
furcatus, *Willd.*
lunariifolius, *Willd.*
Manihot, *Linn.*
pedunculatus, *Linn.*
Rosa-sinensis, *Linn.*
schizopetalus, *Hook. f.*
Trionum, *Linn.*
— var. majus.
vitifolius, *Linn.*

Lavatera

arborea, *Linn.*, var. variegata.
cretica, *Linn.*

Malva

Alcea, *Linn.*
pusilla, *Sm.*
sylvestris, *Linn.*

Malvastrum

capense, *Garcke*
digitatum, *Hort.*
hypomadarum, *Sprague*
limense, *Ball*

MALVACEAE—*continued.*

Palaua

malvaefolia, *Cav.*

Pavonia

hastata, *Cav.*
spinifex, *Cav.*

Sida

acuta, *Burm.*
Hookeriana, *Miq.*
veronicaefolia, *Lam.*

Sidalcea

candida, *A. Gray*
malvaeflora, *A. Gray*
— var. atropurpurea.
spicata, *Greene*

Sphaeralcea

cuspidata, *Britton*
pedata, *Torr.*

Thespesia

macrophylla, *Blume*

MELASTOMACEAE.

Bertolonia

maculata, *DC.*
marmorata, *Naud.*

Blakea

gracilis, *Hemsl.*

Calvoa

sessiliflora, *Cogn.*

Centradenia

floribunda, *Planch.*

Clidemia

hirta, *D. Don*

Guyonia

tenella, *Naud.*

Heeria

elegans, *Schlecht.*

MELASTOMACEAE—*continued.*

Medinilla
Curtisii, *Hook.*
magnifica, *Lindl.*

Monochaetum
dicranantherum, *Naud.*

Monolena
primulaeflora, *Hook. f.*

Osbeckia
stellata, *Wall.*

Tibouchina
semidecandra, *Cogn.*

Triolena
hirsuta, *Triana*

MELIACEAE.

Melia
Azedarach, *Linn.*

MYRICACEAE.

Myrica
aethiopica, *Linn.*

MYRSINEAE.

Ardisia
crenata, *Roxb.*, var. fructu rubro
— var. fructu albo
mamillata, *Hance*
Wallichii, *A. DC.*

Clavija
Ernstii, *Hook. f.*

Myrsine
africana, *Linn.*

MYRTACEAE.

Callistemon
linearis, *DC.*
rigidus, *R. Br.*
salignus, *Sweet*
speciosus, *DC.*

MYRTACEAE—*continued.*

Darwinia
fimbriata, *Benth.*

Eucalyptus
amygdalina, *Labill.*
Globulus, *Labill.*
incrassata, *Labill.*

Eugenia
myrtifolia, *Sims*

Kunzea
corifolia, *Reichb.*
parvifolia, *Schau.*

Leptospermum
arachnoideum, *Sm.*
flavescens, *Sm.*
scoparium, *Forst.*
virgatum, *Forst.*

Melaleuca
hypericifolia, *Sm.*

Metrosideros
robusta, *A. Cunn.*

Myrtus
communis, *Linn.*
— var. variegata.
Luma, *Barn.*
tenuifolia, *Sm.*
Ugni, *Mol.*

Napoleona
cuspidata, *Miers*

Tristania
neriifolia, *R. Br.*

NAIADACEAE.

Triglochin
bulbosum, *Linn.*

NYCTAGINEAE.

Allionia
latifolia, *Greene*
melanotricha, *Standley*

Mirabilis
Jalapa, *Linn.*

Oxybaphus
angustifolius, *Sweet*

OCHNACEAE.

Gomphia

olivaeformis, *St. Hil.*

Ochna

mossambicensis, *Klotzsch*
multiflora, *DC.*

OLEACEAE.

Forsythia

suspensa, *Vahl*

Fraxinus

excelsior, *Linn.*

Jasminum

humile, *Linn.*
lucidum, *Banks*

Ligustrum

Ibota, *Sieb.*
ovalifolium, *Hassk.*
vulgare, *Linn.*
— var. italicum.

Notelaea

longifolia, *Vent.*

Syringa

Emodi, *Wall.*
— var. variegata.
vulgaris, *Linn.*

ONAGRARIEAE.

Clarkia

elegans, *Dougl.*
— var. marginata.

Epilobium

adenocaulon, *Haussk.*
alsinifolium, *Vill.*
angustifolium, *Linn.*
— var. album.
Dodonaei, *Vill.*
Franciscanum, *Barbey*
glabellum, *Forst.*
Hectori, *Hausskn.*

ONAGRARIEAE—*continued.*

Epilobium—*continued.*

hirsutum, *Linn.*
luteum, *Pursh*
obcordatum, *A. Gray*
pallidiflorum, *Soland.*
pyrricholophum, *Franch.* et *Sav.*
rosmarinifolium, *Haenke*

Eucharidium

grandiflorum, *Fisch.* et *Mey.*

Fuchsia

arborescens, *Sims*
corymbiflora, *Ruiz* et *Pav.*
fulgens, *DC.*
integrifolia, *Cambess.*
parviflora, *Lindl.*
procumbens, *R. Cunn.*
Riccartoni ×.

Gaura

suffulta, *Engelm.*

Hartmannia

montana, *Rose*

Jussieuia

suffruticosa, *Linn.*

Oenothera

amoena, *Lehm.*
biennis, *Linn.*
caespitosa, *Nutt.*
hirtella, *Greene*
mollissima, *Linn.*
pumila, *Linn.*
rosea, *Ait.*
tenuifolia, *Cav.*
triloba, *Nutt.*

ORCHIDEAE.

Cypripedium

candidum, *Muhl.*
spectabile, *Salisb.*
tibeticum, *King*

ORCHIDEAE—*continued.*

Goodyera
Menziesii, *Lindl.*

Orchis
foliosa, *Soland.*
latifolia, *Linn.*
maculata, *Linn.*
— var. superba.

Pogonia
ophioglossoides, *Ker-Gawl.*

OROBANCHACEAE.

Lathraea
Clandestina, *Linn.*

Orobanche
rubra, *Sm.*

PALMAE.

Astrocaryum
Ayri, *Mart.*
mexicanum, *Liebm.*

Chamaedorea
desmoncoides, *H. Wendl.*

Malortiea
gracilis, *H. Wendl.*

Neonicholsonia
Georgei, *Damm.*
Watsoni, *Damm.*

Rhopalostylis
sapida, *H. Wendl.* et *Drude*

Sabal
Blackburniana, *Glazebr.*

PAPAVERACEAE.

Argemone
Barclayana, *Penny*
mexicana, *Linn.*

Cathcartia
villosa, *Hook. f.*

PAPAVERACEAE—*continued.*

Chelidonium
Franchetianum, *Prain*
majus, *Linn.*
— var. laciniatum.

Eschscholzia
californica, *Cham.*
Helleriana, *Greene*

Glaucium
Fischeri, *Bernh.*
flavum, *Crantz*

Meconopsis
aculeata, *Royle*
cambrica, *Vig.*
— var. aurantiaca.
grandis, *Prain*
heterophylla, *Benth.*
integrifola, *Franch.*
napaulensis, *DC.*
paniculata, *Prain*
racemosa, *Maxim.*
sinuata, *Prain*, var. latifolia.
Wallichii, *Hook.*

Papaver
alpinum, *Linn.*
— var. Burseri.
anomalum, *Hort.*
glaucum, *Boiss.* et *Hausskn.*
heterophyllum, *Greene*
monanthum, *Trautv.*
nudicaule, *Linn.*
— var. coccineum.
— var. croceum.
— var. miniatum.
obtusifolium, *Desf.*
pilosum, *Sibth.* et *Sm.*
rupifragum, *Boiss.* et *Reut.*
spicatum, *Boiss.* et *Bal.*
triniaefolium, *Boiss.*

Platystemon
californicus, *Benth.*

Romneya
trichocalyx, *Eastw.*

Stylophorum
diphyllum, *Torr.*

PASSIFLOREAE.

Passiflora

edulis, *Sims*
quadrangularis, *Linn.*
suberosa, *Linn.*

Tacsonia

exoniensis ×.
mollissima, *H. B.* et *K.*
Van-Volxemii, *Hook.*

PHYTOLACCACEAE.

Petiveria

alliacea, *Linn.*

Rivina

aurantiaca, *Warsc.*
humilis, *Linn.*
tinctoria, *Hamil.*

PIPERACEAE.

Peperomia

argyreia, *E. Morr.*
blanda, *H. B.* et *K.*
metallica, *Lind.* et *Rod.*
pellucida, *H. B.* et *K.*
pereskiaefolia, *H. B.* et *K.*
Sandersii, *C. DC.*
scandens, *Ruiz* et *Pav.*
velutina, *Linden* et *André*

PITTOSPOREAE.

Billardiera

longiflora, *Labill.*
scandens, *Sm.*

Pittosporum

crassifolium, *Sol.*
eugenioides, *A. Cunn.*
Ralphii, *T. Kirk*
tenuifolium, *Gaertn.*

Sollya

Drummondii, *C. Morr.*
heterophylla, *Lindl.*

PLANTAGINEAE.

Plantago

acanthophylla, *Decne.*
argentea, *Chaix*
asperrima, *Gandoger*
brachystachys, *Kuntze*
Brownii, *Rafin.*
carinata, *Schrad.*
Coronopus, *Linn.*
cretica, *Linn.*
Cynops, *Linn.*
erecta, *Morris*
Gooddingii, *Nelson* et *Kennedy*
Grahami, *Blumer*
graminifolia, *Hort.*
insularis, *Eastw.*
lanceolata, *Linn.*
— var. variegata.
major, *Linn.*
— var. monstrosa.
— var. rubra.
maritima, *Linn.*
media, *Linn.*
notata, *Lag.*
ovata, *Forsk.*
patagonica, *Jacq.*
Psyllium, *Linn.*
Raoulii, *Decne.*
Rugelii, *Decne.*
squarrosa, *Murr.*
virginica, *Linn.*

PLUMBAGINEAE.

Acantholimon

glumaceum, *Boiss.*

Armeria

Adamovici, *Hort.*
allioides, *Boiss.*, var. ciliata.
alpina, *Willd.*
— var. alba.
caespitosa, *Boiss.*
canescens, *Boiss.*
elongata, *Hoffm.*
fasciculata, *Willd.*

PLUMBAGINEAE—*continued.*

Armeria—*continued.*
japonica, *Hort.*
latifolia, *Willd.*
— var. bracteata.
leucocephala, *Koch*
majellensis, *Boiss.*
maritima, *Willd.*
— var. alba.
— — Laucheana.
mauritanica, *Wallr.*, var. hybrida.
pinifolia, *Hoffmgg.* et *Link*
plantaginea, *Willd.*
sibirica, *Turcz.*
Welwitschii, *Boiss.*

Plumbago
scandens, *Linn.*

Statice
brassicaefolia, *Webb* et *Berth.*
echioides, *Linn.*
filicaulis, *Boiss.*
rosea, *Sm.*
Suworowi, *Regel*

POLEMONIACEAE.

Cantua
buxifola, *Lam.*
— var. albescens.

Collomia
coccinea, *Lehm.*
gracilis, *Dougl.*
heterophylla, *Hook.*
linearis, *Nutt.*

Gilia
abrotanifolia, *Nutt.*
dichotoma, *Benth.*
laciniata, *Ruiz* et *Pav.*
nivalis, *Hérincq*
tricolor, *Benth.*
— var. violacea.

Microsteris
micrantha, *Greene*

POLEMONIACEAE—*continued.*

Phlox
Drummondii, *Hook.*
— var. coccinea.
— var. cuspidata.
— var. nana compacta.
— var. rubra.

Polemonium
Berryi, *Estw.*
boreale, *Adams.*
caeruleum, *Linn.*
— var. album.
— var. dissectum.
— var. monstrosum.
filicinum, *Greene*
flavo-caeruleum, *Hort.*
flavum, *Greene*, var. album.
foliosissimum, *A. Gray*
humile, *Willd.*
— var. pulchellum.
mexicanum, *Cerv.*
reptans, *Linn.*
viscosum, *Nutt.*

POLYGALACEAE.

Polygala
Chamaebuxus, *Linn.*
major, *Jacq.*
myrtifolia, *Linn.*
— var. grandiflora.

POLYGONACEAE.

Atraphaxis
Billardieri, *Jaub.* et *Spach*

Eriogonum
arborescens, *Greene*
ursinum, *S. Wats.*

Fagopyrum
esculentum, *Moench*

Muehlenbeckia
chilensis, *Meissn.*
complexa, *Meissn.*

POLYGONACEAE—*continued.*

Oxyria
digyna, *Hill*

Polygonum
alatum, *Ham.*
alpinum, *All.*
Bistorta, *Linn.*
— var. gigantea.
capitatum, *Ham.*
Emodi, *Meissn.*
sphaerostachyum, *Meissn.*

Rheum
Collinianum, *Baill.*
hybridum, *Murr.*
Moorcroftianum, *Royle*
palmatum, *Linn.*, var. rubrum.
Rhaponticum, *Linn.*

Rumex
alpinus, *Linn.*
Berlandieri, *Meissn.*
chrysocarpos, *Moris*
crispus, *Linn.*
dentatus, *Linn.*
exaltatus, *Hort.*
flexuosus, *Soland.*
Hydrolapathum, *Huds.*
intermedius, *DC.*
maritimus, *Linn.*
nepalensis, *Spreng.*
nivalis, *Hegetschw.*
obtusifolius, *Linn.*
occidentalis, *S. Wats.*
roseus, *Linn.*
salicifolius, *Weinm.*
scutatus, *Linn.*

PONTEDERIACEAE.

Eichornea
speciosa, *Kunth*

Pontederia
cordata, *Linn.*

PORTULACEAE.

Anacampseros
filamentosa, *Sims*

Calandrinia
grandiflora, *Lindl.*
umbellata, *DC.*

Claytonia
perfoliata, *Donn*
virginica, *Linn.*

Limnia
gypsophiloides, *Heller*

Montia
linearis, *Greene*

Pleuropetalum
costaricense, *Hemsl.*

Portulaca
grandiflora, *Hook.*

Talinum
patens, *Willd.*

PRIMULACEAE.

Anagallis
arvensis, *Linn.*
— var. caerulea.
— — phoenicea.
linifolia, *Linn.*, var. Phillipsii.
tenella, *Linn.*

Androsace
albana, *Stev.*
Bulleyana, *G. Forrest*
carnea, *Linn.*
Chamaejasme, *Willd.*
Charpentieri, *Heer*
Chumbyi ×, *Hort.*
imbricata, *Lam.*
lactea, *Linn.*
lactiflora, *Fisch.*
lanuginosa, *Wall.*
— var. Leichtlini.
pyrenaica, *Lam.*
sarmentosa, *Wall.*
villosa, *Linn.*

PRIMULACEAE—*continued.*

Cortusa

Matthioli, *Linn.*, var. pubens.
villosa, *Hort.*

Cyclamen

latifolium, *Sibth.* et *Sm.*

Dodecatheon

radicatum, *Greene*

Lysimachia

amoena, *G. Forrest*
atropurpurea, *Linn.*
lichiangensis, *G. Forrest*
luzuloides, *Hort.*
stenosepala, *Hemsl.*
violascens, *Franch.*

Primula

admontensis ×, *Gusm.*
apennina, *Wid.*
atropurpurea, *Dunn*
Auricula, *Linn.*
— var. hybrida.
Beesiana, *G. Forrest*
Bulleyana, *G. Forrest*
capitata, *Hook. f.*
Cockburniana, *Hemsl.*
cortusoides, *Linn.*, var. lichiangensis, *G. Forrest*
deflexa, *Duthie*
denticulata, *Sm.*
elatior, *Hill*, var. carpatica.
— var. gigantea.
erosa, *Wall.*
farinosa, *Linn.* var. scotica.
floribunda, *Wall.*
Forrestii, *Balf. f.*
frondosa, *Hort.*
grandis, *Trautv.*
imperialis, *Jungh.*
japonica, *A. Gray*
kewensis ×.
— var. farinosa.
Lindsayi, *Hort.*
Listeri, *King*
Littoniana, *G. Forrest*
malacoides, *Franch.*

PRIMULACEAE—*continued.*

Primula—*continued.*

marginata, *Curt.*
obconica, *Hance*
officinalis, *Jacq.*
Paxiana, *Gilg*
Poissoni, *Franch.*
pubescens ×, *Jacq.*
pulverulenta, *Duthie*
Reidii, *Duthie*
rosea, *Royle*
saxatilis, *Komarov*
septemloba, *Franch.*
sibirica, *Jacq.*, var. chinensis.
sikkimensis, *Hook. f.*
sinensis, *Sabine*
Stuartii, *Wall.*
suffrutescens, *A. Gray*
tibetica, *Watt.*
unique ×, *Veitch*
Veitchii, *Duthie*
verticillata, *Forsk.*
viscosa, *Vill.*
— var. ciliata.
vittata, *Bur.* et *Franch.*
vulgaris, *Huds.*
— var. caulescens.
yunnanensis, *Franch.*

Samolus

ebracteatus, *H. B. K.*
Valerandi, *Linn.*

PROTEACEAE.

Grevillea

buxifolia, *R. Br.*
Forsteri, *Hort.*
glabrata, *Meissn.*

Hakea

gibbosa, *Cav.*
ulicina, *R. Br.*
— var. carinata.

Isopogon

anethifolius, *Knight*

Lomatia

longifolia, *R. Br.*

RANUNCULACEAE.

Aconitum

ferox, *Wall.*
Fischeri, *Reichb.*
Forrestii, *Stapf*
heterophyllum, *Wall.*
longigaleatum, *Hort.*
Lycoctonum, *Linn.*
— var. pyrenaicum.
Napellus, *Linn.*
volubile, *Koelle*, var. latisectum.
Wilsoni, *Dunn*

Actaea

alba, *Mill.*
eburnea, *Rydb.*
spicata, *Linn.*, var. rubra.

Anemone

albana, *Stev.*
alpina, *Linn.*
— var. sulphurea.
demissa, *Hook. f.* et *Thoms.*
dichotoma, *Linn.*
magellanica, *Hort.*
multifida, *Poir.*
— var. Hudsoniana.
Pulsatilla, *Linn.*
rivularis, *Ham.*
sylvestris, *Linn.*
— var. majus.
vernalis, *Linn.*

Aquilegia

arizonica, *Heller*
caerulea, *James*
canadensis, *Linn.*
chrysantha, *A. Gray*
Einseleana, *Fr. Schultz*
formosa, *Fisch.*
glandulosa, *Fisch.*
olympica, *Boiss.*
pubiflora, *Wall.*
pyrenaica, *DC.*
Skinneri, *Hook.*
viridiflora, *Pall.*
vulgaris, *Linn.*
— var. atrata.
— — Haenkeana.

RANUNCULACEAE—*continued.*

Callianthemum

rutaefolium, *C. A. Mey.*

Caltha

palustris, *Linn.*
polypetala, *Hochst.*

Cimicifuga

davurica, *Maxim.*
foetida, *Linn.*

Clematis

alpina, *Mill.*, var. alba.
campaniflora, *Brot.*
Flammula, *Linn.*
grewiaeflora, *DC.*
integrifolia, *Linn.*
intermedia, *Carr.*
microphylla, *DC.*
orientalis, *Linn.*
paniculata, *Thunb.*
Pitcheri, *Torr.* et *Gray*, var. lasiostylis.
recta, *Linn.*
songorica, *Bunge*
virginiana, *Linn.*
Vitalba, *Linn.*
Viticella, *Linn.*, var. rubra grandiflora.
Wenderothii, *Steud.*

Coptis

trifolia, *Salisb.*

Delphinium

Ajacis, *Reichb.*
azureum, *Michx.*
Belladonna, *Hort.*
cardiopetalum, *DC.*
cashmirianum, *Royle*
cheilanthum, *Fisch.*
Duhmbergii, *Huth*
dictyocarpum, *DC.*
elatum, *Linn.*
flexuosum, *Rafin.*
formosum, *Boiss.* et *Huet*
grandiflorum, *Linn.*
halteratum, *Sibth.* et *Sm.*

RANUNCULACEAE—*continued.*

Delphinium —*continued.*
hispanicum, *Willk.*
hybridum, *Steph.*
Maackianum, *Regel*
nudicaule, *Torr.* et *Gray*, var. aurantiacum.
occidentale, *S. Wats.*
Potanini, *Huth*
scopulorum, *A. Gray*
tatsienense, *Franch.*
— var. album.
triste, *Fisch.*

Helleborus
lividus, *Ait.*

Myosurus
aristatus, *Benth.*
minimus, *Linn.*

Oxygraphis
glacialis, *Bunge*

Paeonia
anomala, *Linn.*
lutea, *Franch.*

Ranunculus
aconitifolius, *Linn.*
acris, *Linn.*
— var. minor.
alpeophilus, *A. Nelson*
alpestris, *Linn.*
— var. Traunfellneri.
amplexicaulis, *Linn.*
anemonefolius, *DC.*
bulbosus, *Linn.*
caucasicus, *Bieb.*
cortusaefolius, *Willd.*
crenatus, *Waldst.* et *Kit.*
demissus, *DC.*
Godleyanus, *Hook. f.*
gracilis, *Clarke*
gramineus, *Linn.*
insignis, *Hook. f.*, var. lobulatus, *T. Kirk*
libanoticus, *Freyn*
montanus, *Willd.*

RANUNCULACEAE—*continued.*

Ranunculus—*continued.*
nemorosus, *DC.*
orthorhynchus, *Hook.*
Reuterianus, *Boiss.*
sceleratus, *Linn.*
serbicus, *Vis.*
Thora, *Linn.*
trilobus, *Desf.*
velutinus, *Tenore*

Thalictrum
alpinum, *Linn.*
angustifolium, *Linn.*, var. minus.
aquilegiaefolium, *Linn.*
— var. album.
calabricum, *Spreng.*
caucasicum, *Hort.*
glaucum, *Desf.*
isopyroides, *C. A. Mey.*
minus, *Linn.*
— var. elatum.
purpurascens, *Linn.*
simplex, *Linn.*
tuberosum, *Linn.*

Trautvetteria
palmata, *Fisch.* et *Mey.*

Trollius
acaulis, *Lindl.*
asiaticus, *Linn.*
— var. giganteus.
caucasicus, *Stev.*
europaeus, *Linn.*
— var. napellifolius.
patulus, *Salisb.*, var. peduncu- latus.
pumilus, *D. Don*
var. yunnanensis.

RESEDACEAE.

Oligomeris
glaucescens, *Cambess.*

Reseda
alba, *Linn.*
complicata, *Bory*

RANUNCULACEAE—*continued.*

Reseda—*continued.*

glauca, *Linn.*
Luteola, *Linn.*
odorata, *Linn.*

RHAMNEAE.

Ceanothus

Arnoldi ×, *Hort.*
Fendleri, *A. Gray*

Hovenia

dulcis, *Thunb.*

Paliurus

australis, *Gaertn.*

Pomaderris

prunifolia, *A. Cunn.*
subrepanda, *F. Muell.*

Rhamnus

californica, *Eschsch.*
caroliniana, *Walt.*
Frangula, *Linn.*

Trymalium

Billardieri, *Fenzl*

ROSACEAE.

Acaena

argentea, *Ruiz* et *Pav.*
cylindristachya, *Ruiz* et *Pav.*
glabra, *J. Buch.*
laevigata, *Ait.*
microphylla, *Hook. f.*
— var. glauca.
Novae-Zelandiae, *T. Kirk*
ovalifolia, *Ruiz* et *Pav.*
Sanguisorbae, *Vahl*
splendens, *Hook.* et *Arn.*

Agrimonia

agrimonioides, *Linn.*
Eupatoria, *Linn.*
odorata, *Mill.*

ROSACEAE—*continued.*

Alchemilla

alpina, *Linn.*
— var. conjuncta.
arvensis, *Scop.*
chirophylla, *Buser*
gemmia ×, *Buser*
Grayi, *Hort.*
helvetica ×, *Bruegg.*
hirsuta, *H. B.* et *K.*
retinervis, *Buser*
speciosa, *Buser*
splendens, *Christ*
vulgaris, *Linn.*

Amelanchier

oligocarpa, *Roem.*
vulgaris, *Moench*

Cotoneaster

acuminata, *Lindl.*
affinis, *Lindl.*
bacillaris, *Wall.*
bullata, *Bois*
Francheti, *Bois*
frigida, *Wall.*
horizontalis, *Decne.*
laxiflora, *Jacq.*
Meyeri, *Hort.*
microphylla, *Wall.*
moupinensis, *Franch.*
Nummularia, *Fisch.* et *Mey.*
pannosa, *Franch.*
rotundifolia, *Wall.*
Simonsii, *Baker*
thymifolia, *Baker*

Crataegus

Azarolus, *Linn.*
Carrierei, *Vauvel*
coccinea, *Linn.*
— var. flabellata, *Britton*
— var. rotundifolia, *Sargent*
collina, *Chapman*
Crus-Galli, *Linn.*
— var. splendens, *Lodd.*
Douglasii, *Lindl.*
intricata, *Lange*

ROSACEAE—*continued.*

Crataegus—*continued.*

mollis, *Scheele*
nigra, *Waldst.* et *Kit.*
nitida, *Sargent*
orientalis, *Pall.*
Oxyacantha, *Linn.*
— var. fastigiata.
— var. flore pleno albo.
— var. flore pleno roseo.
— var. flore puniceo.
— var. foliis luteis.
— var. fructu luteo.
— var. fuscata, *Hort.*
— var. monogyna, *Jacq.*
— var. pendula, *Lodd.*
— var. pinnatiloba.
— var. ramulis aureis.
— var. variegata.
parvifolia, *Ait.*
Pyracantha, *Pers.*
— var. Lalandi, *Hort.*
sorbifolia, *Desf.*
tomentosa, *Linn.*

Cydonia

japonica, *Thunb.*
— var. grandiflora.
Maulei, *T. Moore*

Dryas

Drummondii, *Richards.*
octopetala, *Linn.*
— var. lanata

Fragaria

bracteata, *A. A. Heller*
Daltoniana, *J. Gay*
vesca, *Linn.*
— var. muricata.

Geum

atrosanguineum, *Hort.*
Heldreichii, *Hort.*, var. superba.
intermedium, *Ehrh.*
macrophyllum, *Willd.*
montanum, *Linn.*
parviflorum, *Commers.*

ROSACEAE—*continued.*

Geum—*continued.*

reptans, *Linn.*
rhaeticum, *Bruegg.*
rivale, *Linn.*
tyrolense, *Kern.*
urbanum, *Linn.*

Gillenia

stipulacea, *Nutt.*
trifoliata, *Moench*

Margyricarpus

setosus, *Ruiz* et *Pav.*

Neillia

opulifolia, *Benth.* et *Hook. f*
— var. lutea.
Torreyi, *S. Wats*

Nuttallia

cerasiformis, *Torr.* et *Gray*

Potentilla

alchemilloides, *Lapeyr.*
alpestris, *Hall. f.*
apennina, *Tenore*
argentea, *Linn.*, var. calabra.
argyrophylla, *Wall.*
aurea, *Linn.*, var. chrysocraspeda.
bifurca, *Linn.*
Brennia ×, *Huter*
concolor, *Rolfe*
crinita, *A. Gray*
Cryptotaeniae, *Maxim.*
delphinensis, *Gren.* et *Godr.*
Detommasii, *Tenore*
dissecta, *Pursh*
Dombeyi, *Nestl.*
effusa, *Dougl.*
flagellaris, *Willd.*
Fragariastrum, *Ehrh.*
Friedrichsenii ×, *Späth*
fruticosa, *Linn.*
— var. glabrata.
— var. tenuifolia.
— var. tomentosa.
glandulosa, *Lindl.*

ROSACEAE—*continued.*

Potentilla—*continued.*

gracilis, *Dougl.*
grandiflora, *Linn.*
Herbichii, *Blocki*
Hippiana, *Lehm.*
leuconota, *D. Don*
litoralis, *Rydb.*
Macnabiana ×, *Lem.*
Menziesii ×, *Paxt.*
montenegrina, *Pantoč*
Mooniana, *Wight*
multifida, *Linn.*
multiflora, *Hort.*
nepalensis, *Hook.*
— var. Willmottiana.
nivea. *Linn.*
opaca, *Linn.*
palustris, *Scop.*
pensylvanica, *Linn.*
recta, *Linn.*
— var. laciniata.
— var. pedata.
— var. sulphurea.
reptans, *Linn.*
rhodopeum, *Hort.*
rhomboidea, *Rydb.*
rupestris, *Linn.*
Rydbergiana, *Rose*
sericea, *Linn.*
speciosa, *Willd.*
tanacetifolia, *Willd.*
Tonguei, *W. Baxt.*
Tormentilla, *Neck.*
tridentata, *Soland.*
villosa, *Pall.*

Poterium

canadense, *A. Gray*
officinale, *A. Gray*
Sanguisorba, *Linn.*
spinosum, *Linn.*

Prunus

acida, *Borkh.*, var. semperflorens.
Avium, *Linn.*
Laurocerasus, *Linn.*, var. colchica.

ROSACEAE—*continued.*

Pyrus

alnifolia, *Franch.* et *Sav.*
alpina, *Willd.*
— var. superaria.
americana, *DC.*
arbutifolia, *Linn. f.*
Aria, *Linn.*
— var. obtusata.
— var. salicifolia, *Hort.*
Aucuparia, *Gaertn.*
— var. Fifeana.
— var. fructu luteo.
— var. pendula variegata.
— var. satureiaefolia, *Hort.*
baccata, *Linn.*
— var. cerasifera.
— var. costata.
baccata, *Linn.*, var. maxima
germanica, *Hook. f.*
Hostii, *Hort.*
hybrida, *Moench*
intermedia, *Ehrh.*
Malus, *Linn.*
— var. alba.
melanocarpa, *K. Koch*
pinnatifida, *Ehrh.*
prunifolia, *Willd.*
— var. fructu luteo.
rotundifolia, *Bechst.*
Torminalis, *DC.*

Raphiolepis

ovata, *Briot*

Rhodotypos

kerrioides, *Sieb.* et *Zucc.*

Rosa

acicularis, *Lindl.*
alba, *Linn.*, var. suaveolens, *Dieck*
Alberti, *Regel*
alpina, *Linn.*
— var. pyrenaica.
blanda, *Ait.*, var. Sayi.
californica, *Schlecht.*
— var. pisocarpa.

ROSACEAE—*continued.*

Rosa—*continued.*
Fendleri, *Crép.*
ferox, *Bieb.*
gallica, *Linn.*
glauca, *Vill.*
glutinosa, *Sibth.* et *Sm.*
laxa, *Retz.*
macrophylla, *Lindl.*
Malyi, *Kern.*
moschata, *Herrm*
nitida, *Willd.*
pomifera, *Herrm.*
rugosa, *Thunb.*
— var. alba.
spinosissima, *Linn.*
— var. rubra.
villosa, *Linn.*
— var. pomifera.
Webbiana, *Wall.*

Rubus
caesius, *Linn.*
Idaeus, *Linn.*
laciniatus, *Willd.*
leucostachys, *Sm.*
nutkanus, *Linn.*
odoratus, *Linn.*
phoenicolasius, *Maxim.*
rosaefolius, *Sm.*
sorbifolius, *Maxim.*
xanthocarpus, *Bur.* et *Franch.*

Spiraea
Aitchisoni, *Hemsl.*
Aruncus, *Linn.*
assurgens, *Hort.*
bella, *Sims*
betulifolia, *Pall.*
bracteata, *Zabel*
caespitosa, *Nutt.*
chamaedrifolia, *Linn.*
decumbens, *W. Koch*
discolor, *Pursh*, var. dumosa.
Douglasii, *Hook.*
Forrestii, *Hort.*
Foxii, *Hort.*
japonica, *Linn. f.*
— var. variegata.

ROSACEAE—*continued.*

Spiraea—*continued.*
Lindleyana, *Wall.*
Menziesii, *Hook.*, var. Billiardii.
Nobleana, *Hook.*
pectinata, *Torr.* et *Gray*
salicifolia, *Linn.*
— var. paniculata, *Maxim.*
sorbifolia, *Linn.*
vestita, *Wall.*

Stephanandra
Tanakae, *Franch.* et *Sav.*

RUBIACEAE.

Asperula
aristata, *Linn.*
azurea, *Jaub.* et *Spach*, var. setosa.
ciliata, *Rochel*
tinctoria, *Linn.*

Burchellia
capensis, *R. Br.*

Coffea
arabica, *Linn.*
bengalensis, *Roxb.*

Coprosma
rhamnoides, *A. Cunn.*

Crucianella
aegyptiaca, *Linn.*
angustifolia, *Linn.*
latifolia, *Linn.*

Galium
boreale, *Linn.*
coeruleum, *Hort.*
erectum, *Huds.*
gracile, *Bunge*
rubrum, *Linn.*
saxatile, *Linn.*

Gardenia
florida, *Linn.*
— var. radicans.

RUBIACEAE—*continued.*

Hamelia
patens, *Jacq.*

Houstonia
caerulea, *Linn.*

Leptodermis
lanceolatus, *Wall.*

Luculia
gratissima, *Sweet*

Mitchella
repens, *Linn.*

Mitriostigma
axillare, *Hochst.*

Nertera
depressa, *Banks*

Pentas
carnea, *Benth.*
— var. kermesina.

Phuopsis
stylosa, *Benth.* et *Hook. f.*

Phyllis
Nobla, *Linn.*

Psychotria
cyanococca, *Seem.*
micrantha, *Hiern*

Rondeletia
odorata, *Jacq.*

RUTACEAE.

Adenandra
umbellata, *Willd.*

Boenninghausenia
albiflora, *Reichb.*

Boronia
megastigma, *Nees*

RUTACEAE—*continued.*

Citrus
nobilis, *Lour.*, var. major.

Dictamnus
albus, *Linn.*
— var. tauricus.

Eriostemon
buxifolius, *Sm.*
densiflorus, *Hort.*

Erythrochiton
brasiliensis, *Nees*

Evodia
elegans, *Hort.*
formosa, *Hort.*
meliaefolia, *Benth.*

Glycosmis
pentaphylla, *Corr.*

Ptelea
Baldwinii, *Torr.* et *Gray*
trifoliata, *Linn.*
— var. aurea.

Ruta
graveolens, *Linn.*
macrophylla, *Soland.*

Skimmia
Fortunei, *Mast.*
japonica, *Thunb.*
Laureola, *Sieb.* et *Zucc.*

SAPINDACEAE.

Dodonaea
triquetra, *Wendl.*
viscosa, *Jacq.*

Melianthus
major, *Linn.*

SARRACENIACEAE.

Sarracenia
illustrata ×, *Hort.*
Tolliana ×, *Nichols.*

SAXIFRAGEAE.

Acrophyllum
venosum, *Benth.*

Anopterus
glandulosus, *Labill.*

Astilbe
japonica, *A. Gray*
simplicifolia, *Makino*
Thunbergii, *Miq.*

Bauera
rubioides, *Andr.*

Boykinia
aconitifolia, *Nutt.*
occidentalis, *Torr.* et *Gray*

Ceratopetalum
gummiferum, *Sm.*

Dichroa
febrifuga, *Lour.*

Deutzia
gracilis, *Sieb.* et *Zucc.*

Escallonia
macrantha, *Hook.* et *Arn.*
Philippiana, *Mast.*
pterocladon, *Hook.*
punctata, *DC.*
revoluta, *Pers.*
viscosa, *Forbes*

Fendlera
rupicola, *A. Gray*

Francoa
appendiculata, *Cav.*
ramosa, *D. Don*
sonchifolia, *Cav.*

Heuchera
americana, *Linn.*
brizoides, *Hort.*
cylindrica, *Dougl.*
Drummondi, *Hort.*
pubescens, *Pursh*
sanguinea, *Engelm.*

SAXIFRAGEAE—*continued.*

Hydrangea
Hortensia, *Sieb.* var. Mariesii.
— var. stellata, *Maxim.*

Jamesia
americana, *Torr.* et *Gray*

Parnassia
palustris, *Linn.*

Philadelphus
coronarius, *Linn.*
Gordonianus, *Lindl.*
Lewisii, *Pursh*
microphyllus, *A. Gray*
Satsumi, *Siebold*, var. acuminatus.

Ribes
americanum, *Mill.*
aureum, *Pursh*, var. leiobotrys.
multiflorum, *Waldst.* et *Kit.*
nigrum, *Linn.*, var. fructu luteo.
rubrum, *Linn.*, var. Schlechtendalii.
sanguineum, *Pursh*
— var. albidum.
— var. atrosanguineum.
— var. glutinosum.

Saxifraga
Aizoon, *Jacq.*
— f. hirsuta.
— f. lutea.
— f. minima.
— f. rosularis.
— f. Sturmiana.
ambigua × *Sund.*
arachnoidea, *Sternb.*
aretioides, *Lapeyr.*
aretioides ×, calyciflora.
aspera, *Linn.*
aurantiaca, *Franch.*
Brunoniana, *Wall.*
Bucklandi, *Hort.*
Burseriana, *Linn.*
— var. minor.

SAXIFRAGEAE—*continued.*

Saxifraga—*continued.*

caesia, *Linn.*
caespitosa, *Linn.*
— var. palmata.
californica, *Greene*
canaliculata, *Boiss.* et *Reut.*
Candelabrum, *Franch.*
cartilaginea, *Willd.*
cernua × granulata.
Churchilli × .
Clusii, *Gouan*
cochlearis, *Reichb.*
— var. minor.
cortusaefolia, *Sieb.* et *Zucc.*
Cotyledon, *Linn.*
— var. montavoniensis.
— var. pyramidalis.
crassifolia, *Linn.*
cuneifolia, *Linn.*
— var. apennina.
decipiens, *Ehrh.*, f. gemmifera.
— f. globosa.
— f. grandiflora.
— f. groenlandica.
— f. hirta.
— f. hybrida grandiflora.
— f. — splendens.
— f. incurvifolia.
— f. Kingii.
— f. platypetala.
— f. Sternbergii.
erosa, *Pursh*
Ferdinandi-Coburgi, *Keller.* et *Sund.*
flagellaris, *Willd.*
geranioides, *Linn.*
Geum, *Linn.*
— f. crenulata.
— f. crispa.
— f. Donii.
— f. elegans, *Mackay*
— f. ovalifolia.
— f. rotundifolia repanda.
Gusmusii × , *Sund.*
Haagii × , *Sund.*
Hausmanni × , *Kern.*
hederacea, *Linn.*

SAXIFRAGEAE—*continued.*

Saxifraga—*continued.*

Hostii, *Tausch.* var. altissima.
Huetiana, *Boiss.*
hypnoides, *Linn.*
irrigua, *Bieb.*
lactea, *Turcz.*
leucanthemifolia, *Michx.*
ligulata, *Wall.*
lingulata, *Bell.*, f. cultrata.
— var. lantoscana.
— f. speciosa.
luteo-purpurea, *Sternb.*
luteo-viridis, *Schott* et *Kotschy*
marginata, *Sternb.*
Mertensiana, *Bong.*
micrantha, *Edgew.*
muscoides, *Wulf.*
mutata, *Linn.*
nivalis, *Linn.*
Nuttallii, *Small*
occidentalis, *S. Wats.*
oppositifolia, *Linn.*
pedatifida, *Ehrh.*
pedemontana, *All.*, f. aromatica.
— var. cervicornis.
pentadactylis, *Lapeyr.*
Portae × .
pubescens, *Pourr.*
purpurascens, *Hook. f.*
Regeli × , *Kerner*
Rossii, *Oliver*
rotundifolia, *Linn.*
— f. corsica.
— f. glandulosa.
— f. graeca.
— f. hederaefolia.
— f. repanda.
rufidula, *Small*
sancta, *Griseb.*
sarmentosa, *Linn.*
Schotti × .
sibirica, *Linn.*
Sibthorpii, *Boiss.*
squarrosa, *Sieber*
stellaris, *Linn.*
strigosa, *Wall.*

SAXIFRAGEAE—*continued.*

Saxifraga—*continued.*
Stuartii ×.
tenella, *Wulf.*
tyrolensis ×, *A. Kern.*
umbrosa, *Linn.*
— f. Aegilops.
— f. bulgarica.
— f. Colvillei.
— f. elegans.
— f. glacialis.
— f. gracilis.
— f. Ogilvieana.
— f. primuloides.
— f. punctata.
— f. serratifolia.
— f. — Melvillei.
— f. variegata.
virginiensis, *Michx.*
vochinensis, *Gusm.*
Wallacei ×, *M'Nab*
Webbiana, *Hort.*
yunnanensis, *Franch.*

Tellima
grandiflora, *R. Br.*

Tiarella
trifoliata, *Linn.*

Tolmiea
Menziesii, *Torr.* et *Gray*

SCITAMINEAE.

Alpinia
mutica, *Roxb.*

Burbidgea
schizocheila, *Hort.*

Calathea
Bachemiana, *E. Morr.*
grandifolia, *K. Schum.*

Canna
amoena, *Hort.*
angustifolia, *Linn.*
coccinea, *Rosc.*

SCITAMINEAE—*continued.*

Costus
elegans, *Veitch*
igneus, *N. E. Br.*

Ctenanthe
Lubbersiana, *Eichl.*

Globba
alba, *Zipp.* (bulbil)
strobilifera, *Zoll.* (bulbil)

Hedychium
formosum, *Wall.*

Maranta
noctiflora, *Regel* et *Koernicke*

Roscoea
lutea, *Hassk.*

Stromanthe
sanguinea, *Sond.*

Trachyphrynium
Danckelmannianum, *J. Braun* et *Schum.*

SCROPHULARINEAE.

Alonsoa
caulialata, *Ruiz* et *Pav.*
incisifolia, *Ruiz* et *Pav.*
linifolia, *Roezl*
Warscewiczii, *Regel*
— var. compacta.

Antirrhinum
Asarina, *Linn.*
glutinosum, *Boiss.* et *Reut.*
Haneyezii, *Hort.*
majus, *Linn.*
— var. variegatum.

Calceolaria
amplexicaulis, *H. B.* et *K.*
fuchsiaefolia, *Hort.*
hyssopifolia, *H. B.* et *K.*
pinnata, *Linn.*
plantaginea, *Sm.*
violacea, *Cav.*

SCROPHULARINEAE—*continued.*

Castilleja

minor, *A. Gray*

Celsia

Arcturus, *Jacq.*
orientalis, *Linn.*
pontica, *Boiss.*

Collinsia

bicolor, *Benth.*
— var. violacea.
Childii, *Parry*
grandiflora, *Dougl.*
parviflora, *Lindl.*

Dermatobotrys

Saundersiæ, *Bolus*

Digitalis

laevigata, *Waldst.* et *Kit.*
lutea, *Linn.*
purpurea, *Linn.*

Erinus

alpinus, *Linn.*
— var. carmineus.
— var. hirsutus.

Euphrasia

officinalis, *Linn.*

Hemiphragma

heterophyllum, *Wall.*

Limnophila

conferta, *Benth.*
sessiliflora, *Blume*

Limosella

aquatica, *Linn.*
— var. tenuifolia.

Linaria

alpina, *Mill.*
— var. alba rosea.
— var. rosea.
anticaria, *Boiss.* et *Reut.*
Cymbalaria, *Mill.*
genistifolia, *Mill.*
Hendersoni, *Hort.*

SCROPHULARINEAE—*continued.*

Linaria—*continued.*

hepaticaefolia, *Steud.*
macedonica, *Griseb.*
maroccana, *Hook. f.*
origanifolia, *DC.*
pilosa, *DC.*
repens, *Mill.*
supina, *Desf.*
triornithophora, *Willd*
tristis, *Mill.*

Maurandia

Barclayana, *Lindl.*
scandens, *A. Gray*

Mimulus

Burnettii ×.
cardinalis, *Dougl.*
cupreus, *Regel*
Cusickii, *Piper*
glutinosus, *Wendl.*
— var. puniceus.
Langsdorffii, *Sims*
Lewisii, *Pursh*
luteus, *Linn.*
— var. alpinus.
moschatus, *Dougl.*
primuloides, *Benth.*
Pulsiferae, *A. Gray*
ringens, *Linn.*
sessilifolius, *Maxim.*

Nemesia

strumosa, *Benth.* vars.

Ourisia

coccinea, *Pers.*
Colensoi, *Hook. f.*
macrocarpa, *Hook. f.*
macrophylla, *Hook.*

Pedicularis

sylvatica, *Linn.*

Pentstemon

antirrhinoides, *Benth.*
barbatus, *Roth*
breviflorus, *Lindl.*
Cobaea, *Nutt.*

SCROPHULARINEAE—*continued.*

Pentstemon—*continued.*

confertus, *Dougl.*
— var. coeruleo-purpureus.
deustus, *Dougl.*
gentianoides, *Poir.*
glaber, *Pursh*, var. alpinus.
— var. cyananthus.
gracilentus, *A. Gray*
gracilis, *Nutt.*
heterophyllus, *Lindl.*
Menziesii, *Hook.*, var. Douglasii.
— var. Newberryi.
— var. Scouleri.
Richardsonii, *Dougl.*
Watsoni, *A. Gray*

Phygelius

capensis, *E. Mey.*

Rehmannia

angulata, *Hemsl.*

Rhodochiton

volubile, *Zucc.*

Scrophularia

alata, *Gilib.*
altaica, *Murr.*
auriculata, *Linn.*
cryptophilla, *Boiss.* et *Heldr.*
Herminii, *Hoffmgg.* et *Link*
heterophylla, *Willd.*
Kotschyana, *Benth.*, var. lutea.
nodosa, *Linn.*
pyrenaica, *Benth.*
Scorodonia, *Linn.*

Synthyris

reniformis, *Benth.*

Tetranema

mexicanum, *Benth.*

Tonella

tenella, *Jepson*

SCROPHULARINEAE—*continued.*

Torenia

flava, *Ham.*
Fournieri, *Linden*

Uroskinnera

spectabilis, *Lindl.*

Verbascum

Chaixi, *Vill.*
crenatum ×.
longifolium, *Tenore*, var. pannosum.
nigrum, *Linn.*
phoeniceum, *Linn.*
— var. hybridum.
thapsiforme, *Schrad.*
Thapsus, *Linn.*

Veronica

alpina, *Linn.*
amplexicaulis, *Armstr.*
anomala, *Armstr.*
austriaca, *Linn.*
— var. pinnatifida.
Bidwillii, *Hook. f.*
buxifolia, *Benth.*
candida, *Lodd.*
carnosula, *Hook. f.*
ciliata, *Fisch.*
Colensoi, *Hook. f.*
— var. glauca.
— var. major.
— var. minor.
— var. viridis.
coelestina ×.
corymbosa, *Hort.*, var. variegata.
Cymbalaria, *Bodard*
— var. cuneata.
decumbens, *Armstr.*
didyma, *Tenore*
Eastonii, *Hort.*
Fairfieldii, *Hook.*
fruticulosa, *Linn.*
gentianoides, *Vahl*
glaucophylla, *Cock.*
Godefroyana, *Carr.*

SCROPHULARINEAE—*continued.*

Veronica—*continued.*
Hulkeana, *F. Muell.*
imperialis, *Hort.*
incana, *Linn.*
incisa, *Ait.*
Kirkii, *Armstr.*
laevis, *Benth.*
latifolia, *Linn.*
Lavaudiana, *Raoul*
ligustrifolia, *A. Cunn.*
Lindsayi × .
longifolia, *Linn.*
— var. alba.
macroura, *Hook. f.*
monticola, *Armstr.*
Nummularia, *Gouan*
obovata, *T. Kirk*
officinalis, *Linn.*
parviflora, *Vahl*, var. angustifolia, *Hook. f.*
peregrina, *Linn.*
pimeleoides, *Hook. f.*
pinguifolia, *Hook. f.*, var. decumbens.
pinnata, *Linn.*
polifolia, *Benth.*
pseudo-Traversii, *Hort.*
rakaiensis, *Armstr.*
repens, *DC.*
saxatilis, *Scop.*
— var. alba.
spicata, *Linn.*, var. rosea.
spuria, *Linn.* × incana, *Linn.*
surculosa, *Boiss.* et *Bal.*
Teucrium, *Linn.*
Tournefortii, *C. C. Gmel.*
Traversii, *Hook. f.*
vernicosa, *Hook. f.*
virginica, *Linn.*
wardiensis × .

Wulfenia
Amherstiana, *Benth.*
carinthiaca, *Jacq.*

Zaluzianskya
capensis, *Walp.*
selaginoides, *Walp.*

SELAGINEAE.

Globularia
nudicaulis, *Linn.*
trichosantha, *Fisch.* et *Mey.*
vulgaris, *Linn.*

Hebenstretia
comosa, *Hochst.*

Selago
corymbosa, *Linn.*

SIMARUBEAE.

Cneorum
tricoccon, *Linn.*

Quassia
amara, *Linn.*

SOLANACEAE.

Atropa
Belladonna, *Linn.*

Browallia
speciosa, *Hook.*, var. major.

Brunfelsia
americana, *Linn.*
eximia, *Scheid.*

Cestrum
aurantiacum, *Lindl.*
Newellii, *Veitch*
Smithii, *Hort. Bull.*

Cyphomandra
betacea, *Sendt.*

Datura
Stramonium, *Linn.*

Fabiana
imbricata, *Ruiz* et *Pav.*

Hyoscyamus
niger, *Linn.*

SOLANACEAE—*continued.*

Lycopersicum
cerasiforme, *Dun.*
esculentum, *Mill.*
semperfructiferum, *Hort.*

Nicandra
physaloides, *Gaertn.*

Nicotiana
alata, *Link* et *Otto*
glauca, *R. Grah.*
nudicaulis, *S. Wats.*
rustica, *Linn.*
Sanderae ×, *Hort.*
trigonophylla, *Dun.*

Nierembergia
frutescens, *Dur.*

Physalis
Alkekengi, *Linn.*
peruviana, *Linn.*

Przewalskia
tangutica, *Maxim.*

Schizanthus
pinnatus, *Ruiz* et *Pav.*
— var. compactus.
— var. grandiflorus.
wisetonensis, *Hort.*

Solanum
auriculatum, *Ait.*
aviculare, *Forst. f.*
Capsicastrum, *Link*, var. Hendersoni.
Dulcamara, *Linn.*
fastigiatum, *Willd.*
haematocladum, *Dun.*
jasminoides, *Paxt.*
nigrum, *Linn.*
pyracanthum, *Jacq.*
venustum, *Kunth*
verbascifolium, *Linn.*
Xanti, *A. Gray*
— var. Wallacei.

STERCULIACEAE.

Heritiera
Fomes, *Ham.*

Hermannia
candicans, *Ait.*
venosa, *Thunb.*

Thomasia
solanacea, *J. Gay*

STYLIDEAE.

Candollea
tetrandra, *Lindl.*

Levenhookia
pusilla, *R. Br.*

Stylidium
adnatum, *R. Br.*

TACCACEAE.

Tacca
cristata, *Jack*
integrifolia, *Ker-Gawl.*
macrantha, *Limpr.*
viridis, *Hemsl.*

TAMARISCINEAE.

Myricaria
germanica, *Desv.*

Tamarix
gallica, *Linn.*

TERNSTROEMIACEAE.

Camellia
japonica, *Linn.*

THYMELAECEAE.

Passerina
filiformis, *Linn.*

Pimelea
ligustrina, *Labill.*

Wikstroemia
retusa, *A. Gray*

TILIACEAE.

Corchorus
olitorius, *Linn.*
pilolobus, *Link*

Elaeocarpus
cyaneus, *Sims*

Entelea
arborescens, *R. Br.*

Sparmannia
africana, *Linn.*

Tilia
cordata, *Mill.*

TREMANDREAE.

Platytheca
galioides, *Steetz*

TURNERACEAE.

Turnera
ulmifolia, *Linn.*

UMBELLIFERAE.

Angelica
sylvestris, *Linn.*

Anthriscus
sylvestris, *Hoffm.*

Astrantia
carniolica, *Wulf.*
helleborifolia, *Salisb.*
major, *Linn.*
minor, *Linn.*
pauciflora, *Bertol.*

Astydamia
canariensis, *DC.*

Athamanta
Matthioli, *Wulf.*

Bowlesia
tenera, *Spreng.*

UMBELLIFERAE—*continued.*

Bupleurum
aureum, *Fisch.*
Candollei, *Wall.*
fruticosum, *Linn.*
longicaule, *Wall.*

Carum
Carvi, *Linn.*

Caucalis
arvensis, *Huds.*
glaucus, *Hort.*

Chaerophyllum
aromaticum, *Linn.*
hirsutum, *Linn.*
roseum, *Bieb.*

Conium
maculatum, *Linn.*

Coriandrum
sativum, *Linn.*

Cryptotaenia
canadensis, *DC.*

Cuminum
Cyminum, *Linn.*

Daucus
australis, *Poepp.*
maximus, *Desf.*

Didiscus
pilosus, *Benth.*

Discopleura
Nuttallii, *DC.*

Dorema
Aucheri, *Boiss.*

Eryngium
agavifolium, *Griseb.*
alpinum, *Linn.*
amethystinum, *Linn.*
Bourgati, *Gouan*
dichotomum, *Desf.*
grande, *Hemsl.* et *Rose*
planum, *Linn.*
prostratum, *Nutt.*
Wrightii, *A. Gray*

UMBELLIFERAE—*continued.*

Falcaria
vulgaris, *Bernh.*

Foeniculum
giganteum, *Hort.*
vulgare, *Mill.*

Heracleum
asperum, *Bieb.*
villosum, *Fisch.*

Laserpitium
marginatum, *Waldst.* et *Kit.*
Siler, *Linn.*

Levisticum
officinale, *Koch*

Lophosciadium
meifolium, *DC.*

Meum
athamanticum, *Jacq.*

Molopospermum
cicutarium, *DC.*

Myrrhis
odorata, *Scop.*

Oenanthe
crocata, *Linn.*
pimpinelloides, *Linn.*
silaifolia, *Bieb.*

Opopanax
Chironium, *Koch*

Peucedanum
coriaceum, *Reichb.*
Galbanum, *Benth.* et *Hook. f.*
officinale, *Linn.*
Ostruthium, *Koch*
sativum, *Benth.* et *Hook. f.*
verticillare, *Spreng.*

Pimpinella
magna, *Linn.*, var. rosea.

UMBELLIFERAE—*continued.*

Scandix
Pecten-Veneris, *Linn.*

Selinum
pyrenaeum, *Gouan*
tenuifolium, *Wall.*
— var. album.

Seseli
caespitosum, *Sibth.* et *Sm.*

Silaus
tenuifolius, *DC.*

Siler
trilobum, *Crantz*

Thaspium
aureum, *Nutt.*

Xanthosia
rotundifolia, *DC.*

URTICACEAE.

Artocarpus
laciniata, *Hort.*

Boehmeria
biloba, *Miq.*
platyphylla, *D. Don*

Dorstenia
argentata, *Hook. f.*
arifolia, *Lam.*
Contrajerva, *Linn.*
Drakena, *Linn.*
Mannii, *Hook. f.*
urceolata, *Schott*

Ficus
Carica, *Linn.*
diversifolia, *Blume*
pyriformis, *Hook.* et *Arn.*
Roxburghii, *Wall.*

Laportea
moroides, *Wedd.*
peltata, *Gaudich.*

URTICACEAE—*continued.*

Parietaria

alsinaefolia, *Delile*
officinalis, *Linn.*

Pellionia

Daveauana, *N. E. Br.*
pulchra, *N. E. Br.*

Pilea

grandis, *Wedd.*
muscosa, *Lindl.*
Spruceana, *Wedd.*

Procris

frutescens, *Blume*

Thelygonum

Cynocrambe, *Linn.*

Trema

orientalis, *Blume*

Urtica

dioica, *Linn.*
pilulifera, *Linn.*

VACCINIACEAE.

Cavendishia

acuminata, *Benth.*

Corallobotrys

acuminata, *Hook. f.*

Vaccinium

pensylvanicum, *Lam.*

VALERIANEAE.

Centranthus

macrosiphon, *Boiss.*
ruber, *DC.*

Fedia

Cornucopiae, *Gaertn.*

Valeriana

alliariaefolia, *Vahl*
montana, *Linn.*
officinalis, *Linn.*

VALERIANEAE—*continued.*

Valeriana—*continued.*

pyrenaica, *Linn.*
sambucifolia, *Mikan.*
tripteris, *Linn.*
tuberosa, *Linn.*

Valerianella

congesta, *Lindl.*
coronata, *DC.*
dentata, *Pollich*
truncata, *Betcke*
— var. muricata.

VERBENACEAE.

Bouchea

Ehrenbergii, *Cham.*

Callicarpa

purpurea, *Juss.*

Clerodendron

calamitosum, *Linn.*
Campbellii, *Hort.*
fallax, *Lindl.*
infortunatum, *Gaertn.*
myrmecophilum, *Ridley*
splendens, *G. Don*
Thomsonae, *Balf.*
— var. variegata.

Lantana

Camara, *Linn.*
delicatissima, *Poit.*
hybrida, *Hort.*, var. alba.

Lippia

chamaedrifolia, *Steud.*

Oncinocalyx

Betchei, *F. Muell.*

Stachytarpheta

indica, *Vahl*

Verbena

canescens, *H. B.* et *K.*
erinoides, *Lam.* var. alba.

VIOLARIEAE.

Hymenanthera

dentata, *R. Br.*, var. angustifolia.

Melicytus

lanceolatus, *Hook. f.*

Viola

alpina, *Jacq.*
arborescens, *Linn.*
arenaria, *DC.*
canadensis, *Linn.*
canina, *Linn.*
cognata, *Greene*
cornuta, *Linn.*
— var. alba.
declinata, *Waldst.* et *Kit.*
Dehnhardtii, *Ten.*
elatior, *Fries*
gracilis, *Sibth.* et *Sm.*

VIOLARIEAE—*continued.*

Viola—*continued.*

hederacea, *Labill.*
lutea, *Huds.*
— var. amoena.
Munbyana, *Boiss.* et *Reut.*
odorata, *Linn.*, var. sulphurea.
oreocallis, *Greene*
palustris, *Linn.*
polychroma, *Kern.*
primulaefolia, *Linn.*
pyrenaica, *Ram.*
Ruppii, *All.*
Rydbergii, *Greene*
sarmentosa, *Dougl.*
tricolor, *Linn.*, var. alpina.

XYRIDEAE.

Xyris

capensis, *Baker*

For Official Use.]

NOTES

FROM THE

ROYAL BOTANIC GARDEN,

EDINBURGH.

DECEMBER 1912.

CONTENTS.

Page

List of Seeds collected in the Royal Botanic Gardens, Edinburgh, during the Year 1912 - - - - cli

Mo. Bot. Garden
1913

EDINBURGH:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY MORRISON & GIBB LIMITED,
AT TANFIELD.

SOLD AT THE GARDEN,
And to be purchased, either directly or through any Bookseller, from
H.M. STATIONERY OFFICE (SCOTTISH BRANCH),
23, FORTH STREET, EDINBURGH.

[PRICE NINEPENCE.]

[Crown Copyright Reserved.]

M & G Ltd Wt. 3467/410 12-12 600

List of Seeds Collected in the Royal Botanic Garden, Edinburgh, during the Year 1912.

The following is a list of plants cultivated in the Royal Botanic Garden, Edinburgh, from which ripened seeds have been collected during the year 1912. The quantity of seed obtained from some of the species is of limited amount, and in many cases has been entirely absorbed for sowing in the Garden. Of these, therefore, none can be distributed, otherwise the seeds are available for exchange, but they are not for sale :—

PLANTS IN THE OPEN.

Genera in Alphabetical Order.

Acaena

glauca, *Hort.*
laevigata, *Ait.*
microphylla, *Hook. f.*
myriophylla, *Lindl.*
Novae-Zelandiae, *T. Kirk*
ovalifolia, *Ruiz* et *Pav.*
Sanguisorbae, *Vahl*
sericea, *Jacq.*
splendens, *Hook.* et *Arn.*

Acantholimon

glumaceum, *Boiss.*

Acanthus

mollis, *Linn.*
Schottii, *Hort.*

Acer

carpinifolium, *Sieb.* et *Zucc.*
opulifolium, *Vill.*, var. obtusatum
pensylvanicum, *Linn.*
platanoides, *Linn.*
Pseudo-platanus, *Linn.*
— var. euchlorum
— var. foliis cupreis
— var. purpureum

Achillea

alpina, *Linn.*
compacta, *Willd.*
Fraasii, *Sch. Bip.*
lanulosa, *Nutt.*
lingulata, *Waldst.* et *Kit.*
— var. buglossis
macedonica, *Rouy*
macrophylla, *Linn.*
Millefolium, *Linn.*, var. rosea
nobilis, *Linn.*
pedemontana, *Hort.*
transsylvanica, *Hort.*

Aconitum

ferox, *Wall.*
Fischeri, *Reichb.*
Forrestii, *Stapf*
heterophyllum, *Wall.*
longigaleatum, *Hort.*
Lycoctonum, *Linn.*
— var. pyrenaicum
Napellus, *Linn.*
— var. album
oreocharis, *Hort.*
paniculatum, *Lam.*
uncinatum, *Linn.*
volubile, *Koelle*

Actaea

alba, *Mill.*
spicata, *Linn.*, var. rubra

Actinomeris

helianthoides, *Nutt.*

Adenophora

Bulleyana, *Diels*
communis, *Fisch.*
cuspidata, *Hort.*
denticulata, *Fisch.*
infundibuliformis, *Hort.*
leptosepala, *Diels*
megalantha, *Diels*
nikoensis, *Franch.* et *Sav.*
ornata, *Diels*
verticillata, *Fisch.*

Adenostyles

albida, *Cass.*
alpina, *Kern.*
viridis, *Cass.*

Adlumia

cirrhosa, *Rafin.*

Adonis

vernalis, *Linn.*

Aeonium

Castello-Paivae, *C. Bolle*

Aesculus

Hippocastanum, *Linn.*

Æthionema

armenum, *Boiss.*
cappadocicum, *Spreng.*
cordatum, *Boiss.*
diastrophis, *Bunge*
gracile, *DC.*
iberideum, *Boiss.*
pulchellum, *Boiss.* et *Huet*

Agathaea

coelestis, *Cass.*

Agrimonia

agrimonoides, *Linn.*
odorata, *Mill.*

Agropyron

villosum, *Link*, var. polyantherum

Agrostis

vulgaris, *With.*

Ajuga

alpicola, *G. Beck*
genevensis, *Linn.*
reptans, *Linn.*, var. pallida

Alchemilla

alpina, *Linn.*, var. conjuncta
arvensis, *Scop.*
chirophylla, *Buser*
gemmia ×, *Buser*
helvetica ×, *Bruegg.*
speciosa, *Buser*
splendens, *Christ*
vulgaris, *Linn.*

Alisma

Plantago, *Linn.*

Alkanna

lutea, *A. DC.*
orientalis, *Boiss.*

Allium

cardiostemon, *Fisch.* et *Mey.*
cernuum, *Roth*
cyaneum, *Regel*
giganteum, *Regel*
kansuense, *Regel*
narcissiflorum, *Vill.*
pulchellum, *G. Don*
rubrum, *Osterh.*
Schoenoprasum, *Linn.*
sikkimense, *Baker*
urceolatum, *Regel*
vineale, *Linn.*, var. bulbiferum
viviparum, *Kar.* et *Kir.* (bulbils)

Alnus

cordifolia, *Tenore*
glutinosa, *Medic.*
— var. quercifolia, *Willd.*
— var. rubrinervia
incana, *Moench*
— var. glauca, *Regel*
— var. pendula nova, *Hort.*
japonica, *Sieb.* et *Zucc.*
maritima, *Nutt.*
oregana, *Nutt.*
rhombifolia, *Nutt.*
serrulata, *Willd.*
sitchensis, *Sarg.*
tenuifolia, *Nutt.*
viridis, *DC.*

Alonsoa

caulialata, *Ruiz* et *Pav.*
incisifolia, *Ruiz* et *Pav.*
Warscewiczii, *Regel*, var. compacta

Alopecurus

pratensis, *Linn.*

Alstroemeria

aurantiaca, *D. Don*

Alyssum

alpestre, *Linn.*
Benthami, *Hort.*
campestre, *Linn.*, var. genuinum
libycum, *Coss.*
maritimum, *Lam.*
minimum, *Willd.*
Moellendorfianum, *Aschers.*
montanum, *Linn.*
podolicum, *Bess.*
rostratum, *Stev.*
saxatile, *Linn.*
— var. citrinum
— var. sulphureum
sinuatum, *Linn.*
spinosum, *Linn.*
Stribrnyi, *Velen.*
Wulfenianum, *Willd.*

Amaranthus

aragonensis, *Sen.*
gangeticus, *Linn.*
polygonoides, *Linn.*

Amelanchier

alnifolia, *Nutt.*
canadensis, *Torr.* et *Gray*

Amphicarpaea

monoica, *Ell.*

Anagallis

arvensis, *Linn.*
— var. caerulea
tenella, *Linn.*

Anaphalis

margaritacea, *Benth.* et *Hook. f.*
triplinervis, *Sims*
yedoensis, *Maxim.*

Anarrhinum

bellidifolium, *Desf.*

Anchusa

Barrelieri, *Vitm.*
italica, *Retz.*
officinalis, *Linn.*
sempervirens, *Linn.*

Androsace

arachnoidea, *Schott*
Bulleyana, *G. Forrest*
Chamaejasme, *Willd.*
Chumbyi ×, *Hort.*
geraniifolia, *Watt*
lactiflora, *Fisch.*
lanuginosa, *Wall.*
— var. Leichtlini
villosa, *Linn.*

Andryala

integrifolia, *Linn.*

Anemone

albana, *Stev.*
alpina, *Linn.*
— var. sulphurea
angulosa, *Lam.*
decapetala, *Arduini*
Hepatica, *Linn.*, var. alba
— var. Barlowi
— var. rubra
multifida, *Poir.*
— var. Hudsoniana
nemorosa, *Linn.*
— var. purpurea
palmata, *Linn.*
pratensis, *Linn.*
rivularis, *Buch.-Ham.*
sylvestris, *Linn.*

Anoda

lavaterioides, *Medic.*

Antennaria

decipiens, *Greene*
dioica, *Gaertn.*
— var. alpina rosea
— var. parvifolia
— var. tomentosa
magellanica, *Sch. Bip.*
rosea, *Greene*, var. imbricata

Anthemis

altissima, *Linn.*
canescens, *Brot.*
carpathica, *Willd.*
cinerea, *Panc.*
palestina, *Reut.*
tinctoria, *Linn.*

Anthericum

Liliago, *Linn.*

Anthoxanthum

odoratum, *Linn.*

Antirrhinum

Asarina, *Linn.*
glutinosum, *Boiss.* et *Reut.*
majus, *Linn.*
siculum, *Mill.*

Aphyllanthes

monspeliensis, *Linn.*

Aplopappus

croceus, *A. Gray*

Aquilegia

alpina, *Linn.*
arizonica, *Heller*
baicalensis, *Hort.*
Bertolonii, *Schott*
Buergeriana, *Sieb.* et *Zucc.*
caerulea, *James*
chrysantha, *A. Gray*
corymbosa, *Hort.*
Einseleana, *Fr. Schultz*
flabellata, *Sieb.* et *Zucc.*, var. alba
formosa, *Fisch.*
glandulosa, *Fisch.*
olympica, *Boiss.*
Ottonis, *Orph.*
oxysepala, *Trautv.* et *Mey.*
Skinneri, *Hook.*
viridiflora, *Pall.*
viscosa, *Hort.*
vulgaris, *Linn.*
— var. atrata
— — Haenkeana

Arabis

albida, *Stev.*
Allionii, *DC.*
alpina, *Linn.*
— var. albida ochrida
arenosa, *Scop.*
bellidifolia, *Jacq.*
brachycarpa, *Rupr.*
Drummondii, *A. Gray*
Halleri, *Linn.*

Arabis—*continued.*
petraea, *Lam.*
repanda, *S. Wats.*
rhaetica, *Bruegg.*
stricta, *Huds.*
Turrita, *Linn.*

Archangelica
atropurpurea, *Hoffm.*

Arenaria
Bertolonii, *Fiori* et *Paol.*
biflora, *Linn.*
cerastiifolia, *Ramond*
ciliata, *Linn.*
— var. norvegica
confusa, *Rydb.*
decussata, *Willd.*
fasciculata, *Gouan*
foliosa, *Royle*
gothica, *Fries*
graminifolia, *Schrad.*
graveolens, *Schreb.*
lanuginosa, *Rohrb.*
montana, *Linn.*, var. grandiflora
muscosa, *Med.*
picta, *Sibth.* et *Sm.*
pinifolia, *Bieb.*
purpurascens, *Ramond*
recurva, *All.*
saxosa, *A. Gray*
serpens, *H. B.* et *K.*
setacea, *Thuill.*
tremula, *Boiss.*
verna, *Linn.*
Villarsii, *Balb.*
— var. villosula

Argemone
mexicana, *Linn.*

Aristolochia
rotunda, *Linn.*

Aristotelia
Macqui, *L'Hérit.*, var. variegata

Armeria
Adamovici, *Hort.*
allioides, *Boiss.*, var. ciliata
alpina, *Willd.*
caespitosa, *Boiss.*
canescens, *Boiss.*
dianthifolia, *Hort.*
elongata, *Hoffm.*
japonica, *Hort.*
juncea, *Girard*
latifolia, *Willd.*, var. bracteata
leucocephala, *Koch*
majellensis, *Boiss.*
maritima, *Willd.*
— var. alba
— — Laucheana
mauritanica, *Wallr.*, var. hybrida
pinifolia, *Hofmgg.* et *Link*
plantaginea, *Willd.*
sibirica, *Turcz.*
Welwitschii, *Boiss.*

Arnebia
hispidissima, *DC.*

Arnica
Chamissonis, *Less.*
longifolia, *Eaton*
montana, *Linn.*

Artemisia
chamaemelifolia, *Vill.*
spicata, *Wulf.*
vulgaris, *Linn.*

Asarum
canadense, *Linn.*
caudatum, *Lindl.*
Hartwegii, *S. Wats.*

Asperula

aristata, *Linn.*
azurea, *Jaub.* et *Spach*, var. setosa
ciliata, *Rochel*
cynanchica, *Linn.*
humifusa, *Bess.*
odorata, *Linn.*

Asphodelus

albus, *Willd.*

Aster

acris, *Linn.*
alpinus, *Linn.*
— var. albus
— var. speciosus
brachytrichus, *Franch.*
Delavayi, *Franch.*
diplostephioides, *Benth.* et *Hook. f.*
floribundus, *Nutt.*
foliaceus, *Lindl.*
Fremonti, *A. Gray*
himalaicus, *C. B. Clarke*
junceus, *Ait.*
laevis, *Linn.*
longifolius, *Lam.*
macrophyllus, *Linn.*
oreophilus, *Franch.*
paniculatus, *Lam.*
patens, *Ait.*
puniceus, *Linn.*
ramulosus, *Hort.*
sikkimensis, *Hook. f.* et *Thoms.*
staticifolius, *Franch.*

Astilbe

japonica, *A. Gray*
simplicifolia, *Makino*
Thunbergii, *Miq.*

Astragalus

alpinus, *Linn.*
asper, *Jacq.*
caspicus, *Bieb.*

Astragalus—*continued.*

Cicer, *Linn.*
danicus, *Retz.*
— var. albus
dendroides, *Kar.* et *Kir.*
depressus, *Linn.*
fraxinifolius, *DC.*
galegiformis, *Linn.*
Glycyphyllos, *Linn.*
leontinus, *Wulf.*
narbonensis, *Gouan*
Onobrychis, *Linn.*
pentaglottis, *Linn.*
podocarpus, *C. A. Mey.*
ponticus, *Pall.*
purpureus, *Lam.*
sinicus, *Linn.*
xiphocarpus, *Benth.*

Astrantia

carniolica, *Wulf.*
helleborifolia, *Salisb.*
major, *Linn.*
minor, *Linn.*
pauciflora, *Bertol.*

Astydamia

canariensis, *DC.*

Atraphaxis

Billardieri, *Jaub.* et *Spach*

Atriplex

patula, *Linn.*

Atropa

Belladonna, *Linn.*

Aubrietia

croatica, *Schott, Nym.* et *Kotschy*
deltoidea, *DC.*
— var. cilicica
— var. lutea variegata
olympica, *Boiss.*

Avena

fatua, *Linn.*
orientalis, *Schreb.*
sativa, *Linn.*
sterilis, *Linn.*

Babiana

nana, *Spreng.*

Baccharis

patagonica, *Hook.* et *Arn.*

Baeria

coronaria, *A. Gray*

Ballota

nigra, *Linn.*
spinosa, *Link*

Barbarea

orthoceras, *Ledeb.*
vulgaris, *R. Br.*

Bellis

caerulescens, *Coss.* et *Bal.*

Berardia

subacaulis, *Vill.*

Berberis

Aquifolium, *Pursh*
aristata, *DC.*
Darwinii, *Hook.*
Guimpelii, *C. Koch* et *Bouché*
stenophylla, *Hance*
Thunbergii, *DC.*
virescens, *Hook. f.*
vulgaris, *Linn.*

Beta

Bourgaei, *Coss.*
trigyna, *Waldst.* et *Kit.*

Betula

alba, *Linn.*
— var. pendula, *Hort.*
— var. pubescens

Betula—*continued.*

fruticosa, *Pall.*
lutea, *Michx.*
occidentalis, *Hook.*
papyrifera, *Marsh.*
populifolia, *Marsh.*
ulmifolia, *Sieb.* et *Zucc.*

Bidens

dahlioides, *S. Wats.*
grandiflora, *Balb.*
humilis *H. B.* et *K.*

Biscutella

laevigata, *Linn.*
leiocarpa, *DC.*

Blumenbachia

Hieronymi, *Urb.*

Boltonia

incisa, *Benth.*

Borago

laxiflora, *Willd.*
officinalis, *Linn.*

Bottionea

thysanthoides, *Colla*

Bowlesia

tenera, *Spreng.*

Boykinia

occidentalis, *Torr.* et *Gray*

Brachycome

Thomsonii, *T. Kirk*

Brachypodium

distachyum, *Beauv.*
sylvaticum, *Beauv.*

Brassica

Erucastrum, *Linn.*
juncea, *Coss.*
nigra, *Koch*
oleracea, *Linn.*

Brittonastrum

ionocalyx, *B. L. Robins.*
pallidum, *Briq.*

Briza

media, *Linn.*

Brodiaea

Douglasii, *S. Wats.*
hyacinthina, *Baker*, var.
lactea
ixioides, *S. Wats.*, var.
splendens
uniflora, *Baker*

Bromus

breviaristatus, *Buckl.*
brizaeformis, *Fisch.* et *Mey.*
mollis, *Linn.*
sterilis, *Linn.*
unioloides, *H. B.* et *K.*

Bruckenthalia

spiculifolia, *Reichb.*

Bryanthus

empetriformis, *A. Gray*
taxifolius, *A. Gray*

Buddleia

globosa, *Hope*
Hemsleyana, *Hort.*
intermedia, *Carr.*
nivea, *Duthie*
variabilis, *Hemsl.*
— var. Veitchiana
— — — magnifica

Bulbine

annua, *Willd.*

Bulbinella

Hookeri, *Benth.* et *Hook. f.*

Buphthalmum

salicifolium, *Linn.*
speciosum, *Schreb.*

Bupleurum

fruticosum, *Linn.*
longicaule, *Wall.*
nodiflorum, *Sibth.* et *Sm.*

Cacabus

quadrivalvis, *Hort.*

Calamintha

Acinos, *Clairv.*
grandiflora, *Moench*

Calceolaria

pinnata, *Linn.*

Calendula

aegyptiaca, *Desf.*

Callianthemum

rutaefolium, *C. A. Mey*

Callirhoë

digitata, *Nutt.*

Calluna

vulgaris, *Salisb.*
— var. alba
— var. — Hammondii
— var. Reginae
— var. tomentosa alba

Caltha

polypetala, *Hochst.*

Camassia

Cusickii, *S. Wats.*

Campanula

alliariaefolia, *Willd.*
barbata, *Linn.*
Beauverdiana, *Fomine*
bononiensis, *Linn.*
caespitosa, *Scop.*, var.
Vensloi

Campanula—*continued.*
carpatica, *Jacq.*
— var. pelviformis
— var. turbinata
— — alba
— — compacta
crispa, *Lam.*
elegans, *Roem.* et *Schult.*
excisa, *Schleich.*
garganica, *Tenore*
glomerata, *Linn.*, var. acaulis
Grossekii, *Heuffl.*
lanata, *Frivald.*
latifolia, *Linn.*, var. macrantha
— var. alba
— var. lilacina
Leutweinii, *Heldr.*
lingulata, *Waldst.* et *Kit.*
linifolia, *Scop.*
— var. hirta
longestyla, *Fomine*
Marchesettii, *Wit.*
mirabilis, *Leichtl.*
persicifolia, *Linn.*
— var. alba
phyteumoides, *Sibth.*
pseudocarnica, *Hort.*
pulcherrima, *Schrank* et *Zeyh.*
pulla, *Linn.*
pulloides, *Hort.*, var. kewensis
punctata, *Lam.*
— var. alba
pusilla, *Haenke*
— var. alba
— var. pallida
pyramidalis, *Linn.*
pyrenaica, *A. DC.*
Raddeana, *Trautv.*
Rainerii, *Perpent.*
rapunculoides, *Linn.*
Reuteriana, *Boiss.* et *Bal.*
rhomboidalis, *Linn.*
rhomboidea, *Murr.*
rotundifolia, *Linn.*
— var. alaskana, *Hort.*
— var. alba

Campanula—*continued.*
— var. magnifica
salicifolia, *Boiss.* et *Kotschy*
sarmatica, *Ker-Gawl.*
Scheuchzeri, *Vill.*
— var. alba
sibirica, *Linn.*, var. eximia
— var. Hohenackeri
spicata, *Linn.*
Steveni, *Bieb.*
Teymonsii, *Hort.*
turbinata × Rainerii.
Waldsteiniana, *Roem.* et *Schult.*

Capsella
Bursa-pastoris, *Medic.*
Heegeri, *Solms-Laub.*

Caragana
arborescens, *Linn.*

Carbenia
benedicta, *Adans.*

Cardamine
graeca, *Linn.*

Carduus
cernuus, *Steud.*
Kerneri ×, *Simonk.*
simplicifolius, *Sang.*
struminanus, *Hort.*

Carex
aquatilis, *Wahlenb.*
— × Goodenowii
atrata, *Linn.*
binervis, *Sm.*
canescens, *Linn.*
capillaris, *Linn.*
distans, *Linn.*
flava, *Linn.*
— var. viridula
glauca, *Scop.*
helvola, *Blytt*

Carex—*continued.*
incurva, *Lightf.*
irrigua, *Sm.*
laevigata, *Sm.*
leporina, *Linn.*
muricata, *Linn.*
— var. virens
Oederi, *Retz.*
ornithopoda, *Willd.*
pallescens, *Linn.*
paludosa, *Good.*
panicea, *Linn.*
paniculata, *Linn.*
— f. simplicior, *Anders.*
paradoxa, *Willd.*
pendula, *Huds.*
Pseudo-cyperus, *Linn.*
pulicaris, *Linn.*
punctata, *Gaud.*
remota, *Linn.*
rigida, *Good.*
rosea, *Schkuhr*
sempervirens, *Vill.*
strigosa, *Huds.*
teretiuscula, *Good.*
Vahlii, *Schkuhr*
vesicaria, *Linn.*
vulgaris, *Fries*

Carmichaelia
Enysii, *T. Kirk*
flagelliformis, *Colenso*

Carpoceras
cilicicum, *Boiss.* et *Kurz*

Carum
Carvi, *Linn.*
verticillatum, *Koch*

Cassandra
calyculata, *D. Don*

Cassinia
fulvida, *Hook. f.*
leptophylla, *R. Br.*

Castilleja
miniata, *Dougl.*

Catananche
caerulea, *Linn.*
lutea, *Linn.*

Cathcartia
villosa, *Hook. f.*

Caucalis
arvensis, *Huds.*

Cedronella
cana, *Hook.*

Celmisia
coriacea, *Raoul*
discolor, *Hook. f.*
hieracifolia, *Hook. f.*
holosericea, *Hook. f.*
longifolia, *Cass.*
Lyallii, *Hook. f.*, var. pseudo-Lyallii
Munroi, *Hook. f.*
verbascifolia, *Hook. f.*
— var. grandiflora
viscosa, *Hook. f.*

Celsia
pontica, *Boiss.*

Centaurea
babylonica, *Linn.*
cynaroides, *Link*
Jacea, *Linn.*
macrocephala, *Puschk.*
montana, *Linn.*
— var. ochroleuca
— var. rosea
nervosa, *Willd.*
nigra, *Linn.*
orientalis, *Linn.*
phrygia, *Linn.*
romana, *Linn.*
rutifolia, *Sibth.* et *Sm.*

Centaurea—*continued.*
Scabiosa, *Linn.*
solstitialis, *Linn.*
sordida, *Willd.*
stereophylla, *Bess.*
variegata, *Lam.*

Centranthus
angustifolius, *DC.*
ruber, *DC.*

Cephalaria
alpina, *Schrad.*

Cephalophora
aromatica, *Schrad.*

Cerastium
alpinum, *Linn.*
Edmondstoni, *Murb.* et *Ostenf.*
grandiflorum, *Waldst.* et *Kit.*
perfoliatum, *Linn.*
tomentosum, *Linn.*

Cerinthe
aspera, *Roth*
auriculata, *Tenore*
major, *Linn.*

Chaenostoma
fastigiatum, *Benth.*

Chaerophyllum
hirsutum, *Linn.*

Chamaelirium
carolinianum, *Willd.*

Chamaemelum
rimarum, *Siehe*

Chaptalia
alsophila, *Greene*

Charieis
heterophylla, *Cass.*

Cheiranthus
Cheiri, *Linn.*, var.
Senoneri, *Heldr.* et *Sart.*

Chelidonium
Franchetianum, *Prain*
majus, *Linn.*
— var. laciniatum

Chenopodium
Bonus-Henricus, *Linn.*
murale, *Linn.*
polyspermum, *Linn.*
rigidum, *Lingelsheim*

Chionodoxa
Luciliae, *Boiss.*
— var. gigantea

Chrysanthemum
caucasicum, *Pers.*
maximum, *Ramond*, var. tripteris
Parthenium, *Bernh.*
tomentosum, *Loisel.*

Cimicifuga
americana, *Michx.*
davurica, *Maxim.*

Cineraria
alpestris, *Hort.*

Cistus
albidocrispus, *Hort.*
hirsutus, *Lam.*
laurifolius, *Linn.*
platysepalus, *Sweet*
purpureus, *Lam.*

Clarkia
elegans, *Dougl.*

Claytonia

virginica, *Linn.*

Clematis

Flammula, *Linn.*
heracleaefolia, *DC.*
integrifolia, *Linn.*
intermedia, *Carr.*
orientalis, *Linn.*
paniculata, *Thunb.*
recta, *Linn.*
songorica, *Bunge*
Vitalba, *Linn.*

Clypeola

Jonthlaspi, *Linn.*
— var. lasiocarpa

Cneorum

tricoccon, *Linn.*

Cnicus

Bertolonii, *Bertol.*
chinensis, *Benth.*
eriophoroides, *Diels*
eriophorus, *Roth*
Erisithales, *Linn.*
heterophyllus, *Roth*
pratensis, *Willd.*
tartaricus, *Willd.*
undulatus, *A. Gray*

Cochlearia

danica, *Linn.*
officinalis, *Linn.*
Sempervivum, *Boiss.* et *Bal.*

Codonopsis

Bulleyana, *Diels* et *G. Forrest*
clematidea, *Hort.*
ovata, *Benth.*
rotundifolia, *Royle*

Colchicum

fimbriatum, *Siehe*
hydrophilum, *Siehe*

Collinsia

bicolor, *Benth.*
parviflora, *Lindl.*

Collomia

heterophylla, *Hook.*
linearis, *Nutt.*

Colutea

cruenta, *Ait.*
longialata, *Koehne*

Commelina

erecta, *Linn.*

Convallaria

majalis, *Linn.*

Corethrogyne

rigida, *Hort.*

Cornus

alba, *Linn.*
— var. foliis tricoloribus
alternifolia, *Linn.*
sanguinea, *Linn.*

Coronilla

Emerus, *Linn.*

Cortusa

Matthioli, *Linn.*
villosa, *Hort.*

Corydalis

cheilanthifolia, *Hemsl.*
lutea, *DC.*
ochroleuca, *Koch*
ophiocarpa, *Hook. f.* et *Thoms.*
rosea, *Zeyh.*
Scouleri, *Hook.*

Cotoneaster

acuminata, *Lindl.*
affinis, *Lindl.*
bacillaris, *Wall.*
bullata. *Bois*
buxifolia, *Wall.*
Franchetii, *Bois*
frigida, *Wall.*
horizontalis, *Decne.*
laxiflora, *Jacq.*
microphylla, *Wall.*
moupinensis, *Franch.*
Nummularia, *Fisch.* et *Mey.*
pannosa, *Franch.*
rotundifolia, *Wall.*
Simonsii, *Baker*
thymifolia, *Baker*

Crambe

maritima, *Linn.*
Tataria, *Sebéok*

Craspedia

uniflora, *Forst. f.*

Crataegus

Azarolus, *Linn.*
Carrierei, *Vauvel*
coccinea, *Linn.*
— var. flabellata, *Britton*
— var. indentata, *Hort.*
— var. rotundifolia, *Sargent*
collina, *Chapman*
Crus-galli, *Linn.*
— var. splendens, *Lodd.*
Dippeliana, *Lange*
Douglasii, *Lindl.*
intricata, *Lange*
mollis, *Scheele*
nigra, *Waldst.* et *Kit.*
nitida, *Sargent*
orientalis, *Pall.*
Oxyacantha, *Linn.*
— var. flore pleno albo
— var. flore pleno roseo
— var. flore puniceo

Crataegus—*continued.*

— var. foliis luteis
— var. fuscata, *Hort.*
— var. monogyna, *Jacq.*
— var. pendula, *Lodd.*
— var. semperflorens, *Carr.*
— var. stricta, *Lodd.*
— var. variegata
pentagyna, *Kit.*
Pyracantha, *Pers.*
— var. Lalandi, *Hort.*
sorbifolia, *Desf.*
succulenta, *Link.*
tomentosa, *Linn.*

Crepis

aculeata, *Boiss.*
blattarioides, *Vill.*
Dioscoridis, *Linn.*
grandiflora, *Tausch*
Jacquini, *Tausch*
paludosa, *Moench*
pygmaea, *Linn.*
setosa, *Hall. f.*
sibirica, *Linn.*
Suffreniana, *Steud.*

Crocus

vernus, *All.*
zonatus, *J. Gay*

Crucianella

angustifolia, *Linn.*
chlorostachys, *Fisch.* et *Mey.*

Crupina

Crupinastrum, *Vis.*

Cuminum

Cyminum, *Linn.*

Cuphea

flava, *Spreng.*

Cupressus
Benthami, *Endl.*
Goveniana, *Gord.*
Lawsoniana, *A. Murr.*
— var. argentea
Lindleyi, *Klotzsch*

Cyananthus
incanus, *Hook. f.* et *Thoms.*,
var. leiocalyx, *Franch.*

Cyclamen
hederaefolium, *Ait.*
Jovis, *Siehe*

Cydonia
japonica, *Thunb.*
— var. grandiflora
Maulei, *T. Moore*

Cymboseris
palaestina, *Boiss.*

Cynoglossum
amabile, *Stapf* et *Drumm.*
furcatum, *Wall.*
nervosum, *Benth.*
petiolatum, *A. DC.*
Wallichii, *G. Don*

Cypripedium
Calceolus, *Linn.*
spectabile, *Salisb.*

Cytisus
albus, *Linn.*
Ardoini, *Fourn.*
austriacus, *Linn.*
biflorus, *L'Hérit.*
capitatus, *Jacq.*
decumbens, *Walp.*
elongatus, *Waldst.* et *Kit.*
Heuffelii, *Wierzb.*
hirsutus, *Linn.*
— var. hirsutissimus
nigricans, *Linn.*

Cytisus—*continued.*
praecox ×, *Hort.*
prostratus, *Scop.*
purgans, *Boiss.*
scoparius, *Link*
— var. Andreanus
— var. flore albo
shipkaënsis, *Dippel*
triflorus, *L'Hérit.*

Daboëcia
polifolia, *D. Don*
— var. bicolor

Dactylis
glomerata, *Linn.*, var. variegata

Dahlia
zimapani, *Roezl*

Daphne
alpina, *Linn.*

Datura
Stramonium, *Linn.*

Daucus
maximus, *Desf.*

Delphinium
azureum, *Michx.*
Belladonna, *Hort.*
Bulleyanum, *G. Forrest*
cashmirianum, *Royle*
cheilanthum, *Fisch.*
corymbosum, *Regel*
Delavayi, *Franch.*
Duhmbergii, *Huth*
dictyocarpum, *DC.*
elatum, *Linn.*
— var. alpinum
formosum, *Boiss.* et *Huet*
grandiflorum, *Linn.*
likiangense, *Franch.*
Maackianum, *Regel*

Delphinium—*continued.*
occidentale, *S. Wats.*
pellucidum, *Busch*
Potanini, *Huth*
scopulorum, *A. Gray*
— var. stachydeum
speciosum, *Bieb.*, var. glabratum
tatsienense, *Franch.*
— var. album
viscosum, *Hook. f.* et *Thoms.*

Deschampsia
caespitosa, *Beauv.*

Dianthus
alpinus, *Linn.*
arboreus, *Linn.*
arenarius, *Linn.*
atrococcineus, *Hort.*
atrorubens, *All.*
caesius, *Sm.*
campestris, *Bieb.*
Carthusianorum, *Linn.*
chinensis. *Linn.*
ciliatus, *Guss.*
cinnabarinus, *Sprun.*
cyclops ×
delicatus, *Hort.*
fragrans, *Bieb.*
furcatus, *Balb.*
gallicus, *Pers.*
glaucus, *Hort.*
grandiflorus, *Poir.*
graniticus, *Jord.*
liburnicus, *Bartl.* et *Wendl.*
longicaulis, *Tenore*
microlepis, *Boiss.*
monspessulanus, *Linn.*, var. alpestris
montanus, *Hort.*
neglectus, *Loisel.*
Noeanus, *Boiss.*
orbelicus, *Hort.*
petraeus, *Waldst.* et *Kit.*
— var. spiculifolius
pinifolius, *Sibth.* et *Sm.*

Dianthus—*continued.*
plumarius, *Linn.*
pulchellus, *Hort.*
pungens, *Linn.*
squarrosus, *Bieb.*
Sternbergii, *Sibth.*
strictus, *Sibth.* et *Sm.*
superbus, *Linn.*
— var. chinensis
sylvestris, *Wulf.*
tenuiflorus, *Griseb.*
tymphresteus, *Heldr.* et *Sart.*
velebiticus, *Borb.*
Velenowskyi, *Borb.*
zonatus, *Fenzl*

Dicentra
eximia, *Torr.*

Dichondra
repens, *Forst.*

Dictamnus
albus, *Linn.*
— var. tauricus

Diervilla
florida, *Sieb.* et *Zucc.*
rivularis, *Gattinger*
sessilifolia, *Buckl.*

Digitalis
laevigata, *Waldst.* et *Kit.*
lutea, *Linn.*
purpurea, *Linn.*

Dioscorea
pyrenaica, *Bub.* et *Bordère*

Diphylleia
cymosa, *Michx.*

Diplotaxis
viminea, *DC.*

Dipsacus
sylvestris, *Mill.*

Disporum

lanuginosum, *Nichols.*

Distylium

racemosum, *Sieb.* et *Zucc.*

Dorema

Aucheri, *Boiss.*

Doronicum

caucasicum, *Bieb.*
macrophyllum, *Fisch.*

Dorycnium

suffruticosum, *Vill.*

Draba

Aizoon, *Wahlenb.*
alpina, *Linn.*, var. involucrata
altaica, *Ledeb.*
amplexicaulis, *Franch.*
arabisans, *Michx.*
aurea, *Vahl*
australis, *Hook. f.*
cornuta, *Hort.*
cuspidata, *Bieb.*
fladnizensis, *Wulf.*
Helleriana, *Greene*
hirta, *Linn.*
hispanica, *Boiss.*
incana, *Linn.*
Loiseleurii, *Boiss.*
nemorosa, *Linn.*
nivalis, *Lilj.*
oxycarpa, *Boiss.* et *Heldr.*
pyrenaica, *Linn.*
rupestris, *R. Br.*
Salomoni, *Hort.*
scandinavica, *Lindblom*
siliquosa, *Bieb.*
streptocarpa, *A. Gray*
subamplexicaulis, *C. A. Mey*
Suendermanni, *Hort.*
surculosa, *Franch.*

Dracocephalum

bullatum, *G. Forrest*
grandiflorum, *Linn.*
Moldavica, *Linn.*
multicaule, *Montbr.* et *Auch*
parviflorum, *Nutt.*
peregrinum, *Linn.*
Ruyschiana, *Linn.*
tanguticum, *Maxim.*

Dryas

octopetala, *Linn.*
— var. lanata
Suendermanni, *Hort.*

Drypis

spinosa, *Linn.*

Echinops

sphaerocephalus × bannaticus

Echium

vulgare, *Linn.*

Edraianthus

dinaricus, *Wettstein*

Elaeagnus

umbellata, *Thunt.*

Elsholtzia

cristata, *Benth.*

Elymus

villosus, *Muhl.*

Emex

spinosa, *Campd.*

Enkianthus

himalaicus, *Hook. f.* et *Thoms.*

Epigaea

repens, *Linn.*

Epilobium

angustifolium, *Linn.*
cinereum, *A. Rich.*
Cockaynianum, *Petrie*
Dodonaei, *Vill.*
frigidum, *Hausskn.*
glabellum, *Forst.*
haloragifolium, *A. Cunn.*
Hectori, *Hausskn.*
luteum, *Pursh*
macropus, *Hook.*
melanocaulon, *Hook.*
microphyllum, *A. Rich.*
Novae-Zealandiae, *Hausskn.*
pallidiflorum, *Soland.*
rosmarinifolium, *Haenke*

Eragrostis

maxima, *Fourn.*

Eranthis

cilicica, *Schott* et *Kotschy*

Eremurus

himalaicus, *Baker*
Warei ×, *Hort.*

Erica

ciliaris, *Linn.*
cinerea, *Linn.*
— var. alba
— var. alba major
— var. alba minor
— var. atropurpurea
— var. atrosanguinea
— var. coccinea
— var. pallida
— var. rosea
stricta, *Donn*
Tetralix, *Linn.*
— var. alba
— var. alba mollis
— var. Lawsoniana
— var. Mackaiana
— var. rubra
vagans, *Linn.*, var. alba
— var. pallida

Erigeron

acris, *Linn.*
alpinus, *Linn.*
— var. grandiflorus
flagellaris, *A. Gray*
glabellus, *Nutt.*
— var. asper
— var. mollis
glabratus, *Hoppe* et *Hornsch.*
glaucus, *Ker-Gawl.*
grandiflorus, *Hook.*
macranthus, *Nutt.*
montevidensis, *Baker*
mucronatus, *DC.*
multiradiatus, *Benth.* et *Hook. f.*
— var. platyphyllus
neo-mexicanus, *A. Gray*
roseus, *Hort.*
Roylei, *DC.*
thyrsoides, *Hort.*
trifidus, *Schlecht.*
— var. albescens
uniflorus, *Linn.*

Erinus

alpinus, *Linn.*
— var. carmineus
— var. hirsutus

Eriocaulon

alpestre, *Hook. f.* et *Thoms.*

Eriophyllum

caespitosum, *Dougl.*

Eritrichium

strictum, *Decne.*

Erodium

carvifolium, *Boiss.*
Kolbianum, *Hort.*
Manescavi, *Coss.*
romanum, *Willd.*
trichomanefolium, *L'Hérit.*

Eryngium
Carlinae, *Delar.*
planum, *Linn.*, var. roseum

Erysimum
canescens, *Roth*
hieracifolium, *Linn.*
nanum, *Boiss.* et *Hohen.*
parviflorum, *Nutt.*
Perofskianum. *Fisch.* et *Mey.*
virgatum, *Roth*

Erythraea
littoralis, *Fries*

Erythronium
Johnsonii, *H. N. Bolander*

Escallonia
viscosa, *Forbes*

Eschscholzia
californica, *Cham.*

Eucharidium
grandiflorum, *Fisch.* et *Mey.*

Euonymus
europaeus, *Linn.*
fimbriatus, *Wall.*
pendulus, *Wall.*

Eupatorium
ageratoides, *Linn.*
cannabinum, *Linn.*
deltoideum, *Jacq.*
glechonophyllum, *Less.*
japonicum, *Thunb.*

Euphorbia
Jolkini, *Boiss.*
Lathyris, *Linn.*
Myrsinites, *Linn.*
stricta, *Linn.*

Fagopyrum
esculentum, *Moench*

Farsetia
clypeata, *R. Br.*

Fedia
Cornucopiae, *Guertn*

Festuca
ovina, *Linn.*

Foeniculum
vulgare, *Mill.*

Forsythia
suspensa, *Vahl*

Fragaria
californica, *Cham.* et *Schlecht.*
collina, *Ehrh.*
indica, *Andr.*
vesca, *Linn.*, var. monophylla
— var. muricata
— var. semperflorens

Fraxinus
excelsior, *Linn.*

Fritillaria
pallidiflora, *Schrenk*
taurica, *Hort.*

Fuchsia
Riccartoni ×

Fumaria
officinalis, *Linn.*

Funkia
Sieboldiana, *Hook.*

Gaillardia

aristata, *Pursh*, var. grandiflora
pulchella, *Fouger*

Galax

aphylla, *Linn.*

Galega

officinalis, *Lam.*
orientalis, *Lam.*

Gaultheria

trichophylla, *Royle*

Gaylussacia

ursina, *Torr.* et *Gray*

Genista

anglica, *Linn.*
dalmatica, *Bartl.* et *Wendl. f.*
germanica, *Linn.*
sagittalis, *Linn.*
tinctoria, *Linn.*, var. apennina
— var. anxantica
— var. prostrata
virgata, *DC.*

Gentiana

altaica, *Laxm.*
asclepiadea, *Linn.*
crassicaulis, *Duthie*
detonsa, *Rottb.*
Freyniana, *Bornm.*
gentilis, *Franch.*
Kesselringi, *Regel*
Kurroo, *Royle*
macrophylla, *Pall.*
— var. cyanea
Pneumonanthe, *Linn.*
pterocalyx, *Franch.*
punctata, *Linn.*
robusta, *King*
Sceptrum, *Grisb.*
septemfida, *Pall.*
Gentiana—*continued.*
stellariaefolia, *Franch.*
taliensis, *Balf. f.*
verna, *Linn.*

Geranium

armenum, *Boiss.*
collinum, *Steph.*
grandiflorum, *Hort.*
Grevilleanum, *Wall.*
ibericum, *Cav.*
libanoticum, *Boiss.* et *Blanche*
nepalense, *Sweet*
palustre, *Linn.*
platypetalum, *Franch.*
pratense, *Linn.*
— var. album
— var. bicolor
— var. roseum
Richardsonii, *Fisch.* et *Trautv.*, var. album
Robertianum, *Linn.*
roseum, *L'Herit.*
sanguineum, *Linn.*
— var. album
— var. lancastriense
— var. prostratum
sessiliflorum, *Cav.*
sylvaticum, *Linn.*
— var. Wanneri
Wallichianum, *G. Don*
Webbianum, *Hort.*

Gerbera

Anandria, *Sch. Bip.*
Delavayi, *Franch.*
Jamesoni, *Bolus*
Kunzeana, *A. Br.* et *Aschers.*
nivea, *Sch. Bip.*
ruficoma, *Franch.*

Geum

album, *J. F. Gmel.*
atrosanguineum, *Hort.*
coccineum, *Sibth.* et *Sm.*, var. grandiflorum

Geum—*continued.*
Eweni, *Hort.*
Heldreichii, *Hort.*, var.
superba.
intermedium, *Ehrh.*
macrophyllum, *Willd.*
montanum, *Linn.*
— var. corsicum
parviflorum, *Commers.*
pyrenaicum, *Mill.*
reptans, *Linn.*
rhaeticum, *Bruegg.*
rivale, *Linn.*
Rossii, *Seringe*
urbanum, *Linn.*

Gilia
nivalis, *Hérincq*
tricolor, *Benth.*

Gillenia
stipulacea, *Nutt.*
trifoliata, *Moench*

Gladiolus
palustris, *Gaud.*

Glaucium
flavum, *Crantz*

Globularia
incanescens, *Viv.*
lindavica, *Hort.*
nudicaulis, *Linn.*
trichosantha, *Fisch.* et *Mey.*
vulgaris, *Linn.*

Glyceria
aquatica *Wahlenb.*

Gnaphalium
luteo-album, *Linn.*

Goodyera
repens, *R. Br.*

Grindelia
squarrosa, *Dunal*

Gymnolomia
multiflora, *Benth.* et *Hook. f.*

Gypsophila
cerastoides, *D. Don*
elegans, *Bieb.*
— var. rosea

Haberlea
Ferdinandi-Coburgii, *Urumoff*
rhodopensis, *Frivald.*

Hacquetia
Epipactis, *DC.*

Halenia
Perrottetii, *Griseb.*

Hebenstretia
comosa, *Hochst.*
dentata, *Linn.*

Hedysarum
coronarium, *Linn.*
esculentum, *Ledeb.*
microcalyx, *Baker*
obscurum, *Linn.*
sibiricum, *Poir.*

Helenium
autumnale, *Linn.*, var. Halleri
Hoopesii, *A. Gray*

Helianthemum
canum, *Boiss.*
pilosum, *Benth.*
polifolium, *DC.*
procumbens, *Dun.*
rubellum, *Presl*
salicifolium, *Mill.*
vulgare, *Gaertn.*
— var. variegatum

Helichrysum
bellidioides, *Willd.*
callichrysum, *DC.*
graveolens, *Sweet*
lanatum, *DC.*
plicatum, *DC.*
rutidolepis, *DC.*

Heliophila
amplexicaulis, *Linn.*

Heliopsis
laevis, *Pers.*
scabra, *Dun.*, var. Pitcheriana

Helipterum
Manglesii, *F. Muell.*

Helleborus
lividus, *Ait.*

Helonias
bullata, *Linn.*

Hemiphragma
heterophyllum, *Wall.*

Heracleum
asperum, *Bieb.*
sibiricum, *Linn.*, var. angustifolium

Herniaria
cinerea, *DC.*
hirsuta, *Linn.*

Hesperis
humilis, *Boiss.*
tristis, *Linn.*

Heuchera
brizoides, *Hort.*
— var. gracillima
cylindrica, *Dougl.*
hispida, *Pursh*
rubescens, *Torr.*
sanguinea, *Engelm.*

Hieracium
alpinum, *Linn.*
Bornmülleri, *Freyn*
bupleuroides, *C. C. Gmel.*
crinitum, *Sibth.* et *Sm.*
crocatum, *Fries*
foliosum, *Waldst.* et *Kit.*
Gouani, *Hegetschw.*
gymnocephalum, *Griseb.*
humile, *Jacq.*
incisum, *Hoppe*
intybaceum, *Jacq.*
laciniatum, *Hort.*
lanatum, *Waldst.* et *Kit.*
latifolium, *Froel.*
Lemmoni, *A. Gray*
Marshallii, *Linton*
Neo-Cerinthe, *Fries*
pallidum, *Biv.*
Pilosella, *Linn.*
— var. aurantiacum
— var. monstrosum
prenanthoides, *Vill.*
pulmonarioides, *Vill.*
rubescens, *Gilib.*
stoloniflorum, *Waldst.* et *Kit.*
strictum, *Fries*
tridentatum, *Fries*
villosum, *Jacq.*

Hippocrepis
comosa, *Linn.*

Hippophaë
rhamnoides, *Linn.*

Holcus
lanatus, *Linn.*

Homeria
collina, *Vent.*

Homogyne
alpina, *Cass.*
sylvestris, *Cass.*

Horminum
pyrenaicum, *Linn.*
— var. album
— var. purpureum
— var. roseum

Hottonia
paiustris, *Linn.*

Houstonia
caerulea, *Linn.*

Hovenia
dulcis, *Thunb.*

Hutchinsia
Prostii, *J. Gay*

Hyacinthus
amethystinus, *Linn.*
azureus, *Baker*
— var. giganteus
dubius, *Guss.*

Hydrocotyle
moschata, *Forst.*

Hydrophyllum
occidentale, *A. Gray*
virginicum, *Linn.*

Hymenophysa
pubescens, *C. A. Mey.*

Hyoscyamus
niger, *Linn.*

Hypecoum
leptocarpum, *Hook. f.* et *Thoms.*

Hypericum
Androsaemum, *Linn.*
elatum, *Ait.*
fragile, *Heldr.* et *Sart.*

Hypericum—*continued.*
Gebleri, *C. A. Mey.*
hircinum, *Linn.*
hyssopifolium, *Vill.*
inodorum, *Mill.*
intermedium, *Steud.*
montanum, *Linn.*
perforatum, *Linn.*
polyphyllum, *Boiss.*
repens, *Linn.*
Richeri, *Vaill.*, var. Burseri, *Spach*
tetrapterum, *Fries*

Hypochoeris
glabra, *Linn.*
maculata, *Linn.*
taraxacoides, *Benth.* et *Hook. f.*

Hyptis
pectinata, *Poit.*

Hyssopus
officinalis *Linn.*

Iberis
Jordani, *Boiss.*
odorata, *Linn.*
Pruiti, *Tineo*
semperflorens, *Linn.*
sempervirens, *Linn.*
— var. Garrexiana
— var. superba
umbellata, *Linn.*

Ilex
Aquifolium, *Linn.*
— var. argentea medio-picta
— var. argentea pendula
— var. aurantiaca marginata
— var. aurea angustifolia
— var. aurea marginata
— var. aurea medio-picta
— var. camelliaefolia
— var. flavescens

Ilex—*continued.*
— var. handsworthensis
— var. Hodginsii
— var. intermedia
— var. lurida variegata
— var. maderensis
— var. platyphylla

Impatiens
Noli-me-tangere, *Linn.*
Roylei, *Walp.*

Incarvillea
Delavayi, *Bur.* et *Franch.*

Inula
macrophylla, *Sch. Bip.*

Ionopsidium
acaule, *Reichb.*

Iris
bucharica, *Foster*
Chamaeiris, *Bertol.*
Clarkei, *Baker*
Douglasiana, *Herb.*
foetidissima, *Linn.*
Forrestii, *Dykes*
graminea, *Linn.*
humilis, *Bieb.*
juncea, *Poir.*
— var. lusitanica
Junoniana, *Kotschy*
kumaonensis, *Wall.*
laevigata, *Fisch.*
lurida, *Ait.*
Pseudacorus, *Linn.*
— var. variegata
pulchella, *Regel*
pumila, *Linn.*
— var. cyanea
— var. formosa
sibirica, *Linn.*
— var. alba
— var. coreana
— var. orientalis
— var. sanguinea

Iris—*continued.*
sordida, *Willd.*
Talischi, *Foster*
tridentata, *Pursh*
virescens, *Delar.*
virginica, *Linn.*
Wilsoni, *C. H. Wright*

Isatis
alpina, *All.*
tinctoria, *Linn.*

Ixia
speciosa, *Andr.*, var. major

Jasione
humilis, *Loisel.*
perennis, *Lam.*

Jasminum
Beesianum, *G. Forrest* et *Diels*
humile, *Linn.*

Juncus
alpinus, *Vill.*
arcticus, *Willd.*
biglumis, *Linn.*
bufonius, *Linn.*
effusus, *Linn.*
— var. variegatus
glaucus, *Sibth.*
squarrosus, *Linn.*

Kalmia
angustifolia, *Linn.*, var. rubra

Kniphofia
aloides, *Moench*
Tuckii, *Baker*

Laburnum
Adami ×, *Lavall.*
alpinum, *J. S. Presl*

Laburnum—*continued.*
Vossii, *Hort.*
vulgare, *J. S. Presl*
— var. Alschingeri, *Briq.*
— var. Carlieri, *Hort.*
— var. quercifolium
Watereri, *Hort.*

Lactuca
Dubyaea, *C. B. Clarke*
Forrestii, *W. W. Smith*
grandiflora, *Franch.*
perennis, *Linn.*
Plumieri, *Gren.* et *Godr*
Scariola, *Linn.*
thianschanica, *Hort.*

Lagenophora
Barkeri, *T. Kirk*
Forsteri, *DC.*
petiolata, *Hook. f.*

Lamium
album, *Linn.*
maculatum, *Linn.*
— var. album
Orvala, *Linn.*
puralbum ×.
striatum, *Sibth.* et *Sm.*

Lapeyrousia
juncea, *Pourr.*

Laserpitium
gallicum, *Linn.*
marginatum, *Waldst.* et *Kit.*
Siler, *Linn.*

Lathraea
Clandestina, *Linn.*

Lathyrus
luteus, *Baker*
— var. aureus
maritimus, *Bigel.*
niger, *Bernh.*
Nissolia, *Linn.*

Lathyrus—*continued.*
sphaericus, *Retz.*
undulatus, *Boiss.*
variegatus, *Gren.* et *Godr.*
venosus, *Muhl.*
vernus, *Bernh.*
— var. azureus

Lavandula
multifida, *Linn.*
vera, *DC.*
— var. compacta

Lavatera
arborea, *Linn.*
cretica, *Linn.*
plebeia, *Sims*

Ledum
palustre, *Linn.*
— var. latifolium, *Michx.*

Leontodon
hastilis, *Linn.*
hispidus, *Linn.*

Leontopodium
alpinum, *Cass.*
— var. himalaicum
— var. transsylvanicum
hybridum, *Hort.*
japonicum, *Miq.*
lindavicum, *Hort.*

Lepidium
campestre, *R. Br.*
monticolum, *Hort.*
pubicarpum, *A. Nelson*

Leptarrhena
amplexifolia, *R. Br.*

Leptosyne
Stillmannii, *A. Gray*

Lereschia

Flahaultii, *Woronow*

Leucojum

aestivum, *Linn.*

Levisticum

officinale, *Koch*

Leycesteria

formosa, *Wall.*

Liatris

spicata, *Willd.*

Libertia

formosa, *R. Grah.*
grandiflora, *Sweet*
ixioides, *Spreng.*

Ligusticum

acutilobum, *Sieb.* et *Zucc.*
aromaticum, *Banks* et *Soland.*

Ligustrum

acuminatum, *Koehne*
Ibota, *Sieb.*
ovalifolium, *Hassk.*
vulgare, *Linn.*
— var. italicum

Lilium

giganteum, *Thunb.*
Martagon, *Linn.*
pardalinum, *Kellogg*
pomponium, *Linn.*
sulphureum, *Baker* (bulbils)
umbellatum, *Hort.*, var. croceopunctatum

Limnanthes

Douglasii, *R. Br.*

Linaria

alpina, *Mill.*
— var. rosea

Linaria—*continued.*

anticaria, *Boiss.* et *Reut.*
Broussonnetii, *Chav.*
Hendersoni, *Hort.*
macedonica, *Griseb.*
pallida, *Tenore*
pilosa, *DC.*
Sibthorpiana, *Boiss.* et *Reut.*,
var. peloponnesiaca
supina, *Desf.*
triornithophora, *Willd.*
tristis, *Mill.*

Lindelofia

spectabilis, *Lehm.*

Linum

angustifolium, *Huds.*
arboreum, *Linn.*
campanulatum, *Linn.*
catharticum, *Linn.*
Chamissonis, *Schiede*
maritimum, *Linn.*
monogynum, *Forst.*
salsoloides, *Lam.*

Lithospermum

fruticosum, *Linn.*
graminifolium, *Viv.*
prostratum, *Loisel.*
— var. coerulescens
purpureo-caeruleum, *Linn.*

Loasa

lateritia, *Gill.*
triphylla, *Juss.*

Lobelia

erecta, *Hook. f.* et *Thoms.*
Erinus *Linn.*, var. compacta caerulea
linnaeoides. *Petrie*

Lolium

perenne, *Linn.*

Lonicera

alpigena, *Linn.*
bella, *Zabel*, var. atro-rosea
hirsuta, *Eaton*
macrophylla, *Willd.*
Morrowii, *A. Gray*
orientalis, *Lam.*
Periclymenum, *Linn.*
quinquelocularis, *Hardw.*
rupicola, *Hook. f.* et *Thoms.*
salicifolia, *Zabel*
Stabiana, *Guss.*
Sullivantii, *A. Gray*
translucens, *Carr.*

Lopezia

minima, *Lag.*
racemosa, *Cav.*

Lophanthus

scrophulariaefolius, *Benth.*

Lophosciadium

meifolium, *DC.*

Lotus

corniculatus, *Linn.*
hispidus, *Desf.*
tenuifolius, *Presl.*

Lunaria

annua, *Linn.*

Lupinus

arboreus, *Linn.*
— var. violaceus
luteus, *Linn.*
micranthus, *Dougl.*
nootkatensis, *Donn*
polycarpus, *Greene*
polyphyllus, *Lindl.*
— var. albus.
— var. Moerheimi
— var. roseus
— var. violaceus

Luzula

albida. *DC.*
campestris, *DC.*

Lychnis

affinis, *J. Vahl*
alba, *Mill.*
alpina, *Linn.*, var. lapponica
chalcedonica, *Linn.*
Coeli-rosa, *Desr.*
coronaria, *Desr.*
corsica, *Loisel.*
dioica, *Linn.*
divaricata, *Reichb.*
Flos-cuculi, *Linn.* var. alba
Flos-Jovis, *Desr.*
Haageana, *Lemaire*
nigrescens, *Edgew.*, var.
Preslii, *Sekera*
pyrenaica, *Berger*
tenuis, *Willd.*
triflora, *R. Br.*
Viscaria, *Linn.*
— var. splendens

Lyperia

violacea, *Benth.*

Lysimachia

barystachys, *Bunge*
Delavayi, *Franch.*
decurrens, *Forst.*
Leschenaultii, *Duby*
lichiangensis, *G. Forrest*
violascens, *Franch.*

Lythrum

virgatum, *Linn.*

Macrotomia

echioides, *Boiss.*

Madia

elegans, *D. Don*

Malcomia

flexuosa, *Sibth.* et *Sm.*
maritima, *R. Br.*

Malva

moschata, *Linn.*
nicaeensis, *All.*
sylvestris, *Linn.*

Margyricarpus

setosus, *Ruiz* et *Pav.*

Marrubium

peregrinum, *Linn.*

Matricaria

grandiflora, *Fenzl*

Matthiola

bicornis, *DC.*
fenestralis, *R. Br.*
tricuspidata, *R. Br.*

Meconopsis

aculeata, *Royle*
cambrica, *Vig.*
— var. fl. pl.
grandis, *Prain*
heterophylla, *Benth.*
integrifola, *Franch.*
napaulensis, *DC.*
paniculata, *Prain*
racemosa, *Maxim.*
rudis, *Prain*
simplicifolia, *G. Don*
sinuata, *Prain*
— var. latifolia
Wallichii, *Hook.*

Medicago

arborea, *Linn.*
Aschersoniana, *Urban*
carstiensis, *Wulf.*
falcata, *Linn.*
lupulina, *Linn.*
sativa, *Linn.*

Melica

altissima, *Linn.*
nutans, *Linn.*

Melilotus

alba, *Desr.*
officinalis, *Lam.*

Melittis

Melissophyllum. *Linn.*
— var. alba.

Melochia

corchorifolia, *Linn.*

Mentha

piperita, *Linn*

Menziesia

globularis, *Salisb.*

Mercurialis

annua, *Linn.*

Mertensia

echioides, *Benth.*
primuloides, *C. B. Clarke*
sibirica, *G. Don*
tibetica, *C. B. Clarke*

Mesembryanthemum

criniflorum, *Linn.*

Meum

athamanticum, *Jacq.*

Microglossa

albescens, *C. B. Clarke*

Micromeria

croatica, *Schott*

Microsteris

micrantha, *Greene*

Microula

sikkimensis, *Hemsl.*

Milium

effusum, *Linn.*

Mimulus

Burnettii ×.
cardinalis, *Dougl.*
cupreus, *Regel*
Langsdorffii, *Donn*
Lewisii, *Pursh*
luteus, *Linn.*
— var. alpinus
primuloides, *Benth.*
Pulsiferae, *A. Gray*
radicans, *Hook. f.*
ringens, *Linn.*

Mitchella

repens, *Linn.*

Mitella

pentandra, *Hook.*

Monotoca

scoparia, *R. Br.*

Morina

Delavayi, *Franch.*
longifolia, *Wall.*

Muehlenbeckia

ephedroides, *Hook. f.*

Mulgedium

Bourgaei, *Boiss.*

Muscari

alpinum, *J. Gay*
Argaei, *Hort.*
armeniacum, *Baker*
Aucheri, *Baker*
botryoides, *Mill.*
— var. pallidum
elegans, *Hort.*

Myosotis

alpestris, *F. W. Schmidt*
australis, *R. Br.*
corsica, *Hort.*

Myosotis—*continued.*

Forsteri, *Lehm.*
macrantha, *Hort.*
olympica, *Boiss.*
palustris, *Lam.*
pygmaea, *Colenso*
stricta, *Link*, var. alba
Traversii, *Hook. f.*
Welwitschii, *Boiss.* et *Reut.*

Myosurus

minimus, *Linn.*

Myriactis

Wallichii, *Less.*

Myricaria

germanica, *Desv.*

Myrrhis

odorata, *Scop.*

Narcissus

Bulbocodium, *Linn.*, var. citrinus
cyclamineus, *Baker*
Jonquilla, *Linn.*.

Nardostachys

grandiflora, *DC.*
Jatamansi, *DC.*

Neillia

opulifolia, *Benth.* et *Hook. f.*
— var. lutea
Torreyi, *S. Wats.*

Nemophila

insignis, *Benth.*
integrifolia, *Abrams*
Menziesii, *Hook.* et *Arn.*, var. atomaria

Nepeta

cilicica, *Boiss.*
concolor, *Boiss.* et *Heldr.*
distans, *Royle*

Nepeta—*continued.*
eriostachys, *Benth.*
kokanica, *Regel*
lamiopsis, *Benth.*
longiflora, *Vent.*
Nepetella. *Linn.*
racemosa, *Lam.*, var. crassifolia
Sibthorpii, *Benth.*
Stewartiana, *Diels*
ucranica, *Linn.*

Nicotiana
alata, *Link* et *Otto*

Noccaea
alpina, *Reichb.*

Nolana
paradoxa, *Lindl.*

Nuttallia
cerasiformis, *Torr.* et *Gray*

Odontospermum
aquaticum, *Sch. Bip.*

Oenanthe
crocata, *Linn.*
silaifolia, *Bieb.*

Oenothera
acaulis, *Cav.*
amoena, *Lehm.*
glauca, *Michx.*
missouriensis, *Sims*
pumila, *Linn.*
rosea, *Ait.*
triloba, *Nutt.*

Olearia
Haastii, *Hook. f.*
ilicifolia, *Hook. f.*
macrodonta, *Baker*
myrsinoides, *F. Muell.*
nummularifolia, *Hook. f.*
stellulata, *DC.*

Omphalodes
amplexicaulis, *Lehm.*
linifolia, *Moench*
Luciliae, *Boiss.*

Onobrychis
Gaertneriana, *Boiss.*
saxatilis, *Lam.*
viciaefolia, *Scop.*

Ononis
antiquorum, *Linn.*
fruticosa. *Linn.*
rotundifolia, *Linn.*
spinosa, *Linn.*

Onopordon
Acanthium, *Linn.*
bracteatum, *Boiss.* et *Heldr.*

Onosma
albo-roseum, *Fisch.* et *Mey.*
cassium, *Boiss.*

Onosmodium
Thurberi, *A. Gray*

Ophiopogon
Jaburan, *Lodd.*

Opopanax
Chironium, *Koch*

Orchis
foliosa, *Soland.*
latifolia, *Linn.*
maculata, *Linn*, var. superba

Ornithogalum
agnaticum, *Hort.*
nutans, *Linn.*
oligophyllum, *Clarke*
pyrenaicum, *Linn.*
umbellatum, *Linn.*, var. Leichtlinii, *Hort.*

Orobanche

rubra, *Sm.*

Oryzopsis

miliacea, *Benth.* et *Hook. f.*

Osteospermum

moniliferum, *Linn.*

Oxalis

Acetosella, *Linn.*
corniculata, *Linn.*
— var. atropurpurea
— var. tropaeoloides
floribunda, *Lehm.*
— var. alba
valdiviensis, *Barn.*

Oxyria

digyna, *Hill*

Oxytropis

argentata, *Pers.*
baicalensis, *Pall.*
campestris, *DC.*
foetida, *DC.*
ochroleuca, *Bunge*
pilosa, *DC.*
sordida, *Pers.*
uralensis, *DC.*

Paeonia

anomala, *Linn.*
— var. insignis
decora, *Anders.*, var. elatior
foemina, *Hort.*
lutea, *Franch.*
Mlokosewitschii, *Lomak.*
officinalis, *Linn.*, var. anemonaeflora
Veitchii, *Lynch*
Wittmanniana, *Hartwiss*

Panicum

sanguinale, *Linn.*

Papaver

alpinum, *Linn.*
anomalum, *Hort.*
glaucum, *Boiss.* et *Hausskn.*
monanthum, *Trautv.*
nudicaule, *Linn.*
— var. coccineum
— var. miniatum
— var. radicatum
obtusifolium, *Desf.*
pilosum. *Sibth.* et *Sm.*
Rhoeas, *Linn.*, var. pinnatum
rupifragum, *Boiss.* et *Reut.*
spicatum, *Boiss.* et *Bal.*
strigosum, *Schur.*
triniaefolium, *Boiss.*

Paracaryum

glochidiatum, *Benth.* et *Hook. f.*

Paradisea

Liliastrum, *Bertol.*

Parietaria

lusitanica, *Linn.*
officinalis, *Linn.*

Parnassia

asarifolia, *Vent.*
palustris, *Linn.*

Parrya

microcarpa, *Ledeb.*

Pectis

linifolia, *Linn.*

Pedicularis

superba, *Franch*

Peltaria

alliacea, *Jacq*

Pennisetum

longistylum, *Hochst.*
macrourum, *Trin.*

Pentstemon

antirrhinoides, *Benth.*
arizonicus, *Heller*
breviflorus, *Lindl.*
campanulatus, *Willd.*
Cobaea, *Nutt.*
confertus, *Dougl.*
— var. coeruleo-purpureus
deustus, *Dougl.*
diffusus, *Dougl.*
glaber, *Pursh*, var. alpinus
— var. cyananthus
humilis, *Nutt.*
Menziesii, *Hook.*
— var. Newberryi
— var. Scouleri
pubescens, *Soland.*
Richardsonii, *Dougl.*
Watsoni, *A. Gray*

Perezia

multiflora, *Less.*

Pernettya

mucronata, *Gaudich.*

Petteria

ramentacea, *Presl*

Peucedanum

angustifolium, *Reichb.*
officinale, *Linn.*
Ostruthium, *Koch*
verticillare, *Spreng.*

Phacelia

campanularia, *A. Gray*
Parryi, *Torr.*
tanacetifolia, *Benth.*

Phalaris

arundinacea, *Linn.*

Philadelphus

coronarius, *Linn.*
Gordonianus, *Lindl.*
Lewisii, *Pursh*
microphyllus, *A. Gray*
Satsumi, *Siebold*, var. acuminatus

Phleum

Boehmeri, *Wibel*

Phlomis

cashmeriana, *Royle*
fruticosa, *Linn.*
samia, *Linn.*
umbrosa, *Turcz.*, var. australis
viscosa, *Poir.*

Phragmites

communis, *Trin.*

Phygelius

capensis, *E. Mey.*

Physalis

Alkekengi, *Linn.*

Physaria

didymocarpa, *A. Gray*

Phyteuma

anthericoides, *Nym.*
campanuloides, *Bieb.*
canescens, *Waldst.* et *Kit.*
limonifolium, *Sibth.* et *Sm.*
Michelii, *All.*
orbiculare, *Linn.*
Scheuchzeri, *All.*
— var. Charmelii, *Vill.*
Sibthorpianum, *Roem.* et *Schult.*
Sieberi, *Spreng.*
spicatum, *Linn.*

Picris

hieracioides, *Linn.*

Pimpinella

magna, *Linn.*, var. rosea
Saxifraga, *Linn.*, var. rosea

Pisum

formosum, *Alef.*
humile, *Boiss.* et *Noe*
sativum, *Linn.*

Plantago

arborescens, *Poir.*
argentea, *Chaix*
Brownii, *Rafin.*
carinata, *Schrad.*
Cynops, *Linn.*
insularis, *Eastw.*
lanceolata, *Linn.*, var. nitens
— var. variegata
major, *Linn.*
— var. monstrosa
— var. rubra
media, *Linn.*
Raoulii, *Decne.*

Platycodon

grandiflorum, *A. DC.*, var. Mariesii

Platystemon

californicus, *Benth.*

Pleurogyne

Forrestii, *Balf. f.*

Pluchea

Bulleyana, *J. F. Jeffrey*

Poa

pannonica, *Kern.*

Podolepis

aristata, *Benth.*

Podophyllum

Emodi, *Wall.*

Polemonium

boreale, *Adams*
caeruleum, *Linn.*
— var. album
— var. monstrosum
filicinum, *Greene*
flavum, *Greene*
foliosissimum, *A. Gray*
grandiflorum, *Benth.*
viscosum, *Nutt.*

Polygala

major, *Jacq.*

Polygonum

alatum, *Buch.-Ham.*
alpinum, *All.*
capitatum, *Buch.-Ham.*
divaricatum, *Linn.*
Emodi, *Meissn.*

Polypogon

monspeliensis, *Desf.*

Potentilla

adscharica, *Somm.* et *Lev.*
alchemilloides, *Lapeyr.*
alpestris, *Hall. f.*, var. semiplena
ambigua, *Cambess.*
apennina, *Tenore*
argentea, *Linn.*
— var. calabra.
argyrophylla, *Wall.*
bifurca, *Linn.*
Brennia ×, *Huter*
concolor, *Rolfe*
crassinervia, *Vis.*
crinita, *A. Gray*
Cryptotaeniae, *Maxim.*
delphinensis, *Gren.* et *Godr.*
Dickinsii, *Franch.* et *Sav.*
dissecta, *Pursh*
Dombeyi, *Nestl.*
effusa, *Dougl.*
flagellaris, *Willd.*

Potentilla—*continued.*
Friedrichsenii ×, *Späth*
fruticosa, *Linn.*
— var. glabrata
— var. tenuifolia
fulgens, *Wall.*
glandulosa, *Lindl.*
gracilis, *Dougl.*
grandiflora, *Linn.*
Herbichii, *Blocki*
Hippiana, *Lehm.*
kurdica, *Boiss.* et *Hohen.*
Leschenaultiana, *Sm.*
Macnabiana ×, *Lem.*
montenegrina, *Pantoč*
Mooniana, *Wight*
multiflora, *Hort.*
nepalensis, *Hook.*
— var. Willmottiana
nivea, *Linn.*
opaca, *Linn.*
palustris, *Scop.*
peduncularis, *D. Don*
pensylvanica, *Linn.*
pulcherrima, *Lehm.*
recta, *Linn.*, var. laciniata
— var. pedata
— var. sulphurea
rupestris, *Linn.*
Rydbergiana, *Rose*
sanguisorbifolia, *F. O. Wolf*
Sibbaldi, *Hall. f.*
speciosa, *Willd.*
Tormentilla, *Neck.*
tridentata, *Soland.*
verna, *Linn.*

Poterium

canadense, *A. Gray*
officinale, *A. Gray*
rhodopeum, *Velen.*
Sanguisorba, *Linn.*

Pratia

angulata, *Hook. f.*
— var. arenaria

Prenanthes

purpurea, *Linn.*

Primula

admontensis ×, *Gusm.*
algida, *Adam.*
apennina, *Wid.*
Auricula, *Linn.*
Beesiana, *G. Forrest*
Bulleyana, *G. Forrest*
capitata, *Hook. f.*
Cockburniana, *Hemsl.*
cortusoides, *Linn.*, var. lichiangensis, *G. Forrest*
deflexa, *Duthie*
elatior, *Hill*, var. carpatica
— var. gigantea
erosa, *Wall.*
floribunda, *Wall.*
frondosa, *Hort.*
helvetica ×, *Donn*, var. alba
imperialis, *Jungh.*
involucrata, *Wall.*, var. Munroi
japonica, *A. Gray*
— var. lilacina
japonica × Bulleyana
leucophylla, *Pax*
Lindsayi, *Hort.*
Littoniana, *G. Forrest*
luteola, *Rupr.*
marginata, *Curt.*
obtusifolia, *Royle*
officinalis, *Jacq.*
— var. Columnae
Palinuri, *Petag.*
Paxiana, *Gilg*
pedemontana, *Thom.*
Poissoni, *Franch.*
pubescens ×, *Jacq.*
pulverulenta, *Duthie*
Reidii, *Duthie*
rosea, *Royle*
rotundifolia, *Wall.*
saxatilis, *Komarov*
septemloba, *Franch.*
sibirica, *Jacq.*, var. chinensis

Primula—*continued.*
sikkimensis, *Hook. f.*
suffrutescens, *A. Gray*
unique ×, *Veitch*
Veitchii, *Duthie*
viscosa, *Vill.*
— var. ciliata
yunnanensis, *Franch.*

Prosartes
oregana, *S. Wats.*

Prunella
grandiflora, *Jacq.*
— var. pinnatifida
— var. rosea
hyssopifolia, *Linn.*
laciniata, *Linn.*
vulgaris, *Linn.*

Prunus
acida, *Borkh.*, var. semperflorens
Avium. *Linn.*
Laurocerasus, *Linn.*, var. colchica

Przewalskia
tangutica, *Maxim.*

Ptelea
trifoliata, *Linn.*
— var. aurea

Pterotheca
bifida, *Fisch.* et *Mey.*

Puschkinia
scilloides, *Adams*

Pyrola
rotundifolia, *Linn.*

Pyrus
alnifolia, *Franch.* et *Sav.*
alpina, *Willd.*
americana, *DC.*
arbutifolia, *Linn. f.*
Aria, *Linn.*
— var. obtusata
— var. salicifolia, *Hort.*
Aucuparia, *Gaertn.*
— var. satureiaefolia, *Hort*
baccata, *Linn.*
— var. cerasifera
— var. maxima
canescens, *Spach*
germanica, *Hook. f.*
glabrata, *Hort.*
Hostii, *Hort.*
hybrida, *Moench*
intermedia, *Ehrh.*
pinnatifida, *Ehrh.*
prunifolia, *Willd.*
— var. fructu luteo
Ringo, *Maxim.*, var. fastigiata bifera, *Hort.*
rivularis, *Dougl.*
rotundifolia, *Bechst.*
spectabilis, *Ait.*, var. flore roseo
Toringo, *Sieb.*
Torminalis, *DC.*

Ramondia
pyrenaica, *Rich.*
— var. rosea

Ranunculus
aconitifolius, *Linn.*
acris, *Linn.*
alpestris, *Linn.*
amplexicaulis, *Linn.*
bulbosus, *Linn.*, var.
caucasicus, *Bieb.*
Ficaria, *Linn.*
— var. albus
gracilis, *Clarke*
gramineus, *Linn.*
lanuginosus, *Linn.*
lappaceus, *Sm.*
Lingua, *Linn.*

Ranunculus—*continued.*
montanus, *Willd.*
Munroi, *Hook. f.*
nemorosus, *DC.*
orthorhynchus, *Hook.*
pensylvanicus, *Linn.*
pygmaeus, *Wahlenb.*
sceleratus, *Linn.*
serbicus, *Vis.*
velutinus, *Tenore*
Weyleri, *Marès*

Rehmannia
angulata, *Hemsl.*

Reseda
alba, *Linn.*
complicata, *Bory*
decursiva, *Forsk.*, var. foliosa
glauca, *Linn.*
odorata, *Linn.*

Rhamnus
californica, *Eschsch.*
caroliniana, *Walt.*
Frangula, *Linn.*

Rheum
acuminatum, *Hook. f.* et *Thoms.*
Franzenbachii, *Muent.*
Rhaponticum, *Linn.*

Rhododendron
catawbiense, *Michx.*
caucasicum, *Pall.*
ciliatum, *Hook. f.*
ferrugineum, *Linn.*
— var. album
— var. atrococcineum
— var. grandiflorum
— var. hybridum
— var. majus
flavum, *G. Don*
glaucum, *Hook. f.*
hirsutum, *Linn.*

Rhododendron—*continued.*
hirsutum, *Linn.*, var. album
kamtschaticum, *Pall.*
latifolium, *Hoffmgg.*
myrtifolium, *Schott* et *Kotschy*
ponticum, *Linn.*
Thomsoni, *Hook. f.*
virgatum, *Hook. f.*

Rhodotypos
kerrioides, *Sieb.* et *Zucc.*

Rhus
glabra, *Linn.*

Ribes
aureum, *Pursh*, var. leiobotrys
sanguineum, *Pursh*
— var. albidum
— var. atrosanguineum
— var. glutinosum

Rodgersia
pinnata, *Franch.*, var. rosea
podophylla, *A. Gray*
tabularis, *Hemsl.*

Rosa
acicularis, *Lindl.*
alpina, *Linn.*
— var. pyrenaica
blanda, *Ait.*
californica, *Schlecht.*, var. pisocarpa
ferox, *Bieb.*
gallica, *Linn.*
glauca, *Vill.*
Jundzilli, *Besser*
laxa, *Retz.*
macrophylla, *Lindl.*
Malyi, *Kern.*
moschata, *Herrm.*
nitida, *Willd.*
pomifera, *Herrm.*
rugosa, *Thunb.*
— var. alba

Rosa—*continued.*
sericea, *Lindl.*
spinosissima, *Linn.*
— var. rubra
tomentosa, *Sm.*
villosa, *Linn.*, var. pomifera
Webbiana. *Wall.*

Rubus
Idaeus, *Linn.*
laciniatus, *Willd.*
nutkanus, *Linn.*
odoratus, *Linn.*
phoenicolasius, *Maxim.*
rosaefolius, *Sm.*
xanthocarpus, *Bur.* et *Franch.*

Rudbeckia
triloba, *Linn.*

Rumex
alpinus, *Linn.*
chrysocarpos, *Moris*
dentatus, *Linn.*
flexuosus, *Soland.*
intermedius, *DC.*
nepalensis, *Spreng.*
obtusifolius, *Linn.*
occidentalis, *S. Wats.*
roseus, *Linn.*
salicifolius, *Weinm.*
scutatus, *Linn.*

Ruta
graveolens, *Linn.*
macrophylla, *Soland.*

Sagina
Linnaei, *Presl*
nivalis, *Fries*
nodosa, *Fenzl*
occidentalis, *S. Wats.*
procumbens, *Linn.*

Salsola
Kali, *Linn.*

Salvia
acetabulosa, *Linn.*
azurea, *Lam.*
bracteata, *Russ.*
cleistogama, *De Bary* et *Paul*
flava, *G. Forrest*, var. megalantha, *Diels*
frigida, *Boiss.*
glutinosa, *Linn.*
grandiflora, *Etling.*
Horminum, *Linn.*
— var. violacea
hians, *Royle*
officinalis, *Linn.*
orgyalis, *Fenzl*
patens, *Cav.*
— var. alba
pratensis, *Linn.*
— var. alba
— var. rosea
Przewalskii, *Maxim.*
purpurea, *Cav.*, var. rosea
Roemeriana, *Scheele*
Sclarea, *Linn.*
— var. alba
Souliei, *Hort.*
sylvestris, *Linn.*
tiliaefolia, *Vahl*
verbascifolia, *Bieb.*
— var. kurdica
verticillata, *Linn.*
virgata, *Ait.*

Sambucus
canadensis, *Linn.*
— var. aurea
nigra, *Linn.*
— var. variegata
— var. virescens
racemosa, *Linn.*

Samolus
Valerandi, *Linn.*

Sanicula
europaea, *Linn.*

Saponaria

caespitosa, *DC.*
lutea, *Linn.*
pulvinaris, *Boiss.*
Vaccaria, *Linn.*

Sarothra

gentianoides, *Lour.*

Satureia

cuneifolia, *Tenore*
montana, *Linn.*
— var. amoena
— var. illyrica
— var. pygmaea

Saussurea

alpina, *DC.*
candicans, *C. B. Clarke*
discolor, *DC.*
salicifolia, *DC.*
vestita, *Franch.*

Saxifraga

Aizoon, *Jacq.*, f. brevifolia
— f. La-graveana
— f. lutea
— f. microphylla
— f. minor
— f. robusta
— f. sempervivoides
Allionii, *Terrac.*
Burseriana, *Linn.*, var. minor
— var. speciosa
caesia, *Linn.*
caespitosa, *Linn.*
— var. palmata.
Camposii, *Boiss.* et *Reut.*
canaliculata, *Boiss.* et *Reut.*
cernua, *Linn.*
cernua × granulata
Churchilli ×
Clarkei, *Sünd.*
cochlearis, *Reichb.*
— var. minor
Cotyledon, *Linn.*
— var. montavoniensis

Saxifraga—*continued.*

Cotyledon, var. pyramidalis
cuneata, *Willd.*
cuneifolia, *Linn.*
decipiens, *Ehrh.*, f. adscendens
— f. elongella
— f. gemmifera
— f. globosa
— f. grandiflora
— f. hibernica
— f. hirta
— f. incurvifolia
— f. Kingii
— f. platypetala
— f. pulchella
— f. Sternbergii
exarata, *Vill.*
flagellaris, *Willd.*
geranioides, *Linn.*
Geum, *Linn.*
— f. ovalifolia
— f. reniformis
— f. rotundifolia repanda
gibraltarica, *Boiss.* et *Reut.*
granulata, *Linn.*
Grenieri ×.
Gusmusii ×, *Sünd.*
Hostii, *Tausch.*
— var. altissima
hybrida ×, *Sternb.*, var. splendens
hypnoides, *Linn.*
intacta, *Willd.*
integrifolia, *Hook.*
irrigua, *Bieb.*
laevis, *Bieb.*
lingulata, *Bell.*
luteo-purpurea, *Sternb.*
luteo-viridis, *Schott* et *Kotschy*
media, *Gouan*
Mertensiana, *Bong.*
micrantha, *Edgew.*
muscoides, *Wulf.*
— var. pygmaea
mutata, *Linn.*

Saxifraga—*continued.*
nervosa, *Miegev.*
obscura, *Gren.* et *Godr.*
paradoxa, *Sternb.*
pedatifida, *Ehrh.*
pedemontana, *All.*, f. aromatica
— var. cervicornis
peltata, *Torr.* et *Gray*
pensylvanica, *Linn.*
pentadactylis, *Lapeyr.*
— f. Allionii
perdurans, *Kit.*
petraea, *Linn.*
— var. Blavii, *G. Beck*
Petraschii ×
Portae ×
pseudo-sancta, *Janka*
pubescens, *Pourr.*
racemiflora ×
Regeli ×, *Kerner*
rhaetica, *Hort.*
Rossii, *Oliver*
rotundifolia, *Linn.*
— f. graeca
— f. heucherifolia
— f. hirsuta
Schotti ×
Sibthorpii, *Boiss.*
Stansfieldi ×
Sternbergii, *Willd.*
strigosa, *Wall.*
Stuartii ×
— var. rosea
tellimoides, *Maxim.*
tenella, *Wulf.*
tyrolensis ×, *A. Kern.*
umbrosa, *Linn.*
— f. Colvillei
— f. elegans
— f. Ogilvieana
— f. primuloides
— f. punctata
— f. serratifolia
— f. — Melvillei
— f. variegata
vochinensis, *Gusm.*
Wallacei ×, *M'Nab*
Webbiana, *Hort.*
Zelebori, *Schott*

Saxifraga—*continued.*

Scabiosa

caucasica, *Bieb.*
graminifolia, *Linn.*
gramuntia, *Linn.*
holosericea, *Bert.*
lucida, *Vill.*
magnifica, *Benth.* et *Hook. f.*
ochroleuca, *Linn.*, var. Webbiana, *D. Don*
Portae, *Huter*
Pterocephala, *Linn.*
silenifolia, *Waldst.* et *Kit.*
spathulata, *D. Dietr.*
Succisa, *Linn.*
— var. alba
tomentosa, *Cav.*

Scandix

brachycarpa, *Guss.*
Pecten-Veneris, *Linn.*

Scilla

amoena, *Linn.*
autumnalis, *Linn.*
bifolia, *Linn.*
hispanica, *Mill.*

Scirpus

lacustris, *Linn.*, var. Tabernaemontani

Scrophularia

alata, *Gilib.*
auriculata, *Linn.*
Kotschyana, *Benth.*, var. lutea
nodosa, *Linn.*
peregrina, *Linn.*
rupestris, *Bieb.*
vernalis, *Linn.*

Scutellaria

alpina, *Linn.*
altissima, *Linn.*

Scutellaria—*continued.*
galericulata, *Linn.*
hirta, *Sibth.* et *Sm.*
indica, *Linn.*, var. japonica
peregrina, *Linn.*
splendens, *Link*, *Klotzsch* et *Otto*

Sedum
acre, *Linn.*
Aizoon, *Linn.*
— f. major
album, *Linn.*
altaicum, *G. Don*
Anacampseros, *Linn.*
asiaticum, *Spreng.*
Brownii, *Hort.*
Ewersii, *Ledeb.*
hybridum, *Linn.*
magellense, *Tenore*
Maximowiczii, *Regel*
maximum, *Suter*
— var. purpureum
oppositifolium, *Sims*
pallidum, *Bieb.*, var. roseum
pilosum, *Bieb.*
populifolium, *Pall.*
rhodanthum, *A. Gray*
roseum, *Scop.*
— var. Scopoli
rupestre, *Linn.*
— var. collinum
Selkirkii, *Hort.*
sempervivoides, *Fisch.*
stoloniferum, *S. T. Gmel.*, var. ibericum
Telephium, *Linn.*
— var. purpureum

Selinum
Benthami, *S. Wats.*
pyrenaeum, *Gouan*
tenuifolium, *Wall.*
— var. album

Sempervivum
arenarium, *Koch*
arvernense, *Lecoq* et *Lamotte*

Sempervivum—*continued.*
barbatum, *C. Sm.*
Boutignyanum, *Billot* et *Gren.*
Delponti, *Hort.*
Funckii, *F. Braun*
glaucum, *Tenore*
Hookeri, *Hort.*
montanum, *Linn.*
Pomelii, *Lamotte*
ponticum, *Hort.*
sanguineum, *Jeanb.*
Schottii, *Baker*, var. acuminatum
spinulifolium, *Lagg.*
tectorum, *Linn.*
— var. densum
— var. glaucum
— var. pulchrum
— var. robustum
triste, *Hort.*, var. bicolor
— var. sanguineum
Verloti, *Lamotte*

Senebiera
pinnatifida, *DC.*

Senecio
abrotanifolius, *Linn.*, var. grandiflorus
— var. tyrolensis
acuminatus, *Wall.*
adonidifolius, *Loisel.*
aurantiacus, *Reichb.*
bellidioides, *Hook. f.*
campestris, *DC.*
clivorum, *Maxim.*
doriaeformis, *DC.*
Doronicum, *Linn.*
Greyii, *Hook. f.*
incanus, *Linn.*
lagopus, *Raoul*
lanatus, *Scop.*
laxifolius, *J. Buch.*
leucophyllus, *DC.*
Ligularia, *Hook. f.*
Lyallii, *Hook. f.*
nebrodensis, *Linn.*

Senecio—*continued.*
nemorensis, *Linn.*
sibiricus, *Linn.*
Smithii, *DC.*
squalidus, *Linn.*
stenocephalus, *Maxim.*, var. comosus
tanguticus, *Maxim.*
vernalis, *Waldst.* et *Kit.*
vulgaris × squalidus

Serratula
coronata, *Linn.*
macrocephala, *Bertol.*

Seseli
caespitosum, *Sibth.* et *Sm.*

Setaria
macrostachya, *H. B.* et *K.*

Sidalcea
candida, *A. Gray*
malvaeflora, *A. Gray*
— var. atropurpurea
spicata, *Greene*

Sideritis
eubaea, *Heldr.*
hyssopifolia, *Linn.*
scordioides, *Linn.*
spinosa, *Lam.*

Silaus
tenuifolius, *DC.*

Silene
adenantha, *Franch.*
alpestris, *Jacq.*
alpina, *Hort.*
altaica, *Pers.*
antirrhina, *Linn.*
aprica, *Turcz.*
Armeria, *Linn.*
— var. alba
asclepiadea, *Franch.*
Asterias, *Griseb.*, var. grandiflora
caucasica, *Boiss.*
colorata, *Poir.*
conica, *Linn.*
conoidea, *Linn.*
crassipes, *Fenzl*
Cucubalus, *Wibel*
cythnia, *Heldr.*
divaricata, *Clemente*
fuscata, *Link*
gigantea, *Linn.*
Hookeri, *Nutt.*
Keiskii, *Miq.*
linicola, *C. C. Gmel.*
maritima, *With.*
mollissima, *Sibth.* et *Sm.*
multicaulis, *Guss.*
Muscipula, *Linn.*
nutans, *Linn.*
Otites, *Sm.*
pendula, *Linn.*, var. fl. pl.
pharnaceifolia, *Fenzl*
picta, *Pers.*
portensis, *Linn.*
quadridentata, *Pers.*
— var. pusilla
quadrifida, *Linn.*
Reichenbachii, *Vis.*
Requienii, *Otth*
roseiflora, *Kingdon Ward*
rubella, *Linn.*
saxatilis, *Sims*
Saxifraga, *Linn.*
Schafta, *Gmel.*
Thorei, *Duf.*
turgida, *Bieb.*
Zawadzkii, *Herbich*

Siler
trilobum, *Crantz*

Silybum
Marianum, *Gaertn.*

Sisymbrium
erodifolium, *Phil.*
pinnatifidum, *DC.*
strictissimum, *Linn.*

Sisyrinchium

angustifolium, *Mill.*
— var. anceps, *Cav.*
— var. mucronatum
Bermudiana, *Linn.*
iridifolium, *H. B.* et *K.*
pachyrhizum, *Baker*
tenuifolium, *Humb.* et *Bonpl.*

Skimmia

Fortunei, *Mast.*
Laureola, *Sieb.* et *Zucc.*, var. oblata

Solanum

Dulcamara, *Linn.*
nigrum, *Linn.*

Solenanthus

apenninus, *Hohen.*

Solenomelus

chilensis, *Miers*

Solidago

Buckleyi, *Torr.* et *Gray*
multiradiata, *Ait.*
odora, *Ait.*
Virgaurea, *Linn.*

Sparganium

ramosum, *Curt.*

Spartium

junceum, *Linn.*

Specularia

Speculum, *A. DC.*
— var. album

Spergula

arvensis, *Linn.*
vernalis, *Willd.*
— var. normalis

Spergularia

diandra, *Boiss.*
Heldreichii, *Fouc.*
longipes, *Rouy*
media, *Presl*

Spinacia

oleracea, *Linn.*

Spiraea

Aitchisoni, *Hemsl.*
Aruncus, *Linn.*
assurgens, *Hort.*
bella, *Sims*
bracteata, *Zabel*
chamaedrifolia, *Linn.*
discolor, *Pursh*
— var. dumosa
Douglasii, *Hook.*
Foxii, *Hort.*
japonica, *Linn. f.*
— var. alba
— var. variegata
Lindleyana, *Wall.*
Menziesii, *Hook.*, var. Billiardii
Nobleana, *Hook.*
palmata, *Sternb.*
salicifolia, *Linn.*
— var. paniculata, *Maxim.*
sorbifolia, *Linn.*
vestita, *Wall.*

Stachys

alopecuros, *Benth.*
Betonica, *Benth.*
coccinea, *Jacq.*
discolor, *Benth.*
germanica, *Linn.*
graeca, *Boiss.* et *Heldr.*
grandiflora, *Benth.*
— var. robusta
iberica, *Bieb.*
lanata, *Jacq.*
recta, *Linn.*
repens, *Mart.* et *Gal.*
setifera, *C. A. Mey.*
sylvatica, *Linn.*

Statice

altaica, *Hort.*

Stellaria

Holostea, *Linn.*
media, *Cyrill.*, var. Cupaniana

Stenanthium

angustifolium, *Kunth*

Stephanandra

Tanakae, *Franch.* et *Sav.*

Stipa

argentina, *Speg.*
gigantea, *Lag.*

Swertia

angustifolia, *Buch-Ham.*
nervosa, *Wall.*
pubescens, *Franch.*

Symphoricarpus

occidentalis, *Hook.*
orbiculatus, *Moench*
racemosus, *Michx.*

Symphyandra

Hofmanni, *Pant.*
pendula, *A. DC.*
Wanneri, *Heuff.*

Symphyostemon

odoratissimus, *Miers*

Symphytum

asperrimum, *Donn*
officinale, *Linn.*

Synthyris

reniformis, *Benth.*

Syringa

Emodi, *Wall.*
— var. variegata

Tanacetum

argenteum, *Willd.*
Delavayi, *Franch.*
Pseudachillea, *C. Winkl.*

Taraxacum

officinale, *Weber*
— var. alpinum
palustre, *DC.*

Taxus

baccata, *Linn.*
— var. adpressa
— var. Dovastoni
— var. fastigiata, *Loud.*

Teesdalia

nudicaulis, *R. Br.*

Tellima

grandiflora, *R. Br.*

Teucrium

Scorodonia, *Linn.*
— var. crispum

Thalictrum

alpinum, *Linn.*
angustifolium, *Linn.*, var. minus
aquilegiaefolium, *Linn.*
calabricum, *Spreng.*
caucasicum, *Hort.*
corynellum, *DC.*
cultratum, *Wall.*
Delavayi, *Franch.*
glaucum, *Desf.*
isopyroides, *C. A. Mey.*
minus, *Linn.*
— var. adiantifolium
— var. elatum
— var. saxatile
purpurascens, *Linn.*
simplex, *Linn.*

Thaspium
aureum, *Nutt.*

Thermopsis
lanceolata, *R. Br.*

Thlaspi
arvense, *Linn.*
bellidifolium, *Griseb.*
bulbosum, *Sprun.*
elongatum, *Hort.*
Kovatsii, *Heuff.*
montanum, *Linn.*
praecox, *Wulf.*
rivale, *Presl*, var. brevistylum
rosulare, *Boiss.* et *Balansa*

Thymus
Chamaedrys, *Fries*, var. nummularius
Serpyllum, *Linn.*
— var. albus
— var. coccineus
— var. micans
— var. Snowdonianus

Thysanocarpus
elegans, *Fisch.* et *Mey.*

Tiarella
polyphylla, *D. Don*

Tinantia
fugax, *Scheidw.*

Tofieldia
calyculata, *Wahlenb.*
palustris, *Huds.*

Torilis
triradiata, *Boiss.* et *Heldr.*

Trachydium
hispidum, *Franch.*

Trachystemon
orientale, *D. Don.*

Tradescantia
virginiana, *Linn.*
— var. alba
— var. atropurpurea
— var. elata

Tragopogon
castellanus, *Levier*

Trautvetteria
palmata, *Fisch.* et *Mey.*

Tridax
trilobata, *Hemsl.*

Trientalis
europaea, *Linn.*

Trifolium
alpinum, *Linn.*
arvense, *Linn.*
eriosphaerum, *Boiss.*
pilulare, *Boiss.*
stellatum, *Linn.*
tomentosum, *Linn.*, var. chthonocephalum

Trigonella
Foenum-graecum, *Linn.*
ornithopodioides, *DC.*

Trisetum
flavescens, *Beauv.*

Trollius
asiaticus, *Linn.*
— var. giganteus
europaeus, *Linn.*
— var. napellifolius
patulus, *Salisb.*
— var. pedunculatus
— var. sibiricus
pumilus, *D. Don*
— var. yunnanensis

Tropaeolum
minus, *Linn.*

Troximon
heterophyllum, *Greene*, var.
normale

Tulipa
Didieri, *Jord.*
— var. alba

Tunica
olympica, *Boiss.*
prolifera, *Scop.*
Saxifraga, *Scop.*
velutina, *Fisch.* et *Mey.*

Ulex
europaeus, *Linn.*

Urospermum
Dalechampii, *Desf.*

Urtica
dioica, *Linn.*

Uvularia
grandiflora, *Sm.*

Vaccinium
Myrtillus, *Linn.*
pensylvanicum, *Lam.*
Vitis-Idaea, *Linn.*

Valeriana
alliariaefolia, *Vahl*
apula, *Pourr.*
pyrenaica, *Linn.*
sambucifolia, *Mikan.*
tuberosa, *Linn.*

Verbascum
creticum, *Hort.*
longifolium, *Tenore*
— var. pannosum
nigrum, *Linn.*
phlomoides, *Linn.*
phoeniceum, *Linn.*
— var. hybridum
pyramidatum, *Bieb.*
Thapsus, *Linn.*
Wiedemannianum, *Fisch.* et *Mey.*

Verbesina
helianthoides, *Michx.*

Veronica
alpina, *Linn.*
americana, *Schwein.*
Andersonii ×, *Lindl.* et *Paxt.*,
var. variegata
aphylla, *Linn.*
austriaca, *Linn.*
— var. pinnatifida
buxifolia, *Benth.*
campylopoda, *Boiss.*
candida, *Lodd.*
carnosula, *Hook. f.*
catarractae, *Forst. f.*, var.
compacta
ciliata, *Fisch.*
circaeoides, *G. Don*
Colensoi, *Hook. f.*
— var. glauca
— var. minor
— var. viridis
coelestina ×
corymbosa, *Hort.*, var. varie-
gata
Cymbalaria, *Bodard*
— var. cuneata
decumbens, *Armstr.*
Eastonii, *Hort.*
Fairfieldii, *Hook.*
fruticulosa, *Linn.*
glaucophylla, *Cock.*
Guthricana ×, *Hort.*
Hulkeana, *F. Muell.*
imperialis, *Hort.*
incana, *Linn.*

Veronica—*continued.*
incisa, *Ait.*
Kirkii, *Armstr.*
laevis, *Benth.*
latifolia, *Linn.*
Lavaudiana, *Raoul*
ligustrifolia, *A. Cunn.*
Lindsayi ×
longifolia, *Linn.*
— var. alba
monticola, *Armstr.*
nivalis, *Hort.*
officinalis, *Linn.*
— var. rosea
parviflora, *Vahl*, var. angustifolia, *Hook. f.*
peregrina, *Linn.*
pinguifolia, *Hook. f.*, var. decumbens
pinnata, *Linn.*
polifolia, *Benth.*
praecox, *All.*
pseudo-Traversii, *Cockayne*
rakaiensis, *Armstr.*
saxatilis, *Scop.*
— var. alba
spicata, *Linn.*
spuria, *Linn.*
spuria, *Linn.* × incana, *Linn.*
syriaca, *Roem.* et *Schult.*
Teucrium, *Linn.*
Tournefortii, *C. C. Gmel.*
Traversii, *Hook. f.*
vernicosa, *Hook. f.*
virginica, *Linn.*
wardiensis ×

Vesicaria

utriculata, *DC.*

Viburnum

burejaeticum, *Regel* et *Herd.*
Lantana, *Linn.*
— var. lanceolatum
Lentago, *Linn.*
Opulus, *Linn.*

Vicia

narbonensis, *Linn*
oroboides, *Wulf.*
palaestina, *Boiss.*
pyrenaica, *Pourr.*
sativa, *Linn.*
sylvatica, *Linn.*
unijuga, *A. Braun*

Vinca

minor, *Linn.*, var. caerulea

Vincetoxicum

fuscatum, *Reichb. f.*

Viola

alpina, *Jacq.*
arenaria, *DC.*
betonicifolia, *Sm.*
canadensis, *Linn.*
canina, *Linn.*
— var. rosea
cognata, *Greene*
cornuta, *Linn.*
— var. alba
— var. papilio
— var. purpurea
declinata, *Waldst.* et *Kit.*
elatior, *Fries*
glabella, *Nutt.*
gracilis, *Sibth.* et *Sm.*
hirta, *Linn.*
lutea, *Huds.*
— var. amoena
macedonica, *Boiss.* et *Heldr.*
oreocallis, *Greene*
palustris, *Linn.*
Patrinii, *Ging.*
polychroma, *Kern.*
primulaefolia, *Linn.*
pyrenaica, *Ram.*
Rydbergii, *Greene*
sarmentosa, *Dougl.*
sylvestris, *Lam.*
tricolor, *Linn.*
— var. atlantica

Wahlenbergia

dalmatica, *A. DC.*
hederacea, *Reichb.*
lobelioides, *DC.*
nutabunda, *A. DC.*
Pumilio, *A. DC.*
serpyllifolia, *G. Beck*, var. dinarica

Wiedemannia

orientalis, *Fisch.* et *Mey.*

Wulfenia

Amherstiana, *Benth.*
carinthiaca, *Jacq.*

Xerophyllum

asphodeloides, *Nutt.*

Zaluzianskya

capensis, *Walp.*

Zenobia

speciosa, *D. Don*

Zygadenus

elegans, *Pursh*
venenosus, *S. Wats.*

PLANTS UNDER GLASS.

Genera in Alphabetical Order.

Abobra
tenuifolia, *Naud.*

Abutilon
megapotamicum, *St. Hil.*, var. variegatum

Acacia
armata, *R. Br.*
Baileyana, *F. Muell.*
cultriformis, *A. Cunn.*
dealbata, *Link*
decurrens, *Willd.*
Drummondii, *Benth.*
neriifolia, *A. Cunn.*
spectabilis, *A. Cunn.*
verticillata, *Willd.*
Whanii, *F. Muell.*

Acalypha
hispida, *Burm.*
sidaefolia, *A. Rich.*
Wilkesiana, *Muell. Arg.*

Acrophyllum
venosum, *Benth.*

Aechmea
bromeliaefolia, *Baker*
— var. pulchra
coerulescens, *Baker*
exsudans, *E. Morr.*
Weilbachii, *F. Didr.*

Aerua
scandens, *Wall.*

Agapanthus
umbellatus, *L'Hérit.*

Agapetes
variegata, *D. Don*

Agathis
australis, *Steud.*

Agave
albicans, *Jacobi*
heteracantha, *Zucc.*
maculata, *Regel*
striata, *Zucc.*
xylonacantha, *Salm-Dyck*

Aglaonema
commutatum, *Schott*

Albizzia
lophantha, *Benth.*

Allionia
latifolia, *Greene*
melanotricha, *Standley*

Aloe
caesia, *Salm-Dyck*
ciliaris, *Haw.*
Ogilviei, *Balf. f.*
plicatilis, *Mill.*
striata, *Haw.*

Alonsoa
acutifolia, *Ruiz* et *Pav.*
linifolia, *Roezl*

Alpinia
caerulea, *Benth.*
mutica, *Roxb.*

Alsodeia
Welwitschii, *Oliver*

Altamiranoa
Goldmani, *Rose*

Alternanthera

paronychioides, *St. Hil.*
sessilis, *R. Br.*

Alyxia

buxifolia, *R. Br.*
daphnoides, *A. Cunn.*

Amaranthus

tenuifolius, *Willd.*

Amasonia

calycina, *Hook. f.*

Amellus

Lychnitis, *Linn.*

Amorphophallus

bulbifer, *Blume*

Amphicome

arguta, *Royle*

Anacampseros

filamentosa, *Sims*

Anchomanes

dubius, *Schott*
Hookeri, *Schott*

Androcymbium

leucanthum, *Willd.*

Angianthus

humifusus, *Benth.*

Anigozanthos

rufa, *Labill.*

Anoda

Thurberi, *A. Gray*
Wrightii, *A. Gray*

Anopterus

glandulosus, *Labill.*

Antholyza

aethiopica, *Linn.*
revoluta, *Burm. f.*

Anthurium

acaule, *Schott*
Andreanum, *Linden*
— var. conchiflorum
— var. sanguineum
leodiense ×
macrolobum ×, *Hort.*
magnificum, *Linden*
robustum ×
Scherzerianum, *Scholt*

Antidesma

Bunius, *Spreng.*

Antirrhinum

maurandioides, *A. Gray*

Aphelandra

aurantiaca, *Lindl.*, var. Roezlii
pumila, *Nichols.*
velutina, *Hort.*

Aplopappus

scaposus, *Remy*

Arachis

hypogaea, *Linn.*

Arctotis

acaulis, *Linn.*
aspera, *Linn.*

Ardisia

crenata, *Roxb.*, var. fructu rubro
— var. fructu albo
mamillata, *Hance*
Wallichii, *A. DC.*

Arenaria

Meyeri, *Edgew.* et *Hook. f.*

Aristea
Eckloni, *Baker*

Aristolochia
elegans, *Mast.*

Artemisia
annua, *Linn.*

Artocarpus
laciniata, *Hort.*

Arundinaria
Simoni, *A.* et *C. Rivière*

Arundinella
tenella, *Nees* et *Wight*

Asclepias
curassavica, *Linn.*
linifolia, *H. B.* et *K.*

Asparagus
gonocladus, *Baker*
gracilis, *Royle*
madagascariensis, *Baker*
plumosus, *Baker*
racemosus, *Willd.*
Sprengeri, *Regel*

Aster
fruticosus, *Linn.*
Willkommii, *Sch. Bip.*

Astragalus
adsurgens, *Pall.*
baeticus, *Linn.*
Bungeanus, *Boiss.*
hamosus, *Linn.*
sesameus, *Linn.*
Stella, *Gouan*

Astrocaryum
Ayri, *Mart.*
mexicanum, *Liebm.*

Asystasia
bella, *Harv.*

Atriplex
californica, *Moq.*
semibaccata, *R. Br.*
spongiosa, *F. Muell.*

Babiana
stricta, *Ker-Gawl.*, var. rubro-cyanea

Barleria
cristata, *Linn.*

Bauera
rubioides, *Andr.*

Begonia
argenteo-guttata ×
assamica, *Hook.*
carminata ×, *Hort.*
coccinea, *Hook.*
corallina, *Carr.*, var. lucerna
Davisii, *Veitch*
dichotoma, *Jacq.*
Dregei, *Otto* et *Dietr.*
echinosepala, *Regel*
erfordia, *Hort.*
foliosa, *H. B.* et *K.*
fuchsioides, *Hook. f.*
geranioides, *Hook. f.*
Haageana, *W. Watson*
hirtella *Link*
Ingrami ×
kewensis, *Hort.*
luxurians, *Scheidw.*
maculata, *Raddi*
Martiana, *Link* et *Otto*
Poggei, *Warb.*
pubescens, *Hort.*
sanguinea, *Raddi*
semperflorens, *Link* et *Otto*, var. alba
subcucullata, *C. DC.*
Sutherlandii, *Hook. f.*
ulmifolia, *Willd.*
undulata, *Otto*

Benincasa
cerifera, *Savi*
— var. macrocarpa

Bertolonia
maculata, *DC.*
marmorata, *Naud.*

Beschorneria
californica, *Hort.*

Billardiera
longiflora, *Labill.*
scandens, *Sm.*

Billbergia
decora, *Poepp.*
zebrina, *Lindl.*

Biophytum
sensitivum, *DC.*

Blakea
gracilis, *Hemsl.*

Boehmeria
platyphylla, *D. Don*

Boenninghausenia
albiflora, *Reichb.*

Bomarea
Lehmanni, *Baker*
multiflora, *Mirb.*

Boronia
serrulata, *Sm.*

Borrichia
frutescens, *DC.*

Bouchea
Ehrenbergii, *Cham.*

Bowiea
volubilis, *Harv.*

Browallia
Czerniakowskii, *Warsc.*
speciosa, *Hook.*, var. major

Brownea
coccinea, *Jacq.*
grandiceps, *Jacq.*

Bryonia
multiflora, *Boiss.* et *Heldr.*

Bryophyllum
crenatum, *Baker*

Burbidgea
schizocheila, *Hort.*

Caiophora
lateritia, *Benth.*

Cajanus
indicus, *Spreng.*

Calandrinia
grandiflora, *Lindl.*

Calathea
flavescens, *Lindl.*

Calceolaria
hyssopifolia, *H. B.* et *K.*
integrifolia, *Murr.*
violacea, *Cav.*

Calendula
aegyptiaca, *Desf.*, var. suberostris

Callicarpa
purpurea, *Juss.*

Callistemon

linearis, *DC.*
rigidus, *R. Br.*
salignus, *Sweet*

Calopogonium

caeruleum, *Hemsl.*

Calvoa

sessiliflora, *Cogn.*

Camellia

japonica, *Linn.*
reticulata, *Lindl.*

Camoensia

maxima, *Welw.*

Campanula

colorata, *Wall.*
crenulata, *Franch.*
fragilis, *Cyrill.*
isophylla, *Moretti*, var. alba
pyramidalis, *Linn.*, var. alba
sulphurea, *Boiss.*
Vidalii, *H. C. Wats.*

Campanumoea

javanica, *Blume*

Canavalia

ensiformis, *DC.*

Canna

amoena, *Hort.*
angustifolia, *Linn.*

Capparis

flexuosa, *Blume*

Capsicum

microcarpum, *Cav.*

Carex

baccans, *Nees*
japonica, *Thunb.*

Carissa

acuminata, *A. DC.*
Arduina, *Lam.*
grandiflora, *A. DC.*

Carludovica

Wendlandii, *Hort.*

Carrichtera

Vella, *DC.*

Cassia

laevigata, *Willd.*

Cassine

Maurocenia, *Linn.*

Castilleja

minor, *A. Gray*

Cedronella

triphylla, *Moench*

Celosia

argentea, *Linn.*
cristata, *Linn.*, var. pyramidalis

Celsia

Arcturus, *Jacq.*
brevipedicellata, *Engl.*
orientalis, *Linn.*

Centaurea

acanthodes, *Spreng.*

Centipeda

orbicularis, *Lour.*

Cephalipterum

Drummondii, *A. Gray*

Cerastium

dichotomum, *Linn.*

Ceratopetalum
gummiferum, *Sm.*

Cereus
Fendleri, *Engelm.*

Ceropegia
Woodii, *Schl.* (bulbil)

Cestrum
aurantiacum, *Lindl.*
elegans, *Schlecht.*
Newellii, *Veitch*
Smithii, *Hort. Bull.*

Chamaedorea
desmoncoides, *H. Wendl.*

Chamaescilla
corymbosa, *F. Muell.*

Chiococca
racemosa, *Linn.*

Chirita
Kurzii, *C. B. Clarke*

Chlorophytum
elatum, *R. Br.*
— var. variegatum
Orchidastrum, *Lindl.*

Chorizema
cordatum, *Lindl.*

Cienkowskya
Kirkii, *Hook. f.*

Circaeaster
agrestis, *Maxim.*

Cissus
adenopodus, *Sprague*

Cistus
vaginatus, *Ait.*

Citrus
nobilis, *Lour.*, var. major

Clematis
grewiaeflora, *DC.*
microphylla, *DC.*
uncinata, *Champ.*

Cleome
grandiflora, *Ehrenb.*
spinosa, *Jacq.*
— var. alba

Clerodendron
calamitosum, *Linn.*
fallax, *Lindl.*
infortunatum, *Gaertn.*
splendens, *G. Don*
Thomsonae, *Balf.*
— var. variegatum

Clethra
arborea, *Ait.*

Clianthus
puniceus, *Banks* et *Sol.*
— var. albus.

Clidemia
hirta, *D. Don*

Clitoria
Ternatea, *Linn.*
— var. alba, *G. Don*

Clivia
miniata, *Regel*
nobilis, *Lindl.*

Cobaea
scandens, *Cav.*

Coffea
arabica, *Linn.*
bengalensis, *Roxb.*

Coleus

Mahonii, *Baker*
thyrsoideus, *Baker*

Collinsia

Childii, *Parry*
linearis, *A. Gray*

Collomia

gracilis, *Dougl.*

Colquhounia

vestita, *Wall.*

Columnea

aureonitens, *Hook.*

Combretum

grandiflorum, *G. Don*

Convolvulus

crenatifolius, *Ruiz* et *Pav.*,
var. argenteus
dissectus, *Cav.*
laciniatus, *Desr.*

Coprosma

lucida, *Forst.*
rhamnoides, *A. Cunn.*

Corchorus

hirsutus, *Linn.*
olitorius, *Linn.*
pilolobus, *Link*
textilis, *Del.*

Coriaria

nepalensis, *Wall.*

Cornus

capitata, *Wall.*

Coronilla

scorpioides, *Koch*
viminalis, *Salisb.*

Corydalis

thalictrifolia, *Jameson*
tomentosa, *N. E. Br.*
Wilsoni, *N. E. Br.*

Costus

elegans, *Veitch*
igneus, *N. E. Br.*

Cotula

anthemoides, *Linn.*

Cotyledon

adunca, *Baker*
atropurpurea, *Baker*
Barbeyi, *Schw.*
Desmetiana, *Hemsl.*
dichotoma, *Haw.*
edulis, *Brewer*
fulgens, *Baker*
gibbiflora, *Moç.* et *Sesse*
— var. metallica
Grusoni, *Hort.*
imbricata, *Hort.*
nodulosa, *Baker*
orbiculata, *Linn.*
pachyphyta, *Baker*
pulverulenta, *Baker*
racemosa, *E. Mey.*
roseata, *Baker*
secunda, *Baker*
Zeyheri, *Harv.*

Crambe

strigosa, *L'Hérit.*

Crassula

arborescens, *Willd.*
Cooperi, *Regel*
ericoides, *Haw.*
glomerata, *Berg.*
nudicaulis, *Linn.*
sarcocaulis, *Eckl.* et *Zeyh.*
tenuifolia, *Schoenl.*

Crawfurdia

fasciculata, *Wall.*
speciosa, *Wall.*

Crinum

latifolium, *Linn.*, var.
yemense
purpurascens, *Herb.*
scabrum, *Herb.*
variabile, *Herb.*

Crossandra

undulaefolia, *Salisb.*

Croton

capitatus, *Michx.*

Ctenanthe

Lubbersiana, *Eichl.*

Cucumis

myriocarpus, *Naud.*

Cuphea

cordata, *Ruiz* et *Pav.*
lanceolata, *Hook. f.*
viscosissima, *Jacq.*

Cyanotis

somaliensis, *C. B. Clarke*

Cyclanthera

edulis, *Hort.*
explodens, *Naud.*

Cyperus

alternifolius, *Linn.*
— var. compactus
bulbosus, *Vahl*
compactus, *Lam.*
— var. flavissimus, *C. B. Clarke*
fertilis, *Boeck.*
laxus, *Willem.*
Luzulae, *Rottl.*
Papyrus, *Linn.*

Cyphomandra

betacea, *Sendt.*

Cytisus

canariensis, *Steud.*
Hillebrandtii, *Briq.*

Dalea

polygonoides, *A. Gray*

Dalechampia

Roezliana, *Muell. Arg.*
scandens, *Linn.*

Danthonia

Raoulii, *Steud.*

Daucus

australis, *Poepp.*
pumilus, *Ball*

Debregeasia

velutina, *Gaudich.*

Dermatobotrys

Saundersiæ, *Bolus*

Desmodium

gyrans, *DC.*
incanum, *DC.*
polycarpum, *DC.*
sinuatum, *Blume*
viridiflorum, *Beck*

Dianella

caerulea, *Sims*
graminifolia, *Kunth* et *Bouché*
revoluta, *R. Br.*

Dianthera

nodosa, *Benth.* et *Hook. f.*

Dicentra

scandens, *Walp.*
thalictrifolia, *Hook. f.*

Dichroa

febrifuga, *Lour.*

Dionaea
muscipula, *Ellis*

Dioscorea
sativa, *Linn.* (tuber)

Diplarrhena
Moraea, *Labill.*

Dodonaea
triquetra, *Wendl.*
viscosa, *Jacq.*

Dolichos
Lablab, *Linn.*

Dorstenia
argentata, *Hook. f.*
Contrajerva, *Linn.*
Drakena, *Linn.*
Massoni, *Bureau*
urceolata, *Schott*

Dracaena
Godseffiana, *Baker*
surculosa, *Lindl.*

Drimys
Winteri, *Forst.*

Drosera
binata, *Labill.*
— var. dichotoma
capensis, *Linn.*
hilaris, *Cham.* et *Schlecht.*
Huegelii, *Endl.*
pygmaea, *DC.*
rotundifolia, *Linn.*
spathulata, *Labill.*

Drosophyllum
lusitanicum, *Link*

Drymaria
tenella, *A. Gray*

Eccremocarpus
scaber, *Ruiz* et *Pav.*

Echeandia
terniflora, *Orteg.*

Echeveria
alpina, *Hort.*
multicaulis, *Rose*
ovata ×, *Deleuil*
Pringlei, *Rose*

Elaeocarpus
cyaneus, *Sims*

Elephantopus
scaber, *Linn.*

Entelea
arborescens, *R. Br.*

Epacris
impressa, *Labill.*

Epilobium
adenocaulon, *Hausskn.*
Franciscanum, *Barbey*
pyrricholophum, *Franch* et *Sav.*

Eranthemum
albiflorum, *Hook.*
igneum, *Linden*
leuconeurum, *Hort.*

Erica
Cavendishiana ×, *Hort.*
formosa, *Thunb.*
perspicua, *Wendl.*
— var. nana
ramulosa, *Bartl.*

Erigeron
divaricatus, *Michx.*
tephrodes, *Greene*

Eriobotrya
japonica, *Lindl.*

Eriogonum
arborescens, *Greene*

Eriostemon
buxifolius, *Sm.*

Erlangea
tomentosa, *S. Moore*

Erythrochiton
brasiliensis, *Nees*

Euadenia
eminens, *Hook. f.*

Eucalyptus
amygdalina, *Labill.*
Globulus, *Labill.*
incrassata, *Labill.*

Eucomis
bicolor, *Baker*
punctata, *L'Hérit.*
— var. striata, *Don*

Eugenia
myrtifolia, *Sims*

Eupatorium
grandiflorum, *André*
ianthinum, *Hemsl.*
petiolare, *Moç* et *Sesse*
riparium, *Regel*
Rothrockii, *A. Gray*
Weinmannianum, *Regel* et *Koern.*

Euphorbia
balsamifera, *Ait.*
globosa, *Sims*
Regis-Jubae, *Webb* et *Berth.*
splendens, *Boj.*

Euryops
pectinatus, *Cass.*

Eustoma
exaltatum, *Salisb.*

Eustrephus
latifolius, *R. Br.*
— var. angustifolius

Evax
anatolica, *Boiss.* et *Heldr.*

Evodia
formosa, *Hort.*
meliaefolia, *Benth.*

Exacum
affine, *Balf. f.*

Fatsia
japonica, *Decne.*

Ficus
Carica, *Linn.*
diversifolia, *Blume*
pyriformis, *Hook.* et *Arn.*
Roxburghii, *Wall.*

Fieldia
australis, *A. Cunn.*

Francoa
appendiculata, *Cav.*
ramosa, *D. Don*
sonchifolia, *Cav.*

Frankenia
hirsuta, *Linn.*

Fuchsia
arborescens, *Sims*
corymbiflora, *Ruiz* et *Pav.*
integrifolia, *Cambess.*
parviflora, *Lindl.*
procumbens, *R. Cunn.*
triphylla, *Linn.*

Galium
saccharatum, *All.*

Galtonia

candicans, *Decne.*

Garcinia

Livingstonei, *T. Anders.*
Xanthochymus, *Hook. f.*

Gasteria

Croucheri, *Baker*, var. spathulata
decipiens, *Haw.*
disticha, *Haw.*
— var. angulata, *Baker*
maculata, *Haw.*
— var. fallax

Gaultheria

antipoda, *Forst.*
hispida, *R. Br.*
rupestris, *R. Br.*

Gelasine

azurea, *Herb.*

Geranium

Bicknellii, *Britton*
canariense, *Reut.*

Gesnera

Blassii, *Regel*
cardinalis, *Lehm.*

Gilia

abrotanifolia, *Nutt.*
laciniata, *Ruiz* et *Pav.*

Gladiolus

blandus, *Ait.*, var. albidus (*Jacq.*)
erectiflorus, *Baker*
psittacinus, *Hook.*
praecox, *Hort.*

Glaucium

Fischeri, *Bernh.*

Globba

alba, *Zipp.* (bulbil)
strobilifera, *Zoll.* (bulbil)

Gloriosa

superba, *Linn.*
virescens, *Lindl.*

Glycosmis

pentaphylla, *Corr.*

Gnaphalium

hypoleucum, *DC.*
lagopodiodes, *Rydb.*
palustre, *Nutt.*

Gomphia

olivaeformis, *St. Hil.*

Gompholobium

aristatum, *Benth.*

Goodenia

filiformis, *R. Br.*

Goodia

pubescens, *Sims*

Gossypium

herbaceum, *Linn.*

Grevillea

glabrata, *Meissn.*

Guyonia

tenella, *Naud.*

Haemanthus

hirsutus, *Baker*

Hakea

ulicina, *R. Br.*
— var. carinata

Haloragis

alata, *Jacq.*
erecta, *Schindler*

Hardenbergia
Comptoniana, *Benth.*

Hartmannia
montana, *Rose*

Haworthia
margaritifera, *Haw.*
— var. erecta
papillosa, *Haw.*
rigida, *Haw.*
— var. expansa

Hedeoma
Drummondii, *Benth.*
hyssopifolia, *A. Gray*
pulegioides, *Pers.*

Heeria
elegans, *Schlecht.*
subtriplinervia, *Triana*

Helichrysum
angustifolium, *DC.*
humile, *Less.*, var. purpureum
Lawrencella, *F. Muell.*
microphyllum, *Cambess.*
semipapposum, *DC.*
subulifolium, *F. Muell.*

Heliotropium
anchusifolium, *Poir.*
indicum, *Linn.*
peruvianum, *Linn.*

Helipterum
roseum, *Benth.*

Hermannia
althaeifolia, *Linn.*
candicans, *Ait.*
hyssopifolia, *Linn.*
venosa, *Thunb.*

Heteropappus
hispidus, *Less.*

Heterospermum
pinnatum, *Cav.*

Hewittia
bicolor, *Wight* et *Arn.*

Hibbertia
dentata, *R. Br.*

Hibiscus
furcatus, *Willd.*
lunariifolius, *Willd.*
pedunculatus, *Linn.*
Rosa-sinensis, *Linn.*
— var. variegatus
schizopetalus, *Hook. f.*
Trionum, *Linn.*
vitifolius, *Linn.*

Hippeastrum
equestre, *Herb.*
procerum, *Lem.*

Homalanthus
Leschenaultianus, *A. Juss.*

Hosackia
juncea, *Benth.*

Humea
elegans, *Sm.*

Hydrangea
Hortensia, *Sieb.* var. Mariesii

Hydrolea
spinosa, *Linn.*

Hymenanthera
dentata, *R. Br.*, var. angustifolia

Hymenatherum
acerosum, *A. Gray*

Hymenocallis
glauca, *M. Roem.*

Hypericum
canariense, *Linn.*
gracile, *Boiss.*
japonicum, *Thunb.*
lanceolatum, *Linn.*
olympicum, *Linn.*
tomentosum, *Linn.*
— var. dissitiflorum

Hypoxis
erecta, *Linn.*
Krebsii, *Fisch.*
Rooperii, *T. Moore*
villosa, *Linn.*

Hyptis
suaveolens, *Poit.*

Impatiens
Delavayi, *Franch.*
Hawkeri, *Bull*
Herzogii, *K. Schum.*
Holstii, *Engl.* et *Warb.*
Oliveri, *Hook. f.*
Sultani, *Hook. f.*
Textori, *Miq.*

Indigofera
australis, *Willd.*
pulchella, *Roxb.*

Ipomœa
Batatas, *Poir.* (tubers)
coccinea, *Linn.*
glaucifolia, *Linn.*
Leari, *Paxt.*
purpurea, *Roth.*
Quamoclit, *Linn.*
— var. alba

Jatropha
podagrica, *Hook.*

Jasminum
lucidum, *Banks*
nitidum, *Skan.*
primulinum, *Hemsl.*

Juncus
pygmaeus, *Rich.*

Jussieuia
suffruticosa, *Linn.*

Justicia
calycotricha, *Link*
debilis, *Lam.*

Kaempferia
rotunda, *Linn.*

Kalanchoë
Cassiopeja, *Damm.*
crenata, *Haw.*
Dyeri, *N. E. Br.*
flammea, *Stapf*
kewensis ×
Kirkii, *N. E. Br.*
Petitiana, *A. Rich.*
rotundifolia, *Haw.*
spathulata, *DC.*

Karatas
Plumieri, *E. Morr.*
spectabilis, *Antoine*

Kedrostis
africana, *Cogn.*

Kennedya
Baumanni. *Meissn.*
prostrata, *R. Br.*
— var. glabrata
— var. Marryattae

Kunzea
corifolia, *Reichb.*
parvifolia, *Schau.*

Kyllinga
monocephala, *Rottl.*
nepalensis, *C. B. Clarke*

Lachnostoma
maritimum, *Nichols.*

Lagenaria

pelerrina, *Hort.*
vulgaris, *Ser.*

Lagerstroemia

indica, *Linn.*

Lagurus

ovatus, *Linn.*

Lantana

Camara, *Linn.*

Lapeyrousia

cruenta, *Benth.*

Laportea

moroides, *Wedd.*
peltata, *Gaudich.*

Lathyrus

annuus, *Linn.*, var. caesius
polyanthus, *Boiss.*
pubescens, *Hook.* et *Arn.*

Leea

sambucina, *Willd.*

Lenophyllum

guttatum, *Rose*

Leonotis

Leonurus, *R. Br.*

Leptodermis

lanceolatus, *Wall.*

Leptospermum

arachnoideum, *Sm.*
flavescens, *Sm.*
scoparium, *Forst.*, var. Chapmanni
virgatum, *Forst.*

Lessertia

brachystachya, *DC.*
linearis, *DC.*

Leucaena

glauca, *Benth.*

Leucas

lavandulaefolia, *Sm.*

Leucopogon

fasciculatus, *A. Rich.*
lanceolatus, *R. Br.*

Levenhookia

pusilla, *R. Br.*

Lilium

Brownii, *Mielle* (bulbils)
Delavayi, *Franch.*
neilgherrense, *Wight*
ochroleucum, *Wall.*

Limosella

aquatica, *Linn.*
— var. tenuifolia

Linaria

arvensis, *Desf.*
lanigera, *Desf.*

Linum

neomexicanum, *Greene*
nodiflorum, *Linn.*
rigidum, *Pursh*

Lippia

chamaedrifolia, *Steud.*

Littonia

modesta, *Hook.*

Loasa

papaverifolia, *H. B.* et *K.*

Lobelia

anceps, *Linn. f.*
debilis, *Linn.*
taliensis, *Diels*
tenuior, *R. Br.*
— var. alba
triquetra, *Linn.*

Lomatia
longifolia, *R. Br.*

Lonicera
Hildebrandtiana, *Hemsl.*
pileata, *Oliver*
sempervirens, *Linn.*, var. minor

Lopezia
coronata, *Andr.*

Lotus
ornithopodioides, *Linn.*

Ludovia
crenifolia, *Drude*

Ludwigia
alternifolia, *Linn.*

Luffa
ægyptiaca, *Mill.*
cylindrica, *Roem.*

Luzula
purpurea, *Link*

Lycopersicum
cerasiforme, *Dun.*
esculentum, *Mill.*
semperfructiferum, *Hort.*

Lycopsis
orientalis, *Linn.*

Lysimachia
amoena, *G. Forrest*

Madia
sativa, *Molina*
— var. racemosa, *A. Gray*

Mallotus
japonicus, *Muell. Arg.*

Malortiea
Koschnyana, *Wendl.* et *Damm.*

Malva
parviflora, *Linn.*, var. argentea
pusilla, *Sm.*

Malvastrum
capense, *Garcke*
digitatum, *Hort.*
hypomadarum, *Sprague*
limense, *Ball*

Mammillaria
rhodantha, *Link* et *Otto*

Maranta
noctiflora, *Regel* et *Koernicke*

Marica
caerulea, *Ker-Gawl.*
Northiana, *Ker-Gawl.*

Martynia
proboscidea, *Glox.*

Maurandia
Barclaiana, *Lindl.*
scandens, *A. Gray*

Medicago
agrestis, *Tenore*
praecox, *DC.*
scutellata, *Mill.*
tribuloides, *Desf.*
truncatula, *Gaertn.*
— var. longiaculeata

Medinilla
magnifica, *Lindl.*

Melia
Azedarach, *Linn.*

Melianthus
major, *Linn.*

Melicytus

lanceolatus, *Hook. f.*

Melothria

suavis, *Hort.*

Mesembryanthemum

amoenum, *Salm-Dyck*
barbatum, *Linn.*
blandum, *Haw.*
candens, *Haw.*
Cooperi, *Hook. f.*
cordifolium, *Linn.*
cultratum, *Hort.*
curviflorum, *Haw.*
deltoides, *Linn.*
elegans, *Jacq.*
falciforme, *Haw.*
flexuosum, *Haw.*
glaucum, *Linn.*
glomeratum, *Linn.*
Haworthii, *Donn*
heteropetalum, *Haw.*
inclaudens, *Haw.*
inflatum, *Hort.*
inflexum, *Haw.*
lepidum, *Haw.*
longum, *Haw.*
micans, *Linn.*
muricatum, *Haw.*
pomeridianum, *Linn.*
pyropeum, *Haw.*
rhomboideum, *Salm-Dyck*
roseum, *Willd.*
rubricaule, *Willd.*
sanguineum, *Hort.*
scabrum, *Linn.*
tenellum, *Haw.*

Metrosideros

robusta, *A. Cunn.*

Microcodon

glomeratum, *A. DC.*

Micromeria

Douglasii *Benth.*

Microseris

californica, *Greene*
melanocarpha, *Greene*

Mimosa

latispinosa, *Hort.*
pudica, *Linn.*

Mimulus

glutinosus, *Wendl.*
— var. puniceus

Miscanthus

nepalensis, *Hack.*

Mitraria

coccinea, *Cav.*

Mitriostigma

axillare, *Hochst.*

Moehringia

papulosa, *Bertol.*

Momordica

cochinchinensis, *Spreng.*

Monanthes

agriostaphys, *Christ*
atlantica, *Ball*
brachycaulon, *Lowe*

Monolena

primulaeflora, *Hook. f.*

Monolepis

trifida, *Schrad.*

Moraea

flexuosa, *Linn.*
iridioides, *Linn.*

Muehlenbeckia

chilensis, *Meissn.*
complexa, *Meissn.*

Mutisia

decurrens, *Cav.*
ilicifolia, *Cav.*

Myosurus

aristatus, *Benth.*

Myosotis

capitata, *Hook. f.*, var. albi-flora

Myrica

aethiopica, *Linn.*

Myriocarpa

longipes, *Liebm.*

Myrsine

africana, *Linn.*

Myrtus

bullata, *Sol.*
communis, *Linn.*
— var. variegata
Luma, *Barn.*
Ugni, *Mol.*

Napoleona

cuspidata, *Miers*

Nephthytis

liberica, *N. E. Br.*

Nerine

Bowdeni, *W. Watson*
candida, *Hort.*

Nertera

depressa, *Banks*

Nesaea

salicifolia, *H. B. K.*

Nicandra

physaloides, *Gaertn.*

Nicotiana

glauca, *R. Grah.*
nudicaulis, *S. Wats.*
rustica, *Linn.*
Sanderae ×, *Hort.*
trigonophylla, *Dun.*

Nierembergia

frutescens, *Dur.*

Notochaete

hamosa, *Benth.*

Ochna

mossambicensis, *Klotzsch*
multiflora, *DC.*

Ocimum

viride, *Willd.*

Oenothera

caespitosa, *Nutt.*
hirtella, *Greene*
mollissima, *Linn.*
tenuifolia, *Cav.*

Oligomeris

glaucescens, *Cambess.*

Oliveranthus

elegans, *Rose*

Olyra

floribunda, *Raddi*

Onobrychis

Caput-galli, *Lam.*

Ononis

hirta, *Desf.*
minutissima, *Linn.*
reclinata, *Linn.*
sicula, *Guss.*
viscosa, *Linn.*

Opuntia

tomentosa, *Salm-Dyck*

Ornithogalum

arabicum, *Linn.*
caudatum, *Ait.*
lacteum, *Jacq.*
tenellum, *Jacq.*
thyrsoides, *Jacq.*

Orthrosanthus

multiflorus, *Sweet*

Oryza

sativa, *Linn.*
— var. atropurpurea
— var. mutica
— var. perennis
— var. rufibarba

Osbeckia

Wightiana, *Benth.*

Othonna

carnosa, *Less.*

Oxalis

bupleurifolia, *A. St. Hil.*
Hirthii, *Phil.*
magellanica, *Forst.*
tortuosa, *Lindl.*
Wrightii, *A. Gray*

Pachyphytum

uniflorum, *Rose*

Palisota

Barteri, *Hook. f.*
Maclaudi, *Cornu*
Pynaertii, *Wildem.*

Pancratium

fragrans, *Salisb.*

Panicum

plicatum, *Lam.*
sphaerocarpum, *Salzm.*

Paronychia

arabica, *DC.*
argentea, *Lam.*
lenticulata, *Hort.*

Parthenium

argentatum, *A. Gray*
Hysterophorus, *Linn.*

Passerina

filiformis, *Linn.*

Passiflora

edulis, *Sims*
quadrangularis, *Linn.*
suberosa, *Linn.*
Watsoniana, *Mast.*

Pavonia

hastata, *Cav.*
spinifex, *Cav.*

Pelargonium

australe, *Jacq.*
Blandfordianum, *Sweet*
echinatum, *Curt.*
ficifolium, *Hoffmgg.*
saniculaefolium, *Willd.*
scandens, *Ehrh.*
Skelii, *Hoffmgg.*
tomentosum, *Jacq.*

Pellionia

Daveauana, *N. E. Br.*
pulchra, *N. E. Br.*

Pennisetum

latifolium, *Spreng.*
typhoideum, *Rich.*

Pentacaena

polycnemoides, *Bartl.*

Pentarhaphia

libanensis, *Hanst.*

Pentas

carnea, *Benth.*
— var. kermesina.

Peperomia

argyreia, *E. Morr.*
blanda, *H. B.* et *K.*
pellucida, *H. B.* et *K.*
Sandersii, *C. DC.*

Peplis

erecta, *Req.*

Perovskia

atriplicifolia, *Benth.*

Persoonia

lanceolata, *Andr.*

Petiveria

alliacea, *Linn.*

Phacelia

circinata, *Jacq. f.*
rupestris, *Greene*

Phaedranassa

chloracra, *Herb.*

Phaenocoma

prolifera, *D. Don*, var. Barnesii

Philodendron

digitatum, *Hort.*

Phyllanthus

glaucescens, *H. B.* et *K.*
grandifolius, *Linn.*
montanus, *Sw.*
parvifolius, *Buch.-Ham.*

Phyllis

Nobla, *Linn.*

Phyllocactus

crenulatus, *Walp.*
Thalia ×

Physalis

peruviana, *Linn.*

Picradenia

floribunda, *Greene*

Pilea

grandis, *Wedd.*
muscosa, *Lindl.*
Spruceana, *Wedd.*

Pimelea

Gnidia, *Willd.*, var. pulchella
hispida, *R. Br.*
ligustrina, *Labill.*

Pimpinella

cretica, *Poir.*

Piqueria

trinervia, *Cav.*

Pitcairnia

Altensteinii, *Lem.*
aphelandraeflora, *Verschaff.*
heterophylla, *Beer*
Lamarckiana, *E. Morr.*
latifolia, *Soland.*
maidifolia, *Decne.*
muscosa, *Mart.*
pruinosa, *H. B.* et *K.*
pulverulenta, *Ruiz* et *Pav*
xanthocalyx, *Mart.*

Pittosporum

crassifolium, *Sol.*
Ralphii, *T. Kirk*

Plantago

acanthophylla, *Decne.*
asperrima, *Gandoger*
brachystachys, *Kuntze*
cretica, *Linn.*
erecta, *Morris*
Grahami, *Blumer*
notata, *Lag.*
ovata, *Forsk.*
patagonica, *Jacq.*
squarrosa, *Murr.*
virginica, *Linn.*

Plectranthus

cylindraceus, *Hochst.*
irroratus, *G. Forrest*
parviflorus, *Willd.*

Pleuropetalum

costaricense, *Hemsl.*

Plumbago

scandens, *Linn.*

Polyalthia

suberosa, *Benth.* et *Hook. f.*

Polycarpaea

divaricata, *Balf. f.*

Polygonum

pensylvanicum, *Linn.*

Pomaderris

lanigera, *Sims*
prunifolia, *A. Cunn.*
subrepanda, *F. Muell.*

Pontederia

cordata, *Linn.*

Poterium

spinosum, *Linn.*

Prasium

majus, *Linn.*

Primula

angustidens, *Pax*
bella, *Franch.*
Clementinae, *G. Forrest*
floribunda, *Wall.*
Forrestii, *Balf. f.*
kewensis ×
— var. farinosa
Listeri, *King*
malacoides, *Franch.*
malvacea, *Franch.*

Primula—*continued.*

mollis, *Nutt.*
nessensis, *G. Forrest*
obconica, *Hance*
pulchelloides, *G. Forrest*
sinensis, *Sabine*
verticillata, *Forsk.*
vittata, *Bur.* et *Franch.*

Priva

echinata, *Juss.*

Procris

frutescens, *Blume*

Proserpinaca

palustris, *Linn.*

Prostanthera

lasianthos, *Labill.*

Pseuderanthemum

seticalyx, *Stapf*

Psilostrophe

tagetina, *Greene*

Psoralea

plumosa, *F. Muell.*

Psychotria

cyanococca, *Seem.*
micrantha, *Hiern*

Pulicaria

arabica, *Cass.*

Quesnelia

rufa, *Gaud.*
Wittmarckiana, *Regel*

Ranunculus

cortusaefolius, *Willd.*
eremogenes, *Greene*
Godleyanus, *Hook. f.*
lomatocarpus, *Fisch.* et *Mey.*
Munroi, *Hook. f.*, var. dentatus

Ranunculus—*continued.*
ophioglossifolius, *Vill.*
parviflorus, *Linn.*
trilobus, *Desf.*

Raphiolepis
ovata, *Briot*

Rapistrum
ægyptium, *Baill.*

Reboudia
microcarpa, *Boiss.*

Remusatia
vivipara, *Schott*

Rhabdothamnus
Solandri, *A. Cunn.*

Rhipsalis
salicornioides, *Haw.*, var. bambusioides

Rhododendron
arboreum, *Sm.*
decorum, *Franch.*
Schlippenbachii, *Maxim.*
Veitchianum, *Hook.*

Rhopalostylis
sapida, *H. Wendl.* et *Drude*

Rhytidophyllum
tomentosum, *Mart.*

Ricinus
communis, *Linn.*

Rivina
aurantiaca, *Warsc.*
humilis, *Linn.*
tinctoria, *Buch.-Ham.*

Romanzoffia
Suksdorfii, *Greene*

Rondeletia
odorata, *Jacq.*

Roscoea
purpurea, *Sm.*

Ruellia
amoena, *Nees*
bracteata, *R. Br.*
macrantha, *Mart.*
rubicaulis, *Cav.*
tuberosa, *Linn.*

Rulingia
hermanniaefolia, Steetz

Sabal
Blackburniana, *Glazebr.*

Saintpaulia
ionantha, *Wendl.*, var. alba

Salvia
coccinea, *Juss.*
controversa, *Tenore*
judaica, *Boiss.*
miltiorrhiza, *Bunge*

Samolus
ebracteatus, *H. B. K.*
littoralis, *Schrank*

Saxifraga
adscendens, *Linn.*
Candelabrum, *Franch.*
Clusii, *Gouan*
cortusaefolia, *Sieb.* et *Zucc.*
discolor, *Velen.*
diversifolia, *Wall.*
— var. alpina
— var. foliata
Eastwoodiae (*Small*)
fastigiata, *Hort.*
gemmipara, *Franch.*
hederacea, *Linn.*

Saxifraga—*continued.*
japonica, *Boiss.*
macrostigma, *Franch.*
— var. aurantiascens, *Engl.* et *Irmscher*
Nuttallii, *Small*
reflexa, *Hook.*
rufidula, *Small*
sarmentosa, *Linn.*
turfosa, *Engl.* et *Irmscher*

Schismatoglottis
Roebelina, *Hort.*
Treubii, *Hort.*

Schizanthus
pinnatus, *Ruiz* et *Pav.*
— var. compactus
— var. grandiflorus
wisetonensis, *Hort.*

Schoenia
Cassiniana, *Steetz*

Scilla
axillaris, *C. H. Wright*
chinensis, *Benth.*

Scirpus
cyperoides, *Spreng.*
riparius, *J.* et *C. Presl*

Scrophularia
pyrenaica, *Benth.*

Scutellaria
discolor, *Colebr.*
Lehmanni, *Hort.*

Sedum
Cepaea, *Linn.*
dasyphyllum, *Linn.*
Greggii, *Hemsl.*
mellitutum, *Rose*
pruinatum, *Brot.*
Sieboldii, *Hort.*
spectabile, *Bor.*

Selago
corymbosa, *Linn.*
spuria, *Linn.*

Sempervivum
arachnoideum, *Linn.*
Ballii, *Hort.*
canariense, *Linn.*
Castello-Paivae, *Christ*
Haworthii, *Hort.*
hybridum ×, *Bruegg.*
repens, *Hort.*
Webbianum, *Hort.*
Youngianum, *Webb* et *Berth.*

Senecio
auriculatissimus, *Britton*
Blumeri, *Greene*
coronopifolius, *Desf.*
cruentus, *DC.*
Decaisnei, *DC.*
diversifolius, *Wall.*
echinatus, *DC.*
elegans, *DC.*
eurycephalus, *Torr.* et *Gray*
grandifolius, *Less.*
Heritieri, *DC.*
ionophyllus, *Greene*
junceus, *Harv.*
macroglossus, *DC.*
maritimus, *Linn. f.*
Moorei ×
mutabilis, *Greene*
Petasitis, *DC.*
populifolius, *DC.*
scandens, *Buch.-Ham.*
spathulaefolius, *DC.*
subscandens, *Hochst.*
tropaeolifolius, *MacOwan*
Wootoni, *Greene*

Sibiraea
tomentosa, *Diels*

Sibthorpia

europaea, *Linn.*, var. variegata
nectarifera, *Wedd.*

Sida

acuta, *Burm.*
Hookeriana, *Miq.*
veronicaefolia, *Linn.*

Sideritis

canariensis, *Linn.*
hirsuta, *Linn.*
Massoniana, *Benth.*

Siphocampylus

lanceolatus, *Regel*

Siphonychia

americana, *Torr.* et *Gray*

Sison

Amomum, *Linn.*

Sisyrinchium

micranthum, *Cav.*

Solanum

auriculatum, *Ait.*
aviculare, *Forst. f.*
Burbankii, *Hort.*
Capsicastrum, *Link*, var. Hendersoni
fastigiatum, *Willd.*
haematocladum, *Dun.*
jasminoides, *Paxt.*
pyracanthum, *Jacq.*
Seaforthianum, *Andr.*
tuberosum, *Linn.*
venustum, *Kunth*
verbascifolium, *Linn.*
Xanti, *A. Gray*, var. Wallacei

Solenomelus

chilensis, *Miers*

Sollya

Drummondii, *C. Morr.*
heterophylla, *Lindl.*

Sorghum

vulgare, *Pers.*

Sparaxis

bulbifera, *Ker-Gawl.*

Spathiphyllum

cannaefolium, *Schott*
cochlearispathum, *Engl.*
floribundum, *N. E. Br.*
Patinii, *N. E. Br.*

Sphaeralcea

pedata, *Torr.*

Sprekelia

formosissima, *Herb.*

Stachytarpheta

indica, *Vahl*

Stapelia

glauca, *Jacq.*

Statice

echioides, *Linn.*
filicaulis, *Boiss.*
rosea, *Sm.*

Streptocarpus

caulescens, *Vatke*
Haygarthii, *N. E. Br.*
Holstii, *Engl.*

Stromanthe

Lubbersiana, *E. Morr.*

Stylidium

adnatum, *R. Br.*
articulatum, *R. Br.*

Stylophyllum

Hassei, *Rose*

Suksdorfia
violacea, *A. Gray*

Sutherlandia
frutescens, *R. Br.*

Swainsona
Cadelli, *F. Muell.*
coronillaefolia, *Salisb.*, var. rosea
colutoides, *F. Muell.*
Greyana, *Lindl.*, var. coccinea

Synedrella
nodiflora, *Gaertn.*

Tacca
artocarpifolia, *Seem.*
cristata, *Jack*
integrifolia, *Ker-Gawl.*
macrantha, *Limpr.*
viridis, *Hemsl.*

Tacsonia
exoniensis ×
Van-Volxemii, *Hook.*

Talinum
patens, *Willd.*

Tephrosia
cathartica, *Urb.*

Tetragonia
expansa, *Murr.*

Tetranema
mexicanum, *Benth.*

Teucrium
africanum, *Thunb.*
Marum, *Linn.*
Polium, *Linn.*

Thoracostachyum
bancanum, *Kurz*

Thyrsacanthus
rutilans, *Planch.*

Tillaea
pharnaceoides, *Hochst.*

Tillandsia
aurora, *Hort.*
chrysostachys, *Baker*
gloriosa, *Hort.*
hieroglyphica, *Baker*
Regina, *Vell.*
viminalis, *Hemsl.*
virginalis, *E. Morr.*

Tinnea
aethiopica, *Kotschy* et *Peyr.*

Torenia
flava, *Buch.-Ham.*
Fournieri, *Linden*

Trachelium
caeruleum, *Linn.*
rumelianum, *Hampe*

Tradescantia
discolor, *L'Hérit.*

Trichinium
exaltatum, *Benth.*
roseum, *Moq.*

Trichocladus
crinitus, *Pers.*

Tricuspidaria
dependens, *Ruiz* et *Pav.*

Triglochin
bulbosum, *Linn.*

Trigonella
maritima, *Delile*

Triolena
hirsuta, *Triana*

Tristania
neriifolia, *R. Br.*

Tulbaghia
acutiloba, *Harv.*

Urceocharis
Clibrani ×, *Masters*

Uroskinnera
spectabilis, *Lindl.*

Urtica
pilulifera, *Linn.*

Utricularia
caerulea, *Linn.*
emarginata, *Benj.*
montana, *Jacq.*
prehensilis, *E. Mey.*

Vaccinium
erythrinum, *Hook.*

Vaillantia
hispida, *Linn.*

Valerianella
dentata, *Pollich*
macrocera, *A. Gray*
truncata, *Betcke*
— var. muricata

Vandellia
nummularifolia, *Don.*

Velezia
rigida, *Linn.*

Verbena
bipinnatifida, *Schau.*
canescens, *H. B.* et *K.*
— var. neo-mexicana

Verbesina
crocata, *Less.*

Vigna
Catjang, *Walp.*

Villadia
guatemalensis, *Rose*

Villarsia
parnassiaefolia, *R. Br.*

Viminaria
denudata, *Sm.*

Viola
hederacea, *Labill.*

Vitis
antarctica, *Benth.*
discolor, *Dalz.*
heterophylla, *Thunb.*, var. humulifolia
vinifera, *Linn.*
— var. corinthiaca, *Rafin.*

Volutarella
bicolor, *Cass.*

Wahlenbergia
saxicola, *A. DC.*

Waitzia
paniculata, *F. Muell.*

Whitfieldia
lateritia, *Hook.*

Xanthium
orientale, *Linn.*

Xanthosia
rotundifolia, *DC.*

Xiphidium

coeruleum, *Aubl.*

Xyris

capensis, *Baker*

Zamia

Lindeni, *Regel*

Zamioculcas

Boivini, *Decne.*
Loddigesii, *Schott*

PLANTS IN THE OPEN AND UNDER GLASS.

Genera in Natural Orders.

ACANTHACEAE.

Acanthus

mollis, *Linn.*
Schottii, *Hort.*

Aphelandra

aurantiaca, *Lindl.*, var. Roezlii
pumila, *Nichols.*
velutina, *Hort.*

Asystasia

bella, *Harv.*

Barleria

cristata, *Linn.*

Crossandra

undulaefolia, *Salisb.*

Dianthera

nodosa, *Benth.* et *Hook. f.*

Eranthemum

albiflorum, *Hook.*
igneum, *Linden*
leuconeurum, *Hort.*

Justicia

calycotricha, *Link*
debilis, *Lam.*

Pseuderanthemum

seticalyx, *Stapf*

Ruellia

amoena, *Nees*
bracteata, *R. Br.*
macrantha, *Mart.*
rubicaulis, *Cav.*
tuberosa, *Linn.*

ACANTHACEAE—*continued.*

Thyrsacanthus

rutilans, *Planch.*

Whitfieldia

lateritia, *Hook.*

ALISMACEAE.

Alisma

Plantago, *Linn.*

AMARANTHACEAE.

Aerua

scandens, *Wall.*

Alternanthera

paronychioides, *St. Hil.*
sessilis, *R. Br.*

Amaranthus

aragonensis, *Hort.*
gangeticus, *Linn.*
polygonoides, *Linn.*
tenuifolius, *Willd.*

Celosia

argentea, *Linn.*
cristata, *Linn.*, var. pyramidalis

Trichinium

exaltatum, *Benth.*
roseum, *Moq.*

AMARYLLIDEAE.

Agave

albicans, *Jacobi*
heteracantha, *Zucc.*
maculata, *Regel*
striata, *Zucc.*
xylonacantha, *Salm-Dyck*

AMARYLLIDEAE—*continued.*

Alstroemeria

aurantiaca, *D. Don*

Beschorneria

californica, *Hort.*

Bomarea

Lehmanni, *Baker*
multiflora, *Mirb*

Clivia

miniata, *Regel*
nobilis, *Lindl.*

Crinum

latifolium, *Linn.*, var. yemense
purpurascens, *Herb.*
scabrum, *Herb.*
variabile, *Herb.*

Haemanthus

hirsutus, *Baker*

Hippeastrum

equestre, *Herb.*
procerum, *Lem.*

Hymenocallis

glauca, *M. Roem.*

Hypoxis

erecta, *Linn.*
Krebsii, *Fisch.*
Rooperii, *T. Moore*
villosa, *Linn.*

Leucojum

aestivum, *Linn.*

Narcissus

Bulbocodium, *Linn.*, var. citrinus
cyclamineus, *Baker*
Jonquilla, *Linn.*

Nerine

Bowdeni, *W. Watson*
candida, *Hort.*

AMARYLLIDEAE—*continued.*

Pancratium

fragans, *Salisb.*

Phaedranassa

chloracra, *Herb.*

Sprekelia

formosissima, *Herb.*

Urceocharis

Clibrani ×, *Masters*

AMPELIDEAE.

Cissus

adenopodus, *Sprague*

Leea

sambucina, *Willd.*

Vitis

antarctica, *Benth.*
discolor, *Dalz.*
heterophylla, *Thunb.*, var. humulifolia
vinifera, *Linn.*
— var. corinthiaca, *Rafin.*

ANACARDIACEAE.

Rhus

glabra, *Linn.*

ANONACEAE.

Polyalthia

suberosa, *Benth.* et *Hook. f.*

APOCYNACEAE.

Alyxia

buxifolia, *R. Br.*
daphnoides, *A. Cunn.*

APOCYNACEAE—*continued.*

Carissa

acuminata, *A. DC.*
Arduina, *Lam.*
grandiflora, *A. DC.*

ARALIACEAE.

Fatsia

japonica, *Decne.*

ARISTOLOCHIACEAE.

Aristolochia

elegans, *Mast.*
rotunda, *Linn.*

Asarum

canadense, *Linn.*
caudatum, *Lindl.*
Hartwegii, *S. Wats.*

AROIDEAE.

Aglaonema

commutatum, *Schott*

Amorphophallus

bulbifer, *Blume*

Anchomanes

dubius, *Schott*
Hookeri, *Schott*

Anthurium

acaule, *Schott*
Andreanum, *Linden*
— var. conchiflorum
— var. sanguineum
leodiense ×
macrolobum ×, *Hort.*
magnificum, *Linden*
robustum ×
Scherzerianum, *Schott*

Nephthytis

liberica, *N. E. Br.*

AROIDEAE—*continued.*

Philodendron

digitatum, *Hort.*

Remusatia

vivipara, *Schott*

Schismatoglottis

Roebelina, *Hort.*
Treubii, *Hort.*

Spathiphyllum

cannaefolium, *Schott*
cochlearispathum, *Engl.*
floribundum, *N. E. Br.*
Patinii, *N. E. Br.*

Zamioculcas

Boivini, *Decne.*
Loddigesii, *Schott*

ASCLEPIADEAE.

Asclepias

curassavica, *Linn.*
linifolia, *H. B.* et *K.*

Ceropegia

Woodii, *Schl.* (bulbil)

Lachnostoma

maritimum, *Nichols.*

Stapelia

glauca, *Jacq.*

Vincetoxicum

fuscatum, *Reichb. f.*

BEGONIACEAE.

Begonia

argenteo-guttata ×
assamica, *Hook.*
carminata ×, *Hort.*
coccinea, *Hook.*
corallina, *Carr.*, var. lucerna
Davisii, *Veitch*

BEGONIACEAE—*continued.*

Begonia—*continued.*

dichotoma, *Jacq.*
Dregei, *Otto* et *Dietr.*
echinosepala, *Regel*
erfordia, *Hort.*
foliosa, *H. B.* et *K.*
fuchsioides, *Hook. f.*
geranioides, *Hook. f.*
Haageana, *W. Watson*
hirtella, *Link*
Ingrami ×
kewensis, *Hort.*
luxurians, *Scheidw.*
maculata, *Raddi*
Martiana, *Link* et *Otto*
Poggei, *Warb.*
pubescens, *Hort.*
sanguinea, *Raddi*
semperflorens, *Link* et *Otto*,
var. alba
subcucullata, *C. DC.*
Sutherlandii, *Hook. f.*
ulmifolia, *Willd.*
undulata, *Otto*

BERBERIDEAE.

Berberis

Aquifolium, *Pursh*
aristata, *DC.*
Darwinii, *Hook.*
Guimpelii, *C. Koch* et *Bouché*
stenophylla, *Hance*
Thunbergii, *DC.*
virescens, *Hook. f.*
vulgaris, *Linn.*

Diphylleia

cymosa, *Michx.*

Podophyllum

Emodi, *Wall.*

BIGNONIACEAE.

Amphicome

arguta, *Royle*

BIGNONIACEAE—*continued.*

Eccremocarpus

scaber, *Ruiz* et *Pav.*

Incarvillea

Delavayi, *Bur.* et *Franch.*

BORAGINEAE.

Alkanna

lutea, *A. DC.*
orientalis, *Boiss.*

Anchusa

Barrelieri, *Vitm.*
italica, *Retz.*
officinalis, *Linn.*
sempervirens, *Linn.*

Arnebia

hispidissima, *DC.*

Borago

laxiflora, *Willd.*
officinalis, *Linn.*

Cerinthe

aspera, *Roth*
auriculata, *Tenore*
major, *Linn.*

Cynoglossum

amabile, *Stapf* et *Drumm.*
furcatum, *Wall.*
nervosum, *Benth.*
petiolatum, *A. DC.*
Wallichii, *G. Don*

Echium

vulgare, *Linn.*

BORAGINEAE—*continued.*

Eritrichium

strictum, *Decne.*

Heliotropium

anchusifolium, *Poir.*
indicum, *Linn.*
peruvianum, *Linn.*

Lindelofia

spectabilis, *Lehm.*

Lithospermum

fruticosum, *Linn.*
graminifolium, *Viv.*
prostratum, *Loisel.*
— var. coerulescens
purpureo-caeruleum, *Linn.*

Lycopsis

orientalis, *Linn.*

Macrotomia

echioides, *Boiss.*

Mertensia

echioides, *Benth.*
primuloides, *C. B. Clarke*
sibirica, *G. Don*
tibetica, *C. B. Clarke*

Microula

sikkimensis, *Hemsl.*

Myosotis

alpestris, *F. W. Schmidt*
australis, *R. Br.*
capitata, *Hook. f.*, var. albiflora
corsica, *Hort.*
Forsteri, *Lehm.*
macrantha, *Hort.*
olympica, *Boiss.*
palustris, *Lam.*
pygmaea, *Colenso*
stricta, *Link*, var. alba
Traversii, *Hook. f.*
Welwitschii, *Boiss.* et *Reut.*

BORAGINEAE—*continued.*

Omphalodes

amplexicaulis, *Lehm.*
linifolia, *Moench*
Luciliae, *Boiss.*

Onosma

albo-roseum, *Fisch.* et *Mey.*
cassium, *Boiss.*

Onosmodium

Thurberi, *A. Gray*

Paracaryum

glochidiatum, *Benth.* et *Hook. f.*

Solenanthus

apenninus, *Hohen.*

Symphytum

asperrimum, *Donn*
officinale, *Linn.*

Trachystemon

orientale, *D. Don*

BROMELIACEAE.

Aechmea

bromeliaefolia, *Baker*
— var. pulchra
coerulescens, *Baker*
exsudans, *E. Morr.*
Weilbachii, *F. Didr.*

Billbergia

decora, *Poepp.*
zebrina, *Lindl.*

Karatas

Plumieri, *E. Morr.*
spectabilis, *Antoine*

Pitcairnia

Altensteinii, *Lem.*
aphelandraeflora, *Verschaff.*
heterophylla, *Beer*
Lamarckiana, *E. Morr.*
latifolia, *Soland.*

BROMELIACEAE—*continued.*

Pitcairnia—*continued.*

maidifolia, *Decne.*
muscosa, *Mart.*
pruinosa, *H. B.* et *K.*
pulverulenta, *Ruiz* et *Pav.*
xanthocalyx, *Mart.*

Quesnelia

rufa, *Gaud.*
Wittmarckiana, *Regel*

Tillandsia

aurora, *Hort.*
chrysostachys, *Baker*
gloriosa, *Hort.*
hieroglyphica, *Baker*
Regina, *Vell.*
viminalis, *Hemsl.*
virginalis, *E. Morr.*

CACTEAE.

Cereus

Fendleri, *Engelm.*

Mammillaria

rhodantha, *Link* et *Otto*

Opuntia

tomentosa, *Salm-Dyck*

Phyllocactus

crenulatus, *Walp.*
Thalia ×

Rhipsalis

salicornioides, *Haw.*, var. bambusioides

CAMPANULACEAE.

Adenophora

Bulleyana, *Diels*
communis, *Fisch.*
cuspidiata, *Hort.*
denticulata, *Fisch.*
infundibuliformis, *Hort.*

CAMPANULACEAE—*continued.*

Adenophora—*continued.*

leptosepala, *Diels*
megalantha, *Diels*
nikoensis, *Franch.* et *Sav.*
ornata, *Diels*
verticillata, *Fisch.*

Campanula

alliariaefolia, *Willd.*
barbata, *Linn.*
Beauverdiana, *Fomine*
bononiensis, *Linn.*
caespitosa, *Scop.*, var. Vensloi
carpatica, *Jacq.*
— var. pelviformis
— var. turbinata
— — alba
— — compacta
colorata, *Wall.*
crenulata, *Franch.*
crispa, *Lam.*
elegans, *Roem.* et *Schult.*
excisa, *Schleich.*
fragilis, *Cyrill.*
garganica, *Tenore*
glomerata, *Linn.*, var. acaulis
Grossekii, *Heuffl.*
isophylla, *Moretti*, var. alba
lanata, *Frivald.*
latifolia, *Linn.*
— var. macrantha
— — alba
— — lilacina
Leutweinii, *Heldr.*
lingulata, *Waldst.* et *Kit.*
linifolia, *Scop.*
— var. hirta
longestyla, *Fomine*
Marchesettii, *Wit.*
mirabilis, *Leichtl.*
persicifolia, *Linn.*
— var. alba
phyteumoides, *Sibth.*
pseudocarnica, *Hort*

CAMPANULACEAE—*continued.*

Campanula—*continued.*

pulcherrima, *Schrank* et *Zeyh.*
pulla, *Linn.*
pulloides, *Hort.*, var. kewensis
punctata, *Lam.*
— var. alba
pusilla, *Haenke*
— var. alba
— var. pallida
pyramidalis, *Linn.*
— var. alba
pyrenaica, *A. DC.*
Raddeana, *Trautv.*
Rainerii, *Perpent.*
rapunculoides, *Linn.*
Reuteriana, *Boiss.* et *Bal.*
rhomboidalis, *Linn.*
rhomboidea, *Murr.*
rotundifolia, *Linn.*
— var. alaskana, *Hort.*
— var. alba
— var. magnifica
salicifolia, *Boiss.* et *Kotschy*
sarmatica, *Ker-Gawl.*
Scheuchzeri, *Vill.*
— var. alba
sibirica, *Linn.*, var. eximia
— var. Hohenackeri
spicata, *Linn.*
Steveni, *Bieb.*
sulphurea, *Boiss.*
Teymonsii, *Hort.*
turbinata ×, Raineri
Vidalii, *H. C. Wats.*
Waldsteiniana, *Roem.* et *Schult.*

Campanumoea

javanica, *Blume*

Codonopsis

Bulleyana, *Diels* et *G. Forrest*
clematidea, *Hort.*
ovata, *Benth.*
rotundifolia, *Royle*

CAMPANULACEAE—*continued.*

Cyananthus

incanus, *Hook. f.* et *Thoms.*, var. leiocalyx, *Franch.*

Edraianthus

dinaricus, *Wettstein*

Jasione

humilis, *Loisel.*
perennis, *Lam.*

Lobelia

anceps, *Linn. f.*
debilis, *Linn.*
erecta, *Hook. f.* et *Thoms.*
Erinus, *Linn.*, var. compacta caerulea
linnaeoides, *Petrie*
taliensis, *Diels*
tenuior, *R. Br.*
— var. alba
triquetra, *Linn.*

Microcodon

glomeratum, *A. DC.*

Phyteuma

anthericoides, *Nym.*
campanuloides, *Bieb.*
canescens, *Waldst.* et *Kit.*
limonifolium, *Sibth.* et *Sm.*
Michelii, *All.*
orbiculare, *Linn.*
Scheuchzeri, *All.*
— var. Charmelii, *Vill.*
Sibthorpianum, *Roem.* et *Schult.*
Sieberi, *Spreng.*
spicatum, *Linn.*

Platycodon

grandiflorum, *A. DC.*, var. Mariesii

Pratia

angulata, *Hook. f.*
— var. arenaria

CAMPANULACEAE.—*continued.*

Siphocampylus

lanceolatus, *Regel*

Specularia

Speculum, *A. DC.*
— var. album

Symphyandra

Hofmanni, *Pant.*
pendula, *A. DC.*
Wanneri, *Heuff.*

Trachelium

caeruleum, *Linn.*
rumelianum, *Hampe*

Wahlenbergia

dalmatica, *A. DC.*
hederacea, *Reichb.*
lobelioides, *DC.*
nutabunda, *A. DC.*
Pumilio, *A. DC.*
saxicola, *A. DC.*
serpyllifolia, *G. Beck*, var. dinarica

CAPPARIDEAE.

Capparis

flexuosa, *Blume*

Cleome

grandiflora, *Ehrenb.*
spinosa, *Jacq.*
— var. alba

Euadenia

eminens, *Hook. f.*

CAPRIFOLIACEAE.

Diervilla

florida, *Sieb.* et *Zucc.*
rivularis, *Gattinger*
sessilifolia, *Buckl.*

CAPRIFOLIACEAE.—*continued.*

Leycesteria

formosa, *Wall.*

Lonicera

alpigena, *Linn.*
bella, *Zabel*, var. atro-rosea
hirsuta, *Eaton*
macrophylla, *Willd.*
Morrowii, *A. Gray*
orientalis, *Lam.*
Periclymenum, *Linn.*
quinquelocularis, *Hardw.*
rupicola, *Hook. f.* et *Thoms.*
salicifolia, *Zabel*
sempervirens, *Linn.*, var. minor
Stabiana, *Guss.*
Sullivantii, *A. Gray*
translucens, *Carr.*

Sambucus

canadensis, *Linn.*
— var. aurea
nigra, *Linn.*
— var. variegata
— var. virescens
racemosa, *Linn.*

Symphoricarpus

occidentalis, *Hook.*
orbiculatus, *Moench*
racemosus, *Michx.*

Viburnum

burejaeticum, *Regel* et *Herd.*
Lantana, *Linn.*
— var. lanceolatum
Lentago, *Linn.*
Opulus, *Linn.*

CARYOPHYLLEAE.

Arenaria

Bertolonii, *Fiori* et *Paol.*
biflora, *Linn.*
cerastiifolia, *Ramond*
ciliata, *Linn.*
— var. norvegica

CARYOPHYLLEAE—*continued.*

Arenaria—*continued.*

confusa, *Rydb.*
decussata, *Willd.*
fasciculata, *Gouan*
foliosa, *Royle*
gothica, *Fries*
graminifolia, *Schrad.*
graveolens, *Schreb.*
lanuginosa, *Rohrb.*
Meyeri, *Edgew.* et *Hook.*
montana, *Linn.*, var. grandiflora
muscosa, *Med.*
picta, *Sibth.* et *Sm.*
pinifolia, *Bieb.*
purpurascens, *Ramond*
recurva, *All.*
saxosa, *A. Gray*
serpens, *H. B.* et *K.*
setacea, *Thuill.*
tremula, *Boiss.*
verna, *Linn.*
Villarsii, *Balb.*
— var. villosula

Cerastium

alpinum, *Linn.*
dichotomum, *Linn.*
Edmondstoni, *Murb.* et *Ostenf.*
grandiflorum, *Waldst.* et *Kit.*
perfoliatum, *Linn.*
tomentosum, *Linn.*

Dianthus

alpinus, *Linn.*
arboreus, *Linn.*
arenarius, *Linn.*
atrococcineus, *Hort.*
atrorubens, *All.*
caesius, *Sm.*
campestris, *Bieb.*
Carthusianorum, *Linn.*
chinensis, *Linn.*
ciliatus, *Guss.*
cinnabarinus, *Sprun.*

CARYOPHYLLEAE—*continued.*

Dianthus—*continued.*

cyclops ×
delicatus, *Hort.*
fragrans, *Bieb.*
furcatus, *Balb.*
gallicus, *Pers.*
glaucus, *Hort.*
grandiflorus, *Poir.*
graniticus, *Jord.*
liburnicus, *Bartl.* et *Wendl.*
longicaulis, *Tenore*
microlepis, *Boiss.*
monspessulans, *Linn.*, var. alpestris
montanus, *Hort.*
neglectus, *Loisel.*
Noeanus, *Boiss.*
orbelicus, *Hort.*
petraeus, *Waldst.* et *Kit.*
— var. spiculifolius
pinifolius, *Sibth.* et *Sm.*
plumarius, *Linn.*
pulchellus, *Hort.*
pungens, *Linn.*
squarrosus, *Bieb.*
Sternbergii, *Sibth.*
strictus, *Sibth.* et *Sm.*
superbus, *Linn.*
— var. chinensis
sylvestris, *Wulf.*
tenuiflorus, *Griseb.*
tymphresteus, *Heldr.* et *Sart.*
velebiticus, *Borb.*
Velenowskyi, *Borb.*
zonatus, *Fenzl*

Drymaria

tenella, *A. Gray*

Drypis

spinosa, *Linn.*

Gypsophila

cerastoides, *D. Don*
elegans, *Bieb.*
— var. rosea

CARYOPHYLLEAE—*continued.*

Lychnis

affinis, *J. Vahl*
alba, *Mill.*
alpina, *Linn.*, var. lapponica
chalcedonica, *Linn.*
Coeli-rosa, *Desr.*
coronaria, *Desr.*
corsica, *Loisel.*
dioica, *Linn.*
divaricata, *Reichb.*
Flos-cuculi, *Linn.*, var. alba
Flos-Jovis, *Desr.*
Haageana, *Lemaire*
nigrescens, *Edgew.* var.
Preslii, *Sekera*
pyrenaica, *Berger*
tenuis, *Willd.*
triflora, *R. Br.*
Viscaria, *Linn.*
— var. splendens

Moehringia

papulosa, *Bertol.*

Polycarpaea

divaricata, *Balf. f.*

Sagina

Linnaei, *Presl*
nivalis, *Fries*
nodosa, *Fenzl*
occidentalis, *S. Wats.*
procumbens, *Linn.*

Saponaria

caespitosa, *DC.*
lutea, *Linn.*
pulvinaris, *Boiss.*
Vaccaria, *Linn.*

Silene

adenantha, *Franch.*
alpestris, *Jacq.*
alpina, *Hort.*

CARYOPHYLLEAE—*continued*

Silene—*continued.*

altaica, *Pers.*
antirrhina, *Linn.*
aprica, *Turcz.*
Armeria, *Linn.*
— var. alba
asclepiadea, *Franch.*
Asterias, *Griseb.*, var. grandiflora
caucasica, *Boiss.*
colorata, *Poir.*
conica, *Linn.*
conoidea, *Linn.*
crassipes, *Fenzl*
Cucubalus, *Wibel*
Cythnia, *Heldr.*
divaricata, *Clemente*
fuscata, *Link*
gigantea, *Linn.*
Hookeri, *Nutt.*
Keiskii, *Miq.*
linicola, *C. C. Gmel.*
maritima, *With.*
mollissima, *Sibth.* et *Sm.*
multicaulis, *Guss.*
Muscipula, *Linn.*
nutans, *Linn.*
Otites, *Sm.*
pendula, *Linn.*
pharnaceifolia, *Fenzl*
picta, *Pers.*
portensis, *Linn.*
quadridentata, *Pers.*
— var. pusilla
quadrifida, *Linn.*
Reichenbachii, *Vis.*
repens, *Patrin*
Requienii, *Otth*
roseiflora, *Kingdon Ward*
rubella, *Linn.*
saxatilis, *Sims*
Saxifraga, *Linn.*
Schafta, *Gmel.*
setacea, *Viv.*
Thorei, *Duf.*
turgida, *Bieb.*
Zawadzkii, *Herbich*

CARYOPHYLLEAE—*continued.*

Spergula

arvensis, *Linn.*
vernalis, *Willd.*
— var. normalis

Spergularia

diandra, *Boiss.*
Heldreichii, *Fouc.*
longipes, *Rouy*
media, *Presl*

Stellaria

Holostea, *Linn.*
media, *Cyrill.*, var. Cupaniana

Tunica

olympica, *Boiss.*
prolifera, *Scop.*
Saxifraga, *Scop.*
velutina, *Fisch.* et *Mey.*

Velezia

rigida, *Linn.*

CELASTRINEAE.

Cassine

Maurocenia, *Linn.*

Euonymus

europaeus, *Linn.*
fimbriatus, *Wall.*
pendulus, *Wall.*

CHENOPODIACEAE.

Atriplex

californica, *Moq.*
patula, *Linn.*
semibaccata, *R. Br.*
spongiosa, *F. Muell.*

Beta

Bourgaei, *Coss.*
trigyna, *Waldst.* et *Kit.*

CHENOPODIACEAE—*continued.*

Chenopodium

Bonus-Henricus, *Linn.*
murale, *Linn.*
polyspermum, *Linn.*
rigidum, *Lingelsheim*

Monolepis

trifida, *Schrad.*

Salsola

Kali, *Linn.*

Spinacia

oleracea, *Linn.*

CHLORANTHACEAE.

Circaeaster

agrestis, *Maxim.*

CISTINEAE.

Cistus

albidocrispus, *Hort.*
hirsutus, *Lam.*
laurifolius, *Linn.*
platysepalus, *Sweet*
purpureus, *Lam.*
vaginatus, *Ait.*

Helianthemum

canum, *Boiss.*
pilosum, *Benth.*
polifolium, *DC.*
procumbens, *Dun.*
rubellum, *Presl*
salicifolium, *Mill.*
vulgare, *Gaertn.*
— var. variegatum

COMBRETACEAE.

Combretum

grandiflorum, *G. Don*

COMMELINACEAE.

Commelina

erecta, *Linn.*

Cyanotis

somaliensis, *C. B. Clarke*

Palisota

Barteri, *Hook. f.*
Maclaudi, *Cornu*
Pynaertii, *Wildem.*

Tinantia

fugax, *Scheidw.*

Tradescantia

discolor, *L'Hérit.*
virginiana, *Linn.*
— var. alba
— var. atropurpurea
— var. elata

COMPOSITAE.

Achillea

alpina, *Linn.*
compacta, *Willd.*
Fraasii, *Sch. Bip.*
lanulosa, *Nutt.*
lingulata, *Waldst. et Kit.*
— var. buglossis
macedonica, *Rouy*
macrophylla, *Linn.*
Millefolium, *Linn.*, var. rosea
nobilis, *Linn.*
pedemontana, *Hort.*
transsylvanica, *Hort.*

Actinomeris

helianthoides, *Nutt.*

Adenostyles

albida, *Cass.*
alpina, *Kern.*
viridis, *Cass.*

COMPOSITAE—*continued.*

Agathaea

coelestis, *Cass.*

Amellus

Lychnitis, *Linn.*

Anaphalis

margaritacea, *Benth.* et *Hook. f.*
triplinervis, *Sims*
yedoensis, *Maxim.*

Andryala

integrifolia, *Linn.*

Angianthus

humifusus, *Benth.*

Antennaria

decipiens, *Greene*
dioica, *Gaertn.*
— var. alpina rosea
— var. parvifolia
— var. tomentosa
magellanica, *Sch. Bip.*
rosea, *Greene*, var. imbricata

Anthemis

altissima, *Linn.*
canescens, *Brot.*
carpathica, *Willd.*
cinerea, *Panc.*
palestina, *Reut.*
tinctoria, *Linn.*

Aplopappus

croceus, *A. Gray*
scaposus, *Remy*

Arctotis

acaulis, *Linn.*
aspera, *Linn.*

Arnica

Chamissonis, *Less.*
longifolia, *Eaton*
montana, *Linn.*

COMPOSITAE—*continued.*

Artemisia

annua, *Linn.*
chamaemelifolia, *Vill.*
spicata, *Wulf.*
vulgaris, *Linn.*

Aster

acris, *Linn.*
alpinus, *Linn.*
— var. albus
— var. speciosus
brachytrichus, *Franch.*
conspicuus, *Lindl.*
Delavayi, *Franch.*
diplostephioides, *Benth.* et *Hook. f.*
floribundus, *Nutt.*
foliaceus, *Lindl.*
Fremonti, *A. Gray*
fruticosus, *Linn.*
himalaicus, *C. B. Clarke*
junceus, *Ait.*
laevis, *Linn.*
longifolius, *Lam.*
macrophyllus, *Linn.*
oreophilus, *Franch.*
paniculatus, *Lam.*
patens, *Ait.*
puniceus, *Linn.*
ramulosus, *Hort.*
sikkimensis, *Hook. f.* et *Thoms.*
staticifolius, *Franch.*
Willkommii, *Sch.*

Baccharis

patagonica, *Hook.* et *Arn.*

Baeria

coronaria, *A. Gray*

Bellis

caerulescens, *Coss.* et *Bal.*

Berardia

subacaulis, *Vill.*

COMPOSITAE—*continued.*

Bidens

dahlioides, *S. Wats.*
grandiflora, *Balb.*
humilis, *H. B.* et *K.*

Boltonia

incisa, *Benth.*

Borrichia

frutescens, *DC.*

Brachycome

Thomsonii, *T. Kirk*

Buphthalmum

salicifolium, *Linn.*
speciosum, *Schreb.*

Calendula

aegyptiaca, *Desf.*
— var. suberostris

Carbenia

benedicta, *Adans.*

Carduus

cernuus, *Steud.*
Kerneri ×, *Simonk.*
simplicifolius, *Sang.*
struminanus, *Hort.*

Cassinia

fulvida, *Hook. f.*
leptophylla, *R. Br.*

Catananche

caerulea, *Linn.*
lutea, *Linn.*

Celmisia

coriacea, *Raoul*
discolor, *Hook. f.*
hieracifolia, *Hook. f.*
holosericea, *Hook. f.*
longifolia, *Cass.*

COMPOSITAE—*continued.*

Celmisia—*continued.*

Lyallii, *Hook. f.*, var. pseudo-Lyallii
Munroi, *Hook. f.*
verbascifolia, *Hook. f.*
— var. grandiflora
viscosa, *Hook. f.*

Centaurea

acanthodes, *Spreng.*
babylonica, *Linn.*
cynaroides, *Link*
Jacea, *Linn.*
macrocephala, *Puschk.*
montana, *Linn.*
— var. ochroleuca
— var. rosea
nervosa, *Willd.*
nigra, *Linn.*
orientalis, *Linn.*
phrygia, *Linn.*
romana, *Linn.*
rutifolia, *Sibth.* et *Sm.*
Scabiosa, *Linn.*
solstitialis, *Linn.*
sordida, *Willd.*
stereophylla, *Bess.*
variegata, *Lam.*

Centipeda

orbicularis, *Lour.*

Cephalipterum

Drummondii, *A. Gray*

Cephalophora

aromatica, *Schrad.*

Chamaemelum

rimarum, *Siehe*

Chaptalia

alsophila, *Greene*

Charieis

heterophylla, *Cass.*

COMPOSITAE—*continued.*

Chrysanthemum

caucasicum, *Pers.*
maximum, *Ramond*, var. tripteris
Parthenium, *Bernh.*
tomentosum, *Loisel.*

Cineraria

alpestris, *Hort.*

Cnicus

Bertolonii, *Bertol.*
chinensis, *Benth.*
eriophoroides, *Diels*
eriophorus, *Roth*
Erisithales, *Linn.*
heterophyllus, *Roth*
pratensis, *Willd.*
tartaricus, *Willd.*
undulatus, *A. Gray*

Corethrogyne

rigida, *Hort.*

Cotula

anthemoides, *Linn.*

Craspedia

uniflora, *Forst. f.*

Crepis

aculeata, *Boiss.*
blattarioides, *Vill.*
Dioscoroidis, *Linn.*
grandiflora, *Tausch*
Jacquini, *Tausch*
paludosa, *Moench*
pygmaea, *Linn.*
setosa, *Hall. f.*
sibirica, *Linn.*
Suffreniana, *Steud.*

Crupina

Crupinastrum, *Vis.*

Cymboseris

palaestina, *Boiss.*

COMPOSITAE—*continued.*

Dahlia

zimapani, *Roezl*

Doronicum

caucasicum, *Bieb.*
macrophyllum, *Fisch.*

Echinops

sphaerocephalus × bannaticus

Elephantopus

scaber, *Linn.*

Erigeron

acris, *Linn.*
alpinus, *Linn.*
— var. grandiflorus
divaricatus, *Michx.*
flagellaris, *A. Gray*
glabellus, *Nutt.*
— var. asper
— var. mollis
glabratus, *Hoppe* et *Hornsch.*
glaucus, *Ker-Gawl.*
grandiflorus, *Hook.*
macranthus, *Nutl.*
montevidensis, *Baker*
mucronatus, *DC.*
multiradiatus, *Benth.* et *Hook. f.*
— var. platyphyllus
neo-mexicanus, *A. Gray*
roseus, *Hort.*
tephrodes, *Greene*
thyrsoides, *Hort.*
trifidus, *Schlecht.*
— var. albescens
uniflorus, *Linn.*

Eriophyllum

caespitosum, *Dougl.*

Erlangea

tomentosa, *S. Moore*

COMPOSITAE—*continued.*

Eupatorium

ageratoides, *Linn.*
cannabinum, *Linn.*
deltoideum, *Jacq.*
glechonophyllum, *Less.*
grandiflorum, *André*
ianthinum, *Hemsl.*
japonicum, *Thunb.*
petiolare, *Moç.* et *Sesse*
riparium, *Regel*
Rothrockii, *A. Gray*
Weinmannianum, *Regel* et *Koern.*

Euryops

pectinatus, *Cass.*

Evax

anatolica, *Boiss.* et *Heldr.*
nevadensis, *Boiss*

Gaillardia

aristata, *Pursh*, var. grandiflora
pulchella, *Fouger*

Gerbera

Anandria, *Sch. Bip.*
Delavayi, *Franch.*
Jamesoni, *Bolus*
Kunzeana, *A. Br.* et *Aschers.*
nivea, *Sch. Bip.*
ruficoma, *Franch.*

Gnaphalium

hypoleucum, *DC.*
lagopodiodes, *Rydb.*
luteo-album, *Linn.*
palustre, *Nutt.*

Grindelia

squarrosa, *Dunal*

Gymnolomia

multiflora, *Benth.* et *Hook. f.*

COMPOSITAE—*continued.*

Helenium

autumnale, *Linn.*, var. Halleri
Hoopesii, *A. Gray*

Helichrysum

angustifolium, *DC.*
bellidioides, *Willd.*
callichrysum, *DC.*
graveolens, *Sweet*
humile, *Less.*, var. purpureum
lanatum, *DC.*
Lawrencella, *F. Muell.*
microphyllum, *Cambess.*
plicatum, *DC.*
rutidolepis, *DC.*
semipapposum, *DC.*
subulifolium, *F. Muell.*

Heliopsis

laevis, *Pers.*
scabra, *Dun.*, var. Pitcheriana

Helipterum

Manglesii, *F. Muell.*
roseum, *Benth.*

Heteropappus

hispidus, *Less.*

Heterospermum

pinnatum, *Cav.*

Hieracium

alpinum, *Linn.*
Bornmülleri, *Freyn*
bupleuroides, *C. C. Gmel.*
crinitum, *Sibth.* et *Sm.*
crocatum, *Fries*
foliosum, *Waldst.* et *Kit.*
Gouani, *Hegetschw.*
gymnocephalum, *Griseb.*
humile, *Jacq.*
incisum, *Hoppe*

COMPOSITAE—*continued.*

Hieracium—*continued.*

intybaceum, *Jacq.*
laciniatum, *Hort.*
lanatum, *Waldst.* et *Kit.*
latifolium, *Froel.*
Lemmoni, *A. Gray*
Marshallii, *Linton*
Neo-Cerinthe, *Fries*
pallidum, *Biv.*
Pilosella, *Linn.*
— var. aurantiacum
— var. monstrosum
prenanthoides, *Vill.*
pulmonarioides, *Vill.*
rubescens, *Gilib.*
stoloniflorum, *Waldst.* et *Kit.*
strictum, *Fries*
tridentatum, *Fries*
villosum, *Jacq.*

Homogyne

alpina, *Cass.*
sylvestris, *Cass.*

Humea

elegans, *Sm.*

Hymenatherum

acerosum, *A. Gray*

Hypochoeris

maculata, *Linn.*
taraxacoides, *Benth.* et *Hook. f.*

Inula

macrophylla, *Sch.*

Lactuca

Dubyaea, *C. B. Clarke*
Forrestii, *W. W. Smith*
grandiflora, *Franch.*
perennis, *Linn.*
Plumieri, *Gren.* et *Godr.*
Scariola, *Linn.*
thianschanica, *Hort.*

COMPOSITAE—*continued.*

Lagenophora

Barkeri, *T. Kirk*
Forsteri, *DC.*
petiolata, *Hook. f.*

Leontodon

hastilis, *Linn.*
hispidus, *Linn.*

Leontopodium

alpinum, *Cass.*
— var. himalaicum
— var. transsylvanicum
hybridum, *Hort.*
japonicum, *Miq.*
lindavicum, *Hort.*

Leptosyne

Stillmannii, *A. Gray*

Liatris

spicata, *Willd.*

Madia

elegans, *D. Don*
sativa, *Molina*
— var. racemosa, *A. Gray*

Matricaria

grandiflora, *Fenzl*

Microglossa

albescens, *C. B. Clarke*

Microseris

californica, *Greene*
melanocarpha, *Greene*

Mulgedium

Bourgaei, *Boiss.*

Mutisia

decurrens, *Cav.*
ilicifolia, *Cav.*

COMPOSITAE—*continued.*

Myriactis

Wallichii, *Less.*

Odontospermum

aquaticum, *Sch. Bip.*

Olearia

Haastii, *Hook. f.*
ilicifolia, *Hook. f.*
macrodonta, *Baker*
myrsinoides, *F. Muell.*
nummularifolia, *Hook. f.*
stellulata, *DC.*

Onopordon

Acanthium, *Linn.*
bracteatum, *Boiss.* et *Heldr.*

Osteospermum

moniliferum, *Linn.*

Othonna

carnosa, *Less.*

Parthenium

argentatum, *A. Gray*
Hysterophorus, *Linn.*

Pectis

linifolia, *Linn.*

Perezia

multiflora, *Less.*

Phaenocoma

prolifera, *D. Don*, var. Barnesii

Picradenia

floribunda, *Greene*

Picris

hieracioides, *Linn.*

Piqueria

trinervia, *Cav.*

COMPOSITAE—*continued.*

Pluchea

Bulleyana, *J. F. Jeffrey*

Podolepis

aristata, *Benth.*

Prenanthes

purpurea, *Linn.*

Psilostrophe

tagetina, *Greene*

Pterotheca

bifida, *Fisch.* et *Mey.*

Pulicaria

arabica, *Cass.*

Rudbeckia

triloba, *Linn.*

Saussurea

alpina, *DC.*
candicans, *C. B. Clarke*
discolor, *DC.*
salicifolia, *DC.*
vestita, *Franch.*

Schoenia

Cassiniana, *Steetz*

Senecio

abrotanifolius, *Linn.*, var. grandiflorus
— var. tyrolensis
acuminatus, *Wall.*
adonidifolius, *Loisel.*
aurantiacus, *Reichb.*
auriculatissimus, *Britton*
bellidioides, *Hook. f.*
Blumeri, *Greene*
campestris, *DC.*
clivorum, *Maxim.*
coronopifolius, *Desf.*
cruentus, *DC.*

COMPOSITAE—*continued.*

Senecio—*continued.*

Decaisnei, *DC.*
diversifolius, *Wall.*
doriaeformis, *DC.*
Doronicum, *Linn.*
echinatus, *DC.*
elegans, *Linn.*
eurycephalus, *Torr.* et *Gray*
grandifolius, *Less.*
Greyii, *Hook. f.*
Heritieri, *DC.*
incanus, *Linn.*
ionophyllus, *Greene*
junceus, *Harv.*
lagopus, *Raoul*
lanatus, *Scop.*
laxifolius, *J. Buch.*
leucophyllus, *DC.*
Ligularia, *Hook. f.*
Lyallii, *Hook. f.*
macroglossus, *DC.*
maritimus, *Linn. f.*
Moorei ×
mutabilis, *Greene*
nebrodensis, *Linn.*
nemorensis, *Linn.*
Petasitis, *DC.*
populifolius, *DC.*
scandens, *Buch.-Ham.*
sibiricus, *Linn.*
Smithii, *DC.*
spathulaefolius, *DC.*
stenocephalus, *Maxim.*, var. comosus
squalidus, *Linn.*
subscandens, *Hochst.*
tanguticus, *Maxim.*
tropaeolifolius, *MacOwan*
vernalis, *Waldst.* et *Kit.*
vulgaris × squalidus

Serratula

coronata, *Linn.*
macrocephala, *Bertol.*

Silybum

Marianum, *Gaertn.*

COMPOSITAE—*continued.*

Solidago

Buckleyi, *Torr.* et *Gray*
multiradiata, *Ait.*
odora, *Ait.*
Virgaurea, *Linn.*

Synedrella

nodiflora, *Gaertn.*

Tanacetum

argenteum, *Willd.*
Delavayi, *Franch.*
Pseudachillea, *C. Winkl.*

Taraxacum

officinale, *Weber*
— var. alpinum
palustre, *DC.*

Tragopogon

castellanus, *Levier*

Tridax

trilobata, *Hemsl.*

Troximon

heterophyllum, *Greene*, var. normale

Urospermum

Dalechampii, *Desf.*

Verbesina

crocata, *Less.*
helianthoides, *Michx.*

Volutarella

bicolor, *Cass.*

Waitzia

paniculata, *F. Muell.*

Xanthium

orientale, *Linn.*

CONIFERAE.

Agathis

australis, *Steud.*

Cupressus

Benthami, *Endl.*
Goveniana, *Gord.*
Lawsoniana, *A. Murr.*
— var. argentea
Lindleyi, *Klotzsch*

Taxus

baccata, *Linn.*
— var. adpressa
— var. Dovastoni
— var. fastigiata, *Loud.*

CONVOLVULACEAE.

Convolvulus

crenatifolius, *Ruiz* et *Pav.*, var. argenteus
dissectus, *Cav.*
laciniatus, *Desr.*

Dichondra

repens, *Forst.*

Hewittia

bicolor, *Wight* et *Arn.*

Ipomœa

Batatas, *Poir* (tubers)
coccinea, *Linn.*
glaucifolia, *Linn.*
Leari, *Paxt.*
purpurea, *Roth*
Quamoclit, *Linn.*
— var. alba

Nolana

paradoxa, *Lindl.*

CORIARIEAE.

Coriaria

nepalensis, *Wall.*

CORNACEAE.

Cornus

alba, *Linn.*
— var. foliis tricoloribus
alternifolia, *Linn.*
capitata, *Wall.*
sanguinea, *Linn.*

CRASSULACEAE.

Aeonium

Castello-Paivae, *C. Bolle*

Altamiranoa

Goldmani, *Rose*

Bryophyllum

crenatum, *Baker*

Cotyledon

adunca, *Baker*
atropurpurea, *Baker*
Barbeyi, *Schw.*
Desmetiana, *Hemsl.*
dichotoma, *Haw.*
edulis, *Brewer*
fulgens. *Baker*
gibbiflora, *Moç.* et *Sesse*
— var. metallica
Grusoni, *Hort.*
imbricata, *Hort.*
nodulosa, *Baker*
orbiculata, *Linn.*
pachyphyta, *Baker*
pulverulenta, *Baker*
racemosa, *E. Mey.*
roseata, *Baker*
secunda, *Baker*
Zeyheri, *Harv.*

Crassula

arborescens, *Willd.*
Cooperi, *Regel*
ericoides, *Haw.*
glomerata, *Berg.*
nudicaulis, *Linn.*
sarcocaulis, *Eckl.* et *Zeyh.*
tenuifolia, *Schoenl.*

CRASSULACEAE—*continued.*

Echeveria

alpina, *Hort.*
multicaulis, *Rose*
ovata ×, *Deleuil*
Pringlei, *Rose*

Kalanchoë

Cassiopeja, *Damm.*
crenata, *Haw.*
Dyeri, *N. E. Br.*
flammea, *Stapf*
kewensis ×
Kirkii, *N. E. Br.*
Petitiana, *A. Rich.*
rotundifolia, *Haw.*
spathulata, *DC.*

Lenophyllum

guttatum, *Rose*

Monanthes

agriostaphys, *Christ*

Oliveranthus

elegans, *Rose*

Pachyphytum

uniflorum, *Rose*

Sedum

acre, *Linn.*
Aizoon, *Linn.*
— f. major
album, *Linn.*
altaicum, *G. Don*
Anacampseros, *Linn.*
asiaticum, *Spreng.*
Brownii, *Hort.*
Cepaea, *Linn.*
dasyphyllum, *Linn.*
Ewersii, *Ledeb.*
Greggii, *Hemsl.*
hybridum, *Linn.*
magellense, *Tenore*
Maximowiczii, *Regel*
maximum, *Suter*
— var. purpureum

CRASSULACEAE—*continued.*

Sedum—*continued.*

mellitutum, *Rose*
oppositifolium, *Sims*
pallidum, *Bieb.*, var. roseum
pilosum, *Bieb.*
populifolium, *Pall.*
pruinatum, *Brot.*
rhodanthum, *A. Gray*
roseum, *Scop.*
— var. Scopoli
rupestre, *Linn.*
— var. collinum
Selkirkii, *Hort.*
sempervivoides, *Fisch.*
Sieboldii, *Hort.*
spectabile, *Bor.*
stoloniferum, *S. T. Gmel.*, var. ibericum
Telephium, *Linn.*
— var. purpureum

Sempervivum

arenarium, *Koch*
arvernense, *Lecoq* et *Lamotte*
Ballii, *Hort.*
barbatum, *C. Sm.*
Boutignyanum, *Billot* et *Gren.*
canariense, *Linn.*
Castello-Paivae, *Christ*
Delponti, *Hort.*
Funckii, *F. Braun*
glaucum, *Tenore*
Haworthii, *Hort.*
Hookeri, *Hort.*
hybridum ×, *Bruegg.*
montanum, *Linn.*
Pomelii, *Lamotte*
ponticum, *Hort.*
repens, *Hort.*
sanguineum, *Jeanb.*
Schottii, *Baker*, var. acuminatum
spinulifolium, *Lagg.*
tectorum, *Linn.*
— var. densum
— var. glaucum
— var. pulchrum

CRASSULACEAE—*continued.*

Sempervivum—*continued.*

tectorum, *Linn.*, var. robustum
triste, *Hort.*, var. bicolor
— var. sanguineum
Verloti, *Lamotte*
Webbianum, *Hort.*
Youngianum, *Webb* et *Berth.*

Stylophyllum

Hassei, *Rose*

Tillaea

pharnaceoides, *Hochst.*

Villadia

guatemalensis, *Rose*

CRUCIFERAE.

Æthionema

armenum, *Boiss.*
cappadocicum. *Spreng.*
cordatum, *Boiss.*
diastrophis, *Bunge*
gracile, *DC.*
iberideum, *Boiss.*
pulchellum, *Boiss.* et *Huet*

Alyssum

alpestre, *Linn.*
Benthami, *Hort.*
campestre, *Linn.*, var. genuinum
libycum, *Coss.*
maritimum, *Lam.*
minimum, *Willd.*
Moellendorfianum, *Aschers.*
montanum, *Linn.*
podolicum, *Bess.*
rostratum, *Stev.*
saxatile, *Linn.*
— var. citrinum
— var. sulphureum
sinuatum, *Linn.*
spinosum, *Linn.*
Stribrnyi, *Velen.*
Wulfenianum, *Willd.*

CRUCIFERAE—*continued.*

Arabis

albida, *Stev.*
Allionii, *DC.*
alpina, *Linn.*
— var. albida ochrida
arenosa, *Scop.*
bellidifolia, *Jacq.*
brachycarpa, *Rupr.*
Drummondii, *A. Gray*
Halleri, *Linn.*
petraea, *Lam.*
repanda, *S. Wats.*
rhaetica, *Bruegg.*
stricta, *Huds.*
Turrita, *Linn.*

Aubrietia

croatica, *Schott, Nym.* et *Kotschy*
deltoidea, *DC.*
— var. cilicica
— var. lutea variegata
olympica, *Boiss.*

Barbarea

orthoceras, *Ledeb.*
vulgaris, *R. Br.*

Biscutella

laevigata, *Linn.*
leiocarpa, *DC.*

Brassica

Erucastrum, *Linn.*
juncea, *Coss.*
nigra, *Koch*
oleracea, *Linn.*

Capsella

Bursa-pastoris, *Medic.*
Heegeri, *Solms. Laub.*

Cardamine

graeca, *Linn.*

CRUCIFERAE—*continued.*

Carpoceras

cilicicum, *Boiss.* et *Kurz*

Carrichtera

Vella, *DC.*

Cheiranthus

Cheiri, *Linn.*, var.
Senoneri, *Heldr.* et *Sart.*

Clypeola

Jonthlaspi, *Linn.*
— var. lasiocarpa

Cochlearia

danica, *Linn.*
officinalis, *Linn.*
Sempervivum, *Boiss.* et *Bal*

Crambe

maritima, *Linn.*
strigosa, *L'Hérit.*
Tataria, *Sebéok*

Diplotaxis

viminea, *DC.*

Draba

Aizoon, *Wahlenb.*
alpina, *Linn.*, var. involucrata
altaica, *Ledeb.*
amplexicaulis, *Franch.*
arabisans, *Michx.*
aurea, *Vahl*
australis, *Hook. f.*
cornuta, *Hort.*
cuspidata, *Bieb.*
fladnizensis, *Wulf.*
Helleriana, *Greene*
hirta, *Linn.*
hispanica, *Boiss.*
incana, *Linn.*
Loiseleurii, *Boiss.*

CRUCIFERAE—*continued.*

Draba—*continued.*
nemorosa, *Linn.*
nivalis, *Lilj.*
oxycarpa, *Boiss.* et *Heldr.*
pyrenaica, *Linn.*
rupestris, *R. Br.*
Salomoni, *Hort.*
scandinavica, *Lindblom*
siliquosa, *Bieb.*
streptocarpa, *A. Gray*
subamplexicaulis, *C. A. Mey.*
Suendermanni, *Hort.*
surculosa, *Franch.*

Erysimum
canescens, *Roth*
hieracifolium, *Linn.*
nanum, *Boiss.* et *Hohen.*
parviflorum, *Nutt.*
Perofskianum, *Fisch.* et *Mey.*
virgatum, *Roth*

Farsetia
clypeata, *R. Br.*

Heliophila
amplexicaulis, *Linn.*

Hesperis
humilis, *Boiss.*
tristis, *Linn.*

Hutchinsia
Prostii, *J. Gay*

Hymenophysa
pubescens, *C. A. Mey.*

Iberis
Jordani, *Boiss.*
odorata, *Linn.*
Pruiti, *Tineo*
semperflorens, *Linn.*
sempervirens, *Linn.*
— var. Garrexiana
— var. superba
umbellata, *Linn.*

CRUCIFERAE—*continued*

Ionopsidium
acaule, *Reichb.*

Isatis
alpina, *All.*
tinctoria, *Linn.*

Lepidium
campestre, *R. Br.*
monticolum, *Hort.*
pubicarpum, *A. Nelson*

Lunaria
annua, *Linn.*

Malcomia
flexuosa, *Sibth.* et *Sm.*
maritima, *R. Br.*

Matthiola
bicornis, *DC.*
fenestralis, *R. Br.*
tricuspidata, *R. Br.*

Noccaea
alpina, *Reichb.*

Parrya
microcarpa, *Ledeb.*

Peltaria
alliacea, *Jacq.*

Physaria
didymocarpa *A. Gray*

Rapistrum
ægyptium, *Baill.*

Reboudia
microcarpa, *Boiss.*

Senebiera
pinnatifida, *DC.*

CRUCIFERAE—*continued.*

Sisymbrium

erodifolium, *Phil.*
pinnatifidum, *DC.*
strictissimum, *Linn.*

Teesdalia

nudicaulis, *R. Br.*

Thlaspi

arvense, *Linn.*
bellidifolium, *Griseb.*
bulbosum, *Sprun.*
elongatum, *Hort.*
Kovatsii, *Heuff.*
montanum, *Linn.*
praecox, *Wulf.*
rivale, *Presl*, var. brevistylum
rosulare, *Boiss.* et *Balansa*

Thysanocarpus

elegans, *Fisch.* et *Mey.*

Vesicaria

utriculata, *DC.*

CUCURBITACEAE.

Abobra

tenuifolia, *Naud.*

Benincasa

cerifera, *Savi*
— var. macrocarpa

Bryonia

multiflora, *Boiss.* et *Heldr.*

Cucumis

myriocarpus, *Naud.*

Cyclanthera

edulis, *Hort.*
explodens, *Naud.*

Kedrostis

africana, *Cogn.*

CUCURBITACEAE—*continued.*

Lagenaria

pelerrina, *Hort.*
vulgaris, *Ser.*

Luffa

ægyptiaca, *Mill.*
cylindrica, *Roem.*

Melothria

suavis, *Hort.*

Momordica

cochinchinensis, *Spreng.*

CUPULIFERAE.

Alnus

cordifolia, *Tenore*
glutinosa, *Medic.*
— var. rubrinervia
incana, *Moench*
— var. glauca, *Regel*
— var pendula nova, *Hort.*
japonica, *Sieb.* et *Zucc.*
maritima, *Nutt.*
oregana, *Nutt.*
rhombifolia, *Nutt.*
serrulata, *Willd.*
sitchensis, *Sarg.*
tenuifolia, *Nutt.*
viridis, *DC.*

Betula

alba, *Linn.*
— var. pendula, *Hort.*
— var. pubescens
fruticosa, *Pall.*
lutea, *Michx.*
occidentalis, *Hook.*
papyrifera, *Marsh.*
populifolia, *Marsh.*
ulmifolia, *Sieb.* et *Zucc.*

CYCADACEAE.

Zamia

Lindeni, *Regel*

CYCLANTHACEAE.

Carludovica

Wendlandii, *Hort.*

Ludovia

crenifolia, *Drude*

CYPERACEAE.

Carex

aquatilis, *Wahlenb.*
— × Goodenowii
atrata, *Linn.*
baccans, *Nees*
binervis, *Sm.*
canescens, *Linn.*
capillaris, *Linn.*
distans, *Linn.*
flava, *Linn.*
— var. viridula
glauca, *Scop.*
helvola, *Blytt*
incurva, *Lightf.*
irrigua, *Sm.*
japonica, *Thunb.*
laevigata, *Sm.*
leporina, *Linn.*
muricata, *Linn.*
— var. virens
Oederi, *Retz.*
ornithopoda, *Willd.*
pallescens, *Linn.*
paludosa, *Good.*
panicea, *Linn.*
paniculata, *Linn.*
— f. simplicior, *Anders.*
paradoxa, *Willd.*
pendula, *Huds.*
Pseudo-cyperus, *Linn.*
pulicaris, *Linn.*
punctata, *Gaud.*
remota, *Linn.*
rigida, *Good.*
rosea, *Schkuhr*
sempervirens, *Vill.*
strigosa, *Huds.*

CYPERACEAE—*continued.*

Carex—*continued.*

teretiuscula, *Good.*
Vahlii, *Schkuhr*
vesicaria, *Linn.*
vulgaris, *Fries*

Cyperus

alternifolius, *Linn.*
— var. compactus
bulbosus, *Vahl*
compactus, *Lam.*
— var. flavissimus, *C. B.* Clarke
fertilis, Boeck.
laxus, *Willem.*
Luzulae, *Rottl.*
Papyrus, *Linn.*

Kyllinga

monocephala, *Rottl.*
nepalensis, *C. B. Clarke*

Scirpus

cyperoides, *Spreng.*
lacustris, *Linn.*, var. Tabernaemontani
riparius, *J.* et *C. Presl*

Thoracostachyum

bancanum, *Kurz*

DIAPENSIACEAE.

Galax

aphylla, *Linn.*

DILLENIACEAE.

Hibbertia

dentata, *R. Br.*

DIOSCOREACEAE.

Dioscorea

pyrenaica, *Bub.* et *Bordère*
sativa, *Linn.* (tuber)

DIPSACEAE.

Cephalaria

alpina, *Schrad.*

Dipsacus

sylvestris, *Mill.*

Morina

Delavayi, *Franch.*
longifolia, *Wall.*

Scabiosa

caucasica, *Bieb.*
graminifolia, *Linn.*
gramuntia, *Linn.*
holosericea, *Bert.*
lucida, *Vill.*
magnifica, *Benth.* et *Hook. f.*
ochroleuca, *Linn.*, var. Webbiana, *D. Don*
Portae, *Huter*
Pterocephala, *Linn.*
silenifolia, *Waldst.* et *Kit.*
spathulata, *D. Dietr.*
Succisa, *Linn.*
— var. alba
tomentosa, *Cav.*

DROSERACEAE.

Dionaea

muscipula, *Ellis*

Drosera

binata, *Labill.*
— var. dichotoma
capensis, *Linn.*
hilaris, *Cham.* et *Schlecht*
Huegelii, *Endl.*
pygmaea, *DC.*
rotundifolia, *Linn.*
spathulata, *Labill.*

Drosophyllum

lusitanicum, *Link*

ELAEAGNACEAE.

Elaeagnus

umbellata, *Thunb.*

Hippophaë

rhamnoides, *Linn.*

EPACRIDEAE.

Epacris

impressa, *Labill.*

Leucopogon

fasciculatus, *A. Rich.*
lanceolatus, *R. Br.*

Monotoca

scoparia, *R. Br.*

ERICACEAE.

Agapetes

variegata, *D. Don*

Bruckenthalia

spiculifolia, *Reichb.*

Bryanthus

empetriformis, *A. Gray*
taxifolius, *A. Gray*

Calluna

vulgaris, *Salisb.*
— var. alba
— var. — Hammondii
— var. Reginae
— var.tomentosa alba

Cassandra

calyculata, *D. Don*

Clethra

arborea, *Ait.*

Daboëcia

polifolia, *D. Don*
— var. bicolor

ERICACEAE—*continued.*

Enkianthus

himalaicus, *Hook. f.* et *Thoms.*

Epigaea

repens, *Linn.*

Erica

Cavendishiana ×, *Hort.*
ciliaris, *Linn.*
cinerea, *Linn.*
— var. alba
— var. alba major
— var. alba minor
— var. atropurpurea
— var. atrosanguinea
— var. coccinea
— var. pallida
— var. rosea
formosa, *Thunb.*
perspicua, *Wendl.*
— var. nana
ramulosa, *Bartl.*
stricta, *Donn*
Tetralix, *Linn.*
— var. alba
— var. alba mollis
— var. Lawsoniana
— var. Mackaiana
— var. rubra
vagans, *Linn.*, var. alba
— var. pallida

Gaultheria

antipoda, *Forst.*
hispida, *R. Br.*
rupestris, *R. Br.*
trichophylla, *Royle*

Gaylussacia

ursina, *Torr.* et *Gray*

Kalmia

angustifolia, *Linn.*, var. rubra

ERICACEAE—*continued.*

Ledum

palustre, *Linn.*
— var. latifolium, *Michx.*

Menziesia

globularis, *Salisb.*

Pernettya

mucronata, *Gaudich.*

Pyrola

rotundifolia, *Linn.*

Rhododendron

arboreum, *Sm.*
catawbiense, *Michx.*
caucasicum, *Pall.*
ciliatum, *Hook. f.*
decorum, *Franch.*
ferrugineum, *Linn.*
— var. album
— var. atrococcineum
— var. grandiflorum
— var. hybridum
— var. majus
flavum, *G. Don*
glaucum, *Hook. f.*
hirsutum, *Linn.*
— var. album
kamtschaticum, *Pall.*
latifolium, *Hoffmgg.*
myrtifolium, *Schott* et *Kotsch.*
ponticum, *Linn.*
Schlippenbachii, *Maxim.*
Thomsoni, *Hook. f.*
Veitchianum, *Hook.*
virgatum, *Hook. f.*

Zenobia

speciosa, *D. Don*

ERIOCAULEAE.

Eriocaulon

alpestre, *Hook. f.* et *Thoms*

EUPHORBIACEAE.

Acalypha

hispida, *Burm.*
sidaefolia, *A. Rich.*
Wilkesiana, *Muell. Arg.*

Antidesma

Bunius, *Spreng.*

Croton

capitatus, *Michx.*

Dalechampia

Roezliana, *Muell. Arg.*
scandens, *Linn.*

Euphorbia

balsamifera, *Ait.*
globosa, *Sims*
Jolkini, *Boiss.*
Lathyris, *Linn.*
Myrsinites, *Linn.*
ornithopus, *Jacq.*
Regis-Jubae, *Webb* et *Berth.*
splendens, *Boj.*
stricta, *Linn.*

Homalanthus

Leschenaultianus, *A. Juss.*

Jatropha

podagrica, *Hook.*

Mallotus

japonicus, *Muell. Arg.*

Mercurialis

annua, *Linn.*

Phyllanthus

glaucescens, *H. B.* et *K.*
grandifolius, *Linn.*
montanus, *Sw.*
parvifolius, *Buch.-Ham.*

Ricinus

communis, *Linn.*

FICOIDEAE.

Mesembryanthemum

amoenum, *Salm-Dyck*
barbatum, *Linn.*
blandum, *Haw.*
candens, *Haw.*
Cooperi, *Hook. f.*
cordifolium, *Linn.*
criniflorum, *Linn.*
cultratum, *Hort.*
curviflorum, *Haw.*
deltoides, *Linn.*
elegans, *Jacq.*
falciforme, *Haw.*
flexuosum, *Haw.*
glaucum, *Linn.*
glomeratum, *Linn.*
Haworthii, *Donn*
heteropetalum, *Haw.*
inclaudens, *Haw.*
inflatum, *Hort.*
inflexum, *Haw.*
lepidum, *Haw.*
longum, *Haw.*
micans, *Linn.*
muricatum, *Haw.*
pomeridianum, *Linn.*
pyropeum, *Haw.*
rhomboideum, *Salm-Dyck*
roseum, *Willd.*
rubricaule, *Willd.*
sanguineum, *Hort.*
scabrum, *Linn.*
tenellum, *Haw.*

Tetragonia

expansa, *Murr.*

FRANKENIACEAE.

Frankenia

hirsuta, *Linn.*

FUMARIACEAE.

Adlumia

cirrhosa, *Rafin.*

FUMARIACEAE—*continued.*

Corydalis

cheilanthifolia, *Hemsl.*
lutea, *DC.*
ochroleuca, *Koch*
ophiocarpa, *Hook. f.* et *Thoms.*
rosea, *Zeyh.*
Scouleri, *Hook.*
thalictrifolia, *Jameson*
tomentosa, *N. E. Br.*
Wilsoni, *N. E. Br.*

Dicentra

eximia, *Torr.*
scandens, *Walp.*
thalictrifolia, *Hook. f.*

Fumaria

officinalis, *Linn.*

Hypecoum

leptocarpum, *Hook. f.* et *Thoms.*

GENTIANEAE.

Crawfurdia

fasciculata, *Wall.*
speciosa, *Wall.*

Erythraea

littoralis, *Fries*

Eustoma

exaltatum, *Salisb.*

Exacum

affine, *Balf. f.*

Gentiana

altaica, *Laxim.*
asclepiadea, *Linn.*
crassicaulis, *Duthie*
detonsa, *Rottb.*

GENTIANEAE—*continued.*

Gentiana—*continued.*

Freyniana, *Bornm.*
gentilis, *Franch.*
Kesselringi, *Regel*
Kurroo, *Royle*
macrophylla, *Pall.*
— var. cyanea
Pneumonanthe, *Linn.*
pterocalyx, *Franch.*
punctata, *Linn.*
robusta, *King*
Sceptrum, *Griseb.*
septemfida, *Pall.*
stellariaefolia, *Franch.*
taliensis, *Balf. f.*
verna, *Linn.*

Halenia

Perrottetii, *Griseb.*

Pleurogyne

Forrestii, *Balf. f.*

Swertia

angustifolia, *Ham.*
nervosa, *Wall.*
pubescens, *Franch.*

Villarsia

parnassiaefolia, *R. Br.*

GERANIACEAE.

Biophytum

sensitivum, *DC.*

Erodium

carvifolium, *Boiss.*
Kolbianum, *Hort.*
Manescavi, *Coss.*
romanum, *Willd.*
Trichomanefolium, *L'Hérit.*

Geranium

armenum, *Boiss.*
Bicknellii, *Britton*

GERANIACEAE—*continued.*

Geranium—*continued.*

canariense, *Reut.*
collinum, *Steph.*
grandiflorum, *Hort.*
Grevilleanum, *Wall.*
ibericum, *Cav.*
libanoticum, *Boiss.* et *Blanche*
nepalense, *Sweet*
palustre, *Linn.*
platypetalum, *Franch.*
pratense, *Linn.*
— var. album
— var. bicolor
— var. roseum
Richardsonii, *Fisch.* et *Trautv.*, var. album
Robertianum, *Linn.*
roseum, *L'Hérit.*
sanguineum, *Linn.*
— var. album
— var. lancastriense
— var. prostratum
sessiliflorum, *Cav.*
sylvaticum, *Linn.*
Wallichianum, *G. Don*

Impatiens

Delavayi, *Franch.*
Hawkeri, *Bull*
Herzogii, *K. Schum.*
Holstii, *Engl.* et *Warb.*
Noli-me-tangere, *Linn.*
Oliveri, *Hook. f.*
Roylei, *Walp.*
Sultani, *Hook. f.*
Textori, *Miq.*

Limnanthes

Douglasii, *R. Br.*

Oxalis

Acetosella, *Linn.*
bupleurifolia, *A. St. Hil.*
corniculata, *Linn.*
— var. atropurpurea
— var. tropaeoloides

GERANIACEAE—*continued.*

Oxalis—*continued.*

enneaphylla, *Cav.*
floribunda, *Lehm.*, var. alba
Hirthii, *Phil.*
magellanica, *Forst.*
tortuosa, *Lindl.*
valdiviensis, *Barn.*
Wrightii, *A. Gray*

Pelargonium

australe, *Jacq.*
Blandfordianum, *Sweet*
echinatum, *Curt.*
ficifolium, *Hoffmgg.*
saniculaefolium, *Willd.*
scandens, *Ehrh.*
Skelii, *Hoffmgg.*
tomentosum, *Jacq.*

Tropaeolum

minus, *Linn.*

GESNERACEAE.

Chirita

Kurzii, *C. B. Clarke*

Columnea

aureonitens, *Hook.*

Fieldia

australis, *A. Cunn.*

Gesnera

Blassii, *Regel*
cardinalis, *Lehm.*

Haberlea

Ferdinandi-Coburgii, *Urumoff*
rhodopensis, *Frivald.*

Mitraria

coccinea, *Cav.*

Pentarhaphia

libanensis, *Hanst.*

GESNERACEAE—*continued.*

Ramondia

pyrenaica, *Rich.*
— var. rosea

Rhabdothamnus

Solandri, *A. Cunn.*

Rhytidophyllum

tomentosum, *Mart.*

Saintpaulia

ionantha, *Wendl.*, var. alba

Streptocarpus

caulescens, *Vatke*
Haygarthii, *N. E. Br.*
Holstii, *Engl.*

GOODENOVIEAE.

Goodenia

filiformis, *R. Br.*

GRAMINEAE.

Agropyron

villosum, *Link*, var. polyantherum

Agrostis

vulgaris, *With.*

Alopecurus

pratensis, *Linn.*

Anthoxanthum

odoratum, *Linn.*

Arundinaria

Simoni, *A.* et *C. Rivière*

Arundinella

tenella, *Nees* et *Wight*

GRAMINEAE—*continued.*

Avena

fatua, *Linn.*
orientalis, *Schreb.*
sativa, *Linn.*
sterilis, *Linn.*

Brachypodium

distachyum, *Beauv.*
sylvaticum, *Beauv.*

Briza

media, *Linn.*

Bromus

breviaristatus, *Buckl.*
brizaeformis, *Fisch.* et *Mey.*
mollis, *Linn.*
sterilis, *Linn.*
unioloides, *H. B.* et *K.*

Dactylis

glomerata, *Linn.*, var. variegata

Danthonia

Raoulii, *Steud.*

Deschampsia

caespitosa, *Beauv.*

Elymus

villosus, *Muhl.*

Eragrostis

maxima, *Fourn.*

Festuca

ovina, *Linn.*

Glyceria

aquatica, *Wahlenbg.*

Holcus

lanatus, *Linn.*

GRAMINEAE—*continued.*

Lagurus

ovatus, *Linn.*

Lolium

perenne, *Linn.*

Melica

altissima, *Linn.*
nutans, *Linn.*

Milium

effusum, *Linn.*

Miscanthus

nepalensis, *Hack.*

Olyra

floribunda, *Raddi*

Oryza

sativa, *Linn.*
— var. atropurpurea
— var. mutica
— var. perennis
— var. rufibarba

Oryzopsis

miliacea, *Benth.* et *Hook. f.*

Panicum

plicatum, *Lam.*
sanguinale, *Linn.*
sphaerocarpum, *Salzm.*

Pennisetum

latifolium, *Spreng.*
longistylum, *Hochst.*
macrourum, *Trin.*
typhoideum, *Rich.*

Phalaris

arundinacea, *Linn.*

Phleum

Boehmeri, *Wibel*

GRAMINEAE—*continued.*

Phragmites

communis, *Trin.*

Poa

pannonica, *Kern.*

Polypogon

monspeliensis, *Desf.*

Setaria

macrostachya, *H. B.* et *K.*

Sorghum

vulgare, *Pers.*

Stipa

argentina, *Speg.*
gigantea, *Lag.*

Trisetum

flavescens, *Beauv.*

GUTTIFERAE.

Garcinia

Livingstonei, *T. Anders*
Xanthochymus, *Hook. f.*

HAEMODORACEAE.

Anigozanthos

rufa, *Labill.*

Ophiopogon

Jaburan, *Lodd.*

Xiphidium

coeruleum, *Aubl.*

HALORAGEAE.

Haloragis

alata, *Jacq.*
erecta, *Schindler*

Proserpinaca

palustris, *Linn.*

HAMAMELIDEAE.

Distylium

racemosum, *Sieb.* et *Zucc.*

Trichocladus

crinitus, *Pers.*

HIPPOCASTANACEAE.

Aesculus

Hippocastanum, *Linn.*

HYDROPHYLLACEAE.

Hydrolea

spinosa, *Linn.*

Hydrophyllum

occidentale, *A. Gray*
virginicum, *Linn.*

Nemophila

insignis, *Benth.*
integrifolia, *Abrams*
Menziesii, *Hook.* et *Arn.*, var. atomaria

Phacelia

campanularia, *A. Gray*
circinata, *Jacq. f.*
Parryi, *Torr.*
rupestris, *Greene*
tanacetifolia, *Benth.*

Romanzoffia

Suksdorfii, *Greene*

HYPERICINEAE.

Hypericum

Androsaemum, *Linn.*
canariense, *Linn.*
elatum, *Ait.*
fragile, *Heldr.* et *Sart.*
Gebleri, *C. A. Mey.*
gracile, *Boiss.*

HYPERICINEAE—*continued.*

Hypericum—*continued.*

hircinum, *Linn.*
hyssopifolium, *Vill.*
inodorum, *Mill.*
intermedium, *Steud.*
japonicum, *Thunb.*
lanceolatum, *Lam.*
montanum, *Linn.*
olympicum, *Linn.*
perforatum, *Linn.*
polyphyllum, *Boiss.*
repens, *Linn.*
Richeri, *Vaill.*, var. Burseri, Spach.
tetrapterum, *Fries*
tomentosum, *Linn.*
— var. dissitiflorum

Sarothra

gentianoides, *Lour.*

ILICINEAE.

Ilex

Aquifolium, *Linn.*
— var. argentea medio-picta
— var. argentea pendula
— var. aurantiaca marginata
— var. aurea angustifolia
— var. aurea marginata
— var. aurea medio-picta
— var. camelliaefolia
— var flavescens
— var. handsworthensis
— var. Hodginsii
— var. intermedia
— var. lurida variegata
— var. maderensis
— var. platyphylla

ILLECEBRACEAE.

Herniaria

cinerea, *DC.*
hirsuta, *Linn.*

ILLECEBRACEAE—*continued.*

Paronychia

arabica, *DC.*
argentea, *Lam.*
lenticulata, *Hort.*

Pentacaena

polycnemoides, *Bartl.*

Siphonychia

americana, *Torr.* et *Gray*

IRIDEAE.

Antholyza

aethiopica, *Linn.*
revoluta, *Burm. f.*

Aristea

Eckloni, *Baker*

Babiana

nana, *Spreng.*
stricta, *Ker-Gawl.*, var. rubro-cyanea

Crocus

vernus, *All.*
zonatus, *J. Gay*

Diplarrhena

Moraea, *Labill.*

Gelasine

azurea, *Herb.*

Gladiolus

blandus, *Ait.*, var. albidus (*Jacq.*)
erectiflorus, *Baker*
imbricatus, *Linn.*
palustris, *Gaud.*
psittacinus, *Hook.*
praecox, *Hort.*

Homeria

collina, *Vent.*

IRIDEAE—*continued.*

Iris

bucharica, *Foster*
Chamaeiris, *Bertol.*
Clarkei, *Baker*
Douglasiana, *Herb.*
foetidissima, *Linn.*
Forrestii, *Dykes*
graminea, *Linn.*
humilis, *Bieb.*
juncea, *Poir.*
— var. lusitanica
Junoniana, *Kotschy*
kumaonensis, *Wall.*
laevigata, *Fisch.*
lurida, *Ait.*
Pseudacorus, *Linn.*
— var. variegata
pulchella, *Regel*
pumila, *Linn.*
— var. cyanea
— var. formosa
sibirica, *Linn.*
— var. alba
— var. coreana
— var. orientalis
— var. sanguinea
sordida, *Willd.*
Talischi, *Foster*
tridenta, *Pursh*
virescens, *Delar.*
virginica, *Linn.*
Wilsoni, *C. H. Wright*

Ixia

speciosa, *Andr.*, var. major

Lapeyrousia

cruenta, *Benth.*
juncea, *Pourr.*

Libertia

formosa, *R. Grah.*
grandiflora, *Sweet*
ixioides, *Spreng.*

IRIDEAE—*continued.*

Marica

caerulea, *Ker-Gawl.*
Northiana, *Ker-Gawl.*

Moraea

flexuosa, *Linn.*
iridioides, *Linn.*

Orthrosanthus

multiflorus, *Sweet*

Sisyrinchium

angustifolium, *Mill.*
— var. anceps, *Cav.*
— var. mucronatum
Bermudiana, *Linn.*
iridifolium, *H. B.* et *K.*
micranthum, *Cav.*
pachyrhizum, *Baker*
tenuifolium, *Humb.* et *Bonpl.*

Solenomelus

chilensis, *Miers*

Sparaxis

bulbifera, *Ker-Gawl.*

Symphyostemon

odoratissimus, *Miers*

JUNCACEAE.

Juncus

alpinus, *Vill.*
arcticus, *Willd.*
biglumis, *Linn.*
bufonius, *Linn.*
effusus, *Linn.*
— var. variegatus
glaucus, *Sibth.*
pygmaeus, *Rich.*
squarrosus, *Linn.*

Luzula

albida, *DC.*
campestris, *DC.*
purpurea, *Link.*

LABIATAE.

Ajuga

alpicola, *G. Beck*
genevensis, *Linn.*
reptans, *Linn.*, var. pallida

Ballota

nigra, *Linn.*
spinosa, *Link*

Brittonastrum

ionocalyx, *B. L. Robins.*
pallidum, *Briq.*

Calamintha

Acinos, *Clairv.*
grandiflora, *Moench*

Cedronella

cana, *Hook.*
triphylla, *Moench*

Coleus

Mahonii, *Baker*
thyrsoideus, *Baker*

Colquhounia

vestita, *Wall.*

Dracocephalum

bullatum, *G. Forrest*
grandiflorum, *Linn.*
Moldavica, *Linn.*
multicaule, *Montbr.* et *Auch.*
parviflorum, *Nutt.*
peregrinum, *Linn.*
Ruyschiana, *Linn.*
tanguticum, *Maxim*

Elsholtzia

cristata, *Benth.*

Hedeoma

Drummondii, *Benth.*
hyssopifolia, *A. Gray*
pulegioides, *Pers.*

LABIATAE—*continued.*

Horminum

pyrenaicum, *Linn.*
— var. album
— var. purpureum
— var. rosuem

Hyptis

pectinata, *Poit.*
suaveolens, *Poit.*

Hyssopus

officinalis, *Linn.*

Lamium

album, *Linn.*
maculatum, *Linn.*
— var. album
Orvala, *Linn.*
puralbum ×
striatum, *Sibth.* et *Sm.*

Lavandula

multifida, *Linn.*
vera, *DC.*
— var. compacta

Leonotis

Leonurus, *R. Br.*

Leucas

lavandulaefolïa, *Sm.*

Lophanthus

scrophulariaefolius, *Benth.*

Marrubium

peregrinum, *Linn.*

Melittis

Melissophyllum, *Linn.*
— var. alba

Mentha

piperita, *Linn.*

LABIATAE—*continued.*

Micromeria

croatica, *Schott*
Douglasii, *Benth.*

Nepeta

cilicica, *Boiss.*
concolor, *Boiss.* et *Heldr.*
distans, *Royle*
eriostachys, *Benth.*
kokanica, *Regel*
laniopsis, *Benth.*
longiflora, *Vent.*
Nepetella, *Linn.*
racemosa, *Lam.*, var. crassifolia
Sibthorpii, *Benth.*
Stewartiana, *Diels*
ucranica, *Linn.*

Notochaete

hamosa, *Benth.*

Ocimum

viride, *Willd.*

Perowskia

atriplicifolia, *Benth.*

Phlomis

cashmeriana, *Royle*
fruticosa, *Linn.*
samia, *Linn.*
umbrosa, *Turcz.*, var. australis
viscosa, *Poir.*

Plectranthus

cylindraceus, *Hochst.*
irroratus, *G. Forrest*
parviflorus, *Willd.*

Prasium

majus, *Linn.*

LABIATAE—*continued.*

Prostanthera

lasianthos, *Labill.*

Prunella

grandiflora, *Jacq.*
— var. pinnatifida
— var. rosea
hyssopifolia, *Linn.*
laciniata, *Linn.*
vulgaris, *Linn.*

Salvia

acetabulosa, *Linn.*
azurea, *Lam.*
bracteata, *Russ.*
cleistogama, *De Bary* et *Paul*
coccinea, *Juss.*
controversa, *Tenore*
flava, *G. Forrest,* var. megalantha, *Diels*
frigida, *Boiss.*
glutinosa, *Linn.*
grandiflora, *Etling.*
Horminum, *Linn.*
— var. violacea
hians, *Royle*
judaica, *Boiss.*
miltiorrhiza, *Bunge*
officinalis, *Linn.*
orgyalis, *Fenzl*
patens, *Cav.*
— var. alba
pratensis, *Linn.*
— var. alba
— var. rosea
Przewalskii, *Maxim.*
purpurea, *Cav.*, var. rosea
Sclarea, *Linn.*
— var. alba
Souliei, *Hort.*
sylvestris, *Linn.*
tiliaefolia, *Vahl*
verbascifolia, *Bieb.*
— var. kurdica
verticillata, *Linn.*
virgata, *Ait.*

LABIATAE—*continued.*

Satureia

cuneifolia, *Tenore*
montana, *Linn.*
— var. amoena
— var. illyrica
— var. pygmaea

Scutellaria

alpina, *Linn.*
altissima, *Linn.*
discolor, *Colebr.*
galericulata, *Linn.*
hirta, *Sibth.* et *Sm.*
indica, *Linn.*, var. japonica
Lehmanni, *Hort.*
peregrina, *Linn.*
splendens, *Link, Klotzsch* et *Otto*

Sideritis

canariensis, *Linn.*
eubaea, *Hort.*
hyssopifolia, *Linn.*
hirsuta, *Linn.*
Massoniana, *Benth.*
scordioides, *Linn.*
spinosa, *Lam.*

Stachys

alopecuros, *Benth.*
Betonica, *Benth.*
coccinea, *Jacq.*
discolor, *Benth.*
germanica, *Linn.*
graeca, *Boiss.* et *Heldr.*
grandiflora, *Benth.*
— var. robusta
iberica, *Bieb.*
lanata, *Jacq.*
recta, *Linn.*
repens, *Mart.* et *Gal.*
setifera, *C. A. Mey.*
sylvatica, *Linn.*

Teucrium

africanum, *Thunb.*
Marum, *Linn.*

LABIATAE—*continued.*

Teucrium—*continued.*
Polium, *Linn.*
Scorodonia, *Linn.*
— var. crispum

Thymus
Chamaedrys, *Fries*, var. nummularius
Serpyllum, *Linn.*
— var. albus
— var. coccineus
— var. micans
— var. Snowdonianus

Tinnea
aethiopica, *Kotschy* et *Peyr.*

Wiedemannia
orientalis, *Fisch.* et *Mey.*

LEGUMINOSAE.

Acacia
armata, *R. Br.*
Baileyana, *F. Muell.*
cultriformis, *A. Cunn.*
dealbata, *Link*
decurrens, *Willd.*
Drummondii, *Benth.*
neriifolia, *A. Cunn.*
spectabilis, *A. Cunn.*
verticillata, *Willd.*
Whanii, *F. Muell.*

Albizzia
lophantha, *Benth.*

Amphicarpaea
monoica, *Ell.*

Astragalus
adsurgens, *Pall.*
alpinus, *Linn.*

LEGUMINOSAE—*continued.*

Astragalus—*continued.*
asper, *Jacq.*
baeticus, *Linn.*
Bungeanus, *Boiss.*
caspicus, *Bieb.*
Cicer, *Linn.*
danicus, *Retz.*
— var. albus
dendroides, *Kar.* et *Kir.*
depressus, *Linn.*
fraxinifolius, *DC.*
galegiformis, *Linn.*
Glycyphyllos, *Linn.*
hamosus, *Linn.*
leontinus, *Wulf.*
narbonensis, *Gouan*
Onobrychis, *Linn.*
pentaglottis, *Linn.*
podocarpus, *C. A. Mey.*
ponticus, *Pall.*
purpureus, *Lam.*
sesameus, *Linn.*
sinicus, *Linn.*
Stella, *Gouan*
xiphocarpus, *Benth.*

Brownea
coccinea, *Jacq.*
grandiceps, *Jacq.*

Cajanus
indicus, *Spreng.*

Calopogonium
caeruleum, *Hemsl.*

Camoensia
maxima, *Welw.*

Canavalia
ensiformis, *DC.*

Caragana
arborescens, *Lam.*

LEGUMINOSAE—*continued.*

Carmichaelia

Enysii, *T. Kirk*
flagelliformis, *Colenso*

Cassia

laevigata, *Willd.*

Chorizema

cordatum, *Lindl.*

Clianthus

puniceus, *Banks* et *Sol.*
— var. albus

Clitoria

Ternatea, *Linn.*
— var. alba, *G. Don*

Colutea

cruenta, *Ait.*
longialata, *Koehne*

Coronilla

Emerus, *Linn.*
scorpioides, *Koch*
viminalis, *Salisb.*

Cytisus

albus, *Linn.*
Ardoini, *Fourn.*
austriacus, *Linn.*
biflorus, *L'Hérit.*
canariensis, *Steud.*
capitatus, *Jacq.*
decumbens, *Walp.*
elongatus, *Waldst.* et *Kit.*
Heuffelii, *Wierzb.*
Hillebrandtii, *Briq.*
hirsutus, *Linn.*
— var. hirsutissimus
nigricans, *Linn.*
praecox ×, *Hort.*
prostratus, *Scop.*
purgans, *Boiss.*
scoparius, *Link*
— var. Andreanus
— var. flore albo
shipkaënsis, *Dippel*
triflorus, *L'Hérit.*

LEGUMINOSAE—*continued.*

Dalea

polygonoides, *A. Gray*

Desmodium

gyrans, *DC.*
incanum, *DC.*
polycarpum, *DC.*
sinuatum, *Blume*
viridiflorum, *Beck*

Dolichos

Lablab, *Linn.*

Dorycnium

suffruticosum, *Vill.*

Galega

officinalis, *Lam.*
orientalis, *Lam.*

Genista

anglica, *Linn.*
dalmatica, *Bartl.* et *Wendl. f.*
germanica, *Linn.*
sagittalis, *Linn.*
tinctoria, *Linn.*, var. apennina
— var. anxantica
— var. prostrata
virgata, *DC.*

Gompholobium

aristatum, *Benth.*

Goodia

pubescens, *Sims*

Hardenbergia

Comptoniana, *Benth.*

Hedysarum

coronarium, *Linn.*
esculentum, *Ledeb.*
microcalyx, *Baker*
obscurum, *Linn.*
sibiricum, *Poir.*

LEGUMINOSAE *—continued.*

Hippocrepis

comosa, *Linn.*

Hosackia

juncea, *Benth.*

Indigofera

australis, *Willd.*
pulchella, *Roxb.*

Kennedya

Baumanni, *Meissn.*
prostrata, *R. Br.*
— var. glabrata
— var. Marryattae

Laburnum

Adami ×, *Lavall.*
alpinum, *J. S. Presl*
Vossii, *Hort.*
vulgare, *J. S. Presl*
— var. Alschingeri, *Briq.*
— var. Carlieri, *Hort.*
— var. quercifolium
Watereri, *Hort.*

Lathyrus

annuus, *Linn.*, var. caesius
luteus, *Baker*
— var. aureus
maritimus, *Bigel.*
niger, *Bernh.*
Nissolia, *Linn.*
polyanthus, *Boiss.*
pubescens, *Hook.* et *Arn.*
sphaericus, *Retz.*
undulatus, *Boiss.*
variegatus, *Gren.* et *Godr.*
venosus, *Muhl.*
vernus, *Bernh.*
— var. azureus

Lessertia

brachystachya, *DC.*
linearis, *DC.*

LEGUMINOSAE *—continued.*

Leucaena

glauca, *Benth.*

Lotus

corniculatus, *Linn.*
hispidus, *Desf.*
ornithopodioides, *Linn.*
tenuifolius, *Presl*

Lupinus

arboreus, *Linn.*
— var. violaceus
luteus, *Linn.*
micranthus, *Dougl.*
nootkatensis, *Donn*
polycarpus, *Greene*
polyphyllus, *Lindl.*
— var. albus
— var. Moerheimi
— var. roseus
— var. violaceus

Medicago

agrestis, *Tenore*
arborea, *Linn.*
Aschersoniana, *Urban*
carstiensis, *Wulf.*
falcata, *Linn.*
lupulina, *Linn.*
praecox, *DC.*
sativa, *Linn.*
scutellata, *Mill.*
tribuloides, *Desf.*
truncatula, *Gaertn.*
— var. longiaculeata

Melilotus

alba, *Desr.*
officinalis, *Lam.*

Mimosa

latispinosa, *Hort.*
pudica, *Linn.*

LEGUMINOSAE—*continued.*

Onobrychis

Caput-galli, *Lam.*
Gaertneriana, *Boiss.*
saxatilis, *Lam.*
viciaefolia, *Scop.*

Ononis

antiquorum, *Linn.*
fruticosa, *Linn*
hirta, *Desf.*
minutissima, *Linn.*
reclinata, *Linn.*
rotundifolia, *Linn.*
sicula, *Guss.*
spinosa, *Linn.*
viscosa, *Linn.*

Oxytropis

argentata, *Pers.*
baicalensis, *Pall.*
campestris, *DC.*
foetida, *DC.*
ochroleuca, *Bunge*
pilosa, *DC.*
sordida, *Pers.*
uralensis, *DC.*

Petteria

ramentacea, *Presl*

Pisum

formosum, *Alef.*
humile, *Boiss.* et *Noe*
sativum, *Linn.*

Psoralea

plumosa, *F. Muell.*

Spartium

junceum, *Linn.*

Sutherlandia

frutescens, *R. Br.*

Swainsona

Cadelli, *F. Muell.*
coronillaefolia, *Salisb.*, var. rosea

LEGUMINOSAE—*continued.*

Swainsona—*continued.*

colutoides, *F. Muell.*
Greyana, *Lindl.*, var. coccinea

Tephrosia

cathartica, *Urb.*

Thermopsis

lanceolata, *R. Br.*

Trifolium

alpinum, *Linn.*
arvense, *Linn.*
eriosphaerum, *Boiss.*
pilulare, *Boiss.*
stellatum, *Linn.*
tomentosum, *Linn.*, var. chthonocephalum

Trigonella

Foenum-graecum, *Linn.*
maritima, *Delile*
ornithopodioides, *DC.*

Ulex

europaeus, *Linn.*

Vicia

marbonensis, *Linn.*
oroboides, *Wulf.*
palaestina, *Boiss.*
pyrenaica, *Pourr.*
sativa, *Linn.*
sylvatica, *Linn.*
unijuga, *A. Braun*

Vigna

Catjang, *Walp.*

Viminaria

denudata, *Sm.*

LENTIBULARIEAE.

Utricularia

caerulea, *Linn.*
emarginata, *Benj.*
montana, *Jacq.*
prehensilis, *E. Mey.*

LILIACEAE.

Agapanthus

umbellatus, *L'Hérit.*

Allium

cardiostemon, *Fisch.* et *Mey.*
cernuum, *Roth*
cyaneum, *Regel*
giganteum, *Regel*
kansuense, *Regel*
narcissiflorum, *Vill.*
pulchellum, *G. Don*
rubrum, *Osterh.*
Schoenoprasum, *Linn.*
sikkimense, *Baker*
urceolatum, *Regel*
vineale, *Linn.*, var. bulbiferum
viviparum, *Kar.* et *Kir.* (bulbils)

Aloe

caesia, *Salm-Dyck*
ciliaris, *Haw.*
Ogilviei, *Balf. f.*
plicatilis, *Mill.*
striata, *Haw.*

Androcymbium

leucanthum, *Willd.*

Anthericum

Liliago, *Linn.*

Aphyllanthes

monspeliensis, *Linn.*

Asparagus

gonocladus, *Baker*
gracilis, *Royle*
madagascariensis, *Baker*
plumosus, *Baker*
racemosus *Willd.*
Sprengeri, *Regel*

Asphodelus

albus, *Willd.*

LILIACEAE—*continued.*

Bottionea

incisa, *Benth.*

Bowiea

volubilis, *Harv*

Brodiaea

Douglasii, *S. Wats.*
hyacinthina, *Baker*, var. lactea
ixioides, *S. Wats.* var. splendens
uniflora, *Baker*

Bulbine

annua, *Willd.*

Bulbinella

Hookeri, *Benth.* et *Hook. f.*

Camassia

Cusickii, *S. Wats.*

Chamaelirium

carolinianum, *Willd.*

Chamaescilla

corymbosa, *F. Muell.*

Chionodoxa

Luciliae, *Boiss.*
— var. gigantea

Chlorophytum

elatum, *R. Br.*
— var. variegatum
Orchidastrum, *Lindl.*

Colchicum

fimbriatum, *Siehe*
hydrophilum, *Siehe*

Convallaria

majalis, *Linn.*

LILIACEAE—*continued.*

Dianella

caerulea, *Sims*
graminifolia, *Kunth* et *Bouché*
revoluta, *R. Br.*

Disporum

lanuginosum, *Nichols.*

Dracaena

Godseffiana, *Baker*
surculosa, *Lindl.*

Echeandia

terniflora, *Orteg.*

Eremurus

himalaicus, *Baker*
Warei ×, *Hort.*

Erythronium

Johnsonii, *H. N. Bolander*

Eucomis

bicolor, *Baker*
punctata, *L'Hérit.*
— var. striata, *Don*

Eustrephus

latifolius, *R. Br.*
— var. angustifolius

Fritillaria

pallidiflora, *Schrenk*
taurica, *Hort.*

Funkia

Sieboldiana, *Hook.*

Gasteria

Croucheri, *Baker*, var. spathulata
decipiens, *Haw.*
disticha, *Haw.*
— var. angulata
maculata, *Haw.*
— var. fallax

LILIACEAE—*continued.*

Gloriosa

superba, *Linn.*
virescens, *Lindl.*

Haworthia

margaritifera, *Haw.*
— var. erecta
papillosa, *Haw.*
rigida, *Haw.*
— var. expansa

Helonias

bullata, *Linn.*

Hyacinthus

amethystinus, *Linn.*
azureus, *Baker*
— var. giganteus
dubius, *Guss.*

Kniphofia

aloides, *Moench*
Tuckii, *Baker*

Lilium

Brownii, *Mielle* (bulbils)
Delavayi, *Franch.*
giganteum, *Thunb.*
Martagon, *Linn.*
neilgherrense, *Wight*
ochroleucum, *Wall.*
pardalinum, *Kellogg*
pomponium, *Linn.*
sulphureum, *Baker* (bulbils)
umbellatum, *Hort.*, var. croceopunctatum

Littonia

modesta, *Hook.*

Muscari

alpinum, *J. Gay*
Argaei, *Hort.*
armeniacum, *Baker*
Aucheri, *Baker*
botryoides, *Mill.*
— var. pallidum
elegans, *Hort.*

LILIACEAE—*continued.*

Ornithogalum

agnaticum, *Hort.*
arabicum, *Linn.*
caudatum, *Ait.*
lacteum, *Jacq.*
nutans, *Linn.*
oligophyllum, *Clarke*
pyrenaicum, *Linn.*
sulphureum, *Auct.*
tenellum, *Jacq.*
thyrsoides, *Jacq.*
umbellatum, *Linn.*, var. Leichtlinii, *Hort.*

Paradisea

Liliastrum, *Bertol.*

Prosartes

oregana, *S. Wats.*

Puschkinia

scilloides, *Adams*

Scilla

amoena, *Linn.*
autumnalis, *Linn.*
axillaris, *C. H. Wright*
bifolia, *Linn.*
chinensis, *Benth.*
hispanica, *Mill.*

Stenanthium

angustifolium, *Kunth*

Tofieldia

calyculata, *Wahlenb.*
palustris, *Huds.*

Tulbaghia

acutiloba, *Harv.*

Tulipa

Didieri, *Jord.*
— var. alba

Uvularia

grandiflora, *Sm.*

LILIACEAE—*continued.*

Xerophyllum

asphodeloides, *Nutt.*

Zygadenus

elegans, *Pursh*
venenosus, *S. Wats.*

LINEAE.

Linum

campanulatum, *Linn.*
angustifolium, *Huds.*
arboreum, *Linn.*
catharticum, *Linn.*
Chamissonis, *Schiede*
maritimum, *Linn.*
monogynum, *Forst.*
neomexicanum, *Greene*
nodiflorum, *Linn.*
rigidum, *Pursh*
salsoloides, *Lam.*

LOASEAE.

Blumenbachia

Hieronymi, *Urb.*

Caiophora

lateritia, *Benth.*

Loasa

lateritia, *Gill.*
papaverifolia, *H. B.* et *K.*
triphylla, *Juss.*

LOGANIACEAE.

Buddleia

globosa, *Hope*
Hemsleyana, *Hort.*
intermedia, *Carr.*
nivea, *Duthie*
variabilis, *Hemsl.*
— var. Veitchiana
— — — magnifica

LYTHRARIEAE.

Cuphea

cordata, *Ruiz* et *Pav.*
flava, *Spreng.*
lanceolata, *Hook. f.*
viscosissima, *Jacq.*

Lagerstroemia

indica, *Linn.*

Lythrum

virgatum, *Linn.*

Nesaea

salicifolia, *H. B. K.*

Peplis

erecta, *Req.*

MAGNOLIACEAE.

Drimys

Winteri, *Forst.*

MALVACEAE.

Abutilon

megapotamicum, *St. Hil.*, var. variegatum

Anoda

lavaterioides, *Medic.*
Thurberi, *A. Gray*
Wrightii, *A. Gray*

Callirhoë

digitata, *Nutt.*

Gossypium

herbaceum, *Linn.*

Hibiscus

furcatus, *Willd.*
lunariifolius, *Willd.*
pedunculatus, *Linn.*

MALVACEAE—*continued.*

Hibiscus—*continued.*

Rosa-sinensis, *Linn.*, var. variegatus
schizopetalus, *Hook. f.*
vitifolius, *Linn.*

Lavatera

arborea, *Linn.*
cretica, *Linn.*
plebeia, *Sims*

Malva

moschata, *Linn.*
nicaeensis, *All.*
parviflora, *Linn.*, var. argentea
pusilla, *Sm.*
sylvestris, *Linn.*

Malvastrum

capense, *Garcke*
digitatum, *Hort.*
hypomadarum, *Sprague*
limense, *Ball*

Pavonia

hastata, *Cav.*
spinifex, *Cav.*

Sida

acuta, *Burm.*
Hookeriana, *Miq.*
veronicaefolia, *Lam.*

Sidalcea

candida, *A. Gray*
malvaeflora, *A. Gray*
— var. atropurpurea
spicata, *Greene*

Sphaeralcea

pedata, *Torr.*

MELASTOMACEAE.

Bertolonia

maculata, *DC.*
marmorata, *Naud.*

MELASTOMACEAE—*continued.*

Blakea

gracilis, *Hemsl.*

Calvoa

sessiliflora, *Cogn.*

Clidemia

hirta, *D. Don*

Guyonia

tenella, *Naud.*

Heeria

elegans, *Schlecht.*
subtriplinervia, *Triana*

Medinilla

magnifica, *Lindl.*

Monolena

primulaeflora, *Hook. f.*

Osbeckia

Wightiana, *Benth.*

Triolena

hirsuta, *Triana*

MELIACEAE.

Melia

Azedarach, *Linn.*

MYRICACEAE.

Myrica

aethiopica, *Linn.*

MYRSINEAE.

Ardisia

crenata, *Roxb.*, var. fructu rubro
— var. fructu albo
mamillata, *Hance*
Wallichii, *A. DC.*

MYRSINEAE—*continued.*

Myrsine

africana, *Linn.*

MYRTACEAE.

Callistemon

linearis, *DC.*
rigidus, *R. Br.*
salignus, *Sweet*

Eucalyptus

amygdalina, *Labill.*
Globulus, *Labill.*
incrassata, *Labill.*

Eugenia

myrtifolia, *Sims*

Kunzea

corifolia, *Reichb.*
parvifolia, *Schau.*

Leptospermum

arachnoideum, *Sm.*
flavescens, *Sm.*
scoparium, *Forst.*, var. Chapmanni
virgatum, *Forst.*

Metrosideros

robusta, *A. Cunn.*

Myrtus

bullata, *Sol.*
communis, *Linn.*
— var. variegata
Luma, *Barn.*
Ugni, *Mol.*

Napoleona

cuspidata, *Miers*

Tristania

neriifolia, *R. Br.*

NAIADACEAE.

Triglochin

bulbosum, *Linn.*

NYCTAGINEAE.

Allionia

latifolia, *Greene*
melanotricha, *Standley*

OCHNACEAE.

Gomphia

olivaeformis, *St. Hil.*

Ochna

mossambicensis, *Klotzsch*
multiflora, *DC.*

OLEACEAE.

Forsythia

suspensa, *Vahl*

Fraxinus

excelsior, *Linn.*

Jasminum

Beesianum, *G. Forrest* et *Diels*
humile, *Linn.*
lucidum, *Banks*
nitidum, *Skan*
primulinum, *Hemsl.*

Ligustrum

acuminatum, *Koehne*
Ibota, *Sieb.*
ovalifolium, *Hassk.*
vulgare, *Linn.*
— var. italicum

Syringa

Emodi, *Wall.*
— var. variegata

ONAGRARIEAE.

Clarkia

elegans, *Dougl.*

Epilobium

adenocaulon, *Hausskn.*
angustifolium, *Linn.*
cinereum, *A. Rich.*
Cockaynianum, *Petrie*
Dodonaei, *Vill.*
Franciscanum, *Barbey*
frigidum, *Hausskn.*
glabellum, *Forst.*
haloragifolium, *A. Cunn.*
Hectori, *Hausskn.*
luteum, *Pursh*
macropus, *Hook.*
melanocaulon, *Hook.*
microphyllum, *A. Rich.*
Novae-Zealandiae, *Hausskn.*
pallidiflorum, *Soland.*
pyrricholophum, *Franch.* et *Sav.*
rosmarinifolium, *Haenke*

Eucharidium

grandiflorum, *Fisch.* et *Mey.*

Fuchsia

arborescens, *Sims*
corymbiflora, *Ruiz* et *Pav.*
integrifolia, *Cambess.*
parviflora, *Lindl.*
procumbens, *R. Cunn.*
Riccartoni ×
triphylla, *Linn.*

Hartmannia

montana, *Rose*

Jussieuia

suffruticosa, *Linn.*

Lopezia

coronata, *Andr.*
minima, *Lag.*
racemosa, *Cav*

ONAGRARIEAE—*continued.*

Ludwigia

alternifolia, *Linn.*

Oenothera

acaulis, *Cav.*
amoena, *Lehm.*
caespitosa, *Nutt.*
glauca, *Michx.*
hirtella, *Greene*
missouriensis, *Sims*
mollissima, *Linn.*
pumila, *Linn.*
rosea, *Ait.*
tenuifolia, *Cav.*
triloba, *Nutt.*

ORCHIDEAE.

Cypripedium

Calceolus, *Linn.*
spectabile, *Salisb.*

Goodyera

repens, *R. Br.*

Orchis

foliosa, *Soland.*
latifolia, *Linn.*
maculata, *Linn.*, var.
superba

OROBANCHACEAE.

Lathraea

Clandestina, *Linn.*

Orobanche

rubra, *Sm.*

PALMAE.

Astrocaryum

Ayri, *Mart.*
mexicanum, *Liebm.*

PALMAE—*continued.*

Chamaedorea

desmoncoides, *H. Wendl.*

Malortiea

Koschnyana, *Wendl.* et *Damm.*

Rhopalostylis

sapida, *H. Wendl.* et *Drude*

Sabal

Blackburniana, *Glazebr.*

PAPAVERACEAE.

Argemone

mexicana, *Linn.*

Cathcartia

villosa, *Hook. f.*

Chelidonium

Franchetianum, *Prain*
majus, *Linn.*
— var. laciniatum

Eschscholzia

californica, *Cham.*

Glaucium

Fischeri, *Bernh.*
flavum, *Crantz*

Meconopsis

aculeata, *Royle*
cambrica, *Vig.*
— var. fl. pl.
grandis, *Prain*
heterophylla, *Benth.*
integrifola, *Franch.*
napaulensis, *DC.*
paniculata, *Prain*
racemosa, *Maxim.*
rudis, *Prain*
simplicifolia, *G. Don*
sinuata, *Prain*
— var. latifolia
Wallichii, *Hook.*

PAPAVERACEAE—*continued.*

Papaver

alpinum, *Linn.*
anomalum, *Hort.*
glaucum, *Boiss.* et *Hausskn.*
monanthum, *Trautv.*
nudicaule, *Linn.*
— var. coccineum
— var. miniatum
— var. radicatum
obtusifolium, *Desf.*
pilosum, *Sibth.* et *Sm.*
Rhoeas, *Linn.*, var. pinnatum
rupifragum, *Boiss.* et *Bal.*
strigosum, Schur
triniaefolium, *Boiss.*

Platystemon

californicus, *Benth.*

PASSIFLOREAE.

Passiflora

edulis, *Sims*
quadrangularis, *Linn.*
suberosa, *Linn.*
Watsoniana, *Mast.*

Tacsonia

exoniensis ×
Van-Volxemii, *Hook.*

PEDALINEAE.

Martynia

proboscidea, *Glox.*

PHYTOLACCACEAE.

Petiveria

alliacea, *Linn.*

Rivina

aurantiaca, *Warsc.*
humilis, *Linn.*
tinctoria, *Buch.-Ham.*

PIPERACEAE.

Peperomia

argyreia, *E. Morr.*
blanda, *H. B.* et *K.*
pellucida, *H. B.* et *K.*
Sandersii, *C. DC.*

PITTOSPOREAE.

Billardiera

longiflora, *Labill.*
scandens, *Sm.*

Pittosporum

crassifolium, *Sol.*
Ralphii, *T. Kirk*

Sollya

Drummondii, *C. Morr.*
heterophylla, *Lindl.*

PLANTAGINEAE.

Plantago

acanthophylla, *Decne.*
arborescens, *Poir.*
argentea, *Chaix*
asperrima, *Gandoger*
brachystachys, *Kuntze*
Brownii, *Rafin.*
carinata, *Schrad.*
cretica, *Linn.*
Cynops, *Linn.*
erecta, *Morris*
Grahami, *Blumer*
insularis, *Eastw.*
lanceolata, *Linn.*, var. nitens
— var. variegata
major, *Linn.*
— var. monstrosa
— var. rubra
media, *Linn.*
notata, *Lag.*
ovata, *Forsk.*
patagonica, *Jacq.*
Raoulii, *Decne.*
squarrosa, *Murr.*
virginica, *Linn.*

PLUMBAGINEAE.

Acantholimon

glumaceum, *Boiss.*

Armeria

Adamovici, *Hort.*
allioides, *Boiss.*, var. ciliata
alpina, *Willd.*
caespitosa, *Boiss.*
canescens, *Boiss.*
dianthifolia, *Hort.*
elongata, *Hoffim.*
japonica, *Hort.*
juncea, *Girard*
latifolia, *Willd.*
— var. bracteata
leucocephala, *Koch*
majellensis, *Boiss.*
maritima, *Willd.*
— var. alba
— — Laucheana
mauritanica, *Wallr.*, var. hybrida
pinifolia, *Hoffmgg.* et *Link*
plantaginea, *Willd.*
sibirica, *Turcz.*
Welwitschii, *Boiss.*

Plumbago

scandens, *Linn.*

Statice

altaica, *Hort.*
echioides, *Linn.*
filicaulis, *Boiss.*
rosea, *Sm.*

POLEMONIACEAE.

Cobaea

scandens, *Cav.*

Collomia

gracilis, *Dougl.*
heterophylla, *Hook.*
linearis, *Nutt.*

POLEMONIACEAE—*continued.*

Gilia

abrotanifolia, *Nutt.*
laciniata, *Ruiz* et *Pav.*
nivalis, *Hérincq*
tricolor, *Benth.*

Microsteris

micrantha, *Greene*

Polemonium

boreale, *Adams*
caeruleum, *Linn.*
— var. album
— var. monstrosum
filicinum, *Greene*
flavo-caeruleum, *Hort.*
flavum, *Greene*
foliosissimum, *A. Gray*
grandiflorum, *Benth.*
viscosum, *Nutt.*

POLYGALACEAE.

Polygala

major, *Jacq.*

POLYGONACEAE.

Atraphaxis

Billardieri, *Jaub.* et *Spach*

Emex

spinosa, *Campd.*

Eriogonum

arborescens, *Greene*

Fagopyrum

esculentum, *Moench*

Muehlenbeckia

chilensis, *Meissn.*
complexa, *Meissn.*
ephedroides, *Hook. f.*

Oxyria

digyna, *Hill*

POLYGONACEAE—*continued.*

Polygonum

alatum. *Ham.*
alpinum, *All.*
Bistorta, *Linn.*, var. gigantea
capitatum, *Ham.*
divaricatum, *Linn.*
Emodi, *Meissn.*
pensylvanicum, *Linn.*

Rheum

acuminatum, *Hook. f.* et *Thoms.*
Franzenbachii, *Muent.*
Rhaponticum, *Linn.*

Rumex

alpinus, *Linn.*
chrysocarpos, *Morris*
dentatus, *Linn.*
flexuosus, *Soland.*
intermedius, *DC.*
nepalensis, *Spreng.*
obtusifolius, *Linn.*
occidentalis, *S. Wats.*
roseus, *Linn.*
salicifolius, *Weinm.*
scutatus, *Linn.*

PONTEDERIACEAE.

Pontederia

cordata, *Linn.*

PORTULACEAE.

Anacampseros

filamentosa, *Sims*

Calandrinia

grandiflora, *Lindl.*

Claytonia

virginica, *Linn.*

Pleuropetalum

costaricense, *Hemsl.*

PORTULACEAE—*continued.*

Talinum

patens, *Willd.*

PRIMULACEAE.

Anagallis

arvensis, *Linn.*
— var. caerulea
tenella, *Linn.*

Androsace

arachnoidea, *Schott*
Bulleyana, *G. Forrest*
Chamaejasme, *Willd.*
Chumbyi ×, *Hort.*
geraniifolia, *Watt*
lactiflora, *Fisch.*
lanuginosa, *Wall.*
— var. Leichtlini
villosa, *Linn.*

Cortusa

Matthioli, *Linn.*
villosa, *Hort.*

Cyclamen

hederaefolium, *Ait.*
Jovis, *Siehe*

Hottonia

palustris, *Linn.*

Lysimachia

amoena, *G. Forrest*
atropurpurea *Linn.*
barystachys, *Bunge*
Delavayi, *Franch.*
decurrens, *Forst.*
Leschenaultii, *Duby*
lichiangensis, *G. Forrest*
violascens, *Franch.*

Primula

admontensis ×, *Gusm.*
algida, *Adam*
angustidens, *Pax*
apennina, *Wid.*

PRIMULACEAE *continued.*

Primula—*continued.*

Auricula, *Linn.*
bella, *Franch.*
Beesiana, *G. Forrest*
Bulleyana, *G. Forrest*
capitata, *Hook. f.*
Clementinae, *G. Forrest*
Cockburniana, *Hemsl.*
cortusoides, *Linn.*, var. lichiangensis, *G. Forrest*
deflexa, *Duthie*
elatior, *Hill*, var. carpatica
— var. gigantea
erosa, *Wall.*
floribunda, *Wall.*
Forrestii, *Balf. f.*
frondosa, *Hort.*
helvetica ×, *Donn*, var. alba
imperialis, *Jungh.*
involucrata, *Wall.*, var. Munroi
japonica, *A. Gray*
— var. lilacina
japonica × Bulleyana
kewensis ×
— var. farinosa
latifolia × Goebelii
leucophylla, *Pax*
Lindsayi, *Hort.*
Listeri, *King*
Littoniana, *G. Forrest*
luteola, *Rupr.*
malacoides, *Franch.*
malvacea, *Franch.*
marginata, *Curt.*
nessensis, *G. Forrest*
obconica, *Hance*
obtusifolia, *Royle*
officinalis, *Jacq.*
— var. Columnae
Palinuri, *Petag.*
Paxiana, *Gilg*
pedemontana, *Thom.*
Poissoni, *Franch.*
pubescens ×, *Jacq.*
pulchelloides, *G. Forrest*
pulverulenta, *Duthie*

PRIMULACEAE—*continued*

Primula—*continued.*

Reidii, *Duthie*
rotundifolia, *Wall.*
rosea, *Royle*
saxatilis, *Komarov*
septemloba, *Franch.*
sibirica, *Jacq.*, var. chinensis
sikkimensis, *Hook. f.*
sinensis, *Sabine*
suffrutescens, *A. Gray*
unique ×, *Veitch*
Veitchii, *Duthie*
verticillata, *Forsk.*
viscosa, *Vill.*
— var. ciliata
vittata, *Bur.* et *Franch.*
yunnanensis, *Franch.*

Samolus

ebracteatus, *H. B. K.*
littoralis, *Schrank*
Valerandi, *Linn.*

Trientalis

europaea, *Linn.*

PROTEACEAE.

Grevillea

glabrata, *Meissn.*

Hakea

ulicina, *R. Br.*
— var. carinata

Lomatia

longifolia, *R. Br.*

Persoonia

lanceolata, *Andr.*

RANUNCULACEAE.

Aconitum

ferox, *Wall.*
Fischeri, *Reichb.*

RANUNCULACEAE—*continued.*

Aconitum—*continued.*

Forrestii, *Stapf*
heterophyllum, *Wall.*
longigaleatum, *Hort.*
Lycoctonum, *Linn.*
— var. pyrenaicum
Napellus, *Linn.*
— var. album
oreocharis, *Hort.*
paniculatum, *Lam.*
uncinatum, *Linn.*
volubile, *Koelle*

Actaea

alba, *Mill.*
spicata, *Linn.*, var. rubra

Adonis

vernalis, *Linn.*

Anemone

albana, *Stev.*
alpina, *Linn.*
— var. sulphurea
angulosa, *Lam.*
decapetala, *Arduini*
Hepatica, *Linn.*, var. alba
— var. Barlowi
— var. rubra
multifida, *Poir.*
— var. Hudsoniana
nemorosa, *Linn.*
— var. purpurea
palmata, *Linn.*
pratensis, *Linn.*
rivularis, *Ham.*
sylvestris, *Linn.*

Aquilegia

alpina, *Linn.*
arizonica, *Heller*
baicalensis, *Hort.*
Bertolonii, *Schott*
Buergeriana, *Sieb.* et *Zucc.*
caerulea, *James*
chrysantha, *A. Gray*
corymbosa, *Hort.*

RANUNCULACEAE—*continued.*

Aquilegia—*continued.*

Einseleana, *Fr. Schultz*
flabellata, *Sieb.* et *Zucc.*, var. alba
formosa, *Fisch.*
glandulosa, *Fisch.*
olympica, *Boiss.*
Ottonis, *Orph.*
oxysepala, *Trautv.* et *Mey.*
Skinneri, *Hook.*
viridiflora, *Pall.*
viscosa, *Hort.*
vulgaris, *Linn.*
— var. atrata
— — Haenkeana

Callianthemum

rutaefolium, *C. A. Mey.*

Caltha

polypetala, *Hochst.*

Cimicifuga

americana, *Michx.*
davurica, *Maxim.*

Clematis

Flammula, *Linn.*
grewiaeflora, *DC.*
heracleaefolia, *DC.*
integrifolia, *Linn.*
intermedia, *Carr.*
microphylla, *DC.*
orientalis, *Linn.*
paniculata, *Thunb.*
recta, *Linn.*
songorica, *Bunge*
uncinata, *Champ.*
Vitalba, *Linn.*

Delphinium

azureum, *Michx.*
Belladonna, *Hort.*
Bulleyanum, *G. Forrest*
cashmirianum, *Royle*
cheilanthum, *Fisch.*
corymbosum, *Regel*

RANUNCULACEAE—*continued.*

Delphinium—*continued.*

Delavayi, *Franch.*
Duhmbergii, *Huth*
dictyocarpum, *DC.*
elatum, *Linn.*
— var. alpinum
formosum, *Boiss.* et *Huet*
grandiflorum, *Linn.*
likiangense, *Franch.*
Maackianum, *Regel*
occidentale, *S. Wats.*
pellucidum, *Busch*
Potanini, *Huth*
scopulorum, *A. Gray*
— var. stachydeum
speciosum, *Bieb.*, var. gla-
bratum
tatsienense, *Franch.*
— var. album
viscosum, *Hook. f.* et *Thoms.*

Eranthis

cilicica, *Schott* et *Kotschy*

Helleborus

lividus, *Ait.*

Myosurus

aristatus, *Benth.*
minimus, *Linn.*

Paeonia

anomala, *Linn.*
— var. insignis
decora, *Anders.*, var. elatior
foemina, *Hort.*
lutea, *Franch.*
Mlokosewitschii, *Lomak.*
officinalis, *Linn.*, var. ane-
monaeflora
Veitchii, *Lynch*
Wittmanniana, *Hartwiss*

Ranunculus

aconitifolius, *Linn.*
acris, *Linn.*
alpestris, *Linn.*
amplexicaulis, *Linn.*

RANUNCULACEAE—*continued.*

Ranunculus—*continued.*

bulbosus, *Linn.*, var.
caucasicus, *Bieb.*
cortusaefolius, *Willd.*
eremogenes, *Greene*
Ficaria, *Linn.*
— var. albus
Godleyanus, *Hook. f.*
gracilis, *Clarke*
gramineus, *Linn.*
lanuginosus, *Linn.*
lappaceus, *Sm.*
Lingua, *Linn.*
lomatocarpus, *Fisch.* et *Mey.*
montanus, *Willd.*
Munroi, *Hook. f.*
— var. dentatus
nemorosus, *DC.*
ophioglossifolius, *Vill.*
orthorhynchus, *Hook.*
parviflorus, *Linn.*
pennsylvanicus, *Linn.*
pygmaeus, *Wahlenb.*
sceleratus, *Linn.*
serbicus, *Vis.*
trilobus, *Desf.*
velutinus, *Tenore*
Weyleri, *Marès*

Thalictrum

alpinum, *Linn.*
angustifolium, *Linn.*, var.
minus
aquilegiaefolium, *Linn.*
calabricum, *Spreng.*
caucasicum, *Hort.*
corynellum, *DC.*
cultratum, *Wall.*
Delavayi, *Franch.*
glaucum, *Desf.*
isopyroides, *C. A. Mey.*
minus, *Linn.*
— var. adiantifolium
— var. elatum
— var. saxatile
purpurascens, *Linn.*
simplex, *Linn.*

RANUNCULACEAE—*continued.*

Trautvetteria

palmata, *Fisch.* et *Mey.*

Trollius

asiaticus, *Linn.*
— var. giganteus
europaeus, *Linn.*
— var. napellifolius
patulus, *Salisb.*
— var. pedunculatus
— var. sibiricus
pumilus, *D. Don*
— var. yunnanensis

RESEDACEAE.

Oligomeris

glaucescens, *Cambess.*

Reseda

alba, *Linn.*
complicata, *Bory*
decursiva, *Forsk.*, var. foliosa
glauca, *Linn.*
odorata, *Linn.*

RHAMNEAE.

Hovenia

dulcis, *Thunb.*

Pomaderris

lanigera, *Sims*
prunifolia, *A. Cunn.*
subrepanda, *F. Muell.*

Rhamnus

californica, *Eschsch.*
caroliniana, *Walt.*
Frangula, *Linn.*

Trymalium

Billardieri, *Fenzl*

ROSACEAE.

Acaena

glauca, *Hort.*
laevigata, *Ait.*
microphylla, *Hook. f.*
myriophylla, *Lindl.*
Novae-Zelandiae, *T. Kirk*
ovalifolia, *Ruiz* et *Pav.*
Sanguisorbae, *Vahl*
sericea, *Jacq.*
splendens, *Hook.* et *Arn.*

Agrimonia

agrimonioides, *Linn.*
odorata, *Mill.*

Alchemilla

alpina, *Linn.*, var. conjuncta
arvensis, *Scop.*
chirophylla, *Buser*
gemmia ×, *Buser*
helvetica ×, *Bruegg.*
speciosa, *Buser*
splendens, *Christ*
vulgaris, *Linn.*

Amelanchier

alnifolia, *Nutt.*
canadensis, *Torr.* et *Gray*

Cotoneaster

acuminata, *Lindl.*
affinis, *Lindl.*
bacillaris, *Wall.*
bullata, *Bois*
buxifolia, *Wall.*
Francheti, *Bois*
frigida, *Wall.*
horizontalis, *Decne.*
laxiflora, *Jacq.*
microphylla, *Wall.*
moupinensis, *Franch.*
Nummularia, *Fisch.* et *Mey.*
pannosa, *Franch.*
rotundifolia, *Wall.*
Simonsii, *Baker*
thymifolia, *Baker*

ROSACEAE—*continued.*

Crataegus

Azarolus, *Linn.*
Carrierei, *Vauvel*
coccinea, *Linn.*
— var. flabellata, *Britton*
— var. indentata, *Hort.*
— var. rotundifolia, *Sargent*
collina, *Chapman*
Crus-galli, *Linn.*
— var. splendens, *Lodd.*
Douglasii, *Lindl.*
Dippeliana, *Lange*
intricata, *Lange*
mollis, *Scheele*
nigra, *Waldst.* et *Kit.*
nitida, *Sargent*
orientalis, *Pall.*
Oxyacantha, *Linn.*
— var. flore pleno albo
— var. flore pleno roseo
— var. flore puniceo
— var. foliis luteis
— var. fuscata, *Hort.*
— var. monogyna, *Jacq.*
— var. pendula, *Lodd.*
— var. semperflorens, *Carr.*
— var. stricta, *Lodd.*
— var. variegata
pentagyna, *Kit.*
Pyracantha, *Pers.*
— var. Lalandi, *Hort.*
sorbifolia, *Desf.*
succulenta, *Link*
tomentosa, *Linn.*

Cydonia

japonica, *Thunb.*
— var. grandiflora
Maulei, *T. Moore*

Dryas

octopetala, *Linn.*
— var. lanata
Suendermanni, *Hort.*

Eriobotrya

japonica, *Lindl.*

ROSACEAE—*continued.*

Fragaria

californica, *Cham.* et *Schlecht.*
collina, *Ehrh.*
indica, *Andr.*
vesca, *Linn.*
— var. monophylla
— var. muricata
— var. semperflorens

Geum

album, *J. F. Gmel.*
atrosanguineum, *Hort.*
coccineum, *Sibth.* et *Sm.*, var. grandiflorum
Eweni, *Hort.*
Heldreichii, *Hort.*, var. superbum
intermedium, *Ehrh.*
macrophyllum, *Willd.*
montanum, *Linn.*
— var. corsicum
parviflorum, *Commers.*
pyrenaicum, *Mill.*
reptans, *Linn.*
rhaeticum, *Bruegg.*
rivale, *Linn.*
Rossii, *Seringe*
urbanum, *Linn.*

Gillenia

stipulacea, *Nutt.*
trifoliata, *Moench*

Margyricarpus

setosus, *Ruiz* et *Pav.*

Neillia

opulifolia, *Benth.* et *Hook. f.*
— var. lutea
Torreyi, *S. Wats.*

Nuttallia

cerasiformis, *Torr.* et *Gray*

Potentilla

adscharica, *Somm.* et *Lev.*
alchemilloides, *Lapeyr.*

ROSACEAE—*continued.*

Potentilla—*continued.*

alpestris, *Hall. f.*, var. semiplena
ambigua, *Cambess.*
apennina, *Tenore*
argentea, *Linn.*
— var. calabra
argyrophylla, *Wall.*
bifurca, *Linn.*
Brennia ×, *Huter*
concolor, *Rolfe*
crassinervia, *Vis.*
crinita, *A. Gray*
Cryptotaeniae, *Maxim.*
delphinensis, *Gren.* et *Godr.*
Dickinsii, *Franch.* et *Sav.*
dissecta, *Pursh*
Dombeyi, *Nestl.*
effusa, *Dougl.*
flagellaris, *Willd.*
Friedrichsenii ×, *Späth*
fruticosa, *Linn.*
— var. glabrata
— var. tenuifolia
fulgens, *Wall.*
glandulosa, *Lindl.*
gracilis, *Dougl.*
grandiflora, *Linn.*
Herbichii, *Blocki*
Hippiana, *Lehm.*
kurdica, *Boiss.* et *Hohen.*
Leschenaultiana, *Sm.*
Macnabiana ×, *Lem.*
montenegrina, *Pantoč*
Mooniana, *Wight*
multiflora, *Hort.*
nepalensis, *Hook.*
— var. Willmottiana
nivea, *Linn.*
opaca, *Linn.*
palustris, *Scop.*
peduncularis, *D. Don*
pensylvanica, *Linn.*
pulcherrima, *Lehm.*
recta, *Linn.*, var. laciniata
— var. pedata
— var. sulphurea

ROSACEAE—*continued.*

Potentilla—*continued.*

rupestris, *Linn.*
Rydbergiana, *Rose*
sanguisorbifolia, *F. O. Wolf*
Sibbaldi, *Hall. f.*
speciosa, *Willd.*
Tormentilla, *Neck.*
tridentata, *Soland.*
verna, *Linn.*

Poterium

canadense, *A. Gray*
officinale, *A. Gray*
rhodopeum, *Velen.*
Sanguisorba, *Linn.*
spinosum, *Linn.*

Prunus

acida, *Borkh.*, var. semperflorens
Avium, *Linn.*
Laurocerasus, *Linn.*, var. colchica

Pyrus

alnifolia, *Franch.* et *Sav.*
alpina, *Willd.*
americana, *DC.*
arbutifolia, *Linn. f.*
Aria, *Linn.*
— var. obtusata
— var. salicifolia, *Hort.*
Aucuparia, *Gaertn.*
— var. satureiaefolia, *Hort.*
baccata, *Linn.*
— var. cerasifera
baccata, *Linn.*, var. maxima
canescens, *Spach*
germanica, *Hook. f.*
glabrata, *Hort.*
Hostii, *Hort.*
hybrida, *Moench*
intermedia, *Ehrh.*
pinnatifida, *Ehrh.*
prunifolia, *Willd.*
— var. fructu luteo

ROSACEAE—*continued.*

Pyrus—*continued.*
Ringo, *Maxim.*, var. fastigiata bifera, *Hort.*
rivularis, *Dougl.*
rotundifolia, *Bechst.*
spectabilis, *Ait.*, var. flore roseo
Toringo, *Sieb.*
Torminalis, *DC.*

Raphiolepis
ovata, *Briot*

Rhodotypos
kerrioides, *Sieb.* et *Zucc.*

Rosa
acicularis, *Lindl.*
alpina, *Linn.*
— var. pyrenaica
blanda, *Ait.*
californica, *Schlecht.*, var. pisocarpa
ferox, *Bieb.*
gallica, *Linn.*
glauca, *Vill.*
Jundzilli, *Besser*
laxa, *Retz.*
macrophylla, *Lindl.*
Malyi, *Kern.*
moschata, *Herrm.*
nitida, *Willd.*
pomifera, *Herrm.*
rugosa, *Thunb.*
— var. alba
sericea, *Lindl.*
spinosissima, *Linn.*
— var. rubra
tomentosa, *Sm.*
villosa, *Linn.*, var. pomifera
Webbiana, *Wall.*

Rubus
Idaeus, *Linn.*
laciniatus, *Willd.*
nutkanus, *Linn.*
odoratus, *Linn.*
phoenicolasius, *Maxim.*
rosaefolius, *Sm.*
xanthocarpus, *Bur.* et *Franch.*

ROSACEAE—*continued.*

Sibiraea
tomentosa, *Diels*

Spiraea
Aitchisoni, *Hemsl.*
Aruncus, *Linn.*
assurgens, *Hort.*
bella, *Sims*
bracteata, *Zabel*
chamaedrifolia, *Linn.*
discolor, *Pursh*
— var. dumosa
Douglasii, *Hook.*
Foxii, *Hort.*
japonica, *Linn. f.*
— var. alba
— var. variegata
Lindleyana, *Wall.*
Menziesii, *Hook.*, var. Billiardii
Nobleana, *Hook.*
palmata, *Sternb.*
salicifolia, *Linn.*
— var. paniculata, *Maxim.*
sorbifolia, *Linn.*
vestita, *Wall.*

Stephanandra
Tanakae, *Franch.* et *Sav*

RUBIACEAE.

Asperula
aristata, *Linn.*
azurea, *Jaub.* et *Spach*, var. setosa
ciliata, *Rochel*
cynanchica, *Linn.*
humifusa, *Bess.*
odorata, *Linn.*

Chiococca
racemosa, *Linn.*

Coffea
arabica, *Linn.*
bengalensis, *Roxb.*

RUBIACEAE—*continued.*

Coprosma

lucida, *Forst.*
rhamnoides, *A. Cunn.*

Crucianella

angustifolia, *Linn.*
chlorostachys, *Fisch.* et *Mey.*

Galium

saccharatum, *All.*

Houstonia

caerulea, *Linn.*

Leptodermis

lanceolatus, *Wall.*

Mitchella

repens, *Linn.*

Mitriostigma

axillare, *Hochst.*

Nertera

depressa, *Banks*

Pentas

carnea, *Benth.*
— var. kermesina.

Phyllis

Nobla, *Linn.*

Psychotria

cyanococca, *Seem.*
micrantha, *Hiern*

Rondeletia

odorata, *Jacq.*

Vaillantia

hispida, *Linn.*

RUTACEAE.

Boenninghausenia

albiflora, *Reichb.*

RUTACEAE—*continued.*

Boronia

megastigma, *Nees*
serrulata, *Sm.*

Citrus

nobilis, *Lour.*, var. major

Dictamnus

albus, *Linn.*
— var. tauricus

Eriostemon

buxifolius, *Sm.*

Erythrochiton

brasiliensis, *Nees*

Evodia

formosa, *Hort.*
meliaefolia, *Benth.*

Glycosmis

pentaphylla, *Corr.*

Ptelea

trifoliata, *Linn.*
— var. aurea

Ruta

graveolens, *Linn.*
macrophylla, *Soland.*

Skimmia

Fortunei, *Mast.*
Laureola, *Sieb.* et *Zucc.*, var. oblata.

SAPINDACEAE.

Acer

carpinifolium, *Sieb.* et *Zucc.*
opulifolium, *Vill.*, var. obtusatum
pensylvanicum, *Linn.*
platanoides, *Linn.*
Pseudo-platanus, *Linn.*
— var. euchlorum
— var. foliis cupreis
— var. purpureum

SAPINDACEAE—*continued.*

Dodonaea

triquetra, *Wendl.*
viscosa, *Jacq.*

Melianthus

major, *Linn.*

SAXIFRAGEAE.

Acrophyllum

venosum, *Benth.*

Anopterus

glandulosus, *Labill.*

Astilbe

japonica, *A. Gray*
simplicifolia, *Makino*
Thunbergii, *Miq.*

Bauera

rubioides, *Andr.*

Boykinia

occidentalis, *Torr.* et *Gray*

Ceratopetalum

gummiferum, *Sm.*

Dichroa

febrifuga, *Lour.*

Escallonia

viscosa, *Forbes*

Francoa

appendiculata, *Cav.*
ramosa, *D. Don*
sonchifolia, *Cav.*

Heuchera

brizoides, *Hort.*
— var. gracillima
cylindrica, *Dougl.*
hispida, *Pursh*
rubescens, *Torr.*
sanguinea, *Engelm.*

SAXIFRAGEAE—*continued.*

Hydrangea

Hortensia, *Sieb.*, var. Mariesii

Leptarrhena

amplexifolia, *R. Br.*

Mitella

pentandra, *Hook.*

Parnassia

asarifolia, *Vent.*
palustris, *Linn.*

Philadelphus

coronarius, *Linn.*
Gordonianus, *Lindl.*
Lewisii, *Pursh*
microphyllus, *A. Gray*
Satsumi, *Siebold*, var. acuminatus

Ribes

aureum, *Pursh*, var. leiobotrys
sanguineum, *Pursh*
— var. albidum
— var. atrosanguineum
— var. glutinosum

Rodgersia

pinnata, *Franch.*, var. rosea
podophylla, *A. Gray*
tabularis, *Hemsl.*

Saxifraga

adscendens, *Linn.*
Aizoon, *Jacq.*, f. brevifolia
— f. La-graveana
— f. lutea
— f. microphylla
— f. minor
— f. robusta
— f. sempervivoides
Allionii, *Terrac.*
Burseriana, *Linn.*, var. minor
— var. speciosa
caesia, *Linn.*
caespitosa, *Linn.*
— var. palmata

SAXIFRAGEAE—*continued.*

Saxifraga—*continued.*

Camposii, *Boiss.* et *Reut.*
canaliculata, *Boiss.* et *Reut.*
Candelabrum, *Franch.*
cernua, *Linn.*
cernua × granulata
Churchilli ×
Clarkei, *Sund.*
Clusii, *Gouan*
cochlearis, *Reichb.*
— var. minor
cortusaefolia, *Sieb.* et *Zucc.*
Cotyledon, *Linn.*
— var. montavoniensis
— var. pyramidalis
cuneata, *Willd.*
cuneifolia, *Linn.*
decipiens, *Ehrh.*, *f.* adscendens
— f. elongella
— f. gemmifera
— f. globosa
— f. grandiflora
— f. hibernica
— f. hirta
— f. incurvifolia
— f. Kingii
— platypetala
— f. pulchella
— f. Sternbergii
discolor, *Velen.*
diversifolia, *Wall.*
— var. alpina
— var. foliata
Eastwoodiae (*Small*)
exarata, *Vill.*
fastigiata, *Hort.*
flagellaris, *Willd.*
gemmifera, *Franch.*
geranioides, *Linn.*
Geum, *Linn.*
— f. ovalifolia
— f. reniformis
— f. rotundifolia repanda
gibraltarica, *Boiss.* et *Reut.*
granulata, *Linn.*
Grenieri ×

SAXIFRAGEAE—*continued.*

Saxifraga—*continued.*

Gusmusii ×, *Sünd.*
hederacea, *Linn.*
Hostii, *Tausch.*
— var. altissima
hybrida ×, *Sternb.*, var. splendens
hypnoides, *Linn.*
intacta, *Willd.*
integrifolia, *Hook.*
irrigua, *Bieb.*
japonica, *Boiss.*
laevis, *Bieb.*
lingulata, *Bell.*
luteo-purpurea, *Sternb.*
luteo-viridis, *Schott* et *Kotschy*
macrostigma, *Franch.*
— var. aurantiascens, *Engl.* et *Irmscher*
media, *Gouan*
Mertensiana, *Bong.*
micrantha, *Edgew.*
muscoides, *Wulf.*
— var. pygmaea
mutata, *Linn.*
Nuttallii, *Small*
nervosa, *Miegev.*
obscura, *Gren.* et *Godr.*
paradoxa, *Sternb.*
pedatifida, *Ehrh.*
pedemontana, *All.*, *f.* aromatica
— var. cervicornis
peltata, *Torr.* et *Gray*
pensylvanica, *Linn.*
pentadactylis, *Lapeyr.*
— f. Allionii
perdurans, *Kit.*
petraea, *Linn.*
— var. Blavii, *G. Beck*
Petraschii ×
Portae ×
pseudo-sancta, *Janka*
pubescens, *Pourr.*
racemiflora ×.
reflexa, *Hook.*

SAXIFRAGEAE—*continued.*

Saxifraga—*continued.*

Regeli ×, *Kerner*
Rossii, *Oliver*
rotundifolia, *Linn.*
— f. graeca
— f. heucherifolia
— f. hirsuta
rufidula, *Small*
sarmentosa, *Linn.*
Schotti ×
Sibthorpii, *Boiss.*
Stansfieldi ×
Sternbergii, *Willd.*
strigosa, *Wall.*
Stuartii ×
— var. rosea
tenella, *Wulf.*
tellimoides, *Maxim.*
turfosa, *Engl.* et *Irmscher.*
tyrolensis ×, *A. Kern.*
umbrosa, *Linn.*
— f. Colvillei
— f. elegans
— f. Ogilvieana
— f. primuloides
— f. punctata
— f. serratifolia
— f. — Melvillei
— f. variegata
vochinensis, *Gusm.*
Wallacei ×, *M'Nab*
Webbiana, *Hort.*
Zelebori, *Schott*

Suksdorfia

violacea, *A. Gray*

Tellima

grandiflora, *R. Br.*

Tiarella

polyphylla, *D. Don*

SCITAMINEAE.

Alpinia

caerulea, *Benth.*
mutica, *Roxb.*

SCITAMINEAE *-continued.*

Burbidgea

schizocheila, *Hort.*

Calathea

flavescens, *Lindl.*

Canna

amoena, *Hort.*
angustifolia, *Linn.*

Cienkowskya

Kirkii, *Hook. f.*

Costus

elegans, *Veitch*
igneus, *N. E. Br.*

Ctenanthe

Lubbersiana, *Eichl.*

Globba

alba, *Zipp.* (bulbil)
strobilifera, *Zoll.* (bulbil)

Kaempferia

rotunda, *Linn.*

Maranta

noctiflora, *Regel* et *Koernicke*

Roscoea

purpurea, *Sm.*

Stromanthe

Lubbersiana, *E. Morr.*

SCROPHULARINEAE.

Alonsoa

acutifolia, *Ruiz* et *Pav.*
caulialata, *Ruiz* et *Pav.*
incisifolia, *Ruiz* et *Pav.*
linifolia, *Roezl*
Warscewiczii, *Regel*, var. compacta

Anarrhinum

bellidifolium, *Desf.*

SCROPHULARINEAE—*continued.*

Antirrhinum

Asarina, *Linn.*
glutinosum, *Boiss.* et *Reut.*
majus, *Linn.*
maurandioides, *A. Gray*
siculum, *Mill.*

Calceolaria

hyssopifolia, *H. B.* et *K.*
integrifolia, *Murr.*
pinnata, *Linn.*
violacea, *Cav.*

Castilleja

miniata, *Dougl.*
minor, *A. Gray*

Celsia

Arcturus, *Jacq.*
brevipedicellata, *Engl.*
orientalis, *Linn.*
pontica, *Boiss.*

Chaenostoma

fastigiatum, *Benth.*

Collinsia

bicolor, *Benth.*
Childii, *Parry*
linearis, *A. Gray*
parviflora, *Lindl.*

Dermatobotrys

Saundersiæ, *Bolus*

Digitalis

laevigata, *Waldst.* et *Kit.*
lutea, *Linn.*
purpurea, *Linn.*

Erinus

alpiňus, *Linn.*
— var. carmineus
— var. hirsutus

SCROPHULARINEAE—*continued.*

Hemiphragma

heterophyllum, *Wall.*

Limosella

aquatica, *Linn.*
— var. tenuifolia

Linaria

alpina, *Mill.*
— var. rosea
anticaria, *Boiss.* et *Reut.*
arvensis, *Desf.*
Broussonnetii, *Chav.*
Hendersoni, *Hort.*
lanigera, *Desf.*
macedonica, *Griseb.*
pallida, *Tenore*
pilosa, *DC.*
Sibthorpiana, *Boiss.* et *Reut.*,
var. peloponnesiaca
supina, *Desf.*
triornithorphora, *Willd.*
tristis, *Mill.*

Lyperia

violacea, *Benth.*

Maurandia

Barclaiana, *Lindl.*
scandens, *A. Gray*

Mimulus

Burnettii ×
cardinalis, *Dougl.*
cupreus, *Regel*
glutinosus, *Wendl.*
— var. puniceus
Langsdorffi, *Donn*
Lewisii, *Pursh*
luteus, *Linn.*
— var. alpinus
primuloides, *Benth.*
Pulsiferae, *A. Gray*
radicans, *Hook. f.*
ringens, *Linn.*

SCROPHULARINEAE—*continued.*

Pedicularis

superba, *Franch.*

Pentstemon

antirrhinoides, *Benth.*
arizonicus, *Heller*
breviflorus, *Lindl.*
campanulatus, *Willd.*
Cobaea, *Nutt.*
confertus, *Dougl.*
— var. coeruleo-purpureus
deustus, *Dougl.*
diffusus, *Dougl.*
glaber, *Pursh*, var. alpinus
— var. cyananthus
humilis, *Nutt.*
Menziesii, *Hook.*
— var. Newberryi
— var. Scouleri
pubescens, *Soland.*
Richardsonii, *Dougl.*
Watsoni, *A. Gray*

Phygelius

capensis, *E. Mey.*

Rehmannia

angulata, *Hemsl.*

Scrophularia

alata, *Gilib.*
auriculata, *Linn.*
Kotschyana, *Benth.*, var. lutea
nodosa, *Linn.*
peregrina, *Linn.*
rupestris, *Bieb.*
pyrenaica, *Benth.*
vernalis, *Linn.*

Sibthorpia

europaea, *Linn.*, var. variegata
nectarifera, *Wedd.*

SCROPHULARINEAE—*continued.*

Synthyris

reinformis, *Benth.*

Tetranema

mexicanum, *Benth.*

Torenia

flava, *Ham.*
Fournieri, *Linden*

Uroskinnera

spectabilis, *Lindl.*

Verbascum

creticum, *Hort.*
longifolium, *Tenore*
— var. pannosum
nigrum, *Linn.*
phlomoides, *Linn.*
phoeniceum, *Linn.*
— var. hybridum
pyramidatum, *Bieb.*
Thapsus, *Linn.*
Wiedemannianum, *Fisch.* et *Mey.*

Veronica

alpina, *Linn.*
americana, *Schwein.*
Andersoni ×, *Lindl.* et *Paxt.*, var. variegata
aphylla, *Linn.*
austriaca, *Linn.*
— var. pinnatifida
buxifolia, *Benth.*
campylopoda, *Boiss.*
candida, *Lodd.*
carnosula, *Hook. f.*
catarractae, *Forst. f.*, var. compacta
ciliata, *Fisch.*
circaeoides, *G. Don*
Colensoi, *Hook. f.*
— var. glauca
— var. minor
— var. viridis

SCROPHULARINEAE—*continued.*

Veronica—*continued.*

coelestina ×
corymbosa, *Hort.*, var. variegata
Cymbalaria, *Bodard*
— var. cuneata
decumbens, *Armstr.*
Eastonii, *Hort.*
Fairfieldii, *Hook.*
fruticulosa, *Linn.*
gentianoides, *Vahl*
glaucophylla, *Cock.*
Guthrieana ×, *Hort.*
Hulkeana, *F. Muell.*
imperialis, *Hort.*
incana, *Linn.*
incisa, *Ait.*
Kirkii, *Armstr.*
laevis, *Benth.*
latifolia, *Linn.*
Lavaudiana, *Raoul*
ligustrifolia, *A. Cunn.*
Lindsayi ×
longifolia, *Linn.*
— var. alba
monticola, *Armstr.*
nivalis, *Hort.*
officinalis, *Linn.*
— var. rosea
parviflora, *Vahl*, var. angustifolia, *Hook. f.*
peregrina, *Linn.*
pinguifolia, *Hook. f.*, var. decumbens
pinnata, *Linn.*
polifolia, *Benth.*
praecox, *All.*
pseudo-Traversii, *Cockayne*
rakaiensis, *Armstr.*
saxatilis, *Scop.*
— var. alba
spicata, *Linn.*
spuria, *Linn.*
spuria, *Linn.* × incana, *Linn.*
syriaca, *Roem.* et *Schult.*
Teucrium, *Linn.*
Tournefortii, *C. C. Gmel.*

SCROPHULARINEAE—*continued.*

Veronica—*continued.*

Traversii, *Hook. f.*
vernicosa, *Hook. f.*
virginica, *Linn.*
wardiensis ×

Wulfenia

Amherstiana, *Benth.*
carinthiaca, *Jacq.*

Zaluzianskya

capensis, *Walp.*

SELAGINEAE.

Globularia

incanescens, *Viv.*
nudicaulis, *Linn.*
trichosantha, *Fisch.* et *Mey.*
vulgaris, *Linn.*

Hebenstretia

comosa, *Hochst.*
dentata, *Linn.*

Selago

corymbosa, *Linn.*
spuria, *Linn.*

SIMARUBEAE.

Cneorum

tricoccon, *Linn.*

SOLANACEAE.

Atropa

Belladonna, *Linn.*

Browallia

Czerniakowskii, *Warsc.*
speciosa, *Hook.*, var. major

Cacabus

quadrivalvis, *Hort.*

Capsicum

microcarpum, *Cav.*

SOLANACEAE—*continued.*

Cestrum

aurantiacum, *Linn.*
elegans, *Schlecht.*
Newellii, *Veitch*
Smithii, *Hort. Bull.*

Cyphomandra

betacea, *Sendt.*

Datura

Stramonium, *Linn.*

Hyoscyamus

niger, *Linn.*

Lycopersicum

cerasiforme, *Dun.*
esculentum, *Mill.*
semperfructiferum, *Hort.*

Nicandra

physaloides, *Gaertn.*

Nicotiana

alata, *Link* et *Otto*
glauca, *R. Grah.*
nudicaulis, *S. Wats.*
rustica, *Linn.*
Sanderae ×, *Hort.*
trigonophylla, *Dunn.*

Nierembergia

frutescens, *Dur.*

Physalis

Alkekengi, *Linn.*
peruviana, *Linn.*

Przewalskia

tangutica, *Maxim.*

Schizanthus

pinnatus, *Ruiz* et *Pav.*
— var. compactus
— var. grandiflorus
wisetonensis, *Hort.*

SOLANACEAE—*continued.*

Solanum

auriculatum, *Ait.*
aviculare, *Forst. f.*
Burbankii, *Hort.*
Capsicastrum, *Link*, var. Hendersoni
Dulcamara, *Linn.*
fastigiatum, *Willd.*
haematocladum, *Dun.*
jasminoides, *Paxt.*
nigrum, *Linn.*
pyracanthum, *Jacq.*
Seaforthianum, *Andr.*
tuberosum, *Linn.*
venustum, *Kunth*
verbascifolium, *Linn.*
Xanti, *A. Gray*, var. Wallacei

STERCULIACEAE.

Hermannia

althaeifolia, *Linn.*
candicans, *Ait.*
hyssopifolia, *Linn.*
venosa, *Thunb.*

Melochia

corchorifolia, *Linn.*

Rulingia

hermanniaefolia, *Steetz*

STYLIDEAE.

Levenhookia

pusilla, *R. Br.*

Stylidium

adnatum, *R. Br.*
articulatum, *R. Br.*

TACCACEAE.

Tacca

artocarpifolia, *Seem.*
cristata, *Jack*

TACCACEAE—*continued.*

Tacca—*continued.*
integrifolia, *Ker-Gawl.*
macrantha, *Limpr.*
viridis, *Hemsl.*

TAMARISCINEAE.

Myricaria
germanica, *Desv.*

TERNSTROEMIACEAE.

Camellia
japonica, *Linn.*
reticulata, *Lindl.*

THYMELAEACEAE.

Passerina
filiformis, *Linn.*

Pimelea
Gnidia, *Willd.*, var. pulchella
hispida, *R. Br.*
ligustrina, *Labill.*

TILIACEAE.

Aristotelia
Macqui, *L'Hérit.*, var. variegata

Corchorus
hirsutus, *Linn.*
olitorius, *Linn.*
pilolobus, *Link*
textilis, *Del*

Elaeocarpus
cyaneus, *Sims*

TILIACEAE—*continued.*

Entelea
arborescens, *R. Br.*

Tricuspidaria
dependens, *Ruiz* et *Pav.*

TYPHACEAE.

Sparganium
ramosum, *Curt.*

UMBELLIFERAE.

Archangelica
atropurpurea, *Hoffm.*

Astrantia
carniolica, *Wulf.*
helleborifolia, *Salisb.*
major, *Linn.*
minor, *Linn.*
pauciflora, *Bertol.*

Astydamia
canariensis, *DC.*

Bowlesia
tenera, *Spreng.*

Bupleurum
fruticosum, *Linn.*
longicaule, *Wall.*
nodiflorum, *Sibth.* et *Sm.*

Carum
Carvi, *Linn.*
verticillatum, *Koch*

Caucalis
arvensis, *Huds.*

UMBELLIFERAE—*continued.*

Chaerophyllum

hirsutum, *Linn.*

Cuminum

Cyminum, *Linn.*

Daucus

australis, *Poepp.*
maximus, *Desf.*

Dorema

Aucheri, *Boiss.*

Eryngium

Carlinae, *Delar.*
planum, *Linn.*, var. roseum

Foeniculum

vulgare, *Mill.*

Hacquetia

Epipactis, *DC.*

Heracleum

asperum, *Bieb.*
sibiricum, *Linn.*, var. angustifolium

Hydrocotyle

moschata, *Forst.*

Laserpitium

gallicum, *Linn.*
marginatum, *Waldst.* et *Kit.*
Siler, *Linn.*

Lereschia

Flahaultii, *Woronow*

Levisticum

officinale, *Koch*

Ligusticum

acutilobum, *Sieb.* et *Zucc.*
aromaticum, *Banks* et *Soland.*

UMBELLIFERAE—*continued.*

Lophosciadium

meifolium, *DC.*

Meum

athamanticum, *Jacq.*

Myrrhis

odorata, *Scop.*

Oenanthe

crocata, *Linn.*
silaifolia, *Bieb.*

Opopanax

Chironium, *Koch*

Peucedanum

angustifolium, *Reichb.*
officinale, *Linn.*
Ostruthium, *Koch*
verticillare, *Spreng.*

Pimpinella

cretica, *Poir.*
magna, *Linn.*, var. rosea
Saxifraga, *Linn.*, var. rosea

Sanicula

europaea, *Linn.*

Scandix

brachycarpa, *Guss.*
Pecten-Veneris, *Linn.*

Selinum

Benthami, *S. Wats.*
pyrenaeum, *Gouan*
tenuifolium, *Wall.*
— var. album

Seseli

caespitosum, *Sibth.* et *Sm.*

Silaus

tenuifolius, *DC.*

UMBELLIFERAE—*continued.*

Siler

trilobum, *Crantz*

Sison

Amomum, *Linn.*

Thaspium

aureum, *Nutt.*

Torilis

triradiata, *Boiss.* et *Heldr.*

Trachydium

hispidum, *Franch.*

Xanthosia

rotundifolia, *DC.*

URTICACEAE.

Artocarpus

laciniata, *Hort.*

Boehmeria

platyphylla, *D. Don*

Debregeasia

velutina, *Gaudich.*

Dorstenia

argentata, *Hook. f.*
Contrajerva, *Linn.*
Drakena, *Linn.*
Massoni, *Bureau*
urceolata, *Schott*

Ficus

Carica, *Linn.*
diversifolia, *Blume*
pyriformis, *Hook.* et *Arn.*
Roxburghii, *Wall.*

URTICACEAE—*continued.*

Laportea

moroides, *Wedd.*
peltata, *Gaudich.*

Myriocarpa

longipes, *Liebm.*

Parietaria

lusitanica, *Linn.*
officinalis, *Linn.*

Pellionia

Daveauana, *N. E. Br.*
pulchra, *N. E. Br.*

Pilea

grandis, *Wedd.*
muscosa, *Lindl.*
Spruceana, *Wedd.*

Procris

frutescens, *Blume*

Urtica

dioica, *Linn.*
pilulifera, *Linn.*

VACCINIACEAE.

Vaccinium

erythrinum, *Hook.*
Myrtillus, *Linn.*
pensylvanicum, *Lam.*
Vitis-Idaea, *Linn.*

VALERIANEAE.

Centranthus

angustifolius, *DC.*
ruber, *DC.*

Fedia

Cornucopiae, *Gaertn.*

VALERIANEAE—*continued.*

Nardostachys

grandiflora, *DC.*
Jatamansi, *DC.*

Valeriana

alliariaefolia, *Vahl*
apula, *Pourr.*
pyrenaica, *Linn.*
sambucifolia, *Mikan.*
tuberosa, *Linn.*

Valerianella

dentata, *Pollich*
macrocera, *A. Gray*
truncata, *Betcke*
— var. muricata

VERBENACEAE.

Amasonia

calycina, *Hook. f.*

Bouchea

Ehrenbergii, *Cham.*

Callicarpa

purpurea, *Juss.*

Clerodendron

calamitosum, *Linn.*
fallax, *Lindl.*
infortunatum, *Gaertn.*
splendens, *G. Don*
Thomsonae, *Balf.*
— var. variegatum

Lantana

Camara, *Linn.*

Lippia

chamaedrifolia, *Steud.*

Priva

echinata, *Juss.*

VERBENACEAE—*continued*

Stachytarpheta

indica, *Vahl*

Verbena

bipinnatifida, *Schau.*
canescens, *H. B.* et *K.*
— var. neo-mexicana

VIOLARIEAE.

Alsodeia

Welwitschii, *Oliver*

Hymenanthera

dentata, *R. Br.*, var. angustifolia

Melicytus

lanceolatus, *Hook. f.*

Viola

alpina, *Jacq.*
arenaria, *DC.*
betonicifolia, *Sm.*
canadensis, *Linn.*
canina, *Linn.*
— var. rosea
cognata, *Greene*
cornuta, *Linn.*
— var. alba
— var. papilio
— var. purpurea
declinata, *Waldst.* et *Kit.*
elatior, *Fries*
glabella, *Nutt.*
gracilis, *Sibth.* et *Sm.*
hederacea, *Labill.*
hirta, *Linn.*
lutea, *Huds.*
— var. amoena
macedonica, *Boiss.* et *Heldr.*
oreocallis, *Greene*
palustris, *Linn.*

VIOLARIEAE—*continued.*

Viola—*continued.*

Patrinii, *Ging.*
polychroma, *Kern.*
primulaefolia, *Linn.*
pyrenaica, *Ram.*
Rydbergii, *Greene*
sarmentosa, *Dougl.*
sylvestris, *Lam.*

VIOLARIEAE—*continued.*

Viola—*continued.*

tricolor, *Linn.*
— var. atlantica

XYRIDEAE.

Xyris

capensis, *Baker.*

CONTENTS.

Page

List of Seeds collected in the Royal Botanic Garden, Edinburgh, during the year 1913 - - - - i

EDINBURGH:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By MORRISON & GIBB LIMITED,
At Tanfield.

SOLD AT THE GARDEN,
And to be purchased, either directly or through any Bookseller, from
H.M. STATIONERY OFFICE (Scottish Branch),
23 Forth Street, Edinburgh.

[PRICE NINEPENCE.]

[Crown Copyright Reserved.]

M & G Ltd Wt 4196/97 12-13 625

List of Seeds Collected in the Royal Botanic Garden, Edinburgh, during the Year 1913.

The following is a list of plants cultivated in the Royal Botanic Garden, Edinburgh, from which ripened seeds have been collected during the year 1913. The quantity of seed obtained from some of the species is of limited amount, and in many cases has been entirely absorbed for sowing in the Garden. Of these, therefore, none can be distributed, otherwise the seeds are available for exchange, but they are not for sale:—

PLANTS IN THE OPEN.

Genera in Alphabetical Order.

Acaena

cylindristachya, *Ruiz* et *Pav.*
Dieckii, *Hort.*
glabra, *J. Buch.*
glauca, *Hort.*
inermis, *Hook. f.*
laevigata, *Ait.*
myriophylla, *Lindl.*
Novae-Zelandiae, *T. Kirk*
ovalifolia, *Ruiz* et *Pav.*
Sanguisorbae, *Vahl*
sericea, *Jacq.*
splendens, *Hook.* et *Arn.*

Acantholimon

glumaceum, *Boiss.*

Acanthus

Schottii, *Hort.*

Acer

campestre, *Linn.*
carpinifolium, *Sieb.* et *Zucc.*
opulifolium, *Vill.*, var. obtusatum
pensylvanicum, *Linn.*
platanoides, *Linn.*
Pseudo-platanus, *Linn.*
— var. euchlorum
— var. foliis cupreis
— var. purpureum

Achillea

Ageratum, *Linn.*
alpina, *Linn.*
banatica, *Hort.*
compacta, *Willd.*
Fraasii, *Sch. Bip.*
lanulosa, *Nutt.*
lingulata, *Waldst.* et *Kit.*
— var. buglossis
macedonica, *Rouy*
macrophylla, *Linn.*
Millefolium, *Linn.*, var. rosea
nobilis, *Linn.*
Ptarmica, *Linn.*
setacea, *Waldst.* et *Kit.*
taygetea, *Boiss.* et *Heldr.*
transsylvanica, *Hort.*

Aconitum

ferox, *Wall.*
Fischeri, *Reichb.*
Forrestii, *Stapf*
heterophyllum, *Wall.*
longigaleatum, *Hort.*
Lycoctonum, *Linn.*
— var. album
— var. pyrenaicum
Napellus, *Linn.*
— var. album
paniculatum, *Lam.*

Aconitum—*continued.*
reclinatum, *A. Gray*
transsectum, *Diels*
volubile, *Koelle*
Wilsonii, *Hort. Veitch*

Actaea
alba, *Mill.*

Actinella
floribunda, *Hort. Edin.*

Adenocarpus
intermedius, *DC.*

Adenophora
Bulleyana, *Diels*
communis, *Fisch.*
cuspidata, *Hort. Sünd.*
denticulata, *Fisch.*
infundibuliformis, *Hort. Sünd.*
latifolia, *Fisch.*
leptosepala, *Diels*
liliifolia, *Bess.*
megalantha, *Diels*
ornata, *Diels*
utriculata, *Hort. Sünd.*
Watsoni, *Hort. Edin.*

Adenostyles
albida, *Cass.*
alpina, *Kern.*
viridis, *Cass.*

Adesmia
muricata, *DC.*

Adlumia
cirrhosa, *Rafin.*

Adonis
vernalis, *Linn.*

Aesculus
Hippocastanum, *Linn.*

Æthionema
armenum, *Boiss.*
cappadocicum, *Spreng.*
cordatum, *Boiss.*
creticum, *Boiss.* et *Heldr.*
diastrophis, *Bunge*
gracile, *DC.*
grandiflorum, *Boiss.* et *Hohen.*
pulchellum, *Boiss.* et *Huet*
Thomasianum, *J. Gay*

Agathaea
coelestis, *Cass.*
— var. monstrosa

Agrimonia
agrimonoides, *Linn.*
Eupatoria, *Linn.*
odorata, *Mill.*

Agropyron
acutum, *Roem.* et *Schult.*
tenerum, *Vasey*
villosum, *Link*, var. polyantherum

Agrostis
nigra, *With.*
vulgaris, *With.*

Ajuga
alpicola, *G. Beck*
lupulina, *Maxim.*, var. major, *Diels*
reptans, *Linn.*, var. pallida

Alchemilla
alpina, *Linn.*
— var. conjuncta
arvensis, *Scop.*
chirophylla, *Buser*
helvetica ×, *Bruegg.*
hirsuta, *H. B.* et *K.*
retinervis, *Buser*

Alchemilla—*continued.*

speciosa, *Buser*
splendens, *Christ*
vulcanica, *Cham.* et *Schlecht.*
vulgaris, *Linn.*
— var. glabra

Alisma

Plantago, *Linn.*

Alkanna

lutea, *A. DC.*
orientalis, *Boiss.*

Allium

Ampeloprasum, *Linn.*
Aschersonianum, *Barbey*
Beesianum, *W. W. Smith*
Bulleyanum, *Diels*
cardiostemon, *Fisch.* et *Mey.*
carinatum, *Linn.* (bulbils)
cernuum, *Roth*
cyaneum, *Regel*
dichlamydeum, *Greene*
fistulosum, *Linn.*
giganteum, *Regel*
Hūteri, *Hort. Sünd.*
kansuense, *Regel*
margaritaceum, *Sibth.* et *Sm.*
Moly, *Linn.*
narcissiflorum, *Vill.*
Nevii, *S. Wats.*
odorum, *Linn.*
orientale, *Boiss.*
pulchellum, *G. Don*
roseum, *Linn.*
rubrum, *Osterh.*
Schoenoprasum, *Linn.*
Scorodoprasum, *Linn.*
senescens, *Linn.*
sikkimense, *Baker*
stenopetalum, *Boiss.* et *Kotschy*
urceolatum, *Regel*
vineale, *Linn.*, var. bulbiferum

Allium—*continued.*

viviparum, *Kar.* et *Kir.* (bulbils)
yunnanense, *Diels*

Alnus

cordifolia, *Tenore*
glutinosa, *Medic.*
— var. quercifolia, *Willd.*
— var. rubrinervia
incana, *Moench*
— var. glauca, *Regel*
japonica, *Sieb.* et *Zucc.*
maritima, *Nutt.*
oregana, *Nutt.*
rhombifolia, *Nutt.*
serrulata, *Willd.*
sitchensis, *Sarg.*
tenuifolia, *Nutt.*
viridis, *DC.*

Alonsoa

caulialata, *Ruiz* et *Pav.*
incisifolia, *Ruiz* et *Pav.*
Warscewiczii, *Regel*
— var. compacta

Alopecurus

pratensis, *Linn.*

Alstroemeria

aurantiaca, *D. Don*

Althaea

narbonnensis, *Pourr.*
officinalis, *Linn.*

Alyssum

alpestre, *Linn.*
argenteum, *Vitm.*
campestre, *Linn.*, var. genuinum
constellatum, *Boiss.*
halimifolium, *Willd.*
idaeum, *Boiss.* et *Heldr.*
leucadeum, *Guss.*

Alyssum—*continued.*
libycum, *Coss.*
longicaule, *Boiss.*
maritimum, *Lam.*
minimum, *Willd.*
Moellendorfianum, *Aschers.*
montanum, *Linn.*
orientale, *Ard.*
podolicum, *Bess.*
rostratum, *Stev.*
saxatile, *Linn.*
— var. citrinum
— var. sulphureum
— var. variegatum
scardicum, *Wettst.*
sinuatum, *Linn.*
spinosum, *Linn.*
Stribrnyi, *Velen.*

Amaranthus
aragonensis, *Sen.*
gangeticus, *Linn.*
polygonoides, *Linn.*

Amelanchier
canadensis, *Torr.* et *Gray*
oligocarpa, *Roem.*
oxyodon, *Koehne*

Ammobium
alatum, *R. Br.*

Amphicarpaea
monoica, *Ell.*

Amsinckia
lycopsioides, *Lehm.*

Anagallis
arvensis, *Linn.*
— var. caerulea
— var. phoenicea
linifolia, *Linn.*, var. Philipsii

Anaphalis
margaritacea, *Benth.* et *Hook. f.*
triplinervis, *Sims*
yedoensis, *Maxim.*

Anarrhinum
bellidifolium, *Desf.*
laxiflorum, *Boiss.*

Anchusa
Barrelieri, *Vitm.*
myosotidiflora, *Lehm.*
officinalis, *Linn.*
sempervirens, *Linn.*

Androsace
alpina, *Lam.*
arachnoidea, *Schott*
Bulleyana, *G. Forrest*
ciliata, *DC.*
Delavayi, *Franch.*
erecta, *Maxim.*
Hausmannii, *Leyb.*
helvetica, *Gaud.*
lactea, *Linn.*
lactiflora, *Fisch.*
lanuginosa, *Wall.*
— var. Leichtlini
obtusifolia, *All.*
primuloides, *Duby*
pyrenaica, *Lam.*
sarmentosa, *Wall.*
villosa, *Linn.*

Andryala
Agardhii, *Haensel.*
integrifolia, *Linn.*

Anemone
albana, *Stev.*
alpina, *Linn.*
— var. sulphurea
angulosa, *Lam.*
decapetala, *Arduini*
demissa, *Hook. f.* et *Thoms.*
Hepatica, *Linn.*, var. alba
multifida, *Poir.*
— var. Hudsoniana
nemorosa, *Linn.*
Pavoniana, *Boiss.*
pratensis, *Linn.*
Pulsatilla, *Linn.*
rivularis, *Buch.-Ham.*

Anemone—*continued.*
rupicola, *Camb.*
sulphurea, *Linn.*
sylvestris, *Linn.*
— var. major
vernalis, *Linn.*
virginiana, *Linn.*
vitifolia, *Buch.-Ham.*

Anemonopsis
macrophylla, *Sieb.* et *Zucc.*

Angelica
sylvestris, *Linn.*

Antennaria
decipiens, *Greene*
dioica, *Gaertn.*
— var. alpina rosea
— var. parvifolia
— var. tomentosa
magellanica, *Sch. Bip.*
rosea, *Greene*, var. imbricata

Anthemis
altissima, *Linn.*
Biebersteiniana, *Koch*
canescens, *Brot.*
carpathica, *Willd.*
cinerea, *Panč.*
palestina, *Reut.*
tinctoria, *Linn.*

Anthericum
Liliago, *Linn.*

Anthriscus
sylvestris, *Hoffm.*

Antirrhinum
Asarina, *Linn.*
majus, *Linn.*
— var. variegatum
siculum, *Mill.*

Aphyllanthes
monspeliensis, *Linn.*

Aplopappus
croceus, *A. Gray*

Aquilegia
alpina, *Linn.*
arizonica, *Heller*
Bertolonii, *Schott*
Buergeriana, *Sieb.* et *Zucc.*
caerulea, *James*
chrysantha, *A. Gray*
Einseleana, *Fr. Schultz*
flabellata, *Sieb.* et *Zucc.*, var. [alba
formosa, *Fisch.*
glandulosa, *Fisch.*
olympica, *Boiss.*
Ottonis, *Orph.*
pyrenaica, *DC.*
Skinneri, *Hook.*
viridiflora, *Pall.*
vulgaris, *Linn.*
— var. atrata
— — Haenkeana

Arabis
Allionii, *DC.*
alpina, *Linn.*
— var. albida ochrida
arenosa, *Scop.*
bellidifolia, *Jacq.*
brachycarpa, *Rupr.*
Drummondii, *A. Gray*
Halleri, *Linn.*
Lyallii, *S. Wats.*
petraea, *Lam.*
pumila, *Jacq.*
repanda, *S. Wats.*
rhaetica, *Bruegg.*
Stelleri, *DC.*, var. japonica, *Schmidt*
stricta, *Huds.*
Turrita, *Linn.*

Aralia
cachemirica, *Decne.*

Archangelica

atropurpurea, *Hoffm.*

Arctium

minus, *Bernh.*

Arctotis

stoechadifolia, *Berg.*

Arenaria

balearica, *Linn.*
bavarica, *Linn.*
Bertolonii, *Fiori* et *Paol.*
biflora, *Linn.*
Cephalotes, *Bieb.*
cerastiifolia, *Ramond*
ciliata, *Linn.*, var. norvegica
confusa, *Rydb.*
decussata, *Willd.*
fasciculata, *Gouan*
gothica, *Fries*
graminifolia, *Schrad.*
graveolens, *Schreb.*
juniperina, *Linn.*
Kingii, *M. E. Jones*
lanuginosa, *Rohrb.*
laricifolia, *Linn.*
Ledebouriana, *Fenzl*
Meyeri, *Fenzl*
montana, *Linn.*, var. grandiflora
muscosa, *Med.*
orbicularis, *Vis.*
peploides, *Linn.*
picta, *Sibth.* et *Sm.*
pinifolia, *Bieb.*
— var. robusta
purpurascens, *Ramond*
recurva, *All.*
saxosa, *A. Gray*
serpens, *H. B.* et *K.*
serpyllifolia, *Linn.*
setacea, *Thuill.*
tremula, *Boiss.*
verna, *Linn.*
Villarsii, *Balb.*, var. villosula

Argemone

mexicana, *Linn.*
— var. ochroleuca, *Lindl.*

Arisaema

japonicum, *Blume*

Aristolochia

rotunda, *Linn.*

Aristotelia

Macqui, *L'Hérit.*, var. variegata

Armeria

Adamovici, *Hort.*
allioides, *Boiss.*
— var. ciliata
alpina, *Willd.*
— var. alba
caespitosa, *Boiss.*
canescens, *Boiss.*
elongata, *Hoffm.*
fasciculata, *Willd.*
juncea, *Girard*
labradorica, *Wallr.*
latifolia, *Willd.*
— var. bracteata
leucocephala, *Koch*
majellensis, *Boiss.*
maritima, *Willd.*
— var. alba
— var. alpina
— var. Laucheana
mauritanica, *Wallr.*, var. hybrida
pinifolia, *Hoffmgg.* et *Link*
plantaginea, *Willd.*
sibirica, *Turcz.*
splendens, *Boiss.*
Welwitschii, *Boiss.*

Arnebia

hispidissima, *DC.*

Arnica

amplexicaulis, *Nutt.*
Chamissonis, *Less.*
montana, *Linn.*

Artemisia

chamaemelifolia, *Vill.*
spicata, *Wulf.*
vulgaris, *Linn.*

Asarum

Hartwegii, *S. Wats.*

Asclepias

incarnata, *Linn.*

Asperula

aristata, *Linn.*
arvensis, *Linn.*
azurea, *Jaub.* et *Spach*, var. setosa
ciliata, *Rochel*
cynanchica, *Linn.*
humifusa, *Bess.*
odorata, *Linn.*
orientalis, *Boiss.* et *Hohen.*
tinctoria, *Linn.*

Asphodeline

liburnica, *Reichb.*

Asphodelus

albus, *Willd.*

Aster

acris, *Linn.*
alpinus, *Linn.*
— var. albus
— var. baldensis
— var. Garibaldii (*Bruegg.*)
— var. speciosus
Amellus, *Linn.*, var. amelloides (*Hoffm.*)
amethystinus, *Nutt.*
azureus, *Lindl.*
batangensis, *Bur.* et *Franch.*
brachytrichus, *Franch.*
caucasicus, *Willd.*
conspicuus, *Lindl.*
corymbosus, *Ait.*

Aster—*continued.*

Curtisii, *Torr.* et *Gray*
dahuricus, *Benth.*
Delavayi, *Franch.*
diplostephioides, *Benth.* et *Hook. f.*
floribundus, *Nutt.*
foliaceus, *Lindl.*
Harrowianus, *Diels*
himalaicus, *C. B. Clarke*
junceus, *Ait.*
laevis, *Linn.*
— var. Fortunei
Lindleyanus, *Torr.* et *Gray*
longifolius, *Lam.*
macrophyllus, *Linn.*
Novae-Angliae, *Linn.*
— var. ruber
oreophilus, *Franch.*
paniculatus, *Lam.*
patens, *Ait.*
Pattersoni, *A. Gray*
patulus, *Lam.*
peregrinus, *Pursh*
puniceus, *Linn.*
pyrenaeus, *DC.*
Radula, *Ait.*
sagittifolius, *Wedem.*
scaber, *Thunb.*
sibiricus, *Linn.*
sikkimensis, *Hook. f.* et *Thoms.*
staticifolius, *Franch.*
subcaeruleus, *S. Moore*
tataricus, *Linn. f.*
trinervius, *Roxb.*
turbinellus, *Lindl.*
umbellatus, *Mill.*
versicolor, *Willd.*
vestitus, *Franch.*
yunnanensis, *Franch.*

Asterolinon

stellatum, *Hoffmgg.* et *Link*

Astilbe

japonica, *A. Gray*
simplicifolia, *Makino*
Thunbergii, *Miq.*

Astragalus

alopecuroides, *Linn.*
alpinus, *Linn.*
asper, *Jacq.*
caspicus, *Bieb.*
chlorostachys, *Lindl.*
Cicer, *Linn.*
danicus, *Retz.*
dendroides, *Kar.* et *Kir.*
depressus, *Linn.*
exscapus, *Linn.*
fraxinifolius, *DC.*
frigidus, *A. Gray*
galegiformis, *Linn.*
Glycyphyllos, *Linn.*
juvenalis, *Delile*
Laxmanni, *Jacq.*
macrocarpus, *DC.*
maritimus, *Moris*
Onobrychis, *Linn.*
penduliflorus, *Lam.*
pentaglottis, *Linn.*
podocarpus, *C. A. Mey.*
ponticus, *Pall.*
purpureus, *Lam.*
Robbinsii, *A. Gray*
sinicus, *Linn.*
sulcatus, *Linn.*
sulfureus, *Bunge*
xiphocarpus, *Benth.*

Astrantia

Biebersteinii, *Fisch.* et *Mey.*
carniolica, *Wulf.*
helleborifolia, *Salisb.*
major, *Linn.*
minor, *Linn.*
neglecta, *C. Koch* et *Bouché*
pauciflora, *Bertol.*

Astrocarpus

sesamoides, *DC.*

Astydamia

canariensis, *DC.*

Athamanta

Matthioli, *Wulf.*
vestina, *A. Kern.*

Atraphaxis

Billardieri, *Jaub.* et *Spach*

Atropa

Belladonna, *Linn.*

Aubrietia

Columnae, *Guss.*
croatica, *Schott, Nym.* et *Kotschy*
deltoidea, *DC.*, var. cilicica
— var. lutea variegata
— var. Wallacei
olympica, *Boiss.*
Pinardi, *Boiss.*

Avena

fatua, *Linn.*
pratensis, *Linn.*
pubescens, *Huds.*, var. transsilvanica
sativa, *Linn.*
sempervirens, *Vill.*
sterilis, *Linn.*

Baccharis

patagonica, *Hook.* et *Arn.*

Baeria

coronaria, *A. Gray*

Ballota

nigra, *Linn.*
rupestris, *Vis.*
spinosa, *Link*

Barbarea

orthoceras, *Ledeb.*
vulgaris, *R. Br.*

Bellis

caerulescens, *Coss.* et *Bal.*
perennis, *Linn.*, var. alpina
rotundifolia, *Boiss.* et *Reut.*

Bellium

minutum, *Linn.*

Berardia

subacaulis, *Vill.*

Berberis

Aquifolium, *Pursh*
aristata, *DC.*
Darwinii, *Hook.*
repens, *Lindl.*
stenophylla, *Hance*
subcaulialata, *C. K. Schneider*
Thunbergii, *DC.*
virescens, *Hook. f.*
vulgaris, *Linn.*
Wallichiana, *DC.*, var. compacta

Beta

Bourgaei, *Coss.*
trigyna, *Waldst.* et *Kit.*

Betula

alba, *Linn.*
— var. pubescens
fruticosa, *Pall.*
lutea, *Michx.*
papyrifera, *Marsh.*
ulmifolia, *Sieb.* et *Zucc.*

Bidens

dahlioides, *S. Wats.*
grandiflora, *Balb.*
humilis, *H. B.* et *K.*

Biscutella

laevigata, *Linn.*
leiocarpa, *DC.*

Blackstonia

perfoliata, *Huds.*

Blephilia

ciliata, *Rafin.*

Blumenbachia

Hieronymi, *Urb.*

Boltonia

incisa, *Benth.*

Borago

officinalis, *Linn.*

Bottionea

thysanthoides, *Colla*

Bouteloua

oligostachya, *Torr.*

Bowlesia

tenera, *Spreng.*

Boykinia

aconitifolia, *Nutt.*
major, *Gray*
occidentalis, *Torr.* et *Gray*

Brachycome

Thomsonii, *T. Kirk*

Brachypodium

distachyum, *Beauv.*
sylvaticum, *Beauv.*

Brassica

campestris, *Linn.*, var. Rapa, (*Linn.*)
Erucastrum, *Linn.*
juncea, *Coss.*
nigra, *Koch*
oleracea, *Linn.*
repanda, *DC.*

Braya

alpina, *Sternb.* et *Hoppe*

Brittonastrum

ionocalyx, *B. L. Robins.*
pallidum, *Briq.*

Briza

maxima, *Linn.*
— var. monostachya
media, *Linn.*

Brodiaea

Douglasii. *S. Wats.*
hyacinthina, *Baker*
ixioides, *S. Wats.*
lactea, *S. Wats.*
uniflora, *Baker*

Bromus

breviaristatus, *Buckl.*
brizaeformis, *Fisch.* et *Mey.*
erectus, *Huds.*
intermedius, *Guss.*
mollis, *Linn.*
unioloides, *H. B.* et *K.*

Bruckenthalia

spiculifolia, *Reichb.*

Bryanthus

empetriformis, *A. Gray*
taxifolius, *A. Gray*

Buddleia

globosa, *Hope*
Hemsleyana, *Hort.*
intermedia, *Carr.*
variabilis, *Hemsl.*
— var. Veitchiana
— — — magnifica

Bulbine

annua, *Willd.*

Bulbinella

Hookeri, *Benth.* et *Hook. f.*

Buphthalmum

salicifolium, *Linn.*
speciosum, *Schreb.*

Bupleurum

Candollii, *Wall.*
fruticosum, *Linn.*
longicaule, *Wall.*
nodiflorum, *Sibth.* et *Sm.*

Calamagrostis

epigeios, *Roth*

Calamintha

Acinos, *Clairv.*
grandiflora, *Moench*
graveolens, *Benth.*
Nepeta, *Savi*

Calandrinia

umbellata, *DC.*

Calceolaria

pinnata, *Linn.*
scabiosifolia, *Sims*

Calendula

arvensis, *Linn.*

Callianthemum

rutaefolium, *C. A. Mey.*

Callirhoë

digitata, *Nutt.*

Calluna

vulgaris, *Salisb.*
— var. alba
— — Hammondii
— var. tomentosa alba

Caltha

polypetala, *Hochst.*

Camassia

Cusickii, *S. Wats.*
esculenta, *Lindl.*

Campanula

acutangula, *Ler.* et *Lev.*
alliariaefolia, *Willd.*
Allionii, *Vill.*
barbata, *Linn.*, var. alba
Beauverdiana, *Fomine*
bononiensis, *Linn.*
caespitosa, *Scop.*, var. Vensloi
carnica, *Schiede*
carpatica, *Jacq.*
— var. albescens
— var. pelviformis
— var. turbinata

Campanula—*continued.*

— — alba
— — compacta
— — grandiflora
— — pallida
colorata, *Wall.*
crenulata, *Franch.*
crispa, *Lam.*
cristallocalyx, *Adam.*
elatinoides, *Moretti*
elegans, *Roem.* et *Schult.*
Erinus, *Linn.*
garganica, *Tenore*
glomerata, *Linn.*, var. acaulis
— var. pallida
Grossekii, *Heuffl.*
Herminii, *Hoffmgg.* et *Link*
lactiflora, *Bieb.*, var. violacea
lanata, *Frivald.*
latifolia, *Linn.*
— var. caerulea
— var. macrantha
— — alba
— — lilacina
Leutweinii, *Heldr.*
lingulata, *Waldst.* et *Kit.*
linifolia, *Scop.*
— var. hirta
longestyla, *Fomine*
macrorrhiza, *J. Gay*
Marchesettii, *Wit.*
michauxioides, *Boiss.*
mirabilis, *Alboff*
montana, *Delarb.*
persicifolia, *Linn.*
— var. alba
— var. grandiflora
petraea, *Linn.*
pilosa, *Pall.*
pseudocarnica, *Hort*
pulcherrima, *Hort.*
pulloides, *Hort. Kew.*
punctata, *Lam.*
pusilla, *Haenke*
— var. alba
— var. pallida
pyramidalis, *Linn.*
— var. alba
pyrenaica, *A. DC.*
Raddeana, *Trautv.*

Campanula—*continued.*

Rainerii, *Perpent.*
rapunculoides, *Linn.*
Reuteriana, *Boiss.* et *Bal.*
rhomboidalis, *Linn.*
rhomboidea, *Murr.*
rotundifolia, *Linn.*
— var. alaskana, *Hort.*
— var. alba
— var. grandiflora
— var. lancifolia (*Schur.*)
— var. magnifica
salicifolia, *Hort.*
sarmatica, *Ker-Gawl.*
Scheuchzeri, *Vill.*
— var. alba
sibirica, *Linn.*, var. eximia
— var. Hohenackeri
speciosa, *Pourr.*
thyrsoides, *Linn.*
— var. carnea
Trachelium, *Linn.*
— var. aggregata
Waldsteiniana, *Roem.* et *Schult.*

Capsella

Bursa-pastoris, *Medic.*

Caragana

arborescens, *Linn.*

Carbenia

benedicta, *Adans.*

Cardamine

pratensis, *Linn.*

Carduus

cernuus, *Steud.*
Hookerianus, *A. A. Heller*
medius, *Gouan*
nutans, *Linn.*
— var. macrocephalus

Carduus—*continued.*

pycnocephalus, *Linn.*
simplicifolius, *Sang.*

Carex

aquatilis, *Wahlenb.*
arenaria, *Linn.*
atrata, *Linn.*
axillaris, *Good.*
baldensis, *Linn.*
binervis, *Sm.*
canescens, *Linn.*
capillaris, *Linn.*
dioica, *Linn.*
distans, *Linn.*
divulsa, *Good.*
elongata, *Linn.*
extensa, *Good.*, var. pumila, *Anders.*
flava, *Linn.*
— var. viridula
glauca, *Scop.*
helvola, *Blytt*
hordeistichos, *Vill.*
incurva, *Lightf.*
— var. erecta, *O. F. Lang*
intermedia, *Good.*
irrigua, *Sm.*
japonica, *Thunb.*
laevigata, *Sm.*
leporina, *Linn.*
livida, *Willd.*
lucida, *Boott*, var. Buchananii, *Berggr.*
Muehlenbergii, *Schkuhr*
muricata, *Linn.*
— var. virens
Oederi, *Retz.*
ornithopoda, *Willd.*
pallescens, *Linn.*
paludosa, *Good.*
panicea, *Linn.*
paniculata, *Linn.*
— f. simplicior, *Anders.*
paradoxa, *Willd.*
pauciflora, *Lightf.*
pendula, *Huds.*
pilulifera, *Linn.*
Pseudo-cyperus, *Linn.*
pulicaris, *Linn.*

Carex—*continued.*

punctata, *Gaud.*
remota, *Linn.*
rigida, *Good.*
rosea, *Schkuhr*
sempervirens, *Vill.*
sparganioides, *Muehl.*
stricta, *Good.*
strigosa, *Huds.*
teretiuscula, *Good.*
trinervis, *Degl.*
Vahlii, *Schkuhr.*
vesicaria, *Linn.*
— var. Grahami (*Boott*)
vulgaris, *Fries*

Carmichaelia

Enysii, *T. Kirk*
flagelliformis, *Colenso*

Carpoceras

cilicicum, *Boiss.* et *Kurz*

Carrichtera

Vella, *DC.*

Carum

Bulbocastanum, *Koch*
Carvi, *Linn.*
verticillatum, *Koch*

Cassandra

calyculata, *D. Don*

Cassinia

fulvida, *Hook. f.*
leptophylla, *R. Br.*

Castilleja

miniata, *Dougl.*

Catananche

bicolor, *Hort.*
caerulea, *Linn.*
lutea, *Linn.*

Cathcartia

villosa, *Hook. f.*

Caucalis

arvensis, *Huds.*

Cedronella

cana, *Hook.*
triphylla, *Moench*

Celmisia

coriacea, *Raoul*
hieracifolia, *Hook. f.*
holosericea, *Hook. f.*
Lindsayi, *Hook. f.*
longifolia, *Cass.*
Lyallii, *Hook. f.*, var. pseudo-Lyallii
Munroi, *Hook. f.*
verbascifolia, *Hook. f.*
viscosa, *Hook. f.*

Celosia

argentea, *Linn.*

Celsia

Arcturus, *Jacq.*
pontica, *Boiss.*

Centaurea

alpina, *Linn.*
atropurpurea, *Waldst.* et *Kit.*
babylonica, *Linn.*
centauroides, *Linn.*
cynaroides, *Link*
dealbata, *Willd.*
glastifolia, *Linn.*
incana, *Desf.*
Jacea, *Linn.*
Janerii, *Graells*
macrocephala, *Puschk.*
montana, *Linn.*
— var. alba
— var. ochroleuca
Moschata, *Linn.*
nervosa, *Willd.*
nigra, *Linn.*
nigrescens, *Willd.*
orientalis, *Linn.*
phrygia, *Linn.*
romana, *Linn.*
ruthenica, *Lam.*

Centaurea—*continued.*

rutifolia, *Sibth.* et *Sm.*
Scabiosa, *Linn.*
solstitialis, *Linn.*
sordida, *Willd.*
stereophylla, *Bess.*
Tenoreana, *Willk.*
Urvillei, *DC.*
— var. acaulis
variegata, *Lam.*

Centranthus

angustifolius, *DC.*
macrosiphon, *Boiss.*
ruber, *DC.*

Cephalaria

alpina, *Schrad.*
corniculata, *Roem.* et *Schult.*
graeca, *Roem.* et *Schult.*

Cephalophora

aromatica, *Schrad.*

Cerastium

alpinum, *Linn.*
arvense, *Linn.*
Edmondstoni, *Murb.* et *Ostenf.*
grandiflorum, *Waldst.* et *Kit.*
illyricum, *Ard.*
ovatum, *Hoppe*
perfoliatum, *Linn.*
purpurascens, *Adams*
tomentosum, *Linn.*

Cerinthe

alpina, *Kit.*
aspera, *Roth*
auriculata, *Tenore*
major, *Linn.*
minor, *Linn.*

Chaerophyllum

aromaticum, *Linn.*
hirsutum, *Linn.*

Chamaelirium

carolinianum, *Willd.*

Chamaemelum
rimarum, *Siehe*

Chaptalia
alsophila, *Greene*

Charieis
heterophylla, *Cass.*

Cheiranthus
Cheiri, *Linn.*
Senoneri, *Heldr.* et *Sart.*

Chelidonium
Franchetianum, *Prain*
majus, *Linn.*
— var. laciniatum

Chelone
glabra, *Linn.*

Chenopodium
album, *Linn.*
Bonus-Henricus, *Linn.*
Botrys, *Linn.*
cornutum, *Benth.* et *Hook. f.*
murale, *Linn.*
polyspermum, *Linn.*
rigidum, *Lingelsheim*

Chionodoxa
Luciliae, *Boiss.*
— var. gigantea

Chloris
virgata, *Sw.*

Chondrilla
juncea, *Linn.*

Chrysanthemum
caucasicum, *Pers.*
maximum, *Ramond*
— var. tripteris
Myconis, *Linn.*
Parthenium, *Bernh.*
tomentosum, *Loisel.*
Zawadskii, *Herbich*

Chrysopsis
camporum, *Greene*
villosa, *DC.*, var. Rutteri

Chrysosplenium
flagelliferum, *F. Schmidt*

Cichorium
Intybus, *Linn.*
— var. album

Cimicifuga
americana, *Michx.*
cordifolia, *Pursh*
davurica, *Maxim.*
japonica, *Miq.*
racemosa, *Nutt.*

Cineraria
alpestris, *Hort.*

Circaeaster
agrestis, *Maxim.*

Cistus
albidocrispus, *Hort.*
hirsutus, *Lam.*
laurifolius, *Linn.*
platysepalus, *Sweet*
villosus, *Linn.*

Clarkia
elegans, *Dougl.*
— var. marginata

Claytonia
perfoliata, *Donn*
virginica, *Linn.*

Clematis
Flammula, *Linn.*
— var. foliis purpureis
integrifolia, *Linn.*
orientalis, *Linn.*
— var. tangutica, *Maxim.*
paniculata, *Thunb.*
recta, *Linn.*
songorica, *Bunge*
Vitalba, *Linn.*

Clintonia
umbellata, *Torr.*

Clypeola
echinata, *DC.*
Jonthlaspi, *Linn.*
— var. lasiocarpa

Cneorum
tricoccon, *Linn.*

Cnicus
acaulis, *Willd.*
Bertolonii, *Bertol.*
canus, *Roth*
Carolorum, *Hook. f.*
chinensis, *Benth.*
eriophoroides, *Hook. f.*
eriophorus, *Roth*
Erisithales, *Linn.*
heterophyllus, *Roth*
Morisianum, *Hort. Edin.*
tartaricus, *Willd.*
undulatus, *A. Gray*

Cochlearia
danica, *Linn.*
glastifolia, *Linn.*
officinalis, *Linn.*
saxatilis, *Linn.*

Codonopsis
Bulleyana, *Diels* et *G. Forrest*
meleagris, *Diels*
ovata, *Benth.*
rotundifolia, *Royle*
silvestris, *Kom.*

Colchicum
byzantinum, *Ker-Gawl.*, var. cilicicum
hydrophilum, *Siehe*

Collinsia
bicolor, *Benth.*
— var. violacea
linearis, *A. Gray*
parviflora, *Lindl.*

Collomia
biflora, *Brand.*
heterophylla, *Hook.*
linearis, *Nutt.*

Colutea
cruenta, *Ait.*
longialata, *Koehne*

Commelina
coelestis, *Willd.*
erecta, *Linn.*

Conium
maculatum, *Linn.*

Convallaria
majalis, *Linn.*

Convolvulus
althaeoides, *Linn.*
tricolor, *Linn.*
undulatus, *Cav.*

Coptis
trifolia, *Salisb.*

Coreopsis
Drummondii, *Torr.* et *Gray*
tinctoria, *Nutt.*

Corethrogyne
rigida, *A. A. Heller*

Cornus
alba, *Linn.*
— var. foliis tricoloribus
alternifolia, *Linn.*
sanguinea, *Linn.*

Coronilla
Emerus, *Linn.*
varia, *Linn.*

Cortusa
Matthioli, *Linn.*
—var. villoso-hirsuta, *Schur.*

Corydalis

cheilanthifolia, *Hemsl.*
lutea, *DC.*
— var. alba
ochroleuca, *Koch*
ophiocarpa, *Hook. f.* et *Thoms.*
rosea, *Maxim.*

Cosmos

bipinnatus, *Cav.*

Cotoneaster

acuminata, *Lindl.*
acutifolia, *Lindl.*
affinis, *Lindl.*
bacillaris, *Wall.*
bullata, *Bois*
divaricata, *Rehder* et *Wilson*
Francheti, *Bois*
frigida, *Wall.*
horizontalis, *Decne.*
— var. perpusilla
laxiflora, *Jacq.*
microphylla, *Wall.*
moupinensis, *Franch.*
multiflora, *Bunge*
Nummularia, *Fisch.* et *Mey.*
— var. Meyeri
pannosa, *Franch.*
rotundifolia, *Wall.*
rupestris, *Hort.*
salicifolia, *Franch.*, var. rugosa, *Rehder* et *Wilson*
Simonsii, *Baker*
thymifolia, *Baker*

Cotyledon

glabra, *Hort. Edin.*

Crambe

maritima, *Linn.*
Tataria, *Sebéok*

Craspedia

uniflora, *Forst. f.*

Crataegus

acutiloba, *Sargent*
Azarolus, *Linn.*

Crataegus—*continued.*

Carrierei, *Vauvel*
coccinea, *Linn.*
— var. flabellata, *Britton*
— var. indentata, *Hort.*
— var. rotundifolia, *Sargent*
collina, *Chapman*
Crus-galli, *Linn.*
— var. splendens, *Lodd.*
Dippeliana, *Lange*
Douglasii, *Lindl.*
intricata, *Lange*
macrantha, *Lodd.*
mollis, *Scheele*
nigra, *Waldst.* et *Kit.*
nitida, *Sargent*
orientalis, *Pall.*
Oxyacantha, *Linn.*
— var. flore pleno albo
— var. flore pleno roseo
— var. flore puniceo
— var. foliis luteis
— var. fructu luteo
— var. fuscata, *Hort.*
— var. monogyna, *Jacq.*
— var. pendula, *Lodd.*
— var. semperflorens, *Carr.*
— var. stricta, *Lodd.*
— var. variegata
pentagyna, *Kit.*
pinnatiloba, *Lange*
polyacantha, *Jan*
Pyracantha, *Pers.*
— var. Lalandi, *Hort.*
sorbifolia, *Desf.*
succulenta, *Link.*
tomentosa, *Linn.*

Crepis

aculeata, *Boiss.*
aurea, *Reichb.*
blattarioides, *Vill.*
Dioscoridis, *Linn.*
glomerata, *Benth.* et *Hook. f.*
grandiflora, *Tausch*
incana, *Sibth.* et *Sm.*
Jacquini, *Tausch*
paludosa, *Moench*
pygmaea, *Linn.*

Crepis—*continued.*
setosa, *Hall. f.*
sibirica, *Linn.*
Suffreniana, *Steud.*

Crocus
vernus, *All.*
zonatus, *J. Gay*

Crucianella
angustifolia, *Linn.*
chlorostachys, *Fisch.* et *Mey.*

Crupina
Crupinastrum, *Vis.*

Cucubalus
baccifer, *Linn.*

Cuminum
Cyminum, *Linn.*

Cuphea
flava, *Spreng.*

Cupressus
Benthami, *Endl.*
Goveniana, *Gord.*
Lawsoniana, *A. Murr.*
— var. argentea

Cyananthus
incanus, *Hook. f.* et *Thoms.*,
var. leiocalyx, *Franch.*
lobatus, *Wall.*
longiflorus, *Franch.*
macrocalyx, *Franch.*

Cyclamen
hederaefolium, *Ait.*
latifolium, *Sibth.* et *Sm.*
repandum, *Sibth.* et *Sm.*

Cydonia
japonica, *Thunb.*
— var. grandiflora
Maulei, *T. Moore*

Cynanchum
acutum, *Linn.*

Cynoglossum
amabile, *Stapf* et *Drumm.*
— var. album
furcatum, *Wall.*
nervosum, *Benth.*
petiolatum, *A. DC.*
Wallichii, *G. Don*

Cypripedium
Calceolus, *Linn.*
spectabile, *Salisb.*

Cytisus
albus, *Linn.*
Ardoini, *Fourn.*
austriacus, *Linn.*
biflorus, *L'Hérit.*
decumbens, *Walp.*
elongatus, *Waldst.* et *Kit.*
Heuffelii, *Wierzb.*
hirsutus, *Linn.*
— var. hirsutissimus
nigricans, *Linn.*
praecox ×, *Hort.*
purgans, *Boiss.*
purpureus, *Scop.*, var. erectus
scoparius, *Link*
— var. Andreanus
— var. flore albo
— var. prostratus
shipkaënsis, *Dippel*
triflorus, *L'Hérit.*

Daboëcia
polifolia, *D. Don*
— var. alba
— var. bicolor
— var. purpurea

Dactylis
glomerata, *Linn.*
— var. variegata

Dahlia
Merckii, *Lehm.*
variabilis, *Desf.*
zimapani, *Roezl*

Danthonia

airoides, *Nees*
Buchanani, *Hook. f.*

Daphne

aurantiaca, *Hort. Corr.*

Datura

Stramonium, *Linn.*

Daucus

Carota, *Linn.*
maximus, *Desf.*

Delphinium

Ajacis, *Reichb.*
altissimum, *Wall.*
azureum, *Michx.*
Bulleyanum, *G. Forrest*
cashmirianum, *Royle*
cheilanthum, *Fisch.*
corymbosum, *Regel*
Delavayi, *Franch.*
Duhmbergii, *Huth*
dictyocarpum, *DC.*
elatum, *Linn.*
— var. alpinum
flexuosum, *Rafin.*
formosum, *Boiss.* et *Huet*
grandiflorum, *Linn.*
hybridum, *Steph.*
likiangense, *Franch.*
Maackianum, *Regel*
occidentale, *S. Wats.*
pellucidum, *Busch*
Potanini, *Huth*
Przewalskii, *Huth*
Pylzowi, *Maxim.*
Requienii, *DC.*
scopulorum, *A. Gray*
— var. stachydeum
speciosum, *Bieb.*, var. glabratum
tatsienense, *Franch.*
— var. album
vestitum, *Wall.*
viscosum, *Hook. f.* et *Thoms.*

Deschampsia

caespitosa, *Beauv.*

Deutzia

longifolia, *Franch.*

Dianthus

alpinus, *Linn.*
anatolicus, *Boiss.*
arboreus, *Linn.*
arenarius, *Linn.*
atrococcineus, *Hort.*
atrorubens, *All.*
attenuatus, *Sm.*
caesius, *Sm.*
campestris, *Bieb.*
Carthusianorum, *Linn.*
chinensis, *Linn.*
ciliatus, *Guss.*
cinnabarinus, *Sprun.*
crinitus, *Sm.*
croaticus, *Borbas*
delicatus, *Hort.*
deltoides, *Linn.*
fimbriatus, *Bieb.*
fragrans, *Bieb.*
Freynii, *Vandas*
furcatus, *Balb.*
gallicus, *Pers.*
glaucus, *Hort.*
grandiflorus, *Poir.*
graniticus, *Jord.*
inodorus, *Hort. Corr.*, var. suavis
liburnicus, *Bartl.* et *Wendl.*
longicaulis, *Tenore*
microlepis, *Boiss.*
monspessulanus, *Linn.*, var. alpestris
montanus, *Hort.*
neglectus, *Loisel.*
Noeanus, *Boiss.*
orbelicus, *Hort.*
pallens, *Sibth.* et *Sm.*
petraeus, *Waldst.* et *Kit.*
— var. spiculifolius
plumarius, *Linn.*
polycladus, *Boiss.*

Dianthus—*continued.*
puberulus, *F. N. Williams*
pulchellus, *Hort.*
pungens, *Linn.*
scardicus, *Wettst.*
squarrosus, *Bieb.*
Sternbergii, *Sibth.*
strictus, *Sibth.* et *Sm.*
— var. grandiflorus
superbus, *Linn.*
— var. chinensis
sylvestris, *Wulf.*
tenuiflorus, *Griseb.*
tymphresteus, *Heldr.* et *Sart.*
Vandasii, *Velen.*
velebiticus, *Borb.*
Velenowskyi, *Borb.*
zonatus, *Fenzl*

Dicentra
eximia, *Torr.*

Dichondra
repens, *Forst.*

Dictamnus
albus, *Linn.*
— var. tauricus

Didissandra
lanuginosa, *C. B. Clarke*

Diervilla
florida, *Sieb.* et *Zucc.*
rivularis, *Gattinger*
sessilifolia, *Buckl.*

Digitalis
laevigata, *Waldst.* et *Kit.*
lanata, *Ehrh.*
lutea, *Linn.*
purpurea, *Linn.*
— var. nevadensis (*Kunze*)

Dimorphotheca
pluvialis, *Moench*

Diphylleia
cymosa, *Michx.*

Diplotaxis
pendula, *DC.*
viminea, *DC.*

Dipsacus
asper, *Wall.*
azureus, *Schrenk*
fullonum, *Linn.*
sylvestris, *Mill.*

Dischisma
spicatum, *Choisy*

Disporum
lanuginosum, *Nichols.*

Dodecatheon
integrifolium, *Michx.*
pauciflorum, *Greene*
radicatum, *Greene*

Dorema
Aucheri, *Boiss.*

Doronicum
caucasicum, *Bieb.*
macrophyllum, *Fisch.*

Dorycnium
suffruticosum, *Vill.*

Draba
aizoides, *Linn.*
Aizoon, *Wahlenb.*
alpina, *Linn.*
— var. involucrata
altaica, *Ledeb.*
amplexicaulis, *Franch.*
arabisans, *Michx.*
aurea, *Vahl*
australis, *Hook. f.*
cappadocica, *Boiss.* et *Bal.*
cuspidata, *Bieb.*
Dedeana, *Boiss.* et *Reut.*
fladnizensis, *Wulf.*
frigida, *Sauter*
Helleriana, *Greene*
hirta, *Linn.*

Draba—*continued.*
hispanica, *Boiss.*
hispida, *Willd.*
incana, *Linn.*
— var. Adamsii
Kotschyi, *Stur.*
lapponica, *Willd.*
Loiseleurii, *Boiss.*
longirostrata, *Schott, Nym.* et *Kotschy*
nemorosa, *Linn.*
nivalis, *Lilj.*
oligosperma, *Hook.*
oxycarpa, *Boiss.* et *Heldr.*
pycnosperma, *Fernald* et *Knowlton*
pyrenaica, *Linn.*
rupestris, *R. Br.*
Salomoni, *Hort. Sünd.*
scandinavica, *Lindblom*
siliquosa, *Bieb.*
stellata, *Jacq.*
streptocarpa, *A. Gray*
subamplexicaulis, *C. A. Mey.*
Suendermanni, *Hort. Sünd.*
surculosa, *Franch.*
tibetica, *Hook. f.* et *Thoms.*

Dracocephalum
botryoides, *Stev.*
bullatum, *G. Forrest*
fruticulosum, *Steph.*
grandiflorum, *Linn.*
heterophyllum, *Benth.*
imberbe, *Bunge*
Moldavica, *Linn.*
nutans, *Linn.*, var. alpinum, *Regel*
parviflorum, *Nutt.*
peregrinum, *Linn.*
— var. grandiflorum
Ruprechti, *Regel*
Ruyschiana, *Linn.*
tanguticum *Maxim.*
thymiflorum, *Linn.*

Dryas
Drummondii, *Richards.*
octopetala, *Linn.*
— var. lanata

Drypis
spinosa, *Linn.*

Echinodorus
ranunculoides, *Engelm.*

Echinops
sphaerocephalus, *Linn.*

Echium
pustulatum, *Hort.*
violaceum, *Linn.*
vulgare, *Linn.*

Edraianthus
graminifolius, *DC.*
Pumilio, *DC.*

Ehrharta
Colensoi, *Hook. f.*

Elaeagnus
umbellata, *Thunb.*

Eleocharis
neo-zelandica, *C. B. Clarke*
palustris, *R. Br.*

Elsholtzia
cristata, *Willd.*

Elymus
dasystachya, *Trin.*
sibiricus, *Linn.*
villosus, *Muhl.*

Emex
spinosa, *Campd.*

Enarthrocarpus
arcuatus, *Labill.*

Enkianthus
campanulatus, *Nichols.*
himalaicus, *Hook. f.* et *Thoms.*

Epigaea

repens, *Linn.*

Epilobium

alpinum, *Linn.*
alsinoides, *A. Cunn.*
angustifolium, *Linn.*
— var. album
arcuatum, *Petrie*
brevipes, *Hook. f.*
cinereum, *A. Rich.*
Cockaynianum, *Petrie*
Dodonaei, *Vill.*
eriofolium, *Hort.*
frigidum, *Hausskn.*
glabellum, *Forst.*
haloragifolium, *A. Cunn.*
Hectori, *Hausskn.*
hirsutum, *Linn.*
luteum, *Pursh*
macropus, *Hook.*
melanocaulon, *Hook.*
microphyllum, *A. Rich.*
Novae-Zealandiae, *Hausskn.*
occidentale, *Rydb.*
pallidiflorum, *Soland.*
rosmarinifolium, *Haenke*

Eragrostis

maxima, *Fourn.*

Eranthis

cilicica, *Schott* et *Kotschy*

Eremurus

himalaicus, *Baker*
robustus, *Regel*, var. Elwesianus

Erica

ciliaris, *Linn.*
cinerea, *Linn.*
— var. alba
— var. alba minor
— var. atropurpurea
— var. atrosanguinea
— var. coccinea
— var. pallida
— var. rosea

Erica—*continued.*

stricta, *Donn*
Tetralix, *Linn.*
vagans, *Linn.*, var. alba
— var. pallida

Erigeron

acris, *Linn.*
alpinus, *Linn.*
aurantiacus, *Regel*
compositus, *Pursh*
Coulteri, *Porter* et *Coulter*
droebachensis, *O. Muell.*
erythrocephalus, *Hort.*
flagellaris, *A. Gray*
glabellus, *Nutt.*
— var. asper
— var. mollis
glabratus, *Hoppe* et *Hornsch.*
glaucus, *Ker-Gawl.*
grandiflorus, *Hook.*
macranthus, *Nutt.*
montanensis, *Rydb.*
montevidensis, *Baker*
multiradiatus, *Benth.* et *Hook. f.*
— var. platyphyllus
neomexicanus, *A. Gray*
oreganus, *A. Gray*
patentisquama, *J. F. Jeffrey*
Roylei, *DC.*
salsuginosus, *A. Gray*
speciosus, *DC.*, var. superbus, *Linn.*
tegetarius, *Cov.*
thyrsoides, *Hort.*
trifidus, *Hook.*
— var. albescens
uniflorus, *Linn.*

Erinus

alpinus, *Linn.*
— var. carmineus
— var. hirsutus

Eriogonum

racemosum, *Nutt.*
shoshonense, *A. Nels.*
umbellatum, *Torr.*

Eriophyllum
caespitosum, *Dougl.*
integrifolium, *Greene*

Eritrichium
strictum, *Decne.*

Erodium
carvifolium, *Boiss.*
chium, *Willd.*
ciconium, *Ait.*
gruinum, *L'Hérit.*
Kolbianum, *Hort.*
macradenum, *L'Hérit.*
Manescavi, *Coss.*
petraeum, *Willd.*
Stephanianum, *Willd.*
trichomanefolium, *L'Hérit.*

Eruca
sativa, *Mill.*

Eryngium
agavifolium, *Griseb.*
alpinum, *Linn.*
Bourgati, *Gouan*
dichotomum, *Desf.*
grande, *Hemsl.* et *Rose*
planum, *Linn.*
— var. roseum
prostratum, *Nutt.*
Spinalba, *Vill.*
Wrightii, *A. Gray*

Erysimum
asperum, *DC.*
bracteatum, *W. W. Sm.*
canescens, *Roth*
capitatum, *Greene*
hieracifolium, *Linn.*
linifolium, *J. Gay*
nanum, *Boiss.* et *Hohen.*
ochroleucum, *DC.*, var. helveticum (*DC.*)
parviflorum, *Nutt.*
Perofskianum, *Fisch.* et *Mey.*

Erythraea
Centaurium, *Pers.*
Elodes, *Roem.* et *Schult.*
littoralis, *Fries*

Eschscholzia
californica, *Cham.*

Eucharidium
concinnum, *Fisch.* et *Mey.*
grandiflorum, *Fisch.* et *Mey.*

Euonymus
europaeus, *Linn.*
fimbriatus, *Wall.*
pendulus, *Wall.*

Eupatorium
ageratoides, *Linn.*
cannabinum, *Linn.*
deltoideum, *Jacq.*
glechonophyllum, *Less.*
japonicum, *Thunb.*

Euphorbia
hyberna, *Linn.*
Jolkini, *Boiss.*
Lathyris, *Linn.*
Myrsinites, *Linn.*
pilosa, *Linn.*
stricta, *Linn.*

Evax
contracta, *Boiss.*
nevadensis, *Boiss.*

Fagopyrum
esculentum, *Moench*

Farsetia
clypeata, *R. Br.*

Fedia
Cornucopiae, *Gaertn.*

Festuca
duriuscula, *Linn.*
Eskia, *Ram.*
ovina, *Linn.*
— var. tenuiflora
rubra, *Linn.*

Foeniculum
giganteum, *Hort.*
vulgare, *Mill.*

Forsythia
suspensa, *Vahl*

Fragaria
californica, *Cham.* et *Schlecht.*
collina, *Ehrh.*
Daltoniana, *J. Gay*
indica, *Andr.*
roseiflora, *Boulay*
vesca, *Linn.*, var. mono-
— var. muricata [phylla
— var. semperflorens

Fraxinus
excelsior, *Linn.*

Fritillaria
Meleagris, *Linn.*, var. alba
pallidiflora, *Schrenk*
taurica, *Hort.*

Fuchsia
pumila, *Hort.*
Riccartoni ×, *Hort.*

Fumana
laevipes, *Spach*

Fumaria
officinalis, *Linn.*

Funkia
Sieboldiana, *Hook.*

Gaillardia
aristata, *Pursh*
— var. grandiflora
pulchella, *Fouger*

Galax
aphylla, *Linn.*

Galeg a
officinalis, *Linn.*
— var. rosea
orientalis, *Lam.*

Galeopsis
Tetrahit, *Linn.*

Galium
boreale, *Linn.*
erectum, *Huds.*
lithospermifolium, *Fisch.*
Mollugo, *Linn.*
saxatile, *Linn.*

Garrya
elliptica, *Dougl.*

Gaultheria
antipoda, *Forst. f.*, var. de-
pressa, *Hook. f.*
hispida, *R. Br.*, var. fructu albo
pyrolaefolia, *Hook. f.*, var.
cuneata

Gaura
suffulta, *Engelm.*

Gaylussacia
resinosa, *Torr.* et *Gray*
ursina, *Torr.* et *Gray*

Genista
aethnensis, *DC.*
anglica, *Linn.*
dalmatica, *Bartl.* et *Wendl. f.*
germanica, *Linn.*
pilosa, *Linn.*
sagittalis, *Linn.*
tinctoria, *Linn.*
— var. anxantica
— var. apennina
— var. prostrata
virgata, *DC.*

Gentiana
acaulis, *Linn.*
altaica, *Laxm.*
asclepiadea, *Linn.*
— var. alba
bavarica, *Linn.*, var. imbricata
campestris, *Linn.*
crassicaulis, *Duthie*
detonsa, *Rottb.*
Fetisowi, *Regel* et *Winkler*
Freyniana, *Bornm.*

Gentiana—*continued.*

gentilis, *Franch.*
Kesselringi, *Regel*
macrophylla, *Pall.*
— var. cyanea
microdonta, *Franch.*
Pneumonanthe, *Linn.*
pterocalyx, *Franch.*
punctata, *Linn.*
robusta, *King*
Saponaria, *Linn.*
Sceptrum, *Griseb.*
septemfida, *Pall.*
— var. cordifolia,
— var. latifolia
taliensis, *Balf. f.*

Geranium

albiflorum, *Ledeb.*
anemonifolium, *L'Hérit.*
argenteum, *Linn.*
armenum, *Boiss.*
calvescens, *Briquet*
cinereum, *Cav.*
collinum, *Steph.*
eriostemon, *Fisch.*
Fremontii, *Torr.*
grandiflorum, *Hort.*
Grevilleanum, *Wall.*
ibericum, *Cav.*
incisum, *Nutt.*, var. viscosissimum
libanoticum, *Boiss.* et *Blanche*
lucidum, *Linn.*
macrorrhizum, *Linn.*
nepalense, *Sweet*
palustre, *Linn.*
phaeum, *Linn.*
platypetalum, *Franch.*
pratense, *Linn.*
— var. album
— var. bicolor
— var. roseum
pyrenaicum, *Burm. f.*
Richardsonii, *Fisch.* et *Trautv.*, var. album
Robertianum, *Linn.*
roseum, *Hort.*
sanguineum, *Linn.*
— var. album

Geranium—*continued.*

— var. lancastriense
— var. prostratum
sessiliflorum, *Cav.*
subcaulescens, *L'Hérit.*
sylvaticum, *Linn.*
— var. platypetalum
— var. Wanneri
Wallichianum, *D. Don*
Webbianum, *Hort.*

Gerbera

Anandria, *Sch. Bip.*
Delavayi, *Franch.*
Jamesoni, *Bolus*
Kunzeana, *A. Br.* et *Aschers.*
nivea, *Sch. Bip.*
ruficoma, *Franch.*

Geum

atrosanguineum, *Hort.*
coccineum, *Sibth.* et *Sm.*, var. grandiflorum
elatum, *Wall.*
Eweni, *Hort.*
Heldreichii, *Hort.*
— var. superbum
intermedium ×, *Ehrh.*
Laxmanni, *Gaertn.*
macrophyllum, *Willd.*
montanum, *Linn.*
— var. corsicum
parviflorum, *Commers.*
pyrenaicum, *Mill.*
reptans, *Linn.*
rhaeticum, *Bruegg.*
rivale, *Linn.*
Rossii, *Seringe*
tirolense, *Kern.*
urbanum, *Linn.*

Gilia

androsacea, *Steud.*
nivalis, *Hérincq.*
tricolor, *Benth.*
— var. violacea

Gillenia

stipulacea, *Nutt.*
trifoliata, *Moench*

Gladiolus
imbricatus, *Linn.*
palustris, *Gaud.*

Glaucium
flavum, *Crantz*
— var. Serpieri (*Heldr.*)

Glaux
maritima, *Linn.*

Globularia
lindavica, *Hort.*
nana, *Lam.*
trichosantha, *Fisch.* et *Mey.*
vulgaris, *Linn.*

Glyceria
aquatica, *Wahlenb.*

Gnaphalium
luteo-album, *Linn.*
supinum, *Linn.*

Gomphrena
decumbens, *Jacq.*

Goodyera
repens, *R. Br.*

Graphephorum
melicoideum, *Desv.*

Grindelia
squarrosa, *Dunal*

Gymnolomia
multiflora, *Benth.* et *Hook. f.*

Gypsophila
cerastoides, *D. Don*
elegans, *Bieb.*
— var. rosea
paniculata, *Linn.*

Haberlea
Ferdinandi-Coburgii, *Urumoff*
rhodopensis, *Frivald.*

Hacquetia
Epipactis, *DC.*

Halenia
elliptica, *D. Don*
Perrottetii, *Griseb.*

Hebenstretia
comosa, *Hochst.*
dentata, *Linn.*

Hedysarum
boreale, *Nutt.*
capitatum, *Desf.*
coronarium, *Linn.*
esculentum, *Ledeb.*
obscurum, *Linn.*
sibiricum, *Poir.*
splendens, *Fisch.*

Helenium
autumnale, *Linn.*, var. Halleri
Hoopesii, *A. Gray*

Helianthemum
alpestre, *Dunal*, var. ovalifolium
canum, *Boiss.*
glaucum, *Boiss.*, var. bicolor, (*Presl*)
hymettium, *Boiss.* et *Heldr.*
lasianthum, *Pers.*, var. conpilosum, *Benth.*
— var. purpureum
polifolium, *DC.*
procumbens, *Dun.*
rubellum, *Presl*
salicifolium, *Mill.*
Tuberaria, *Mill.*
umbellatum, *Mill.*
— var. syriacum (*Boiss.*)
vulgare, *Gaertn.*
— var. roseum
— var. variegatum

Helianthus

annuus, *Linn.*
pumilus, *Nutt.*

Helichrysum

bellidioides, *Willd.*
callichrysum, *DC.*
crassifolium, *D. Don*
graveolens, *Sweet*
lanatum, *DC.*
plicatum, *DC.*
rutidolepis, *DC.*

Heliophila

amplexicaulis, *Linn. f.*

Heliopsis

laevis, *Pers.*
padula, *Wender.*
scabra, *Dun.*
— var. Pitcheriana

Helipterum

corymbiflorum, *Schlecht.*
Manglesii, *F. Muell.*
— var. roseum

Helleborus

lividus, *Ait.*

Helonias

bullata, *Linn.*

Hemiphragma

heterophyllum, *Wall.*

Hemizonia

Lobbii, *Greene*

Heracleum

asperum, *Bieb.*
sibiricum, *Linn.*, var. angustifolium
villosum, *Fisch.*

Herniaria

cinerea, *DC.*
glabra, *Linn.*

Heuchera

americana, *Linn.*
bracteata, *Ser.*
cylindrica, *Dougl.*
hispida, *Pursh*
micrantha, *Dougl.*
rubescens, *Torr.*

Hieracium

alpinum, *Linn.*
andryaloides, *Vill.*
Auricula, *Linn.*
bombycinum, *Boiss.* et *Reut.*
Bornmülleri, *Freyn*
brevifolium, *Hort.*
bupleuroides, *C. C. Gmel.*
crinitum, *Sibth.* et *Sm.*
crocatum, *Fries*
foliosum, *Waldst.* et *Kit.*
glomeratum, *Froel.*
Gouani, *Hegetschw.*
gymnocephalum, *Griseb.*
Heldreichii, *Boiss.*
humile, *Jacq.*
incanum, *Bieb.*
incisum, *Hoppe*
intybaceum, *Jacq.*
iricum, *Fries*
Jankae, *Uechtr.*
lanatum, *Waldst.* et *Kit.*
latifolium, *Froel.*
Lemmoni, *A. Gray*
Marshallii, *Linton*
Neo-Cerinthe, *Fries*
pallidum, *Biv.*
pannosum, *Boiss.*
Pilosella, *Linn.*
— var. aurantiacum
— var. monstrosum
praealtum, *Gochn.*
prenanthoides, *Vill.*
pulmonarioides, *Vill.*
pyrenaicum, *Jord.*
rubescens, *Gilib.*
rupestre, *All.*
sabaudum, *Linn.*
stoloniflorum, *Waldst.* et *Kit.*
strictum, *Fries*

Hieracium—*continued.*
tridentatum, *Fries*
villosum, *Jacq.*
vulgatum, *Fries*

Hippocrepis
comosa, *Linn.*

Hippophaë
rhamnoides, *Linn.*

Holcus
caespitosus, *Boiss.*
lanatus, *Linn.*
mollis, *Linn.*

Homeria
collina, *Vent.*

Homogyne
alpina, *Cass.*
sylvestris, *Cass.*

Hordeum
bulbosum, *Linn.*
murinum, *Linn.*

Horminum
pyrenaicum, *Linn.*
— var. album
— var. purpureum
— var. roseum

Hottonia
palustris, *Linn.*

Houstonia
caerulea, *Linn.*

Hovenia
dulcis, *Thunb.*

Hutchinsia
Prostii, *J. Gay*

Hyacinthus
amethystinus, *Linn.*
azureus, *Baker*
— var. giganteus
nervosus, *Bertol.*

Hydrocotyle
hirsuta, *Sw.*
moschata, *Forst.*

Hydrophyllum
occidentale, *A. Gray*
virginicum, *Linn.*

Hymenophysa
pubescens, *C. A. Mey.*

Hyoscyamus
niger, *Linn.*

Hypecoum
leptocarpum, *Hook. f.* et *Thoms.*

Hypericum
Androsaemum, *Linn.*
Ascyron, *Linn.*
elatum, *Ait.*
fragile, *Heldr.* et *Sart.*
Gebleri, *C. A. Mey.*
hircinum, *Linn.*
hyssopifolium, *Vill.*
inodorum, *Mill.*
intermedium, *Steud.*
Kotschyanum, *Boiss.*
montanum, *Linn.*
patulum, *Thunb.*
perforatum, *Linn.*
polyphyllum, *Boiss.*
Przewalskii, *Maxim.*
pulchrum, *Linn.*
repens, *Linn.*
Richeri, *Vill.*
— var. Burseri, *Spach*
tetrapterum, *Fries*

Hypochoeris
glabra, *Linn.*
radicata, *Linn.*
taraxacoides, *Benth.* et *Hook. f.*

Hyptis

pectinata *Poit.*

Hyssopus

officinalis, *Linn.*
— var. grandiflorus

Iberis

corifolia, *Sweet*
Jordani, *Boiss.*
odorata, *Linn.*
Pruiti, *Tineo*
semperflorens, *Linn.*
sempervirens, *Linn.*
taurica, *DC.*
umbellata, *Linn.*

Ilex

Aquifolium, *Linn.*
— var. argentea medio-picta
— var. argentea pendula
— var. aurantiaca marginata
— var. aurea angustifolia
— var. aurea marginata
— var. aurea medio-picta
— var. camelliaefolia
— var. flavescens
— var. fructu luteo
— var. handsworthensis
— var. intermedia
— var. maderensis
— var. platyphylla
Hodginsii ×, *Hort.*

Impatiens

Noli-me-tangere, *Linn.*
Roylei, *Walp.*

Incarvillea

Delavayi, *Bur.* et *Franch.*
grandiflora, *Bur.* et *Franch.*, var. brevipes

Inula

britannica, *Linn.*
ensifolia, *Linn.*
glandulosa, *Puschk.*

Inula—*continued.*

grandiflora, *Willd.*
Helenium, *Linn.*
macrophylla, *Sch. Bip.*
Royleana, *DC.*
salicifolia, *Gueldenst.*
squarrosa, *Linn.*

Iris

acutifolia, *Hort.*
bucharica, *Foster*
Chamaeiris, *Bertol.*
Clarkei, *Baker*
Delavayi, *Micheli*
Douglasiana, *Herb.*
elatior, *Hort.*
ensata, *Thunb.*
foetidissima, *Linn.*
Forrestii, *Dykes*
graminea, *Linn.*
humilis, *Bieb.*
Junonia, *Schott* et *Kotschy*
kumaonensis, *Wall.*
laevigata, *Fisch.*
lurida, *Ait.*
nepalensis, *D. Don*
orientalis, *Thunb.*
— var. sanguinea (*Donn*)
prismatica, *Pursh*
Pseudacorus, *Linn.*
— var. variegata
pumila, *Linn.*, var. cyanea
— var. formosa
setosa, *Pall.*, var. tridentata
sibirica, *Linn.*
— var. alba
— var. coreana
— var. grandis
sordida, *Willd.*
spuria, *Linn.*
— var. notha, *Bieb.*
— var. subbarbata, *Joo*
tectorum, *Maxim.*
unguicularis, *Poir.*
venusta, *Booth*
versicolor, *Linn.*
Wilsoni, *C. H. Wright*
Xiphium, *Linn.*, var. lusitanica (*Ker-Gawl.*)

Isatis

aleppica, *Scop.*
alpina, *All.*
tinctoria, *Linn.*

Iva

ambrosiaefolia, *A. Gray*

Ixia

alba, *Eckl.*
speciosa, *Andr.*, var. major

Jasione

humilis, *Loisel.*
perennis, *Lam.*

Jasminum

humile, *Linn.*

Juncus

alpinus, *Vill.*
arcticus, *Willd.*
balticus, *Willd.*
bufonius, *Linn.*
effusus, *Linn.*
— var. conglomeratus
— var. spiralis, *Hort.*
— var. variegatus
Novae-Zelandiae, *Hook. f.*
squarrosus, *Linn.*
triglumis, *Linn.*

Jurinea

depressa, *C. A. Mey.*
glycacantha, *DC.*

Kalmia

angustifolia, *Linn.*, var. rubra
glauca, *Ait.*

Kniphofia

aloides, *Moench*
pauciflora, *Baker*
Tuckii, *Baker*

Koeleria

cristata, *Pers.*

Laburnum

alpinum, *J. S. Presl*
Vossii, *Hort.*
vulgare, *J. S. Presl*
— var. Carlieri, *Hort.*
— var. quercifolium

Lactuca

Bourgaei, *Hort.*
bracteata, *Hook. f.* et *Thoms.*
Dubyaea, *C. B. Clarke*
Forrestii, *W. W. Smith*
graciliflora, *DC.*
grandiflora, *Franch.*
macrophylla, *A. Gray*
perennis, *Linn.*
Plumieri, *Gren.* et *Godr.*
Scariola, *Linn.*
thianschanica, *Hort. Edin.*

Lagenophora

Barkeri, *T. Kirk*
petiolata, *Hook. f.*
pinnatifida, *Hook. f.*

Lamium

album, *Linn.*
longiflorum, *Tenore*
maculatum, *Linn.*
— var. album
Orvala, *Linn.*
puralbum ×.
striatum, *Sibth.* et *Sm.*

Lapsana

intermedia, *Bieb.*

Laserpitium

gallicum, *Linn.*
marginatum, *Waldst.* et *Kit.*
Siler, *Linn.*

Lathraea

Clandestina, *Linn.*

Lathyrus

angulatus, *Linn.*
Aphaca, *Linn.*

Lathyrus—*continued.*

Clymenum, *Linn.*, var. tenuifolius
Drummondii, *Hort.*
hirsutus, *Linn.*
latifolius, *Linn.*
— var. albus
luteus, *Baker*
— var. aureus
maritimus, *Bigel.*
montanus, *Bernh.*
niger, *Bernh.*
Nissolia, *Linn.*
Ochrus, *DC.*
sphaericus, *Retz.*
splendens, *Kellogg*
sylvestris, *Linn.*
undulatus, *Boiss.*
variegatus, *Gren.* et *Godr.*
venosus, *Muhl.*
vernus, *Bernh.*
— var. azureus
— var. flaccidus

Lavandula

abrotanoides, *Lam.*
lanata, *Boiss.*
multifida, *Linn.*
vera, *DC.*
— var. compacta

Lavatera

arborea, *Linn.*
cretica, *Linn.*
plebeia, *Sims*
punctata, *All.*

Layia

platyglossa, *A. Gray*

Ledum

palustre, *Linn.*
— var. latifolium, *Michx.*

Leontodon

hastilis, *Linn.*
hispidus, *Linn.*

Leontopodium

alpinum, *Cass.*
— var. himalaicum
— var. transsylvanicum
japonicum, *Miq.*
lindavicum, *Hort. Sünd.*
sibiricum, *Cass.*

Leonurus

Cardiaca, *Linn.*

Lepidium

campestre, *R. Br.*
monticolum, *Hort. Sünd.*
piscidium, *Forst. f.*
pubicarpum, *A. Nelson*
spinescens, *DC.*

Leptosyne

maritima, *A. Gray*
Stillmannii, *A. Gray*

Lesquerella

gracilis, *S. Wats.*

Leucojum

aestivum, *Linn.*

Leuzea

conifera, *DC.*

Levisticum

officinale, *Koch*

Leycesteria

formosa, *Wall.*

Liatris

callilepis, *Hort.*
spicata, *Willd.*

Libertia

formosa, *R. Grah.*
grandiflora, *Sweet*
ixioides, *Spreng.*

Ligusticum

acutilobum, *Sieb.* et *Zucc.*
aromaticum, *Banks* et *Soland.*

Ligusticum—*continued.*
involucratum, *Franch.*
simplex, *All.*

Ligustrum
Ibota, *Sieb.*
ovalifolium, *Hassk.*
vulgare, *Linn.*
— var. italicum

Lilium
giganteum, *Wall.*
Hansoni, *Leichtl.*
Martagon, *Linn.*
— var. dalmaticum (*Vis.*)
nepalense, *D. Don* (bulbils)
pardalinum, *Kellogg*
pomponium, *Linn.*
sulphureum, *Baker* (bulbils)
tigrinum, *Ker-Gawl.*, var. splendens (*Baker*)
Washingtonianum, *Kellogg*

Limnanthes
Douglasii, *R. Br.*

Linaria
alpina, *Mill.*
— var. rosea
anticaria, *Boiss.* et *Reut.*
Broussonnetii, *Chav.*
commutata, *Bernh.*
genistifolia, *Mill.*
italica, *Trevir.*
macedonica, *Griseb.*
origanifolia, *DC.*
pallida, *Tenore*
pilosa, *DC.*
purpurea, *Linn.*
repens, *Mill.*
— var. atropurpurea
Rodriguezii, *Porta*
Sibthorpiana, *Boiss.* et *Reut.*, var. peloponnesiaca
supina, *Desf.*
Tournefortii, *Steud.*
triornithophora, *Willd.*
triphylla, *Mill.*
tristis, *Mill.*

Lindelofia
spectabilis, *Lehm.*

Linum
alpinum, *Linn.*
angustifolium, *Huds.*
arboreum, *Linn.*
campanulatum, *Linn.*
capitatum, *Kit.*
Chamissonis, *Schiede*
grandiflorum, *Desf.*, var. roseum
— var. rubrum
maritimum, *Linn.*
monogynum, *Forst.*
perenne, *Linn.*
salsoloides, *Lam.*
tenuifolium, *Linn.*

Lithospermum
graminifolium, *Viv.*
intermedium, *Hort. Sünd.*
prostratum, *Loisel.*
purpureo-caeruleum, *Linn.*
Sibthorpianum, *Griseb.*

Loasa
lateritia, *Gill.*
triphylla, *Juss.*

Lobelia
erecta, *Hook. f.* et *Thoms.*
Erinus, *Linn.*, var. compacta caerulea
linnaeoides, *Petrie*

Lolium
multiflorum, *Lam.*
perenne, *Linn.*

Lonicera
alpigena, *Linn.*
bella, *Zabel*
— var. rosea
Henryi, *Hemsl.*
hirsuta, *Eaton*
involucrata, *Banks*
macrophylla, *Willd.*
Morrowii, *A. Gray*

Lonicera—*continued.*
orientalis, *Lam.*
Periclymenum, *Linn.*
pyrenaica, *Linn.*
quinquelocularis, *Hardw.*
rupicola, *Hook. f.* et *Thoms.*
salicifolia, *Zabel*
Stabiana, *Guss.*
Sullivantii, *A. Gray*
tatarica, *Linn.*, var. gracilis
— var. rosea floribunda
tomentella, *Hook. f.* et *Thoms.*
translucens, *Carr.*

Lopezia
minima, *Lag.*
racemosa, *Cav.*

Lophanthus
scrophulariaefolius, *Benth.*

Lophosciadium
meifolium, *DC.*

Lotus
corniculatus, *Linn.*
hispidus, *Desf.*
siliquosus, *Linn.*
tenuifolius, *Presl*

Lupinus
arboreus, *Sims*
— var. violaceus
luteus, *Linn.*
micranthus, *Dougl.*
nootkatensis, *Donn*
perennis, *Linn.*
polycarpus, *Greene*
polyphyllus, *Lindl.*
— var. albus
— var. Moerheimi
— var. roseus
— var. violaceus

Luzula
albida, *DC.*
campestris, *DC.*
vernalis, *DC.*

Lychnis
affinis, *J. Vahl*
alba, *Mill.*
alpina, *Linn.*
— var. lapponica
chalcedonica, *Linn.*
Coeli-rosa, *Desr.*
coronaria, *Desr.*
— var. alba
corsica, *Loisel.*
dioica, *Linn.*
divaricata, *Reichb.*
Flos-cuculi, *Linn.*
— var. alba
Flos-Jovis, *Desr.*
Haageana, *Lemaire*
nigrescens, *Edgew.*, var.
nivalis, *Kit.*
Preslii, *Sekera*
pyrenaica, *Berger*
Sartori, *Hort. Leichtl.*
triflora, *R. Br.*
Viscaria, *Linn.*
— var. alba
— var. splendens

Lyperia
violacea, *Benth.*

Lysimachia
barystachys, *Bunge*
Delavayi, *Franch.*
Leschenaultii, *Duby*
mauritiana, *Lam.*
punctata, *Linn.*
violascens, *Franch.*

Lythrum
Salicaria, *Linn.*
— var. roseum
virgatum, *Linn.*

Madia
dissitiflora, *Torr.* et *Gray*
elegans, *D. Don*

Malcomia
flexuosa, *Sibth.* et *Sm.*
maritima, *R. Br.*

Malva

Alcea, *Linn.*
moschata, *Linn.*
nicaeensis, *All.*
sylvestris, *Linn.*
Tournefortiana, *Linn.*

Margyricarpus

setosus, *Ruiz* et *Pav.*

Marrubium

peregrinum, *Linn.*
supinum, *Linn.*

Matricaria

grandiflora, *Fenzl*
inodora, *Linn.*,var. plenissima
oreades, *Boiss.*

Matthiola

bicornis, *DC.*
fenestralis, *R. Br.*
tricuspidata, *R. Br.*

Meconopsis

aculeata, *Royle*
cambrica, *Vig.*
— var. fl. pl.
Delavayi, *Franch.*
grandis, *Prain*
heterophylla, *Benth.*
horridula, *Hook. f.* et *Thoms.*
napaulensis, *DC.*
paniculata, *Prain*
punicea, *Maxim.*
racemosa, *Maxim.*
rudis, *Prain*
simplicifolia, *G. Don*
sinuata, *Prain*, var. latifolia
speciosa, *Prain*
Wallichii, *Hook.*

Medicago

arborea, *Linn.*
Aschersoniana, *Urban*
carstiensis, *Wulf.*
coronata, *Desr.*

Medicago—*continued.*

disciformis, *DC.*
falcata, *Linn.*
lupulina, *Linn.*
orbicularis, *All.*
rotata, *Boiss.*
sativa, *Linn.*
Tenoreana, *Ser.*

Melica

altissima, *Linn.*
nutans, *Linn.*
Torreyana, *Scribner*

Melilotus

alba, *Desr.*
gracilis, *DC.*
officinalis, *Lam.*

Melittis

Melissophyllum, *Linn.*, var.
alba

Melochia

corchorifolia, *Linn.*

Mentha

piperita, *Linn.*
Pulegium, *Linn.*

Menyanthes

Crista-galli, *Menzies*

Menziesia

globularis, *Salisb.*

Mercurialis

annua, *Linn.*

Mertensia

elongata, *Benth.*
paniculata, *G. Don*
primuloides, *C. B. Clarke*
— var. chitralensis
sibirica, *G. Don*
— var. alba
tibetica, *C. B. Clarke*

Mesembryanthemum
criniflorum, *Linn. f.*

Meum
athamanticum, *Jacq.*

Microglossa
albescens, *C. B. Clarke*

Micromeria
croatica. *Schott*

Microula
sikkimensis, *Hemsl.*

Milium
effusum, *Linn.*

Mimulus
Burnettii ×, *Hort.*
cardinalis, *Dougl.*
corallinus, *Greene*
cupreus, *Regel*
Langsdorfii, *Donn*
Lewisii, *Pursh*
luteus, *Linn.*
— var. alpinus
primuloides, *Benth.*
Pulsiferae, *A. Gray*
ringens, *Linn.*

Mirabilis
Jalapa, *Linn.*

Mitella
pentandra, *Hook.*

Modiola
multifida, *Moench*

Molinia
caerulea, *Moench*

Molopospermum
cicutarium, *DC.*

Moluccella
laevis, *Linn.*

Monarda
citriodora, *Cerv.*
didyma, *Linn.*

Morina
Coulteriana, *Royle*
Delavayi, *Franch.*
kokanica, *Regel*
longifolia, *Wall.*

Muehlenbeckia
axillaris, *Walp.*
ephedroides, *Hook. f.*

Muscari
alpinum, *J. Gay*
Argaei, *Hort. Siehe*
armeniacum, *Baker*
Aucheri, *Baker*
botryoides, *Mill.*
— var. pallidum
comosum, *Mill.*
conicum, *Baker*
elegans, *Hort.*
moschatum, *Willd.*

Myosotidium
nobile, *Hook.*

Myosotis
alpestris, *F. W. Schmidt*
australis, *R. Br.*
corsica, *Hort.*
Forsteri, *Lehm.*
macrantha, *Hook. f.*
palustris, *Lam.*
pygmaea, *Colenso*
stricta, *Link*, var. alba
Traversii, *Hook. f.*
Welwitschii, *Boiss.* et *Reut.*

Myosurus
minimus, *Linn.*

Myriactis
Wallichii, *Less.*

Myricaria

germanica, *Desv.*

Myrrhis

odorata, *Scop.*

Narcissus

Bulbocodium, *Linn.*
Jonquilla, *Linn.*
triandrus, *Linn.*, var. calathinus

Nardostachys

grandiflora, *DC.*
Jatamansi, *DC.*

Nardus

stricta, *Linn.*

Narthecium

ossifragum, *Huds.*

Nasturtium

curvisiliqua, *Nutt.*

Neillia

opulifolia, *Benth.* et *Hook. f.*, var. lutea
Torreyi, *S. Wats.*

Nemacaulis

Nuttallii, *Benth.*

Nemesia

strumosa, *Benth.*

Nemophila

insignis, *Benth.*
integrifolia, *Abrams*
Menziesii, *Hook.* et *Arn.*, var. atomaria

Nepeta

cilicica, *Boiss.*
concolor, *Boiss.* et *Heldr.*
cyanea, *Stev.*
distans, *Royle*

Nepeta—*continued.*

eriostachys, *Benth.*
kokanica, *Regel*
lamiopsis, *Benth.*
longiflora, *Vent.*
macrantha, *Fisch.*
Nepetella, *Linn.*
nuda, *Linn.* [folia
racemosa, *Lam.*, var. crassi-
Sibthorpii, *Benth.*
Stewartiana, *Diels*
ucranica, *Linn.*

Nicotiana

paniculata, *Linn.*
Tabacum, *Linn.*

Nierembergia

calycina, *Hook.*

Noccaea

alpina, *Reichb.*

Nolana

paradoxa, *Lindl.*

Nothoscordum

fragrans, *Kunth*

Nuttallia

cerasiformis, *Torr.* et *Gray*

Odontospermum

aquaticum, *Sch. Bip.*

Oenanthe

crocata, *Linn.*
pimpinelloides, *Linn.*
silaifolia, *Bieb.*

Oenothera

acaulis, *Cav.*
amoena, *Lehm.*
fruticosa, *Linn.*
glauca, *Michx.*
missouriensis, *Sims*

Oenothera—*continued.*
pumila, *Linn.*
quadrivulnera, *Dougl.*
Romanzowii, *Ledeb.*
rosea, *Ait.*
sinuata, *Linn.*
triloba, *Nutt.*

Olearia
Haastii, *Hook. f.*
ilicifolia, *Hook. f.*
macrodonta, *Baker*
myrsinoides, *F. Muell.*
nummularifolia, *Hook. f.*
stellulata, *DC.*

Omphalodes
amplexicaulis, *Lehm.*
linifolia, *Moench*
Luciliae, *Boiss.*

Onobrychis
Gaertneriana, *Boiss.*
saxatilis, *Lam.*
viciaefolia, *Scop.*

Ononis
antiquorum, *Linn.*
aragonensis, *Asso*
arvensis, *Linn.*
fruticosa, *Linn.*
hircina, *Jacq.*
hirta, *Desf.*, var. glandulosa
rotundifolia, *Linn.*
spinosa, *Linn.*

Onopordon
Acanthium, *Linn.*
bracteatum, *Boiss.* et *Heldr.*
corymbosum, *Boiss.*

Onosma
albo-roseum, *Fisch.* et *Mey.*
cassium, *Boiss.*
echioides, *Linn.*

Onosmodium
Thurberi, *A. Gray*

Ophiopogon
Jaburan, *Lodd.*

Opopanax
Chironium, *Koch*

Orchis
coriophora, *Linn.*
latifolia, *Linn.*
maculata, *Linn.*

Origanum
vulgare, *Linn.*

Ornithogalum
narbonense, *Linn.*
nutans, *Linn.*
oligophyllum, *Clarke*
pyrenaicum, *Linn.*
umbellatum, *Linn.*

Orobanche
rubra, *Sm.*

Oryzopsis
miliacea, *Benth.* et *Hook. f.*

Osteospermum
moniliferum, *Linn.*

Ourisia
macrocarpa, *Hook. f.*
macrophylla, *Hook.*

Oxalis
corniculata, *Linn.*, var. atropurpurea
— var. tropaeoloides
enneaphylla, *Cav.*
floribunda, *Lehm.*, var. alba
valdiviensis, *Barn.*

Oxyria
digyna, *Hill*

Oxytropis

argentata, *Pers.*
baicalensis, *Pall.*
campestris, *DC.*
foetida, *DC.*
Gaudini, *Bunge*
montana, *DC.*
ochroleuca, *Bunge*
pilosa, *DC.*
sordida, *Pers.*
sulphurea, *Fisch.*
uralensis, *DC.*
yunnanensis, *Franch.*

Paeonia

anomala, *Linn.*
— var. insignis
decora, *Anders.*, var elatior
Veitchii, *Lynch*
Wittmanniana, *Hartwiss*

Panicum

miliaceum, *Linn.*
sanguinale, *Linn.*

Papaver

aculeatum, *Thunb.*
alpinum, *Linn.*
— var. album
— var. Burseri
anomalum, *Fedde*
glaucum, *Boiss.* et *Hausskn.*
monanthum, *T[illegible]*
nudicaule, *Linn.*
— var. coccineum
— var. croceum
— var. miniatum
— var. radicatum, *DC.*
pyrenaicum, *A. Kerner*
Rhoeas, *Linn.*, var. pinnatum
rupifragum, *Boiss.* et *Reut.*
spicatum, *Boiss.* et *Bal.*
tauricolum, *Boiss.*
triniaefolium *Boiss.*

Paracaryum

glochidiatum, *Benth.* et *Hook. f.*

Paradisea

Liliastrum, *Bertol.*

Parietaria

lusitanica, *Linn.*
officinalis, *Linn.*

Parnassia

asarifolia, *Vent.*
palustris, *Linn.*

Parsonsia

capsularis, *R. Br.*

Pedicularis

palustris, *Linn.*
superba, *Franch.*

Pelargonium

capitatum, *Ait.*

Peltaria

alliacea, *Jacq.*

Pennisetum

longistylum, *Hochst.*
macrourum. *Trin.*

Pentstemon

antirrhinoides, *Benth.*
arizonicus, *Heller*
barbatus, *Roth*
breviflorus, *Lindl.*
Bridgesii, *Gray*
campanulatus, *Willd.*
Cobaea, *Nutt.*
confertus, *Dougl.*
— var. coeruleo-purpureus
deustus, *Dougl.*
diffusus, *Dougl.*
glaber, *Pursh*, var. alpinus
— var. cyananthus
glaucus, *R. Grah.*
gracilis. *Nutt.*

Pentstemon—*continued.*
humilis, *Nutt.*
Menziesii, *Hook.*, var. New-[berryi
— var. Scouleri
pubescens, *Soland.*
Richardsonii, *Dougl.*
triflorus, *Heller*
Watsoni, *A. Gray*

Perezia
multiflora, *Less.*

Pernettya
mucronata, *Gaudich.*
nigra, *Hort.*

Petteria
ramentacea, *Presl*

Petunia
parviflora, *Juss.*

Peucedanum
angustifolium, *Reichb. f.*
coriaceum, *Reichb.*
Galbanum, *Benth.* et *Hook. f.*
officinale, *Linn.*
Ostruthium, *Koch*
verticillare, *Spreng.*

Phacelia
campanularia, *A. Gray*
Parryi, *Torr.*
pimpinelloides, *A. Gray*
tanacetifolia, *Benth.*

Phalaris
arundinacea, *Linn.*

Phellopterus
littoralis, *Benth.*

Philadelphus
coronarius, *Linn.*
Gordonianus, *Lindl.*
Lewisii, *Pursh*
microphyllus, *A. Gray*
Satsumi, *Siebold*, var. acum-[inatus

Phleum
Boehmeri, *Wibel*

Phlomis
alpina, *Pall.*
fruticosa, *Linn.*
samia, *Linn.*
tuberosa, *Linn.* [tralis
umbrosa, *Turcz.*, var. aus-
viscosa, *Poir.*

Phlox
ovata, *Linn.*

Phragmites
communis, *Trin.*

Phuopsis
stylosa, *Benth.* et *Hook. f.*

Phygelius
capensis, *E. Mey.*

Physalis
Alkekengi, *Linn.*

Phyteuma
anthericoides, *Nym.*
campanuloides, *Bieb.*
canescens, *Waldst.* et *Kit.*
comosum, *Linn.*
limonifolium, *Sibth.* et *Sm.*
Michelii, *All.*
nigrum, *F. W. Schmidt*
orbiculare, *Linn.*
Scheuchzeri, *All.*
— var. Charmelii, *Vill.*
Sibthorpianum, *Roem.* et *Schult.*
Sieberi, *Spreng.*
spicatum, *Linn.*

Phytolacca
octandra, *Linn.*
sessiliflora, *Kunth* et *Bouché*

Picridium

tingitanum, *Desf.*

Picris

hieracioides, *Linn.*

Pimelea

laevigata, *Gaertn.*

Pimpinella

magna, *Linn.*, var. rosea
Saxifraga, *Linn.*, var. rosea
serbica, *Hort. Edin.*

Pinguicula

vulgaris, *Linn.*

Pisum

formosum, *Alef.*
humile, *Boiss.* et *Noe*
sativum, *Linn.*

Plagianthus

pulchellus, *A. Gray*

Plantago

alpina, *Linn.*
amplexicaulis, *Cav.*
arborescens, *Poir.*
argentea, *Chaix*
Bellardi, *All.*
Brownii, *Rafin.*
carinata, *Schrad.*
Coronopus, *Linn.*
— var. simplex
Cynops, *Linn.*
insularis, *Eastw.*
lanceolata, *Linn.*
— var. nitens
— var. variegata
Loscosii, *Willk.*
major, *Linn.*, var. monstrosa
— var. rubra
maritima, *Linn.*
media, *Linn.*
nivalis, *Boiss.*
Psyllium, *Linn.*
Raoulii, *Decne.*
Rugelii, *Decne.*

Platycodon

grandiflorum, *A. DC.*, var. Mariesii

Platyspermum

scapigerum, *Hook.*

Platystemon

californicus, *Benth.*

Pleurogyne

Forrestii, *Balf. f.*

Pluchea

Bulleyana, *J. F. Jeffrey*

Poa

Maniototo, *Petrie*
nemoralis, *Linn.*
pannonica, *Kern.*
pratensis, *Linn.*
sclerophylla, *Bergg.*
trivialis, *Linn.*

Podophyllum

Emodi, *Wall.*

Polemonium

boreale, *Adams*
caeruleum, *Linn.*
— var. dissectum
— var. gracile (*Willd.*)
— var. himalayanum, *Baker*
— var. monstrosum
filicinum, *Greene*
flavo-caeruleum ×, *Hort.*
flavum, *Greene*
foliosissimum, *A. Gray*
grandiflorum, *Benth.*
lanatum, *Pallas*, var. humile, (*Willd.*)
mexicanum, *Cerv.*
pulchellum, *Bunge*
reptans, *Linn.*
viscosum, *Nutt.*

Polygala

major, *Jacq.*
— var. alba

Polygonum

affine, *D. Don*
alatum, *Buch.-Ham.*
alpinum, *All.*
Bistorta, *Linn.*
— var. giganteum
capitatum, *Buch.-Ham.*
divaricatum, *Linn.*
Emodi, *Meissn.*
paniculatum, *Blume*
tomentosum, *Willd.*

Polypogon

monspeliensis, *Desf.*

Pomaderris

phylicaefolia, *Lodd.*

Potentilla

adscharica, *Somm.* et *Lev.*
albifolia, *Wall.*
alchemilloides, *Lapeyr.*
alpestris, *Hall. f.*
— var. semiplena
ambigua, *Cambess.*
apennina, *Tenore*
argentea, *Linn.*
— var. calabra
argyrophylla, *Wall.*
bifurca, *Linn.*
Buccoana, *Clem.*
Clusiana, *Jacq.*
concolor, *Rolfe*
crinita, *A. Gray*
Cryptotaeniae, *Maxim.*
Degenii, *Sieg.*
Delavayi, *Franch.*
delphinensis, *Gren.* et *Godr.*
Detommasii, *Tenore*
Dickinsii, *Franch.* et *Sav.*
dissecta, *Pursh*
Dombeyi, *Nestl.*
effusa, *Dougl.*
flagellaris, *Willd.*
Forrestii, *W. W. Sm.*
Friedrichsenii ×, *Späth*

Potentilla—*continued.*

fruticosa, *Linn.*
— var. glabrata
— var. rigida
— var. tenuifolia
fulgens, *Wall.*
glandulosa, *Lindl.*
gracilis, *Dougl.*
grandiflora, *Linn.*
Griffithii, *Hook. f.*, var. concolor
Herbichii, *Blocki*
Hippiana, *Lehm.*
Kerneri ×, *Borb.*
kurdica, *Boiss.* et *Hohen.*
lanuginosa, *Fisch.* et *Sweet*
Leschenaultiana, *Ser.*
leuconota, *D. Don*
litoralis, *Rydb.*
Macnabiana ×, *Lem.*
Menziesii ×, *Paxt.*
monspeliensis, *Linn.*
montenegrina, *Pantoč*
Mooniana, *Wight*
multiflora, *Hort.*
nepalensis, *Hook.*
— var. Willmottiana
Nicicii, *Adamovič*
nivea, *Linn.*
opaca, *Linn.*
palustris, *Scop.*
peduncularis, *D. Don*
pensylvanica, *Linn.*
persica, *Boiss.* et *Hausskn.*
Peyritschii, *Zimm.*
procumbens, *Sibth.*
pulcherrima, *Lehm.*
Purpusi, *Hort. Edin.*
recta, *Linn.*, var. laciniata
— var. pedata
— var. sulphurea
rhomboidea, *Rydb.*
Richardii, *Lehm.*
rupestris, *Linn.*
— var. pygmaea
Rydbergiana, *Rose*
sanguisorbifolia, *F. O. Wolf*
sericea, *Linn.*
Sibbaldi, *Hall. f.*
speciosa, *Willd.*

Potentilla—*continued.*
tanacetifolia, *Willd.*
Tormentilla, *Neck.*
tridentata, *Soland.*
Veitchii, *E. H. Wilson*
verna, *Linn.*
viscosa, *Donn*

Poterium
canadense, *A. Gray*
dodecandrum, *Benth.* et *Hook f.*
hakusanense, *Hort.*
officinale, *A. Gray*
rhodopeum, *Velen.*
Sanguisorba, *Linn.*
sitchense, *S. Wats.*

Pratia
angulata, *Hook. f.*
begonifolia, *Lindl.*
repens, *Gaudich.*

Prenanthes
purpurea, *Linn.*

Preslia
cervina, *Fresen.*

Primula
Allionii, *Loisel.*
apennina, *Wid.*
Auricula, *Linn.*, var. alpina
Beesiana, *G. Forrest*
Bulleyana, *G. Forrest*
cashmeriana, *Munro*
Cockburniana, *Hemsl.*
concinna, *Watt*
elatior, *Hill*
— var. gigantea
frondosa, *Janka*
Giraldiana, *Pax*
glabra, *Klatt*
hirsuta, *All.*, var. Balfouriana, (*Hort. Backh.*)
imperialis, *Jungh.*
japonica, *A. Gray*

Primula—*continued.*
japonica, *A. Gray*, var. lilacina
japonica × Bulleyana
kichanensis, *Franch.*
leucophylla, *Pax*
lichiangensis, *G. Forrest*
Lindsayi, *Hort.*
Littoniana, *G. Forrest*
longiflora, *All.*
luteola, *Rupr.*
macrocalyx, *Bunge*
marginata, *Curt.*
membranifolia, *Franch.*
modesta, *Bissel* et *Moore*
Mooreana, *Craib*
Palinuri, *Petag.*
pinnatifida, *Franch.*
Poissonii, *Franch.*
pseudo-capitata, *F. K. Ward*
pubescens ×, *Jacq.*
pulverulenta, *Duthie*
pycnoloba, *Bureau* et *Franch.*
Reidii, *Duthie*
rosea, *Royle*
rotundifolia, *Wall.*
saxatilis, *Komarov*
scotica, *Hook.*
septemloba, *Franch.*
serratifolia, *Franch.*
sikkimensis, *Hook. f.*
sinomollis, *Balf. f.*
sordida ×, *G. Beck*
Subtitzii ×, *Gusmus*
suffrutescens, *A. Gray*
Tommasinii ×, *Godr.* et *Gren.*
Umbrella, *G. Forrest*
unique ×, *Veitch*
Veitchii, *Duthie*
Wardii, *Balf. f.*
Watsoni, *Dunn*
Wulfeniana, *Schott*

Prismatocarpus
strictus, *A. DC.*

Prosartes
oregana, *S. Wats.*

Prunella

grandiflora, *Jacq.*
— var. pinnatifida
— var. rosea
hyssopifolia, *Linn.*
laciniata, *Linn.*
vulgaris, *Linn.*

Prunus

acida, *Borkh.*
Avium, *Linn.*
Laurocerasus, *Linn.*, var. colchica

Przewalskia

tangutica, *Maxim.*

Ptelea

trifoliata, *Linn.*

Pterocephalus

palaestinus, *Coult.*

Pterotheca

bifida, *Fisch.* et *Mey.*

Pulicaria

vulgaris, *Gaertn.*

Puschkinia

scilloides, *Adams*
— var. compacta

Pyrola

rotundifolia, *Linn.*

Pyrus

alnifolia, *Franch.* et *Sav.*
alpina, *Willd.*
americana, *DC.*
arbutifolia, *Linn. f.*
Aria, *Linn.*
— var. obtusata
— var. salicifolia, *Hort.*
Aucuparia, *Gaertn.*
— var. integerrima, *Koehne*
— var. pendula variegata
baccata, *Linn.*

Pyrus—*continued.*

baccata, *Linn.*, var. cerasifera
— var. maxima
canescens, *Spach*
germanica, *Hook. f.*
Hostii, *Hort.*
hybrida, *Moench*
intermedia, *Ehrh.*
melanocarpa, *K. Koch*
pinnatifida, *Ehrh.*
prunifolia, *Willd.*
— var. Colvillei
— var. fructu dulce
— var. fructu luteo
Ringo, *Maxim.*, var. fastigiata bifera, *Hort.*
rivularis, *Dougl.*
rotundifolia, *Bechst.*
Sorbus, *Gaertn.*
spectabilis, *Ait.*, var. flore roseo
Toringo, *Sieb.*
Torminalis, *DC.*

Ramondia

pyrenaica, *Rich.*

Ranunculus

aconitifolius, *Linn.*
acris, *Linn.*
— var. flore pleno
amplexicaulis, *Linn.*
bulbosus, *Linn.*
carpetanus, *Boiss.* et *Reut.*
caucasicus, *Bieb.*
demissus, *DC.*
gracilis, *Clarke*
gramineus, *Linn.*
hirtus, *Banks* et *Sol.*
Kerneri, *Freyn*
lanuginosus, *Linn.*
lappaceus, *Sm.*
libanoticus, *Freyn*
montanus, *Willd.*
Munroi, *Hook. f.*
muricatus, *Linn.*
nemorosus, *DC.*
orthorhynchus, *Hook.*
parviflorus, *Linn.*

Ranunculus—*continued.*
pensylvanicus, *Linn.*
Reuterianus, *Boiss.*
sceleratus, *Linn.*
serbicus, *Vis.*
velutinus, *Tenore*
Weyleri, *Marès*

Raoulia
australis, *Hook. f.*

Rehmannia
angulata, *Hemsl.*

Reseda
alba, *Linn.*
complicata, *Bory*
decursiva, *Forsk.*, var. foliosa
glauca, *Linn.*
Luteola, *Linn.*
odorata, *Linn.*

Reutera
procumbens, *Boiss.*

Rhagadiolus
Hedypnois, *All.*

Rhamnus
californica, *Eschsch.*
caroliniana, *Walt.*
Frangula, *Linn.*

Rheum
acuminatum, *Hook. f.* et *Thoms.*
Collinianum, *Baill.*
Franzenbachii, *Muent.*
hybridum, *Murr.*
palmatum, *Linn.*, var. rubrum
Rhaponticum, *Linn.*
tataricum, *Linn. f.*

Rhododendron
catawbiense, *Michx.*
caucasicum, *Pall.*
ciliatum, *Hook. f.*

Rhododendron—*continued.*
ferrugineum, *Linn.*
— var. album
— var. atrococcineum
— var. grandiflorum
— var. majus
flavum, *G. Don*
glaucum, *Hook. f.*
hirsutum, *Linn.*
— var. album
latifolium, *Hoffmgg.*
lepidotum, *Wall.*
myrtifolium, *Schott* et *Kotschy*
ponticum, *Linn.*
Thomsoni, *Hook. f.*
Vaseyi, *A. Gray*
virgatum, *Hook. f.*

Rhodotypos
kerrioides, *Sieb.* et *Zucc.*

Rhus
glabra, *Linn.*

Ribes
aureum, *Pursh*, var. Crandelli
— var. leiobotrys
nigrum, *Linn.*, var. fructu luteo
sanguineum, *Pursh*
— var. albidum
— var. atrosanguineum
— var. glutinosum

Rodgersia
aesculifolia, *Batalin*
pinnata, *Franch.*, var. rosea
podophylla, *A. Gray*
tabularis, *Hemsl.*

Romanzoffia
sitchensis, *Bong.*
unalaschcensis, *Cham.*

Romulea
Columnae, *Sebast.* et *Mauri*

Rosa

acicularis, *Lindl.*
alpina, *Linn.*
— var. pyrenaica
blanda, *Ait.*
— var. arkansana
— var. Sayi
californica, *Schlecht.*, var.
pisocarpa
cinnamomea, *Linn.*, var.
davurica
Fendleri, *Crép.*
ferox, *Bieb.*
gallica, *Linn.*
glauca, *Vill.*
glutinosa, *Sibth.* et *Sm.*
haematodes, *Boiss.*
Jundzilli, *Besser*
laxa, *Retz.*
macrophylla, *Lindl.*
Malyi, *Kern.*
moschata, *Herrm.*
Moyesii, *Hemsl.* et *Wilson*
nitida, *Willd.*
pomifera, *Herrm.*
poteriifolia, *Hort.*
rugosa, *Thunb.*
— var. alba
sericea, *Lindl.*
spinosissima, *Linn.*
— var. rubra
tomentosa, *Sm.*
villosa, *Linn.*
— var. pomifera
Webbiana, *Wall.*

Roscoea

cautleoides, *Gagnep.*

Rubus

biflorus, *Buch.-Ham.*, var.
quinqueflorus
deliciosus, *James*
Idaeus, *Linn.*
laciniatus, *Willd.*
mesogaeus, *Focke*
nutkanus, *Moç.*
occidentalis, *Linn.*
odoratus, *Linn.*

Rubus—*continued.*

phoenicolasius, *Maxim.*
rosaefolius, *Sm.*
xanthocarpus, *Bur.* et *Franch.*

Rudbeckia

laciniata, *Linn.*
triloba, *Linn.*

Rumex

alpinus, *Linn.*
Berlandieri, *Meissn.*
chrysocarpos, *Moris*
crispus, *Linn.*
dentatus, *Linn.*
exaltatus, *Hort.*
flexuosus, *Soland.*
Hydrolapathum, *Huds.*
intermedius, *DC.*
maritimus, *Linn.*
nepalensis, *Spreng.*
nivalis, *Hegetschw.*
obtusifolius, *Linn.*
occidentalis, *S. Wats.*
roseus, *Linn.*
salicifolius, *Weinm.*
scutatus, *Linn.*

Ruta

graveolens, *Linn.*
macrophylla, *Soland.*

Sagina

glabra, *Fenzl*, var. pilifera
Linnaei, *Presl*
— var. maxima
nodosa, *Fenzl*
occidentalis, *S. Wats.*
procumbens, *Linn.*
subulata, *Presl*

Salsola

Kali, *Linn.*

Salvia

albo-caerulea, *Linden*
azurea, *Lam.*
— var. Pitcheri (*Torr.*)

Salvia—*continued.*
bracteata, *Russ.*
cadmica, *Boiss.*
cleistogama, *De Bary* et *Paul*
flava, *G. Forrest*, var. megalantha, *Diels*
frigida, *Boiss.*
Gardeniana, *Hort. Barbier*
glutinosa, *Linn.*
grandiflora, *Etling.*
Horminum, *Linn.*
— var. violacea
hians, *Royle*
lyrata, *Linn.*
officinalis, *Linn.*
orgyalis, *Fenzl*
patens, *Cav.*
— var. alba
— var. rosea
pratensis, *Linn.*
— var. alba
— var. rosea
Przewalskii, *Maxim.*
purpurea, *Cav.*, var. rosea
Roemeriana, *Scheele*
Sclarea, *Linn.*
Souliei, *Hort.*
sylvestris, *Linn.*
tiliaefolia, *Vahl*
verbascifolia, *Bieb.*
— var. kurdica
Verbenaca, *Linn.*
verticillata, *Linn.*
virgata, *Ait.*
— var. nemorosa

Sambucus
canadensis, *Linn.*
— var. aurea
nigra, *Linn.*
— var. variegata
— var. virescens
racemosa, *Linn.*
Thunbergiana, *Blume*

Samolus
Valerandi, *Linn.*

Sanguinaria
canadensis, *Linn.*

Sanicula
europaea, *Linn.*

Saponaria
caespitosa, *DC.*
ocymoides, *Linn.*
pulvinaris, *Boiss.*
Wiemanni ×, *Fritsch*

Sarothra
gentianoides, *Linn.*

Satureia
cuneifolia, *Tenore*
montana, *Linn.*
— var. amoena
— var. illyrica
— var. pygmaea

Saussurea
alpina, *DC.*
candicans, *C. B. Clarke*
depressa, *Hort. Sünd.*
discolor, *DC.*
Kunthiana, *C. B. Clarke*
salicifolia, *DC.*
vestita, *Franch.*

Saxifraga
aizoides, *Linn.*
Aizoon, *Jacq.*
— f. cultrata
— f. hirsuta
— f. La-graveana
— f. lutea
— f. microphylla
— f. minima
— f. robusta
— f. rosularis (*Haw.*)
— f. Sturmiana (*Schott, Nym.* et *Kotschy*)
ambigua ×, *DC.*
aquatica, *Lapeyr.*
aretioides, *Lapeyr.*
aurantiaca, *Franch.*
bracteosa, *Suksd.*

Saxifraga—*continued.*

bronchialis, *Linn.*
Brunoniana, *Wall.*
— var. majuscula, *Engl.* et *Irmscher*
Burseriana, *Linn.*, var.
— var. minor [crenata
— var. speciosa
caesia, *Linn.*
caespitosa, *Linn.*
canaliculata, *Boiss.* et *Reut.*
cernua, *Linn.*
cernua × granulata
cochlearis, *Reichb.*
— var. minor
Cotyledon, *Linn.*
— var. montavoniensis
— var. pyramidalis
— var. pyrenaica
crassifolia, *Linn.*
crustata, *Vest*
cuneata, *Willd.*
cuneifolia, *Linn.*
— f. apennina (*Bertol.*)
— f. davurica
— f. infundibuliformis
— f. subintegra
decipiens, *Ehrh.*
— f. adscendens
— f. globosa
— f. grandiflora
— f. hibernica
— f. hirta
— f. hybrida grandiflora
— f. incurvifolia
— f. Kingii
— f. pallida
— f. platypetala
— f. pulchella
— f. Sternbergii
Delavayi, *Franch.*
Desoulavyi, *H. v. Oett.*
diversifolia, *Wall.*, var. angustibracteata, *Engl.* et *Irmscher*
erosa, *Pursh*
exarata, *Vill.*
flagellaris, *Willd.*
Forbesii, *Vasey*
geranioides, *Linn.*

Saxifraga—*continued.*

Geum, *Linn.*
— f. crenulata
— f. crispa
— — minor
— f. dentata
— f. Donii
— f. elegans
— f. ovalifolia
— f. polita
— f. reniformis
granulata, *Linn.*
Grenieri ×, *Sünd.*
Haagii ×, *Sünd.*
hispidula, *Don*, var. Doniana, *Engl.*
Hochstetteriana, *Lange*
Hostii, *Tausch.*
— var. altissima
Huetiana, *Boiss.*
hypnoides, *Linn.*
irrigua, *Bieb.*
lactea, *Turcz.*
laevis, *Bieb.*
lingulata, *Bell.*
— var. lantoscana (*Boiss.* et *Reut.*)
luteo-viridis, *Schott* et *Kotschy*
macrostigma, *Franch.*, var. aurantiascens, *Engl.* et *Irmscher*
Maweana, *Baker*
media, *Gouan*
Mertensiana, *Bong.*
micrantha, *Edgew.*
— var. corymbiflora, *Engl.* et *Irmscher*
muscoides, *Wulf.*
— var. pygmaea
mutata, *Linn.*
nervosa, *Miégev.*
nivalis, *Linn.*
obscura, *Gren.* et *Godr.*
oranensis, *Munby*
paradoxa, *Sternb.*
pedatifida, *Ehrh.*
pedemontana, *All.*
— var. aromatica
— var. cervicornis
peltata, *Torr.* et *Gray*

Saxifraga—*continued.*

pensylvanica, *Linn.*
pentadactylis, *Lapeyr.*
— f. Allionii, *Hort.*
perdurans, *Kit.*
petraea, *Linn.*
— var. Blavii, *G. Beck*
Petraschii ×, *Sünd.*
porophylla, *Bertol.*
Portae ×, *Engl.*
pseudo-sancta, *Janka*
purpurascens, *Hook. f.*
Regeli ×, *Kerner*
rhaetica, *Hort.*
Rocheliana, *Sternb.*
rotundifolia, *Linn.*
— f. glandulosa, *Griseb.*
— f. graeca
— f. heucherifolia
— f. hirsuta
sancta, *Griseb.*
Sibthorpii, *Boiss.*
sponhemica, *Gmel.*
squarrosa, *Sieber*
Stansfieldi ×
Sternbergii, *Willd.*
tellimoides, *Maxim.*
tenella, *Wulf.*
transsilvanica, *Fuss*
umbrosa, *Linn.*
— f. Colvillei
— f. elegans
— f. Ogilvieana
— f. primuloides
— f. punctata
— f. serratifolia
— f. — Melvillei
— f. variegata
valdensis, *DC.*
vochinensis, *Gusm.*
Zelebori, *Schott*

Scabiosa

australis, *Wulf.*
balcanica, *Velen.*
caucasica, *Bieb.*
graminifolia, *Linn.*
gramuntia, *Linn.*
holosericea, *Bert.*

Scabiosa—*continued.*

Hookeri, *C. B. Clarke*
lucida, *Vill.*
macedonica, *Vis.*
magnifica, *Benth.* et *Hook. f.*
ochroleuca, *Linn.*, var. Webbiana, *D. Don*
Portae, *Huter*
Pterocephala, *Linn.*
silenifolia, *Waldst.* et *Kit.*
spathulata, *D. Dietr.*
Succisa, *Linn.*
— var. alba
sylvatica, *Linn.*
tomentosa, *Cav.*

Scandix

brachycarpa, *Guss.*
Pecten-Veneris, *Linn.*

Schizocodon

soldanelloides, *Sieb.* et *Zucc.*

Scilla

amoena, *Linn.*
autumnalis, *Linn.*
bifolia, *Linn.*
cilicica, *Siehe*
festalis, *Salisb.*
— var. alba
hispanica, *Mill.*

Scirpus

Holoschoenus, *Linn.*
lacustris, *Linn.*, var. Tabernaemontani

Scleranthus

biflorus, *Hook. f.*

Scorzonera

ensifolia, *Bieb.*
hispanica, *Linn.*
humilis, *Linn.*
Jacquiniana, *Boiss.*
purpurea, *Linn.*

Scrophularia

alata, *Gilib.*
auriculata, *Linn.*
Herminii, *Hoffmgg.* et *Link*
Kotschyana, *Benth.*, var. [lutea
nodosa, *Linn.*
rupestris, *Bieb.*
Scorodonia, *Linn.*
vernalis, *Linn.*

Scutellaria

albida, *Linn.*
alpina, *Linn.*
altissima, *Linn.*
balearica, *Barc.*
galericulata, *Linn.*
hirta, *Sibth.* et *Sm.*
indica, *Linn.*, var. japonica
macrantha, *Fisch.*
peregrina, *Linn.*
splendens, *Link, Klotzsch* et *Otto*
tuberosa, *Benth.*

Sedum

acre, *Linn.*
Aizoon, *Linn.*
— f. major
album, *Linn.*
altaicum, *G. Don*
Anacampseros, *Linn.*
asiaticum, *Spreng.*
bupleuroides, *Wall.*
euphorbioides, *Schlecht.*
Ewersii, *Ledeb.*
Fabaria, *Koch*
hispanicum, *Linn.*
hybridum, *Linn.*
magellense, *Tenore*
Maximowiczii, *Regel*
maximum, *Suter*
— var. purpureum
oppositifolium, *Sims*
pallidum, *Bieb.*, var. roseum
pilosum, *Bieb.*
populifolium, *Pall.*

Sedum—*continued.*

pruinatum, *Brot.*, var. Forsterianum
rhodanthum, *A. Gray*
roseum, *Scop.*
— var. Scopoli
rupestre, *Linn.*
— var. collinum
sempervivoides, *Fisch.*
Stephani, *Cham.*
stoloniferum, *S. T. Gmel.*, var. ibericum
Telephium, *Linn.*
— var. purpureum
yunnanense, *Franch.*, var. valerianoides, *Hamet*

Selinum

Benthami, *S. Wats.*
pyrenaeum, *Gouan*
tenuifolium, *Wall.*
— var. album

Sempervivum

alpinum, *Griseb.* et *Schenk*
arenarium, *Koch*
arvernense, *Lecoq* et *Lamotte*
barbatum, *C. Sm.*
blandum, *Schott*
Boutignyanum, *Billot* et *Gren.*
fimbriatum, *Schnittsp.* et *C. B. Lehm.*
flagelliforme, *Fisch.*
Funckii, *F. Braun*
glaucum, *Tenore*
globiferum, *Linn.*
Hookeri, *Hort.*
Lamottei, *Bor.*
montanum, *Linn.*
penicillatum, *Hort.*
Pittonii, *Schott, Nym.* et *Kotschy*
Pomelii, *Lamotte*
ponticum, *Hort.*
pseudo-arachnoideum, *Hort.*
Reginae-Amaliae, *Heldr.* et *Guicc.*

Sempervivum—*continued.*

rupestre, *Hort.*
sanguineum, *Jeanb.*
Schottii, *Baker*, var. acuminatum
spinulifolium, *Lagg.*
tectorum, *Linn.*
— var. densum
— var. glaucum
— var. pulchrum
— var. robustum
triste, *Hort.*, var. bicolor
— var. sanguineum
Verloti, *Lamotte*

Senebiera

pinnatifida, *DC.*

Senecio

abrotanifolius, *Linn.*
— var. grandiflorus
— var. tyrolensis
acuminatus, *Wall.*
adonidifolius, *Loisel.*
aurantiacus, *Reichb.*
bellidioides, *Hook. f.*
campestris, *DC.*
carniolicus, *Willd.*
chrysanthemoides, *DC.*
clivorum, *Maxim.*
compactus, *T. Kirk*
cordatus, *Nutt.*
Correvonianus, *Hort.*
Doria, *Linn.*
doriaeformis, *DC.*
Doronicum, *Linn.*
elaeagnifolius, *Hook. f.*, var. Buchanani
Greyii, *Hook. f.*
Hodgsoni, *Benth.* et *Hook. f.*
japonicus, *Sch. Bip.*
lagopus, *Raoul*
lanatus, *Scop.*
laxifolius, *J. Buch.*
Ledebourii, *Sch. Bip.*
Ligularia, *Hook. f.*
macrophyllus, *Bieb.*
mosoynensis, *Franch.*
Munroi, *Hook. f.*

Senecio—*continued.*

nebrodensis, *Linn.*
nemorensis, *Linn.*
pulcher, *Hook.* et *Arn.*
retusus, *Wall.*
sagittatus, *Sch. Bip.*
sibiricus, *Linn. f.*
Smithii, *DC.*
speciosus, *Willd.*
squalidus, *Linn.*
stenocephalus, *Maxim.*, var. comosus
subalpinus, *Koch*
vellereus, *Franch.*
vernalis, *Waldst.* et *Kit.*
vulgaris × squalidus

Serratula

coronata, *Linn.*
Gmelini, *Ledeb.*
heterophylla, *Desf.*
macrocephala, *Bertol.*
tinctoria, *Linn.*

Seseli

caespitosum, *Sibth.* et *Sm.*

Setaria

macrostachya, *H. B.* et *K.*

Sidalcea

candida, *A. Gray*
malvaeflora, *A. Gray*
— var. atropurpurea
spicata, *Greene*

Sideritis

eubaea, *Heldr.*
glacialis, *Boiss.*
hyssopifolia, *Linn.*
montana, *Linn.*
scordioides, *Linn.*
spinosa, *Lam.*

Silaus

tenuifolius, *DC.*

Silene

acaulis, *Linn.*
adenantha, *Franch.*
alpestris, *Jacq.*
altaica, *Pers.*
antirrhina, *Linn.*
aprica, *Turcz.*
Armeria, *Linn.*
— var. alba
asclepiadea, *Franch.*
Asterias, *Griseb.*, var. grandi-
cassia, *Boiss.* [flora
caucasica, *Boiss.*
chloraefolia, *Sm.*
colorata, *Poir.*
conica, *Linn.*
conoidea, *Linn.*
cordifolia, *All.*
crassicaulis, *Willk.*
crassipes, *Fenzl*
Cucubalus, *Wibel*
cythnia, *Heldr.*
Delavayi, *Franch.*
dinarica, *Spreng.*
Fabaria, *Sibth.* et *Sm.*
fruticosa, *Linn.*
fruticulosa, *Sieber*
fuscata, *Link*
gigantea, *Linn.*
italica, *Pers.*
Keiskii, *Miq.*
linicola, *C. C. Gmel.*
longiflora, *Ehrh.*
majellensis, *Hort. Sünd.*
maritima, *With.*
mollissima, *Sibth.* et *Sm.*
Moorcroftiana, *Wall.*
multicaulis, *Guss.*
Muscipula, *Linn.*
nutans, *Linn.*
Otites, *Sm.*
pendula, *Linn.*, var. fl. pl.
pharnaceifolia, *Fenzl*
picta, *Pers.*
portensis, *Linn.*
quadridentata, *Pers.*
— var. pusilla
quadrifida, *Linn.*
Reichenbachii, *Vis.*

Silene—*continued.*

Requienii, *Otth*
rhynchocarpa, *Boiss.*
rosiflora, *F. K. Ward*
rubella, *Linn.*
rubicunda, *Franch.*
saxatilis, *Sims*
Saxifraga, *Linn.*
Schafta, *Gmel.*
tenuis, *Willd.*
— var. erubescens
Thorei, *Duf.*
turgida, *Bieb.*
velutina, *Pourr.*
Zawadzkii, *Herbich*

Siler

trilobum, *Crantz*

Silphium

perfoliatum, *Linn.*

Silybum

Marianum, *Gaertn.*

Sisymbrium

Alliaria, *Scop.*
Boissieri, *Nyman*
erodifolium, *Phil.*
Irio, *Linn.*
pinnatifidum, *DC.*
strictissimum, *Linn.*
supinum, *Linn.*

Sisyrinchium

angustifolium, *Mill.*
— var. anceps, *Cav.*
— var. bellum (*S. Wats.*)
— var. mucronatum
Bermudiana, *Linn.*
filifolium, *Gaudich.* [album
grandiflorum, *Dougl.*, var.
iridifolium, *H. B.* et *K.*
pachyrhizum, *Baker*
striatum, *Sm.*
tenuifolium, *Humb.* et *Bonpl.*

Skimmia

Fortunei, *Mast.*
Laureola, *Sieb.* et *Zucc.*, var. oblata

Solanum

crispum, *Ruiz* et *Pav.*
Dulcamara, *Linn.*
nigrum, *Linn.*
villosum, *Willd.*

Solenanthus

apenninus, *Hohen.*

Solenomelus

chilensis, *Miers*

Solidago

Buckleyi, *Torr.* et *Gray*
canadensis, *Linn.*
multiradiata, *Ait.*
odora, *Ait.*
rigidiuscula, *Porter*
sempervirens, *Linn.*
Virgaurea, *Linn.*

Sonchus

palustris, *Linn.*

Sparganium

ramosum, *Curt.*

Spartium

junceum, *Linn.*

Specularia

perfoliata, *A. DC.*
Speculum, *A. DC.*
— var. alba

Spergula

arvensis, *Linn.*
vernalis, *Willd.*
— var. normalis

Spergularia

diandra, *Boiss.*
Heldreichii, *Fouc.*
longipes, *Rouy*
media, *Presl*

Spinacia

oleracea, *Linn.*

Spiraea

Aitchisoni, *Hemsl.*
Aruncus, *Linn.*
assurgens, *Hort.*
bella, *Sims*
bracteata, *Zabel*
chamaedrifolia, *Linn.*
decumbens, *Koch*
discolor, *Pursh*
— var. dumosa
Douglasii, *Hook.*
Foxii, *Hort.*
japonica, *Linn. f.*
— var. alba
— var. variegata
Lindleyana, *Wall.*
lobata, *Jacq.*
Menziesii, *Hook.*, var. Billi-
Nobleana, *Hook.* [ardii
palmata, *Sternb.*
salicifolia, *Linn.*
— var. paniculata, *Maxim.*
sorbifolia, *Linn.*
Ulmaria, *Linn.*
vestita, *Wall.*

Stachys

alopecuros, *Benth.*
annua, *Linn.*
Betonica, *Benth.*
coccinea, *Jacq.*
densiflora, *Benth.*
discolor, *Benth.*
germanica, *Linn.*
graeca, *Boiss.* et *Heldr.*
grandiflora, *Benth.*
— var. robusta
iberica, *Bieb.*

Stachys—*continued.*
lanata, *Jacq.*
recta, *Linn.*
repens, *Mart.* et *Gal.*
setifera, *C. A. Mey.*
sylvatica, *Linn.*

Statice
altaica, *Hort.*
auriculaefolia, *Vahl*
globulariaefolia, *Desf.*
Limonium, *Linn.*, var. macrospathulata, *Desf.*
Suworowi, *Regel*
— var. alba
tatarica, *Linn.*

Stellaria
Holostea, *Linn.*
hybrida, *Beg.*
media, *Cyrill.*, var. Cupaniana
— var. dolichopoda
— var. gymnocalyx
— var. trichocalyx

Stenanthium
angustifolium, *Kunth*

Stephanandra
Tanakae, *Franch.* et *Sav.*

Stipa
argentina, *Speg.*
gigantea, *Lag.*
papposa, *Delile*

Swertia
angustifolia, *Buch.-Ham.*
dilatata, *C. B. Clarke*
pubescens, *Franch.*

Symphoricarpus
occidentalis, *Hook.*
orbiculatus, *Moench*
racemosus, *Michx.*

Symphyandra
armena, *A. DC.*
Hofmanni, *Pant.*
ossetica, *A. DC.*
pendula, *A. DC.*
Wanneri, *Heuff.*

Symphyostemon
odoratissimus, *Miers*

Symphytum
asperrimum, *Donn*
officinale, *Linn.*

Synthyris
reniformis, *Benth.*

Syrenia
siliculosa, *Andrz.*

Syringa
Emodi, *Wall.*
— var. variegata
vulgaris, *Linn.*

Tagetes
signata, *Bartl.*, var. pumila
tenuifolia, *Cav.*

Tanacetum
argenteum, *Willd.*
Delavayi, *Franch.*
myriophyllum, *Willd.*

Taraxacum
officinale, *Weber*
— var. alpinum
— var. lividum
palustre, *DC.*

Taxus
baccata, *Linn.*
— var. adpressa
— var. Dovastoni
— var. fastigiata, *Loud.*

Teesdalia
Iberis, *DC.*
nudicaulis, *R. Br.*

Telephium

Imperati, *Linn.*

Tellima

grandiflora, *R. Br.*

Teucrium

canadense, *Linn.*
montanum, *Linn.*
palmatum, *Benth.*
pyrenaicum, *Linn.*
Scorodonia, *Linn.*
— var. crispum

Thalictrum

alpinum, *Linn.*
angustifolium, *Linn.*
— var. minus
aquilegiaefolium, *Linn.*
calabricum, *Spreng.*
caucasicum, *Hort.*
Cornuti, *Linn.*
corynellum, *DC.*
cultratum, *Wall.*
dipterocarpum, *Franch.*
elegans, *Wall.*
glaucum, *Desf.*
isopyroides, *C. A. Mey.*
minus, *Linn.*
— var. adiantifolium
— var. elatum
— var. saxatile
purpurascens, *Linn.*
simplex, *Linn.*

Thaspium

aureum, *Nutt.*

Thermopsis

angustata, *Greene*
lanceolata, *R. Br.*

Thlaspi

alpestre, *Linn.*
arvense, *Linn.*
bellidifolium, *Griseb.*
bulbosum, *Sprun.*
elongatum, *Hort.*

Thlaspi—*continued.*

Kerneri, *Huter*
Kovatsii, *Heuff.*
microstylum, *Boiss.*
montanum, *Linn.*
praecox, *Wulf.*
rivale, *Presl*, var. brevistylum

Thymus

capitatus, *Hoffmgg.* et *Link*
Chamaedrys, *Fries*, var. nummularius
nitidus, *Guss.*
Serpyllum, *Linn.*
— var. albus
— var. coccineus [(*Willd.*)
— var. Marschallianus
— var. micans
— var. pannonicus
— var. Snowdonianus

Thysanocarpus

elegans, *Fisch.* et *Mey.*

Tiarella

polyphylla, *D. Don*
trifoliata, *Linn.*

Tinantia

fugax, *Scheidw.*

Tofieldia

calyculata, *Wahlenb.*
palustris, *Huds.*

Torilis

triradiata, *Boiss.* et *Heldr.*

Trachydium

hispidum, *Franch.*

Tradescantia

virginiana, *Linn.*
— var. alba
— var. atropurpurea
— var. elata

Tragopogon
castellanus, *Levier*

Trautvetteria
palmata, *Fisch.* et *Mey.*

Tridax
bicolor, *A. Gray*
trilobata, *Hemsl.*

Trifolium
alpinum, *Linn.*
arvense, *Linn.*
badium, *Schreb.*
filiforme, *Linn.*
medium, *Linn.*
pannonicum, *Jacq.*
pratense, *Linn.*
repens, *Linn.*
stellatum, *Linn.*
tomentosum, *Linn.*, var. chthonocephalum

Triglochin
maritima, *Linn.*

Trigonella
arabica, *Delile*
caerulea, *Ser.*
ornithopodioides, *DC.*
spinosa, *Linn.*

Trillium
Smallii, *Maxim.*

Trisetum
argenteum, *Roem.* et *Schult.*
flavescens, *Beauv.*
glaciale, *Boiss.*

Trollius
altaicus, *C. A. Mey.*
asiaticus, *Linn.*
— var. giganteus
europaeus, *Linn.*
— var. napellifolius
Ledebourii, *Reichb.*

Trollius—*continued.*
patulus, *Salisb.*
— var. pedunculatus
pumilus, *D. Don*
— var. yunnanensis

Tropaeolum
minus, *Linn.*

Troximon
apargioides, *Less.*
glaucum, *Pursh*

Tulipa
vitellina, *Hort.*

Tunica
olympica, *Boiss.*
prolifera, *Scop.*
Saxifraga, *Scop.*
velutina, *Fisch.* et *Mey.*

Ulex
europaeus, *Linn.*

Uncinia
compacta, *R. Br.*

Urospermum
Dalechampii, *Desf.*

Urtica
dioica, *Linn.*
pilulifera, *Linn.*, var. balearica

Vaccinium
Myrtillus, *Linn.*
padifolium, *Sm.*

Valeriana
alliariaefolia, *Vahl*
apula, *Pourr.*
officinalis, *Linn.*
pyrenaica, *Linn.*
sambucifolia, *Mikan.*
tuberosa, *Linn.*

Valerianella

congesta, *Lindl.*

Vella

Pseudocytisus, *Linn.*

Verbascum

longifolium, *Tenore*
— var. pannosum
Lychnitis, *Linn.*
nigrum, *Linn.*
phlomoides, *Linn.*
phoeniceum, *Linn.*
— var. hybridum
pyramidatum, *Bieb.*
songaricum, *Schrenk*
Thapsus, *Linn.* [*Mey.*
Wiedemannianum, *Fisch.* et

Verbesina

helianthoides, *Michx.*
Purpusii, *Brandegee*

Veronica

alpina, *Linn.*.
americana, *Schwein.*
amplexicaulis, *Armstr.*
aphylla, *Linn.*
arborea, *J. Buch.*
austriaca, *Linn.*
— var. pinnatifida
Bidwillii, *Hook.*
buxifolia, *Benth.*
campylopoda, *Boiss.*
candida, *Lodd.*
carnea, *Armstr.*
carnosula, *Hook. f.*
catarractae, *Forst. f.*
— var. compacta
ciliata, *Fisch.*
Colensoi, *Hook. f.*
— var. glauca
— var. major
— var. minor
— var. viridis
corymbosa, *Hort.*, var. variegata
Cymbalaria, *Bodard*, var. cuneata
decumbens, *Armstr.*
didyma, *Tenore*
Eastonii, *Hort.*
elliptica, *Forst.*, var. odora
filifolia, *Lipsky*
formosa, *R. Br.*
Forrestii, *Diels*
fruticulosa, *Linn.*
glaucophylla, *Cock.*
Godefroyana, *Carr.*
Guthrieana ×, *Hort.*
Hulkeana, *F. Muell.*
imperialis, *Hort.*
incana, *Linn.*
incisa, *Ait.*
Kirkii, *Armstr.*
laevis, *Benth.*
latifolia, *Linn.*
ligustrifolia, *A. Cunn.*
Lindsayi ×
longifolia, *Linn.*
— var. alba
Lyallii, *Hook. f.*
lycopodioides, *Hook. f.*
monticola, *Armstr.*
nivalis, *Hort.*
Nummularia, *Gouan*
officinalis, *Linn.*
— var. hirsuta
parviflora, *Vahl*, var. angustifolia, *Hook. f.*
peregrina, *Linn.*
pinguifolia, *Hook. f.*
— var. decumbens
pinnata, *Linn.*
polifolia, *Benth.*
Ponae, *Gouan*
praecox, *All.*
pseudo-Traversii, *Cockayne*
pyrolaeformis, *Franch.*
rakaiensis, *Armstr.*
repens, *DC.*
saxatilis, *Scop.*
— var. alba
spicata, *Linn.*

Veronica—*continued.*

spicata, *Linn.*, var. rosea
spuria, *Linn.*
subalpina, *Cockayne*
Teucrium, *Linn.*
Tournefortii, *C. C. Gmel.*
Traversii, *Hook. f.*
vernicosa, *Hook. f.*
— var. canterburiensis
virginica, *Linn.*

Vesicaria

utriculata, *DC.*

Viburnum

burejaeticum, *Regel* et *Herd.*
Lantana, *Linn.*
— var. lanceolatum
Lentago, *Linn.*
Opulus, *Linn.*

Vicia

Cracca, *Linn.*
hirsuta, *S. F. Gray*
narbonensis, *Linn.*
ochroleuca, *Tenore*
oroboides, *Wulf.*
Orobus, *DC.*
palaestina, *Boiss.*
pyrenaica, *Pourr.*
sativa, *Linn.*
sericocarpa, *Fenzl*
sicula, *Guss.*
sylvatica, *Linn.*
unijuga, *A. Braun*

Vinca

minor, *Linn.*, var. caerulea

Vincetoxicum

fuscatum, *Reichb. f.*
officinale, *Moench*

Viola

arborescens, *Linn.*
arenaria, *DC.*
betonicifolia, *Sm.*

Viola—*continued.*

blanda, *Willd.*
canadensis, *Linn.*
canina, *Linn.*
— var. rosea
cognata, *Greene*
cornuta, *Linn.*
— var. alba
— var. purpurea
declinata, *Waldst.* et *Kit.*
elatior, *Fries*
glabella, *Nutt.*
gracilis, *Sibth.* et *Sm.*
hirta, *Linn.*
labradorica, *Schrank*
lutea, *Huds.*
— var. amoena
macedonica, *Boiss.* et *Heldr.*
odorata, *Linn.*
oreocallis, *Greene*
Patrinii, *Ging.*
polychroma, *Kern.*
primulaefolia, *Linn.*
pyrenaica, *Ram.*
rotundifolia, *Michx.*
Rydbergii, *Greene*
sarmentosa, *Dougl.*
septentrionalis, *Greene*
stagnina, *Kit.*
suavis, *Bieb.*
tricolor, *Linn.*
— var. atlantica

Vittadinia

australis, *A. Rich.*

Volutarella

muricata, *Benth.* et *Hook. f.*

Wahlenbergia

lobelioides, *DC.*
nutabunda, *A. DC.*
Pumilio, *A. DC.*
serpyllifolia, *G. Beck*
— var. dinarica
vincaeflora, *Decne.*, var. alba

Wiedemannia

orientalis, *Fisch.* et *Mey.*

Wulfenia

Amherstiana, *Benth.*
carinthiaca, *Jacq.*

Wyethia

mollis, *A. Gray*

Xanthium

spinosum, *Linn.*

Xerophyllum

asphodeloides, *Nutt.*

Zaluzianskya

capensis, *Walp.*

Zenobia

speciosa, *D. Don*

Zygadenus

elegans, *Pursh*

PLANTS UNDER GLASS.

GENERA IN ALPHABETICAL ORDER.

Acacia

armata, *R. Br.*
Baileyana, *F. Muell.*
cultriformis, *A. Cunn.*
dealbata, *Link*
decurrens, *Willd.*
doratoxylon, *A. Cunn.*
neriifolia, *A. Cunn.*
spectabilis, *A. Cunn.*
stricta, *Willd.*
Whanii, *F. Muell.*

Acalypha

hispida, *Burm.*
sidaefolia, *A. Rich.*
Wilkesiana, *Muell. Arg.*

Acanthospermum

hispidum, *DC.*

Acanthus

montanus, *T. Anders.*

Acrophyllum

venosum, *Benth.*

Adhatoda

cydoniaefolia, *Nees*

Aechmea

augusta, *Baker*
bromeliaefolia, *Baker*
exsudans, *E. Morr.*
glomerata, *Hook. f.*
Nichollsii, *Baker*
xiphophylla, *Baker*

Aerua

scandens, *Wall.*

Aeschynanthus

albida, *Steud.*

Agapanthus

umbellatus, *L'Hérit.*

Agapetes

variegata, *D. Don*

Agave

albicans, *Jacobi*
filifera, *Salm-Dyck*
heteracantha, *Zucc.*

Aglaonema

commutatum, *Schott*

Ainsliaea

acerifolia, *Sch. Bip.*

Albizzia

lophantha, *Benth.*

Alchornea

ilicifolia, *Muell.*

Allionia

latifolia, *Greene*
melanotricha, *Standley*

Alloplectus

sanguineus, *Mart.*

Aloe

ciliaris, *Haw.*
plicatilis, *Mill.*

Alonsoa

acutifolia, *Ruiz* et *Pav.*

Alpinia

malaccensis, *Rosc.*
mutica, *Roxb.*

Altamiranoa
Goldmani, *Rose*

Alternanthera
paronychioides, *St. Hil.*
sessilis, *R. Br.*

Alysicarpus
vaginalis, *DC.*

Alyxia
buxifolia, *R. Br.*

Amaranthus
tenuifolius, *Willd.*

Amasonia
calycina, *Hook. f.*

Amellus
Lychnitis, *Linn.*

Amorphophallus
bulbifer, *Blume*

Anacampseros
arachnoides, *Sims*
filamentosa, *Sims*

Anchomanes
dubius, *Schott*
Hookeri, *Schott*

Angianthus
humifusus, *Benth.*

Anigozanthos
rufa, *Labill.*

Annesorhiza
montana, *Eckl.* et *Zeyh.*

Anoda
Wrightii, *A. Gray*

Anopterus
glandulosus, *Labill.*

Antholyza
aethiopica, *Linn.*
revoluta, *Burm. f.*

Anthurium
Andreanum, *Linden*
— var. conchiflorum
— var. roseum
leodiense ×
magnificum, *Linden*

Antidesma
Bunius, *Spreng.*

Antirrhinum
maurandioides, *A. Gray*

Aphelandra
aurantiaca, *Lindl.*, var. Roezlii
velutina, *Hort.*

Aplopappus
scaposus, *Remy*

Arachis
hypogaea, *Linn.*

Arctotis
acaulis, *Linn.*
aspera, *Linn.*

Ardisia
crenata, *Roxb.*
— var. fructu albo
mamillata, *Hance*
Wallichii, *A. DC.*

Aristea
Eckloni, *Baker*

Aristolochia
brasiliensis, *Mart.* et *Zucc.*
elegans, *Mast.*

Artemisia
argentea, *L'Hérit.*

Artocarpus

laciniata, *Hort.*

Arundinaria

Simoni, *A.* et *C. Rivière*

Arundinella

tenella, *Nees* et *Wight*

Asclepias

curassavica, *Linn.*
linifolia, *H. B.* et *K.*

Asparagus

gonocladus, *Baker*
gracilis, *Royle*
madagascariensis, *Baker*
medeoloides, *Thunb.*
plumosus, *Baker*
racemosus, *Willd.*
scandens, *Thunb.*
Sprengeri, *Regel*

Astelia

Cunninghamii, *Hook. f.*
grandis, *Hook. f.*

Aster

Willkommii, *Sch. Bip.*

Astragalus

adsurgens, *Pall.*
baeticus, *Linn.*
Bungeanus, *Boiss.*
hamosus, *Linn.*
Stella, *Gouan*

Astrocaryum

Ayri, *Mart.*
mexicanum, *Liebm.*

Astroloma

pinifolium, *Benth.*

Asystasia

bella, *Harv.*

Atriplex

californica, *Moq.*
semibaccata, *R. Br.*
spongiosa, *F. Muell.*

Babiana

stricta, *Ker-Gawl.*, var. rubro-cyanea

Baeckea

linifolia, *Rudge*
virgata, *Andr.*

Banksia

serrata, *Linn. f.*

Barleria

cristata, *Linn.*
ventricosa, *Hochst.*

Barnadesia

rosea, *Lindl.*

Bauera

rubioides, *Andr.*

Begonia

angularis, *Raddi*
coccinea, *Hook.*
corallina, *Carr.*, var. lucerna
dichotoma, *Jacq.*
Dregei, *Otto* et *Dietr.*
erfordia, *Hort.*
foliosa, *H. B.* et *K.*
fuchsioides, *Hook.*
geranioides, *Hook. f.*
gracilis, *H. B.* et *K.*
Haageana, *W. Watson*
Harrowiana, *Diels*
hirtella, *Link*
kewensis, *Hort.*
laciniata, *Roxb.*
luxurians, *Scheidw.*
maculata, *Raddi*
manicata, *Cels*, var. variegata
Martiana, *Link* et *Otto*

Begonia—*continued.*
nelumbiifolia, *Cham.* et *Schlecht.*
prismatocarpa, *Hook.*
pubescens, *Hort.*
sanguinea, *Raddi*
semperflorens, *Link* et *Otto*, var. alba
subcucullata, *C. DC.*
Sutherlandi, *Hook. f.*
ulmifolia, *Willd.*
undulata, *Otto*

Benincasa
cerifera, *Savi*
— var. macrocarpa

Berkheya
Radula, *De Wild.*

Bertolonia
maculata, *DC.*
marmorata, *Naud.*

Beschorneria
californica, *Hort.*

Billardiera
longiflora, *Labill.*
scandens, *Sm.*

Billbergia
decora, *Poepp.*
zebrina, *Lindl.*

Biophytum
proliferum, *Arn.*
sensitivum, *DC.*

Blandfordia
nobilis, *Sm.*

Boehmeria
biloba, *Miq.*
platyphylla, *D. Don*

Boenninghausenia
albiflora, *Reichb.*

Bomarea
multiflora, *Mirb.*

Boronia
serrulata, *Sm.*

Borrichia
frutescens, *DC.*

Bossiaea
rhombifolia, *Sieber*

Bouchea
Ehrenbergii, *Cham.*

Browallia
Czerniakowskii, *Warsc.*
speciosa, *Hook.*
— var. major

Brownea
coccinea, *Jacq.*

Bryonia
multiflora, *Boiss.* et *Heldr.*

Bryophyllum
crenatum, *Baker*

Burbidgea
schizocheila, *Hort.*

Calandrinia
grandiflora, *Lindl.*

Calathea
flavescens, *Lindl.*

Calceolaria
integrifolia, *Murr.*
Sinclairii, *Hook.*

Calendula
aegyptiaca, *Desf.*, var. suberostris

Calliandra

haematocephala, *Hassk.*

Callicarpa

purpurea, *Juss.*

Callistemon

linearis, *DC.*
rigidus, *R. Br.*
salignus, *Sweet*

Callitris

australis, *Sweet*

Calopogonium

caeruleum, *Hemsl.*

Calvoa

sessiliflora, *Cogn.*

Camellia

japonica, *Linn.*

Campanula

colorata, *Wall.*
fragilis, *Cyrill.*
isophylla, *Moretti*
Vidalii, *H. C. Wats.*

Campanumoea

javanica, *Blume*

Canavalia

ensiformis, *DC.*

Canna

angustifolia, *Linn.*

Cantua

buxifolia, *Lam.*

Capparis

flexuosa, *Blume*

Capsicum

annuum, *Linn.*
microcarpum, *Cav.*

Carex

baccans, *Nees*
japonica, *Thunb.*

Carissa

acuminata, *A. DC.*

Carludovica

Gardneri, *Hook.*
palmata, *Ruiz* et *Pav.*
Wendlandii, *Hort.*

Cassia

laevigata, *Willd.*
occidentalis, *Linn.*

Castilleja

minor, *A. Gray*

Cavendishia

acuminata, *Benth.*

Cedronella

canariensis, *Willd.*

Celosia

cristata, *Linn.*, var. pyramidalis

Celsia

brevipedicellata, *Engl.*
orientalis, *Linn.*

Cenia

turbinata, *Pers.*

Centaurea

acanthodes, *Spreng.*

Centipeda

orbicularis, *Lour.*

Centradenia

floribunda, *Planch.*

Cephalipterum

Drummondii, *A. Gray*

Cephalotus

follicularis, *Labill.*

Cerastium

dichotomum, *Linn.*

Ceratopetalum

gummiferum, *Sm.*

Cereus

Napoleonis, *R. Grah.*

Ceropegia

bulbosa, *Roxb.*
Woodii, *Schl.* (bulbil)

Cestrum

Newellii, *Veitch*
Smithii, *Hort. Bull.*

Chamaedorea

desmoncoides, *H. Wendl.*

Chiococca

racemosa, *Linn.*

Chirita

hamosa, *R. Br.*
Kurzii, *C. B. Clarke*
sinensis, *Lindl.*

Chlorophytum

comosum, *Baker*
elatum, *R. Br.*
— var. variegatum
Orchidastrum, *Lindl.*

Chorizema

cordatum, *Lindl.*

Cipura

paludosa, *Aubl.*

Cissus

adenopodus, *Sprague*

Citrus

Medica, *Linn.*, var. Limonum
nobilis, *Lour.*, var. major

Clematis

grewiaeflora, *DC.*
microphylla, *DC.*

Cleome

aurea, *Hort.*

Clerodendron

fallax, *Lindl.*
myrmecophilum, *Ridley*
speciosum ×, *Hort.*
splendens, *G. Don*
Thomsonae, *Balf.*
— var. variegatum

Clethra

arborea, *Ait.*

Clianthus

puniceus, *Banks* et *Sol.*

Clidemia

hirta, *D. Don*

Clitoria

Ternatea, *Linn.*
— var. alba, *G. Don*

Clivia

miniata, *Regel*
nobilis, *Lindl.*

Cobaea

scandens, *Cav.*

Cochliostema

Jacobianum, *C. Koch* et *Linden*

Coffea

arabica, *Linn.*
bengalensis, *Roxb.*

Coleus

Mahonii, *Baker*

Collinsia

Childii, *Parry*

Collomia

gracilis, *Dougl.*

Columnea

aureonitens, *Hook.*

Combretum

grandiflorum, *G. Don*

Commelina

pallida, *Willd.*
sikkimensis, *C. B. Clarke*

Conandron

ramondioides, *Sieb.* et *Zucc.*

Convolvulus

crenatifolius, *Ruiz* et *Pav.*,
var. argenteus
dissectus, *Cav.*

Cooperia

Drummondii, *Herb.*

Coprosma

lucida, *Forst.*

Corchorus

pilolobus, *Link*
textilis, *Del.*

Coriaria

nepalensis, *Wall.*

Cornus

capitata, *Wall.*

Coronilla

glauca, *Linn.*
scorpioides, *Koch*
viminalis, *Salisb.*

Corydalis

thalictrifolia, *Jameson*
tomentosa, *N. E. Br.*
Wilsoni, *N. E. Br.*

Corymbium

nervosum, *Thunb.*

Costus

elegans, *Veitch*
igneus, *N. E. Br.*

Cotula

anthemoides, *Linn.*

Cotyledon

adunca, *Baker*
atropurpurea, *Baker*
Barbeyi, *Schw.*
Desmetiana, *Hemsl.*
dichotoma, *Haw.*
fulgens, *Baker*
gibbiflora, *Moç.* et *Sesse*, var.
metallica
Grusoni, *Hort.*
nodulosa, *Baker*
orbiculata, *Linn.*
pachyphyta, *Baker*
pulverulenta, *Baker*
roseata, *Baker*
Zeyheri, *Harv.*

Crassula

Cooperi, *Regel*
ericoides, *Haw.*
glomerata, *Berg.*
nudicaulis, *Linn.*
quadrifida, *Baker*
sarcocaulis, *Eckl.* et *Zeyh.*
tenuifolia, *Schoenl.*

Crawfurdia

fasciculata, *Wall.*

Crinum

Moorei, *Hook. f.*, var. variegatum
variabile, *Herb.*

Crossandra

undulaefolia, *Salisb.*

Crotalaria

alata, *Buch.-Ham.*
albida, *Heyne*
linifolia, *Linn. f.*
tetragona, *Roxb.*

Cryptanthe
decipiens, *Heller*

Cryptostemma
calendulaceum, *R. Br.*

Ctenanthe
Lubbersiana, *Eichl.*

Cucumis
myriocarpus, *Naud.*

Cuphea
procumbens, *Cav.*
viscosissima, *Jacq.*

Cyanotis
somaliensis, *C. B. Clarke*

Cyclanthera
edulis, *Hort.*
explodens, *Naud.*

Cyperus
alternifolius, *Linn.*
— var. compactus
bulbosus, *Vahl*
compactus, *Lam.*, var. flavissimus, *C. B. Clarke*
exaltatus, *Retz.*, var. amoenus
fertilis, *Boeck.*
laxus, *Willem.*
Luzulae, *Rottl.*
Papyrus, *Linn.*

Cyphomandra
betacea, *Sendt.*

Cytisus
canariensis, *Steud.*
Hillebrandtii, *Briq.*

Daedalacanthus
nervosus, *T. Anders.*

Dalea
polygonoides, *A. Gray*

Dalechampia
Roezliana, *Muell. Arg.*
scandens, *Linn.*

Damnacanthus
indicus, Gaertn.

Danthonia
Raoulii, *Steud.*

Datura
Leichhardtii, *F. Muell.*

Daucus
australis, *Poepp.*
pumilus, *Ball*

Debregeasia
velutina, *Gaudich.*

Deeringia
celosioides, *R. Br.*

Dermatobotrys
Saundersii, *Bolus*

Desmodium
gyrans, *DC.*
incanum, *DC.*
polycarpum, *DC.*
sinuatum, *Blume*
varians, *G. Don*
viridiflorum, *Beck*

Dianella
caerulea, *Sims*
graminifolia, *Kunth* et *Bouché*

Dianthera
nodosa, *Benth.* et *Hook. f.*

Dicentra
scandens, *Walp.*
thalictrifolia, *Hook. f.*

Dichroa
febrifuga, *Lour.*

Dionaea
muscipula, *Ellis*

Dioscorea
sativa, *Linn.* (tuber)

Dipladenia
boliviensis, *Hook. f.*

Diplarrhena
Moraea, *Labill.*

Dodonaea
triquetra, *Wendl.*
viscosa, *Jacq.*

Dolichos
Lablab, *Linn.*

Dorstenia
arifolia, *Lam.*
Contrajerva, *Linn.*
urceolata, *Schott*

Dracaena
elliptica, *Thunb.*
Godseffiana, *Baker*
surculosa, *Lindl.*

Dracophyllum
secundum, *R. Br.*

Drimys
colorata, *Raoul*

Drosera
binata, *Labill.*
— var. dichotoma
capensis, *Linn.*
hilaris, *Cham.* et *Schlecht.*
peltata, *Sm.*
pygmaea, *DC.*
rotundifolia, *Linn.*
spathulata, *Labill.*

Drosophyllum
lusitanicum, *Link*

Drymaria
tenella, *A. Gray*

Dysphania
Plantaginella, *F. Muell.*

Eccremocarpus
scaber, *Ruiz* et *Pav.*

Echeandia
terniflora, *Orteg.*

Echeveria
alpina, *Rose*
angulosa, *Hort.*
australis, *Rose*
gracilis, *Rose*
Hookeri, *Salm-Dyck*
multicaulis, *Rose*
nodulosa, *Otto*
nuda, *Baker*
obtusifolia, *Rose*
ovata ×, *Deleuil*
Pringlei, *Rose*
Scheeri, *Hort.*
setosa, *Rose* et *Purpus*

Elaeocarpus
cyaneus, *Sims*

Elaeodendron
australe, *Vent.*

Elephantopus
scaber, *Linn.*

Eleusine
indica, *Gaertn.*

Elliottia
paniculata, *Benth.* et *Hook. f*

Entelea
arborescens, *R. Br.*

Epilobium

adenocaulon, *Hausskn.*
Franciscanum, *Barbey*
pyrricholophum, *Franch.* et *Sav.*

Episcia

erythropus, *Hook. f.*

Eranthemum

albiflorum, *Hook.*
igneum, *Linden*
leuconeurum, *Hort.*

Erica

formosa, *Thunb.*
perspicua, *Wendl.*, var. nana
ramulosa, *Bartl.*

Erigeron

divaricatus, *Michx.*
tephrodes, *Greene*

Eriobotrya

japonica, *Lindl.*

Eriogonum

arborescens, *Greene*

Eriostemon

buxifolius, *Sm.*

Erlangea

tomentosa, *S. Moore*

Erythrochiton

brasiliensis, *Nees*

Erythroxylum

Coca, *Lam.*

Euadenia

eminens, *Hook. f.*

Eucalyptus

incrassata, *Labill.*

Eucomis

bicolor, *Baker*
punctata, *L'Hérit.*

Eugenia

myrtifolia, *Sims*
punicaefolia, *DC.*

Eupatorium

grandiflorum, *André*
ianthinum, *Hemsl.*
odoratum, *Linn.*
petiolare, *Moç* et *Sesse*
prunellaefolium, *H. B.* et *K.*
riparium, *Regel*
Rothrockii, *A. Gray*
Weinmannianum, *Regel* et *Koern.*

Euphorbia

balsamifera, *Ait.*
Regis-Jubae, *Webb* et *Berth.*
splendens, *Boj.*

Euryops

socotranus, *Balf. f.*

Eustrephus

latifolius, *R. Br.*
— var. angustifolius

Evax

anatolica, *Boiss.* et *Heldr.*

Evodia

elegans, *Hort.*
formosa, *Hort.*
meliaefolia, *Benth.*

Exacum

affine, *Balf. f.*

Fatsia

japonica, *Decne.*

Ficus

Canoni, *N. E. Br.*
Carica, *Linn.*

Ficus—*continued.*
diversifolia, *Blume*
glomerata, *Roxb.*
pyriformis, *Hook.* et *Arn.*

Francoa
appendiculata, *Cav.*
ramosa, *D. Don*
sonchifolia, *Cav.*

Frankenia
hirsuta, *Linn.*

Fuchsia
arborescens, *Sims*
corymbiflora, *Ruiz* et *Pav.*
fulgens, *DC.*
integrifolia, *Cambess.*
parviflora, *Lindl.*
procumbens, *R. Cunn.*

Galium
saccharatum, *All.*

Galtonia
candicans, *Decne.*

Garcinia
Xanthochymus, *Hook. f.*

Gasteria
angulata, *Haw.*
Croucheri, *Baker*, var. spathulata
decipiens, *Haw.*
disticha, *Haw.*
— var. angulata, *Baker*
maculata, *Haw.*
— var. fallax
nigricans, *Haw.*
verrucosa, *Haw.*, var. intermedia, *Baker*

Gaultheria
antipoda, *Forst. f.*
hispida, *R. Br.*
rupestris, *R. Br.*

Gelasine
azurea, *Herb.*

Geonoma
pumila, *H. Wendl.*

Geranium
Bicknellii, *Britton*
canariense, *Reut.*

Gilia
abrotanifolia, *Nutt.*
laciniata, *Ruiz* et *Pav.*

Gladiolus
blandus, *Ait.*, var. albidus (*Jacq.*)
erectiflorus, *Baker*
Papilio, *Hook. f.*
praecox, *Hort.*

Glaucium
Fischeri, *Bernh.*

Globba
alba, *Hort.* (bulbil)
strobilifera, *Zoll.* (bulbil)

Gloriosa
superba, *Linn.*
virescens, *Lindl.*

Gnaphalium
hypoleucum, *DC.*
lagopodioides, *Rydb.*
palustre, *Nutt.*

Gompholobium
aristatum, *Benth.*
Shuttleworthii, *Meissn.*

Goodenia
filiformis, *R. Br.*

Goodia
latifolia, *Salisb.*
pubescens, *Sims*

Gossypium
herbaceum, *Linn.*

Grevillea
glabrata, *Meissn.*

Guyonia
tenella, *Naud.*

Haemanthus
hirsutus, *Baker*

Hakea
gibbosa, *Cav.*
microcarpa, *R. Br.*
pugioniformis, *Cav.*
sauveolens, *R. Br.*
ulicina, *R. Br.*, var. carinata

Haloragis
erecta, *Schindler*

Hardenbergia
Comptoniana, *Benth.*

Hartmannia
montana, *Rose*

Haworthia
rigida, *Haw.*, var. expansa

Hedeoma
Drummondii, *Benth.*
hyssopifolia, *A. Gray*
pulegioides, *Pers.*

Hedychium
formosum, *Hort.*
Gardnerianum, *Rosc.*
Horsfieldii, *R. Br.*

Hedyotis
Auricularia, *Linn.*

Heeria
elegans, *Schlecht.*
subtriplinervia, *Triana*

Helichrysum
angustifolium, *DC.*
humile, *Less.*
— var. purpureum
Lawrencella, *F. Muell.*
semipapposum, *DC.*
subulifolium, *F. Muell.*

Heliotropium
anchusifolium, *Poir.*
peruvianum, *Linn.*

Helipterum
roseum, *Benth.*
splendidum, *Hemsl.*

Hermannia
althaeifolia, *Linn.*
candicans, *Ait.*
hyssopifolia, *Linn.*
venosa, *Thunb.*

Heteropappus
hispidus, *Less.*

Heterospermum
pinnatum, *Cav.*

Hewittia
bicolor, *Wight* et *Arn.*

Hibbertia
dentata, *R. Br.*

Hibiscus
furcatus, *Willd.*
lunariifolius, *Willd.*
Parkeri, *Baker*
pedunculatus, *Linn.*
Rosa-sinensis, *Linn.*, var variegatus
schizopetalus, *Hook. f.*
Trionum, *Linn.*
— var. major
vitifolius, *Linn.*

Hippeastrum

equestre, *Herb.*
procerum, *Lem.*
reticulatum, *Herb.*

Homalanthus

Leschenaultianus, *A. Juss.*

Humea

elegans, *Sm.*

Hydrangea

Hortensia, *Sieb.* var. Mariesii

Hydrolea

spinosa, *Linn.*

Hymenanthera

dentata, *R. Br.*
— var. angustifolia

Hymenatherum

acerosum, *A. Gray*

Hymenocallis

glauca, *M. Roem.*

Hypericum

canariense, *Linn.*
floribundum, *Ait.*
gracile, *Boiss.*
japonicum, *Thunb.*
lanceolatum, *Linn.*
olympicum, *Linn.*
tomentosum, *Linn.*, var. dissitiflorum

Hypoxis

Krebsii, *Fisch.*
Rooperii, *T. Moore*
villosa, *Linn.*

Hyptis

suaveolens, *Poit.*

Impatiens

Hawkeri, *Bull*
Herzogii, *K. Schum.*
Holstii, *Engl.* et *Warb.*
Oliveri, *Hook. f.*
polyceras, *Hook. f.*
Sultani, *Hook. f.*

Indigofera

Anil, *Linn.*
australis, *Willd.*
pulchella, *Roxb.*
viscosa, *Lam.*

Ipomœa

coccinea, *Linn.*
glaucifolia, *Linn.*
purpurea, *Roth*
Quamoclit, *Linn.*
— var. alba

Ixora

stricta, *Roxb.*

Jasminum

lucidum, *Banks*

Juncus

pygmaeus, *Rich.*

Jussieuia

suffruticosa, *Linn.*

Justicia

calycotricha, *Link*
debilis, *Lam.*
neglecta, *T. Anders.*

Kalanchoë

Cassiopeja, *Damm.*
crenata, *Haw.*
flammea, *Stapf*
kewensis ×
Kirkii, *N. E. Br.*
Petitiana, *A. Rich.*
rotundifolia, *Haw.*
spathulata, *DC.*

Karatas
Plumieri, *E. Morr.*
spectabilis, *Antoine*

Kedrostis
africana, *Cogn.*

Kennedya
Baumanni, *Meissn.*
prostrata, *R. Br.*
— var. glabrata
— var. Marryattae
Stirlingii, *Lindl.*

Klugia
Notoniana, *A. DC.*

Kunzea
corifolia, *Reichb.*
parvifolia, *Schau.*

Kyllinga
monocephala, *Rottl.*
nepalensis, *C. B. Clarke*

Lachenalia
pallida, *Ait.*
pustulata, *Jacq.*

Lachnostoma
maritimum, *Nichols.*

Lagenaria
pelerrina, *Hort.*
vulgaris, *Ser.*

Lagurus
ovatus, *Linn.*

Lantana
Camara, *Linn.*

Lapageria
rosea, *Ruiz* et *Pav.*

Lapeyrousia
cruenta, *Benth.*

Laportea
moroides, *Wedd.*
peltata, *Gaudich.*

Lathyrus
annuus, *Linn.*, var. caesius
polyanthus, *Boiss.*
pubescens, *Hook.* et *Arn.*

Lavandula
dentata, *Linn.*

Leea
sambucina, *Willd.*

Lenophyllum
guttatum, *Rose*

Leonotis
Leonurus, *R. Br.*

Leptodermis
lanceolatus, *Wall.*

Leptospermum
arachnoideum, *Sm.*
flavescens, *Sm.*
scoparium, *Forst.*
— var. Chapmanni
virgatum, *Forst.*

Lesquerella
Schaffneri, *S. Wats.*

Lessertia
brachystachya, *DC.*
linearis, *DC.*

Leucadendron
decorum, *R. Br.*

Leucaena
glauca, *Benth.*

Leucas
lavandulaefolia, *Sm.*

Leucophae
macrostachya, *Webb* et *Berth.*

Leucopogon

fasciculatus, *A. Rich.*
Richei, *R. Br.*

Lilium

Brownii, *Mielle* (bulbils)
Delavayi, *Franch.*
neilgherrense, *Wight*
ochroleucum, *Wall.*
roseum, *Wall.*
Sargentii, *E. H. Wils.*

Limnophila

Roxburghii, *G. Don*

Limosella

aquatica, *Linn.*
— var. tenuifolia

Linaria

arvensis, *Desf.*
lanigera, *Desf.*

Linum

neomexicanum, *Greene*

Lippia

chamaedrifolia, *Steud.*
nodiflora, *Michx.*

Littonia

modesta, *Hook.*

Livistona

humilis, *R. Br.*

Loasa

papaverifolia, *H. B.* et *K.*

Lobelia

anceps, *Linn. f.*
debilis, *Linn.*
taliensis, *Diels*
tenuior, *R. Br.*
triquetra, *Linn.*

Lonicera

Hildebrandtiana, *Hemsl.*
sempervirens, *Linn.*, var. minor

Lopezia

coronata, *Andr.*

Lotus

ornithopodioides, *Linn.*
villosus, *Burm. f.*
— var. macranthus

Ludovia

crenifolia, *Drude*

Ludwigia

alternifolia, *Linn.*
Muelleri, *Hort. Spreng.*

Luffa

ægyptiaca, *Mill.*
cylindrica, *Roem.*

Luzula

purpurea, *Link*

Lycopersicum

esculentum, *Mill.*

Lycopsis

orientalis, *Linn.*

Lysimachia

amoena, *G. Forrest*
sikokiana, *Miq.*

Madia

sativa, *Molina*, var. racemosa, *A. Gray*

Mallotus

japonicus, *Muell. Arg.*

Malortiea

gracilis, *H. Wendl.*

Malva

parviflora, *Linn.*, var. argen-
pusilla, *Sm.* [tea

Malvastrum

capense, *Garcke*
digitatum, *Hort.*
hypomadarum, *Sprague*
lateritium, *Nichols.*
limense, *Ball*

Mammillaria

missouriensis, *Sweet*

Maranta

noctiflora, *Regel* et *Koernicke*

Marica

caerulea, *Ker-Gawl.*
Northiana, *Ker-Gawl.*

Mariscus

umbilensis, *C. B. Clarke*

Martynia

lutea, *Lindl.*
proboscidea, *Glox.*

Maurandia

Barclaiana, *Lindl.*
erecta, *Hemsl.*
erubescens, *A. Gray*
scandens, *A. Gray*
— var. coccinea

Medicago

agrestis, *Tenore*
praecox, *DC.*
scutellata, *Mill.*
truncatula, *Gaertn.*
— var. longiaculeata

Medinilla

magnifica, *Lindl.*

Megacarpaea

Delavayi, *Franch.*

Melaleuca

hypericifolia, *Sm.*

Melasphaerula

graminea, *Ker-Gawl*

Melia

Azedarach, *Linn.*

Melianthus

major, *Linn.*

Melicytus

lanceolatus, *Hook. f.*

Melocactus

communis, *Link* et *Otto*

Melothria

suavis, *Hort.*

Mesembryanthemum

amoenum, *Salm-Dyck*
blandum, *Haw.*
Cooperi, *Hook. f.*
cordifolium, *Linn.*
cultratum, *Hort.*
curviflorum, *Haw.*
deltoides, *Linn.*
Ecklonis, *Salm-Dyck*
elegans, *Jacq.*
falciforme, *Haw.*
flexuosum, *Haw.*
glaucum, *Linn.*
glomeratum, *Linn.*
Haworthii, *Donn*
heteropetalum, *Haw.*
inclaudens, *Haw.*
inflexum, *Haw.*
lepidum, *Haw.*
longum, *Haw.*
micans, *Linn.*
muricatum, *Haw.*
pyropeum, *Haw.*
rhomboideum, *Salm-Dyck*
roseum, *Willd.*
rubricaule, *Willd.*

Mesembryanthemum—*continued.*
tenellum, *Haw.*
tigrinum, *Haw.*
tumidulum, *Haw.*

Metrosideros
robusta, *A. Cunn.*

Microcodon
glomeratum, *A. DC.*

Microseris
californica, *Greene*
melanocarpha, *Greene*

Mimosa
pudica, *Linn.*

Mimulus
glutinosus, *Wendl.*
— var. puniceus

Miscanthus
nepalensis, *Hack.*
sinensis, *Anders.*, var. gracillima univittata

Mitraria
coccinea, *Cav.*

Mitriostigma
axillare, *Hochst.*

Moehringia
papulosa, *Bertol.*

Momordica
cochinchinensis, *Spreng.*

Monanthes
agriostaphys, *Christ*
atlantica, *Ball*
brachycaulon, *Lowe*

Monochaetum
alpestre, *Naud.*

Monolena
primulaeflora, *Hook. f.*

Monolepis
trifida, *Schrad.*

Moraea
flexuosa, *Linn.*
iridioides, *Linn.*

Muehlenbeckia
chilensis, *Meissn.*
complexa, *Meissn.*

Musschia
Wollastoni, *Lowe*

Mutisia
decurrens, *Cav.*
ilicifolia, *Cav.*

Myosotis
capitata, *Hook. f.*, var. albiflora

Myrica
aethiopica, *Linn.*

Myriocarpa
longipes, *Liebm.*

Myrsine
africana, *Linn.*

Myrtus
communis, *Linn.*
Luma, *Barn.*
Ugni, *Mol.*

Napoleona
cuspidata, *Miers*

Nephthytis
liberica, *N. E. Br.*

Nerine
Bowdeni, *W. Watson*
candida, *Hort.*
flexuosa, *Herb.*
pancratioides, *O'Brien*

Nertera

Balfouriana, *Cockayne*
ciliata, *T. Kirk*
depressa, *Banks*

Nesaea

salicifolia, *H. B. K.*

Nicandra

physaloides, *Gaertn.*

Nicotiana

glauca, *R. Grah.*
nudicaulis, *S. Wats.*
Sanderae ×, *Hort.*
trigonophylla, *Dun.*

Nierembergia

frutescens, *Dur.*

Notochaete

hamosa, *Benth.*

Ochna

mossambicensis, *Klotzsch*
multiflora, *DC.*

Ocimum

Basilicum, *Linn.*
sanctum, *Linn.*
viride, *Willd.*

Oenothera

caespitosa, *Nutt.*
hirtella, *Greene*
mollissima, *Linn.*
tenuifolia, *Cav.*

Oligomeris

glaucescens, *Cambess.*

Oliveranthus

elegans, *Rose*

Olyra

floribunda, *Raddi*

Onobrychis

Caput-galli, *Lam.*
Crista-galli, *Lam.*

Ononis

hirta, *Desf.*
reclinata, *Linn.*
sicula, *Guss.*
viscosa, *Linn.*

Opuntia

arenaria, *Engelm.*
phaeacantha, *Engelm.*, var. major

Oreomyrrhis

andicola, *Endl.*

Ornithogalum

arabicum, *Linn.*
caudatum, *Ait.*
lacteum, *Jacq.*
tenellum, *Jacq.*
thyrsoides, *Jacq.*

Oryza

sativa, *Linn.*
— var. atropurpurea
— var. mutica
— var. perennis
— var. rufibarba

Osbeckia

Wightiana, *Benth.*

Othonna

carnosa, *Less.*

Oxalis

catharinensis, *N. E. Br.*
Hirthii, *Phil.*
magellanica, *Forst.*
tortuosa, *Lindl.*
Wrightii, *A. Gray*

Palisota

Barteri, *Hook. f.*
Maclaudi, *Cornu*
Pynaertii, *Wildem.*

Pancratium
fragrans, *Salisb.*

Panicum
plicatum, *Lam.*

Paronychia
arabica, *DC.*
argentea, *Lam.*
lenticulata, *Hort.*

Parthenium
argentatum, *A. Gray*
Hysterophorus, *Linn.*

Passiflora
edulis, *Sims*
elegans, *Mart.*
quadrangularis, *Linn.*
racemosa, *Brot.*
suberosa, *Linn.*
Watsoniana, *Mast.*

Pavonia
hastata, *Cav.*
spinifex, *Cav.*

Pelargonium
echinatum, *Curt.*
ficifolium, *Hoffmgg.*
saniculaefolium, *Willd.*
scandens, *Ehrh.*
Skelii, *Hoffmgg.*

Peliosanthes
humilis, *Andr.*

Pellionia
Daveauana, *N. E. Br.*
pulchra, *N. E. Br.*

Pennisetum
latifolium, *Spreng.*
typhoideum, *Rich.*

Pentacaena
polycnemoides, *Bartl.*

Pentarhaphia
libanensis, *Hanst.*

Pentas
carnea, *Benth.*
— var. kermesina.

Peperomia
argyreia, *E. Morr.*
blanda, *H. B.* et *K.*
obtusifolia, *A. Dietr.*
pellucida, *H. B.* et *K.*
Sandersii, *C. DC.*
scandens, *Ruiz* et *Pav.*

Peplis
erecta, *Req.*

Persoonia
lanceolata, *Andr.*

Petiveria
alliacea, *Linn.*

Phacelia
circinata, *Jacq. f.*
rupestris, *Greene*

Phaedranassa
chloracra, *Herb.*

Phaenocoma
prolifera, *D. Don,* var. Barnesii

Phagnalon
rupestre, *DC.*

Philodendron
digitatum, *Hort.*

Phyllanthus
grandifolius, *Linn.*
montanus, *Sw.*
parvifolius, *Buch.-Ham.*

Phyllis
Nobla, *Linn.*

Phyllocactus

Thalia ×

Physalis

peruviana, *Linn.*

Pilea

grandis, *Wedd.*
muscosa, *Lindl.*
Spruceana, *Wedd.*

Pimelea

Gnidia, *Willd.*, var. pulchella
hispida, *R. Br.*
laevigata, *Gaertn.*, var. repens
ligustrina, *Labill.*

Pimpinella

cretica, *Poir.*

Piqueria

trinervia, *Cav.*

Pitcairnia

Altensteinii, *Lem.*
Andreana, *Linden*
aphelandraeflora, *Verschaff.*
heterophylla, *Beer*
Lamarckiana, *E. Morr.*
latifolia, *Soland.*
maidifolia, *Decne.*
pruinosa, *H. B.* et *K.*
pulverulenta, *Ruiz* et *Pav.*
xanthocalyx, *Mart.*

Pithecolobium

Unguis-cati, *Benth.*

Pittosporum

crassifolium, *Sol.*
Ralphii, *T. Kirk*

Plantago

acanthophylla, *Decne.*
asperrima, *Gandoger*
brachystachys, *Kuntze*
crassifolia, *Forsk.*

Plantago—*continued.*

cretica, *Linn.*
erecta, *Morris*
Grahami, *Blumer*
mexicana, *Link*
notata, *Lag.*
ovata, *Forsk.*
patagonica, *Jacq.*
virginica, *Linn.*

Plectranthus

cylindraceus, *Hochst.*
glaucocalyx, *Maxim.*
irroratus, *G. Forrest*
parviflorus, *Willd.*

Pleuropetalum

costaricense, *Hemsl.*

Plumbago

scandens, *Linn.*

Polyalthia

suberosa, *Benth.* et *Hook. f.*

Polycarpaea

divaricata, *Balf. f.*

Polygonum

pensylvanicum, *Linn.*

Pomaderris

lanigera, *Sims*
subrepanda, *F. Muell.*

Porana

racemosa, *Roxb.*

Poterium

spinosum, *Linn.*
verrucosum, *Ehrenb.*

Prasium

majus, *Linn.*

Primula

bella, *Franch.*
floribunda, *Wall.*

Primula—*continued.*
Forrestii, *Balf. f.*
kewensis ×, *Jenkins*
— var. farinosa
malacoides, *Franch.*
— var. alba
malvacea, *Franch.*
mollis, *Nutt.*
obconica, *Hance*
pulchelloides, *F. K. Ward*
sinolisteri, *Balf. f.*
verticillata, *Forsk.*

Priva
echinata, *Juss.*

Procris
frutescens, *Blume*

Proserpinaca
palustris, *Linn.*

Pseuderanthemum
seticalyx, *Stapf*

Psilostrophe
tagetina, *Greene*

Psoralea
plumosa, *F. Muell.*

Pulicaria
arabica, *Cass.*

Quesnelia
Wittmackiana, *Regel*

Ranunculus
canariensis, *Hort.*
Chius, *DC.*
cortusaefolius, *Willd.*
lomatocarpus, *Fisch.* et *Mey.*
Munroi, *Hook. f.*, var. dentatus
ophioglossifolius, *Vill.*
trilobus, *Desf.*

Rapistrum
ægyptium, *Baill.*

Reboudia
microcarpa, *Boiss.*

Rehmannia
Briscoi ×

Reinwardtia
tetragyna, *Planch.*

Remusatia
vivipara, *Schott*

Rhabdothamnus
Solandri, *A. Cunn.*

Rhododendron
arboreum, *Sm.*
decorum, *Franch.*
retusum, *Benn.*
Schlippenbachii, *Maxim.*
Veitchianum, *Hook.*
yunnanense, *Franch.*

Rhopalostylis
sapida, *H. Wendl.* et *Drude*

Rhytidophyllum
tomentosum, *Mart.*

Richardia
angustiloba, *Schott*

Richardsonia
pilosa, *H. B.* et *K.*

Ricinus
communis, *Linn.*

Rivina
aurantiaca, *Warsc.*
humilis, *Linn.*
tinctoria, *Buch.-Ham.*

Roettlera
Forrestii, *Diels*

Romanzoffia
Suksdorfii, *Greene*

Rondeletia
odorata, *Jacq.*

Ruellia
macrantha, *Mart.*
rubicaulis, *Cav.*
tuberosa, *Linn.*

Rulingia
hermanniaefolia, *Steetz*

Ruta
chalepensis, *Linn.*

Sabal
Blackburniana, *Glazebr.*

Saintpaulia
ionantha, *Wendl.*, var. alba

Salvia
canariensis, *Linn.*
coccinea, *Juss.*
controversa, *Tenore*
judaica, *Boiss.*

Samolus
ebracteatus, *H. B. K.*
littoralis, *Schrank*

Sarmienta
repens, *Ruiz* et *Pav.*

Sarracenia
purpurea, *Linn.*

Saxifraga
adscendens, *Linn.*
Candelabrum, *Franch.*
Clusii, *Gouan*
cortusaefolia, *Sieb.* et *Zucc.*
discolor, *Velen.*
diversifolia, *Wall.*
— var. alpina, *Engl.* et *Irmscher*

Saxifraga—*continued.*
diversifolia, *Wall.*, var. foliata, *Engl.* et *Irmscher*
Eastwoodiae (*Small*)
fastigiata, *Hort.*
gemmipara, *Franch.*
hederacea, *Linn.*
japonica, *Boiss.*
Nuttallii, *Small*
reflexa, *Hook.*
rufidula, *Small*
sarmentosa, *Linn.*
turfosa, *Engl.* et *Irmscher*

Schismatoglottis
Roebelina, *Hort.*
Treubii, *Hort.*

Schizanthus
pinnatus, *Ruiz* et *Pav.*
— var. grandiflorus

Schoenia
Cassiniana, *Steetz*

Scilla
chinensis, *Benth.*

Scirpus
riparius, *J.* et *C. Presl*

Scrophularia
pyrenaica, *Benth.*

Scutellaria
discolor, *Colebr.*

Sedum
Cepaea, *Linn.*
dasyphyllum, *Linn.*
Greggii, *Hemsl.*
mellitutum, *Rose*
potosinum, *Rose*
pruinatum, *Brot.*
spectabile, *Bor.*

Selago
corymbosa, *Linn.*
spuria, *Linn.*

Sempervivum

annuum, *C. Sm.*
arachnoideum, *Linn.*
Ballii, *Hort.*
canariense, *Linn.*
Castello-Paivae, *Christ*
giganteum, *Hort.*
Haworthii, *Hort.*
repens, *Hort.*
urbicum, *C. Sm.*
Webbianum, *Hort.*
Youngianum, *Webb* et *Berth.*

Senebiera

Coronopus, *Poir.*

Senecio

auriculatissimus, *Britton*
coronopifolius, *Desf.*
cruentus, *DC.*
Decaisnei, *DC.*
echinatus, *DC.*
elegans, *DC.*
eurycephalus, *Torr.* et *Gray*
grandifolius, *Less.*
Heritieri, *DC.*
junceus, *Harv.*
macroglossus, *DC.*
maritimus, *Linn. f.*
Moorei ×
Petasitis, *DC.*
populifolius, DC.
scandens, *Buch.-Ham.*
spathulaefolius, *DC.*
subscandens, *Hochst.*
tropaeolifolius, *MacOwan*
Wootoni, *Greene*

Sibiraea

tomentosa, *Diels*

Sibthorpia

africana, *Linn.*
europaea, *Linn.*, var. varie-
nectarifera, *Wedd.* [gata

Sida

acuta, *Burm.*
Hookeriana, *Miq.*
veronicaefolia, *Linn.*

Sideritis

canariensis, *Linn.*
hirsuta, *Linn.*
Massoniana, *Benth.*

Silene

cryptantha, *Diels*
palaestina, *Boiss.*

Sinningia

Carolinae, *Benth.* et *Hook. f.*

Siphocampylus

lanceolatus, *Regel*

Siphonychia

americana, *Torr.* et *Gray*

Sison

Amomum, *Linn.*

Sisyrinchium

micranthum, *Cav.*

Solanum

aculeatissimum, *Jacq.*
auriculatum, *Ait.*
aviculare, *Forst. f.*
Capsicastrum, *Link*, var.
Hendersoni
fastigiatum, *Willd.*
haematocladum, *Dun.*
jasminoides, *Paxt.*
racemosum, *Jacq.*
Seaforthianum, *Andr.*
tuberosum, *Linn.*
— var. boreale
verbascifolium, *Linn.*

Solenomelus

chilensis, *Miers*

Sollya
heterophylla, *Lindl.*

Sorghum
vulgare, *Pers.*

Sparaxis
bulbifera, *Ker-Gawl.*

Spathiphyllum
cannaefolium, *Schott*
cochlearispathum, *Engl.*
floribundum, *N. E. Br.*

Sprekelia
formosissima, *Herb.*

Sprengelia
incarnata, *Sm.*

Stachytarpheta
indica, *Vahl*

Statice
echioides, *Linn.*
filicaulis, *Boiss.*
remotispicula, *Lacaita*

Stevia
pilosa, *Lag.*

Streptocarpus
caulescens, *Vatke*
grandis, *N. E. Br.*
kewensis ×, *Hort.*
Rexii, *Lindl.*
Wendlandii, *Sprenger*

Stromanthe
Lubbersiana, *E. Morr.*

Stylidium
adnatum, *R. Br.*
articulatum, *R. Br.*
graminifolium, *Sw.*

Stylophyllum
Hassei, *Rose*

Suksdorfia
violacea, *A. Gray*

Sutherlandia
frutescens, *R. Br.*

Swainsona
Cadelli, *F. Muell.*
colutoides, *F. Muell.*
coronillaefolia, *Salisb.*, var. rosea
Greyana, *Lindl.*, var. coccinea

Synechanthus
fibrosus, *H. Wendl.*

Synedrella
nodiflora, *Gaertn.*

Tacca
artocarpifolia, *Seem.*
cristata, *Jack*
integrifolia, *Ker-Gawl.*
viridis, *Hemsl.*

Tacsonia
exoniensis ×, *Hort.*
Van-Volxemii, *Hook.*

Tagetes
micrantha, *Cav.*

Talinum
patens, *Willd.*

Templetonia
retusa, *R. Br.*

Tephrosia
cathartica, *Urb.*

Tetragonia
crystallina, *L'Hérit.*
expansa, *Murr.*

Tetranema
mexicanum, *Benth.*

Teucrium
africanum, *Thunb.*
lancifolium, *Boiss.*
Marum, *Linn.*
Polium, *Linn.*

Thoracostachyum
bancanum, *Kurz*

Thysanotus
multiflorus, *R. Br.*

Tibouchina
semidecandra, *Cogn.*

Tigridia
Pavonia, *Ker-Gawl.*, var. alba
— var. conchiflora (*Sweet*)
— var. speciosa rubra

Tillaea
pharnaceoides, *Hochst.*

Tillandsia
amethystina, *Baker*
aurora, *Hort.*
fulgida ×, *Hort.*
hieroglyphica, *Baker*
Regina, *Vell.*
viminalis, *Hemsl.*
virginalis, *E. Morr.*

Tinnea
aethiopica, *Kotschy* et *Peyr.*

Torenia
flava, *Buch.-Ham.*
Fournieri, *Linden*

Trachelium
caeruleum, *Linn.*
rumelianum, *Hampe*

Tradescantia
discolor, *L'Hérit.*

Trichinium
exaltatum, *Benth.*

Tricuspidaria
dependens, *Ruiz* et *Pav.*

Trignoella
maritima, *Delile*

Triolena
hirsuta, *Triana*

Tristania
neriifolia, *R. Br.*

Tropaeolum
pentaphyllum, *Lam.*

Tulbaghia
acutiloba, *Harv.*

Turgeniopsis
foeniculacea, *Boiss.*

Tydaea
Lindeniana, *Regel*

Urceocharis
Clibrani ×, *Masters*

Urena
sinuata, *Linn.*

Urginea
nigritana, *Baker*

Uroskinnera
spectabilis, *Lindl.*

Utricularia
caerulea, *Linn.*
emarginata, *Benj.*
montana, *Jacq.*

Vaillantia
hispida, *Linn.*

Valerianella
dentata, *Pollich*
macrocera, *A. Gray*
truncata, *Betcke*, var. muricata

Vandellia

nummularifolia, *Don.*

Velezia

rigida, *Linn.*

Vellozia

elegans, *Talbot*

Verbena

bipinnatifida, *Schau.*
canescens, *H. B.* et *K.*, var. neomexicana

Verbesina

crocata, *Less.*

Vigna

Catjang, *Walp.*

Villadia

imbricata, *Rose*

Villarsia

parnassiaefolia, *R. Br.*

Viola

hederacea, *Labill.*

Vitis

antarctica, *Benth.*
discolor, *Dalz.*
heterophylla, *Thunb.*, var. humulifolia
vinifera, *Linn.*
— var. corinthiaca, *Rafin.*

Volutarella

bicolor, *Cass.*

Vriesea

Gravisiana ×, *Wittm.*

Wahlenbergia

saxicola, *A. DC.*

Whitfieldia

lateritia, *Hook.*

Xanthium

orientale, *Linn.*

Xanthosia

rotundifolia, *DC.*

Xiphidium

coeruleum, *Aubl.*

Xyris

capensis, *Baker*

Zamia

Lindeni, *Regel*

PLANTS IN THE OPEN AND UNDER GLASS.

GENERA IN NATURAL ORDERS.

ACANTHACEAE.

Acanthus
montanus, *T. Anders.*
Schottii, *Hort.*

Adhatoda
cydoniaefolia, *Nees*

Aphelandra
aurantiaca, *Lindl.*, var. Roezlii
velutina, *Hort.*

Asystasia
bella, *Harv.*

Barleria
cristata, *Linn.*
ventricosa, *Hochst.*

Crossandra
undulaefolia, *Salisb.*

Daedalacanthus
nervosus, *T. Anders.*

Dianthera
nodosa, *Benth.* et *Hook. f.*

Eranthemum
albiflorum, *Hook.*
leuconeurum, *Hort.*

Justicia
calycotricha, *Link*
debilis, *Lam.*
neglecta, *T. Anders.*

Pseuderanthemum
seticalyx, *Stapf*

ACANTHACEAE—*continued.*

Ruellia
macrantha, *Mart.*
rubicaulis, *Cav.*
tuberosa, *Linn.*

Whitfieldia
lateritia, *Hook.*

ALISMACEAE.

Alisma
Plantago, *Linn.*

Echinodorus
ranunculoides, *Engelm.*

AMARANTHACEAE.

Aerua
scandens, *Wall.*

Alternanthera
paronychioides, *St. Hil.*
sessilis, *R. Br.*

Amaranthus
aragonensis, *Hort.*
gangeticus, *Linn.*
polygonoides, *Linn.*
tenuifolius, *Willd.*

Celosia
argentea, *Linn.*
cristata, *Linn.*, var. pyramidalis

Deeringia
celosioides, *R. Br.*

Gomphrena
decumbens, *Jacq.*

AMARANTHACEAE—*contd.*

Trichinium

exaltatum, *Benth.*
roseum, *Moq.*

AMARYLLIDEAE.

Agave

albicans, *Jacobi*
filifera, *Salm-Dyck*
heteracantha, *Zucc.*

Alstroemeria

aurantiaca, *D. Don*

Beschorneria

californica, *Hort.*

Bomarea

multiflora, *Mirb.*

Clivia

miniata, *Regel*
nobilis, *Lindl.*

Cooperia

Drummondii, *Herb.*

Crinum

Moorei, *Hook. f.*, var. varie-
variabile, *Herb.* [gatum

Haemanthus

hirsutus, *Baker*

Hippeastrum

equestre, *Herb.*
procerum, *Lem.*
reticulatum, *Herb.*

Hymenocallis

glauca, *M. Roem.*

Hypoxis

Krebsii, *Fisch.*
Rooperii, *T. Moore*
villosa, *Linn.*

AMARYLLIDEAE—*continued.*

Leucojum

aestivum, *Linn.*

Narcissus

Bulbocodium, *Linn.*
Jonquilla, *Linn.*
triandrus, *Linn.*, var. cala-
thinus

Nerine

Bowdeni, *W. Watson*
candida, *Hort.*
flexuosa, *Herb.*
pancratioides, *O'Brien*

Pancratium

fragrans, *Salisb.*

Phaedranassa

chloracra, *Herb.*

Sprekelia

formosissima, *Herb.*

Urceocharis

Clibrani ×, *Masters*

Vellozia

elegans, *Talbot*

AMPELIDEAE.

Cissus

adenopodus, *Sprague*

Leea

sambucina, *Willd.*

Vitis

antarctica, *Benth.*
discolor, *Dalz.*
heterophylla, *Thunb.*, var.
humulifolia
vinifera, *Linn.*
— var. corinthiaca, *Rafin.*

ANACARDIACEAE.

Rhus

glabra, *Linn.*

ANONACEAE.

Polyalthia

suberosa, *Benth.* et *Hook. f.*

APOCYNACEAE.

Alyxia

buxifolia, *R. Br.*

Carissa

acuminata, *A. DC.*

Dipladenia

boliviensis, *Hook. f.*

Parsonsia

capsularis, *R. Br.*

ARALIACEAE.

Aralia

cachemirica, *Decne.*

Fatsia

japonica, *Decne.*

ARISTOLOCHIACEAE.

Aristolochia

brasiliensis, *Mart.* et *Zucc.*
elegans, *Mast.*
rotunda, *Linn.*

Asarum

Hartwegii, *S. Wats.*

AROIDEAE.

Aglaonema

commutatum, *Schott*

Amorphophallus

bulbifer, *Blume*

AROIDEAE—*continued.*

Anchomanes

dubius, *Schott*
Hookeri, *Schott*

Anthurium

Andreanum, *Linden*
— var. conchiflorum
— var. roseum
leodiense ×
magnificum, *Linden*

Arisaema

japonicum, *Blume*

Nephthytis

liberica, *N. E. Br.*

Philodendron

digitatum, *Hort.*

Remusatia

vivipara, *Schott*

Richardia

angustiloba, *Schott*

Schismatoglottis

Roebelina, *Hort.*
Treubii, *Hort.*

Spathiphyllum

cannaefolium, *Schott*
cochlearispathum, *Engl.*
floribundum, *N. E. Br.*

ASCLEPIADEAE.

Asclepias

curassavica, *Linn.*
incarnata, *Linn.*
linifolia, *H. B.* et *K.*

Ceropegia

bulbosa, *Roxb.*
Woodii, *Schl.* (bulbil)

ASCLEPIADEAE—*continued.*

Cynanchum

acutum, *Linn.*

Lachnostoma

maritimum, *Nichols.*

Vincetoxicum

fuscatum, *Reichb. f.*
officinale, *Moench*

BEGONIACEAE.

Begonia

angularis, *Raddi*
coccinea, *Hook.*
corallina, *Carr.*, var. lucerna
dichotoma, *Jacq.*
Dregei, *Otto* et *Dietr.*
erfordia, *Hort.*
foliosa, *H. B.* et *K.*
fuchsioides, *Hook.*
geranioides, *Hook. f.*
gracilis, *H. B.* et *K.*
Haageana, *W. Watson*
Harrowiana, *Diels*
hirtella, *Link*
kewensis, *Hort.*
laciniata, *Roxb.*
luxurians, *Scheidw.*
maculata, *Raddi*
manicata, *Cels*, var. variegata
Martiana, *Link* et *Otto*
nelumbiifolia, *Cham.* et *Schlecht.*
prismatocarpa, *Hook.*
pubescens, *Hort.*
sanguinea, *Raddi*
semperflorens, *Link* et *Otto*, var. alba
subcucullata, *C. DC.*
Sutherlandi, *Hook. f.*
ulmifolia, *Willd.*
undulata, *Otto*

BERBERIDEAE.

Berberis

Aquifolium, *Pursh*
aristata, *DC.*
Darwinii, *Hook.*
repens, *Lindl.*
stenophylla, *Hance*
subcaulialata, *C. K. Schneider*
Thunbergii, *DC.*
virescens, *Hook. f.*
vulgaris, *Linn.*
Wallichiana, *DC.*, var. compacta

Diphylleia

cymosa, *Michx.*

Podophyllum

Emodi, *Wall.*

BIGNONIACEAE.

Eccremocarpus

scaber, *Ruiz* et *Pav.*

Incarvillea

Delavayi, *Bur.* et *Franch.*
grandiflora, *Bur.* et *Franch.*, var. brevipes

BORAGINEAE.

Alkanna

lutea, *A. DC.*
orientalis, *Boiss.*

Amsinckia

lycopsioides, *Lehm.*

Anchusa

Barrelieri, *Vitm.*
myosotidiflora, *Lehm.*
officinalis, *Linn.*
sempervirens, *Linn.*

Arnebia

hispidissima, *DC.*

BORAGINEAE—*continued.*

Borago

officinalis, *Linn.*

Cerinthe

alpina, *Kit.*
aspera, *Roth*
auriculata, *Tenore*
major, *Linn.*
minor, *Linn.*

Cryptanthe

decipiens, *Heller*

Cynoglossum

amabile, *Stapf* et *Drumm.*
— var. album
furcatum, *Wall.*
nervosum, *Benth.*
petiolatum, *A. DC.*
Wallichii, *G. Don*

Echium

pustulatum, *Hort.*
violaceum, *Linn.*
vulgare, *Linn.*

Eritrichium

strictum, *Decne.*

Heliotropium

anchusifolium, *Poir.*
peruvianum, *Linn.*

Lindelofia

spectabilis, *Lehm.*

Lithospermum

graminifolium, *Viv.*
intermedium, *Hort. Sünd.*
prostratum, *Loisel.*
purpureo-caeruleum, *Linn.*
Sibthorpianum, *Griseb.*

Lycopsis

orientalis, *Linn.*

BORAGINEAE—*continued.*

Mertensia

elongata, *Benth.*
paniculata, *G. Don*
primuloides, *C. B. Clarke*
— var. chitralensis
sibirica, *G. Don*
— var. alba
tibetica, *C. B. Clarke*

Microula

sikkimensis, *Hemsl.*

Myosotidium

nobile, *Hook.*

Myosotis

alpestris, *F. W. Schmidt*
australis, *R. Br.*
capitata, *Hook. f.*, var. albiflora
corsica, *Hort.*
Forsteri, *Lehm.*
macrantha, *Hook. f.*
palustris, *Lam.*
pygmaea, *Colenso*
stricta, *Link*, var. alba
Traversii, *Hook. f.*
Welwitschii, *Boiss.* et *Reut.*

Omphalodes

amplexicaulis, *Lehm.*
linifolia, *Moench*
Luciliae, *Boiss.*

Onosma

albo-roseum, *Fisch.* et *Mey.*
cassium, *Boiss.*
echioides, *Linn.*

Onosmodium

Thurberi, *A. Gray*

Paracaryum

glochidiatum, *Benth.* et *Hook. f.*

BORAGINEAE—*continued.*

Solenanthus

apenninus, *Hohen.*

Symphytum

asperrimum, *Donn*
officinale, *Linn.*

BROMELIACEAE.

Aechmea

augusta, *Baker*
bromeliaefolia, *Baker*
exsudans, *E. Morr.*
glomerata, *Hook. f.*
Nichollsii, *Baker*
xiphophylla, *Baker*

Billbergia

decora, *Poepp.*
zebrina, *Lindl.*

Karatas

Plumieri, *E. Morr.*
spectabilis, *Antoine*

Pitcairnia

Altensteinii, *Lem.*
Andreana, *Linden*
aphelandraeflora, *Verschaff.*
heterophylla, *Beer*
Lamarckiana, *E. Morr.*
latifolia, *Soland.*
maidifolia, *Decne.*
pruinosa, *H. B* et *K.*
pulverulenta, *Ruiz* et *Pav.*
xanthocalyx, *Mart.*

Quesnelia

Wittmackiana, *Regel*

Tillandsia

amethystina, *Baker*
aurora, *Hort.*
fulgida ×, *Hort.*
hieroglyphica, *Baker*

BROMELIACEAE—*continued.*

Tillandsia—*continued.*

Regina, *Vell.*
viminalis, *Hemsl.*
virginalis, *E. Morr.*

Vriesea

Gravisiana ×, *Wittm.*

CACTEAE.

Cereus

Napoleonis, *R. Grah.*

Mammillaria

missouriensis, *Sweet*

Melocactus

communis, *Link* et *Otto*

Opuntia

arenaria, Engelm.
phaeacantha, *Engelm.*, var. major

Phyllocactus

Thalia ×

CAMPANULACEAE.

Adenophora

Bulleyana, *Diels*
communis, *Fisch.*
cuspidata, *Hort. Sünd.*
denticulata, *Fisch.*
infundibuliformis, *Hort. Sünd.*
latifolia, *Fisch.*
leptosepala, *Diels*
liliifolia, *Bess.*
megalantha, *Diels*
ornata, *Diels*
utriculata, *Hort. Sünd.*
Watsoni, *Hort. Edin.*

CAMPANULACEAE—*contd.*

Campanula

acutangula, *Ler.* et *Lev.*
alliariaefolia, *Willd.*
Allionii, *Vill.*
barbata, *Linn.*, var. alba
Beauverdiana, *Fomine*
bononiensis, *Linn.*
caespitosa, *Scop.*, var. Vensloi
carnica, *Schiede*
carpatica, *Jacq.*
— var. albescens
— var. pelviformis
— var. turbinata
— — alba
— — compacta
— — grandiflora
— — pallida
colorata, *Wall.*
crenulata, *Franch.*
crispa, *Lam.*
cristallocalyx, *Adam.*
elatinoides, *Moretti*
elegans, *Roem.* et *Schult.*
Erinus, *Linn.*
fragilis, *Cyrill.*
garganica, *Tenore*
glomerata, *Linn.*, var. acaulis
— var. pallida
Grossekii, *Heuffl.*
Herminii, *Hoffmgg.* et *Link*
isophylla, *Moretti*
lactiflora *Bieb.*, var. violacea
lanata, *Frivald.*
latifolia, *Linn.*
— var. caerulea
— var. macrantha
— — alba
— — lilacina
Leutweinii, *Heldr.*
lingulata, *Waldst.* et *Kit.*
linifolia, *Scop.*
— var. hirta
longestyla, *Fomine*
macrorrhiza, *J. Gay*
Marchesettii, *Wit.*
michauxioides, *Boiss.*
mirabilis, *Alboff*

CAMPANULACEAE—*contd.*

Campanula—*continued.*

montana, *Delarb.*
persicifolia, *Linn.*
— var. alba
— var. grandiflora
petraea, *Linn.*
pilosa, *Pall.*
pseudocarnica, *Hort.*
pulcherrima, *Hort.*
pulloides, *Hort. Kew.*
punctata, *Lam.*
pusilla, *Haenke*
— var. alba
— var. pallida
pyramidalis, *Linn.*
— var. alba
pyrenaica, *A. DC.*
Raddeana, *Trautv.*
Rainerii, *Perpent.*
rapunculoides, *Linn.*
Reuteriana, *Boiss.* et *Bal.*
rhomboidalis, *Linn.*
rhomboidea, *Murr.*
rotundifolia, *Linn.*
— var. alaskana, *Hort.*
— var. alba
— var. grandiflora
— var. lancifolia (Schur.)
— var. magnifica
salicifolia, *Hort.*
sarmatica, *Ker-Gawl.*
Scheuchzeri, *Vill.*
— var. alba
sibirica, *Linn.*, var. eximia
— var. Hohenackeri
speciosa, *Pourr.*
thyrsoides, *Linn.*
— var. carnea
Trachelium, *Linn.*
— var. aggregata
Vidalii, *H. C. Wats.*
Waldsteiniana, *Roem.* et *Schult.*

Campanumoea

javanica, *Blume*

CAMPANULACEAE—*contd.*

Codonopsis

Bulleyana, *Diels* et *G. Forrest*
meleagris, *Diels*
ovata, *Benth.*
rotundifolia, *Royle*
silvestris, *Kom.*

Cynananthus

incanus, *Hook. f.* et *Thoms.*, var. leiocalyx, *Franch.*
lobatus, *Wall.*
longiflorus, *Franch.*
macrocalyx, *Franch.*

Edraianthus

graminifolius, *DC.*
Pumilio, *DC.*

Jasione

humilis, *Loisel.*
perennis, *Lam.*

Lobelia

anceps, *Linn. f.*
debilis, *Linn.*
erecta, *Hook. f.* et *Thoms.*
Erinus, *Linn.*, var. compacta caerulea
linnaeoides, *Petrie*
taliensis, *Diels*
tenuior, *R. Br.*
triquetra, *Linn.*

Microcodon

glomeratum, *A. DC.*

Musschia

Wollastoni, *Lowe*

Phyteuma

anthericoides, *Nym.*
campanuloides, *Bieb.*
canescens, *Waldst.* et *Kit.*
comosum, *Linn.*
limonifolium, *Sibth.* et *Sm.*

CAMPANULACEAE—*contd.*

Phyteuma—*continued.*

Michelii, *All.*
nigrum, *F. W. Schmidt*
orbiculare, *Linn.*
Scheuchzeri, *All.*
— var. Charmelii, *Vill.*
Sibthorpianum, *Roem.* et *Schult.*
Sieberi, *Spreng.*
spicatum, *Linn.*

Platycodon

grandiflorum, *A. DC.*, var. Mariesii

Pratia

angulata, *Hook. f.*
begonifolia, *Lindb.*
repens, *Gaudich.*

Prismatocarpus

strictus, *A. DC.*

Siphocampylus

lanceolatus, *Regel*

Specularia

perfoliata, *A. DC.*
Speculum, *A. DC.*
— var. alba

Symphyandra

armena, *A. DC.*
Hofmanni, *Pant.*
ossetica, *A. DC.*
pendula, *A. DC.*
Wanneri, *Heuff.*

Trachelium

caeruleum, *Linn.*
rumelianum, *Hampe*

Wahlenbergia

lobelioides, *DC.*
nutabunda, *A. DC.*
Pumilio, *A. DC.*
saxicola, *A. DC.*

CAMPANULACEAE—*contd.*

Wahlenbergia—*continued.*

serpyllifolia, *G. Beck*
— var. dinarica
vincaeflora, *Decne.*, var. alba

CAPPARIDEAE.

Capparis

flexuosa, *Blume*

Cleome

aurea, *Hort.*

Euadenia

eminens, *Hook. f.*

CAPRIFOLIACEAE.

Diervilla

florida, *Sieb.* et *Zucc.*
rivularis, *Gattinger*
sessilifolia, *Buckl.*

Leycesteria

formosa, *Wall.*

Lonicera

alpigena, *Linn.*
bella, *Zabel*
— var. rosea
Henryi, *Hemsl.*
hirsuta, *Eaton*
involucrata, *Banks*
macrophylla, *Willd.*
Morrowii, *A. Gray*
orientalis, *Lam.*
Periclymenum, *Linn.*
pyrenaica, *Linn.*
quinquelocularis, *Hardw.*
rupicola, *Hook. f.* et *Thoms.*
salicifolia, *Zabel*
sempervirens, *Linn.*, var. [minor
Stabiana, *Guss.*
Sullivantii, *A. Gray*

CAPRIFOLIACEAE—*continued.*

Lonicera—*continued.*

tatarica, *Linn.*, var. gracilis
— var. rosea floribunda
tomentella, *Hook. f.* et *Thoms.*
translucens, *Carr.*

Sambucus

canadensis, *Linn.*
— var. aurea
nigra, *Linn.*
— var. variegata
— var. virescens
racemosa, *Linn.*
Thunbergiana, *Blume*

Symphoricarpus

occidentalis, *Hook.*
orbiculatus, *Moench*
racemosus, *Michx.*

Viburnum

burejaeticum, *Regel* et *Herd.*
Lantana, *Linn.*
— var. lanceolatum
Lentago, *Linn.*
Opulus, *Linn.*

CARYOPHYLLEAE.

Arenaria

balearica, *Linn.*
bavarica, *Linn.*
Bertolonii, *Fiori* et *Paol.*
biflora, *Linn.*
Cephalotes, *Bieb.*
cerastiifolia, *Ramond*
ciliata, *Linn.*, var. norvegica
confusa, *Rydb.*
decussata, *Willd.*
fasciculata, *Gouan*
gothica, *Fries*
graminifolia, *Schrad.*
graveolens, *Schreb.*
juniperina, *Linn.*
Kingii, *M. E. Jones*
lanuginosa, *Rohrb.*
laricifolia, *Linn.*
Ledebouriana, *Fenzl*

CARYOPHYLLEAE—*continued.*

Arenaria—*continued.*

Meyeri, *Edgew.* et *Hook.*
montana, *Linn.*, var. grandiflora
muscosa, *Med.*
orbicularis, *Vis.*
peploides, *Linn.*
picta, *Sibth.* et *Sm.*
pinifolia, *Bieb.*
— var. robusta
purpurascens, *Ramond*
recurva, *All.*
saxosa, *A. Gray*
serpens, *H. B.* et *K.*
serpyllifolia, *Linn.*
setacea, *Thuill.*
tremula, *Boiss.*
verna, *Linn.*
Villarsii, *Balb.*, var. villosula

Cerastium

alpinum, *Linn.*
arvense, *Linn.*
dichotomum, *Linn.*
Edmondstoni, *Murb.* et *Ostenf.*
grandiflorum, *Waldst.* et *Kit.*
illyricum, *Ard.*
ovatum, *Hoppe*
perfoliatum, *Linn.*
purpurascens, *Adams*
tomentosum, *Linn.*

Cucubalus

baccifer, *Linn.*

Dianthus

alpinus, *Linn.*
anatolicus, *Boiss.*
arboreus, *Linn.*
arenarius, *Linn.*
atrococcineus, *Hort.*
atrorubens, *All.*
attenuatus, *Sm.*
caesius, *Sm.*
campestris, *Bieb.*
Carthusianorum, *Linn.*

CARYOPHYLLEAE—*continued.*

Dianthus—*continued.*

chinensis, *Linn.*
ciliatus, *Guss.*
cinnabarinus, *Sprun.*
crinitus, *Sm.*
croaticus, *Borbas*
delicatus, *Hort.*
deltoides, *Linn.*
fimbriatus, *Bieb.*
fragrans, *Bieb.*
Freynii, *Vandas*
furcatus, *Balb.*
gallicus, *Pers.*
glaucus, *Hort.*
grandiflorus, *Poir.*
graniticus, *Jord.*
inodorus, *Hort. Corr.*, var. suavis
liburnicus, *Bartl.* et *Wendl.*
longicaulis, *Tenore*
microlepis, *Boiss.*
monspessulanus, *Linn.*, var. alpestris
montanus, *Hort.*
neglectus, *Loisel.*
Noeanus, *Boiss.*
orbelicus, *Hort.*
pallens, *Sibth.* et *Sm.*
petraeus, *Waldst.* et *Kit.*
— var. spiculifolius
plumarius, *Linn.*
polycladus, *Boiss.*
puberulus, *F. N. Williams*
pulchellus, *Hort.*
pungens, *Linn.*
scardicus, *Wettst.*
squarrosus, *Bieb.*
Sternbergii, *Sibth.*
strictus, *Sibth.* et *Sm.*
— var. grandiflorus
superbus, *Linn.*
— var. chinensis
sylvestris, *Wulf.*
tenuiflorus, *Griseb.*
tymphresteus, *Heldr.* et *Sart.*
Vandasii, *Velen.*
velebiticus, *Borb.*
Velenowskyi, *Borb.*
zonatus, *Fenzl*

CARYOPHYLLEAE—*continued.*

Drymaria

tenella, *A. Gray*

Drypis

spinosa, *Linn.*

Gypsophila

cerastoides, *D. Don*
elegans, *Bieb.*
— var. rosea
paniculata, *Linn.*

Lychnis

affinis, *J. Vahl*
alba, *Mill.*
alpina, *Linn.*
— var. lapponica
chalcedonica, *Linn.*
Coeli-rosa, *Desr.*
coronaria, *Desr.*
— var. alba
corsica, *Loisel.*
dioica, *Linn.*
divaricata, *Reichb.*
Flos-cuculi, *Linn.*
— var. alba
Flos-Jovis, *Desr.*
Haageana, *Lemaire*
nigrescens, *Edgew.*, var. nivalis, *Kit.*
Preslii, *Sekera*
pyrenaica, *Berger*
Sartori, *Hort. Leichtl.*
triflora, *R. Br.*
Viscaria, *Linn.*
— var. alba
— var. splendens

Moehringia

papulosa, *Bertol.*

Polycarpaea

divaricata, *Balf. f.*

Sagina

glabra, *Fenzl*, var. pilifera
Linnaei, *Presl*

CARYOPHYLLEAE—*continued.*

Sagina—*continued.*

Linnaei, var. maxima
nodosa, *Fenzl*
occidentalis, *S. Wats.*
procumbens, *Linn.*
subulata, *Presl*

Saponaria

caespitosa, *DC.*
ocymoides, *Linn.*
pulvinaris, *Boiss.*
Wiemanni ×, *Fritsch*

Silene

acaulis, *Linn.*
adenantha, *Franch.*
alpestris, *Jacq.*
altaica, *Pers.*
antirrhina, *Linn.*
aprica, *Turcz.*
Armeria, *Linn.*
— var. alba
asclepiadea, *Franch.*
Asterias, *Griseb.*, var. grandiflora
cassia, *Boiss.*
caucasica, *Boiss.*
chloraefolia, *Sm.*
colorata, *Poir.*
conica, *Linn.*
conoidea, *Linn.*
cordifolia, *All.*
crassicaulis, *Willk.*
crassipes, *Fenzl*
cryptantha, *Diels*
Cucubalus, *Wibel*
cythnia, *Heldr.*
Delavayi, *Franch.*
dinarica, *Spreng.*
Fabaria, *Sibth.* et *Sm.*
fruticosa, *Linn.*
fruticulosa, *Sieber*
fuscata, *Link*
gigantea, *Linn.*
italica, *Pers.*
Keiskii, *Miq.*
linicola, *C. C. Gmel.*

CARYOPHYLLEAE—*continued.*

Silene—*continued.*

longiflora, *Ehrh.*
majellensis, *Hort. Sünd.*
maritima, *With.*
mollissima, *Sibth.* et *Sm.*
Moorcroftiana, *Wall.*
multicaulis, *Guss.*
Muscipula, *Linn.*
nutans, *Linn.*
Otites, *Sm.*
palaestina, *Boiss.*
pendula, *Linn.*
pharnaceifolia, *Fenzl*
picta, *Pers.*
portensis, *Linn.*
quadridentata, *Pers.*
— var. pusilla
quadrifida, *Linn.*
Reichenbachii, *Vis.*
Requienii, *Otth*
rhynchocarpa, *Boiss.*
rosiflora, *F. K. Ward*
rubella, *Linn.*
rubicunda, *Franch.*
saxatilis, *Sims*
Saxifraga, *Linn.*
Schafta, *Gmel.*
setacea, *Viv.*
tenuis, *Willd.*
— var. erubescens
Thorei, *Duf.*
turgida, *Bieb.*
velutina, *Pourr.*
Zawadzkii, *Herbich*

Spergula

arvensis, *Linn.*
vernalis, *Willd.*
— var. normalis

Spergularia

diandra, *Boiss.*
Heldreichii, *Fouc.*
longipes, *Rouy*
media, *Presl*

CARYOPHYLLEAE—*continued.*

Stellaria

Holostea, *Linn.*
hybrida, *Beg.*
media, *Cyrill.*, var. Cupaniana
— var. dolichopoda
— var. gymnocalyx
— var. trichocalyx

Tunica

olympica, *Boiss.*
prolifera, *Scop.*
Saxifraga, *Scop.*
velutina, *Fisch.* et *Mey.*

Velezia

rigida, *Linn.*

CELASTRINEAE.

Elaeodendron

australe, *Vent.*

Euonymus

europaeus, *Linn.*
fimbriatus, *Wall.*
pendulus, *Wall.*

CHENOPODIACEAE.

Atriplex

californica, *Moq.*
patula, *Linn.*
semibaccata, *R. Br.*
spongiosa, *F. Muell.*

Beta

Bourgaei, *Coss.*
trigyna, *Waldst.* et *Kit.*

Chenopodium

album, *Linn.*
Bonus-Henricus, *Linn.*
Botrys, *Linn.*
cornutum, *Benth.* et *Hook. f.*
murale, *Linn.*
polyspermum, *Linn.*
rigidum, *Lingelsheim*

CHENOPODIACEAE—*continued.*

Monolepis
trifida, *Schrad.*

Salsola
Kali, *Linn.*

Spinacia
oleracea, *Linn.*

CHOLORANTHACEAE.

Circaeaster
agrestis, *Maxim.*

CISTINEAE.

Cistus
albidocrispus, *Hort.*
hirsutus, *Lam.*
laurifolius, *Linn.*
platysepalus, *Sweet*
villosus, *Linn.*

Fumana
laevipes, *Spach*

Helianthemum
alpestre, *Dunal*, var. ovalicanum, *Boiss.* [folium
glaucum, *Boiss.*, var. bicolor (*Presl*)
hymettium, *Boiss.* et *Heldr.*
lasianthum, *Pers.*, var. conpilosum, *Benth.* [color
— var. purpureum
polifolium, *DC.*
procumbens, *Dun.*
rubellum, *Presl*
salicifolium, *Mill.*
Tuberaria, *Mill.*
umbellatum, *Mill.*
— var. syriacum (*Boiss.*)
vulgare, *Gaertn.*
— var. roseum
— var. variegatum

COMBRETACEAE.

Combretum
grandiflorum, *G. Don*

COMMELINACEAE.

Cochliostema
Jacobianum, *C. Koch* et *Linden*

Commelina
coelestis, *Willd.*
erecta, *Linn.*
pallida, *Willd.*
sikkimensis, *C. B. Clarke*

Cyanotis
somaliensis, *C. B. Clarke*

Palisota
Barteri, *Hook. f.*
Maclaudi, *Cornu*
Pynaertii, *Wildem.*

Tinantia
fugax, *Scheidw.*

Tradescantia
discolor, *L'Hérit.*
virginiana, *Linn.*
— var. alba
— var. atropurpurea
— var. elata

COMPOSITAE.

Acanthospermum
hispidum, *DC.*

Achillea
Ageratum, *Linn.*
alpina, *Linn.*
banatica, *Hort.*
compacta, *Willd.*
Fraasii, *Sch. Bip.*
lanulosa, *Nutt.*
lingulata, *Waldst.* et *Kit.*
— var. buglossis

COMPOSITAE—*continued.*

Achillea—*continued.*

macedonica, *Rouy*
macrophylla, *Linn.*
Millefolium, *Linn.*, var. rosea
nobilis, *Linn.*
Ptarmica, *Linn.*
setacea, *Waldst.* et *Kit.*
taygetea, *Boiss.* et *Heldr.*
transsylvanica, *Hórt.*

Actinella

floribunda, *Hort. Edin.*

Adenostlyes

albida, *Cass.*
alpina, *Kern.*
viridis, *Cass.*

Agathaea

coelestis, *Cass.*
— var. monstrosa

Ainsliaea

acerifolia, *Sch. Bip.*

Amellus

Lychnitis, *Linn.*

Ammobium

alatum, *R. Br.*

Anaphalis

margaritacea, *Benth.* et *Hook. f.*
triplinervis, *Sims*
yedoensis, *Maxim.*

Andryala

Agardhii, Haensel.
integrifolia, *Linn.*

Angianthus

humifusus, *Benth.*

COMPOSITAE—*continued.*

Antennaria

decipiens, *Greene*
dioica, *Gaertn.*
— var. alpina rosea
— var. parvifolia
— var. tomentosa
magellanica, *Sch. Bip.*
rosea, *Greene*, var. imbricata

Anthemis

altissima, *Linn.*
Biebersteiniana, *Koch*
canescens, *Brot.*
carpathica, *Willd.*
cinerea, *Panč.*
palestina, *Reut.*
tinctoria, *Linn.*

Aplopappus

croceus, *A. Gray*
scaposus, *Remy*

Arctium

minus, *Bernh.*

Arctotis

acaulis, *Linn.*
aspera, *Linn.*
stoechadifolia, *Berg.*

Arnica

amplexicaulis, *Nutt.*
Chamissonis, *Less.*
montana, *Linn.*

Artemisia

argentea, *L'Hérit.*
chamaemelifolia, *Vill.*
spicata, *Wulf.*
vulgaris, *Linn.*

Aster

acris, *Linn.*
alpinus, *Linn.*
— var. albus

COMPOSITAE—*continued.*

Aster—*continued.*

alpinus, var. baldensis
— var. Garibaldii (*Bruegg.*)
— var. speciosus
Amellus, *Linn.*, var. amelloides (*Hoffm.*)
amethystinus, *Nutt.*
azureus, *Lindl.*
batangensis, *Bur.* et *Franch.*
brachytrichus, *Franch.*
caucasicus, *Willd.*
conspicuus, *Lindl.*
corymbosus, *Ait.*
Curtisii, *Torr.* et *Gray*
dahuricus, *Benth.*
Delavayi, *Franch.*
diplostephioides, *Benth.* et *Hook. f.*
floribundus, *Nutt.*
foliaceus, *Lindl.*
Harrowianus, *Diels*
himalaicus, *C. B. Clarke*
junceus, *Ait.*
laevis, *Linn.*
— var. Fortunei
Lindleyanus, *Torr.* et *Gray*
longifolius, *Lam.*
macrophyllus, *Linn.*
Novae-Angliae, *Linn.*
— var. ruber
oreophilus, *Franch.*
paniculatus, *Lam.*
patens, *Ait.*
Pattersoni, *A. Gray*
patulus, *Lam.*
peregrinus, *Pursh*
puniceus, *Linn.*
pyrenaeus, *DC.*
Radula, *Ait.*
sagittifolius, *Wedem.*
scaber, *Thunb.*
sibiricus, *Linn.*
sikkimensis, *Hook. f.* et *Thoms.*
staticifolius, *Franch.*
subcaeruleus, *S. Moore*
tataricus, *Linn. f.*
trinervius, *Roxb.*
turbinellus, *Lindl.*

COMPOSITAE—*continued.*

Aster—*continued.*

umbellatus, *Mill.*
versicolor, *Willd.*
vestitus, *Franch.*
Willkommii, *Sch. Bip.*
yunnanensis, *Franch.*

Baccharis

patagonica, *Hook.* et *Arn.*

Baeria

coronaria, *A. Gray*

Barnadesia

rosea, *Lindl.*

Bellis

caerulescens, *Coss.* et *Bal.*
perennis, *Linn.*, var. alpina
rotundifolia, *Boiss.* et *Reut.*

Bellium

minutum, *Linn.*

Berardia

subacaulis, *Vill.*

Berkheya

Radula, *De Wild.*

Bidens

dahlioides, *S. Wats.*
grandiflora, *Balb.*
humilis, *H. B.* et *K.*

Boltonia

incisa, *Benth.*

Borrichia

frutescens, *DC.*

Brachycome

Thomsonii, *T. Kirk*

COMPOSITAE—*continued.*

Buphthalmum

salicifolium, *Linn.*
speciosum, *Schreb.*

Calendula

aegyptiaca, var. *Desf.*
suberostris
arvensis, *Linn.*

Carbenia

benedicta, *Adans.*

Carduus

cernuus, *Steud.*
Hookerianus, *A. A. Heller*
medius, *Gouan*
nutans, *Linn.*
— var. macrocephalus
pycnocephalus, *Linn.*
simplicifolius, *Sang.*

Cassinia

fulvida, *Hook. f.*
leptophylla, *R. Br.*

Catananche

bicolor, *Hort.*
caerulea, *Linn.*
lutea, *Linn.*

Celmisia

coriacea, *Raoul*
hieracifolia, *Hook. f.*
holosericea, *Hook. f.*
Lindsayi, *Hook. f.*
longifolia, *Cass.*
Lyallii, *Hook. f.*, var. pseudo-Lyallii
Munroi, *Hook. f.*
verbascifolia, *Hook. f.*
viscosa, *Hook. f.*

Cenia

turbinata, *Pers.*

COMPOSITAE—*continued.*

Centaurea

acanthodes, *Spreng.*
alpina, *Linn.*
atropurpurea, *Waldst.* et *Kit.*
babylonica, *Linn.*
centauroides, *Linn.*
cynaroides, *Link*
dealbata, *Willd.*
glastifolia, *Linn.*
incana, *Desf.*
Jacea, *Linn.*
Janerii, *Graells*
macrocephala, *Puschk.*
montana, *Linn.*
— var. alba
— var. ochroleuca
Moschata, *Linn.*
nervosa, *Willd.*
nigra, *Linn.*
nigrescens, *Willd.*
orientalis, *Linn.*
phrygia, *Linn.*
romana, *Linn*
ruthenica, *Lam.*
rutifolia, *Sibth.* et *Sm.*
Scabiosa, *Linn.*
solstitialis, *Linn.*
sordida, *Willd.*
stereophylla, *Bess.*
Tenoreana, *Willk.*
Urvillei, *DC.*
— var. acaulis
variegata, *Lam.*

Centipeda

orbicularis, *Lour.*

Cephalipterum

Drummondii, *A. Gray*

Cephalophora

aromatica, *Schrad.*

Chamaemelum

rimarum, *Siehe*

Chaptalia

alsophila, *Greene*

COMPOSITAE—*continued.*

Charieis
heterophylla, *Cass.*

Chondrilla
juncea, *Linn.*

Chrysanthemum
caucasicum, *Pers.*
maximum, *Ramond*
— var. tripteris
Myconis, *Linn.*
Parthenium, *Bernh.*
tomentosum, *Loisel.*
Zawadskii, *Herbich*

Chrysopsis
camporum, *Greene*
villosa, *DC.*, var. Rutteri

Cichorium
Intybus, *Linn.*
— var. album

Cineraria
alpestris, *Hort.*

Cnicus
acaulis, *Willd.*
Bertolonii, *Bertol.*
canus, *Roth*
Carolorum, *Hook. f.*
chinensis, *Benth.*
eriophoroides, *Hook. f.*
eriophorus, *Roth*
Erisithales, *Linn.*
heterophyllus, *Roth*
Morisianum, *Hort. Edin.*
tartaricus, *Willd.*
undulatus, *A. Gray*

Coreopsis
Drummondii, *Torr.* et *Gray*
tinctoria, *Nutt.*

Corethrogyne
rigida, *A. A. Heller*

COMPOSITAE—*continued.*

Corymbium
nervosum, *Thunb.*

Cosmos
bipinnatus, *Cav.*

Cotula
anthemoides, *Linn.*

Craspedia
uniflora, *Forst. f.*

Crepis
aculeata, *Boiss.*
aurea, *Reichb.*
blattarioides, *Vill.*
Dioscoridis, *Linn.*
glomerata, *Benth.* et *Hook. f.*
grandiflora, *Tausch*
incana, *Sibth.* et *Sm.*
Jacquini, *Tausch*
paludosa, *Moench*
pygmaea, *Linn.*
setosa, *Hall. f.*
sibirica, *Linn.*
Suffreniana, *Steud.*

Crupina
Crupinastrum, *Vis.*

Cryptostemma
calendulaceum, *R. Br.*

Dahlia
Merckii, *Lehm.*
variabilis, *Desf.*
zimapani, *Roezl*

Dimorphotheca
pluvialis, *Moench*

Doronicum
caucasicum, *Bieb.*
macrophyllum, *Fisch.*

Echinops
sphaerocephalus, *Linn.*

COMPOSITAE—*continued.*

Elephantopus

scaber, *Linn.*

Erigeron

acris, *Linn.*
alpinus, *Linn.*
aurantiacus, *Regel*
compositus, *Pursh*
Coulteri, *Porter* et *Coulter*
divaricatus, *Michx.*
droebachensis, *O. Muell.*
erythrocephalus, *Hort.*
flagellaris, *A. Gray*
glabellus, *Nutt.*
— var. asper
— var. mollis
glabratus, *Hoppe* et *Hornsch.*
glaucus, *Ker-Gawl.*
grandiflorus, *Hook.*
macranthus, *Nutt.*
montanensis, *Rydb.*
montevidensis, *Baker*
multiradiatus, *Benth.* et *Hook. f.*
— var. platyphyllus
neomexicanus, *A. Gray*
oreganus, *A. Gray*
patentisquama, *J. F. Jeffrey*
Roylei, *DC.*
salsuginosus, *A. Gray*
speciosus, *DC.*, var. superbus, *Linn.*
tegetarius, *Cov.*
tephrodes, *Greene*
thyrsoides, *Hort.*
trifidus, *Hook.*
— var. albescens
uniflorus, *Linn.*

Eriophyllum

caespitosum, *Dougl.*
integrifolium, *Greene*

Erlangea

tomentosa, *S. Moore*

COMPOSITAE—*continued.*

Eupatorium

ageratoides, *Linn.*
cannabinum, *Linn.*
deltoideum, *Jacq.*
glechonophyllum, *Less.*
grandiflorum, *André*
ianthinum, *Hemsl.*
japonicum, *Thunb.*
odoratum, *Linn.*
petiolare, *Moç.* et *Sesse*
prunellaefolium, *H. B.* et *K.*
riparium, *Regel*
Rothrockii, *A. Gray*
Weinmannianum, *Regel* et *Koern.*

Euryops

socotranus, *Balf. f.*

Evax

anatolica, *Boiss.* et *Heldr.*
contracta, *Boiss.*
nevadensis, *Boiss.*

Gaillardia

aristata, *Pursh*
— var. grandiflora
pulchella, *Fouger*

Gerbera

Anandria, *Sch. Bip.*
Delavayi, *Franch.*
Jamesoni, *Bolus*
Kunzeana, *A. Br.* et *Aschers.*
nivea, *Sch. Bip.*
ruficoma, *Franch.*

Gnaphalium

hypoleucum, *DC.*
lagopodioides, *Rydb.*
luteo-album, *Linn.*
palustre, *Nutt.*
supinum, *Linn.*

Grindelia

squarrosa, *Dunal*

COMPOSITAE—*continued.*

Gymnolomia

multiflora, *Benth.* et *Hook. f.*

Helenium

autumnale, *Linn.*, var. Halleri
Hoopesii, *A. Gray*

Helianthus

annuus, *Linn.*
pumilus, *Nutt.*

Helichrysum

angustifolium, *DC.*
bellidioides, *Willd.*
callichrysum, *DC.*
crassifolium, *D. Don*
graveolens, *Sweet*
humile, *Less.*
— var. purpureum
lanatum, *DC.*
Lawrencella, *F. Muell.*
plicatum, *DC.*
rutidolepis, *DC.*
semipapposum, *DC.*
subulifolium, *F. Muell.*

Heliopsis

laevis, *Pers.*
padula, *Wender.*
scabra, *Dun.*
— var. Pitcheriana

Helipterum

corymbiflorum, *Schlecht.*
Manglesii, *F. Muell.*
— var. roseum
roseum, *Benth.*
splendidum, *Hemsl.*

Hemizonia

Lobbii, *Greene*

Heteropappus

hispidus, *Less.*

COMPOSITAE—*continued.*

Heterospermum

pinnatum, *Cav.*

Hieracium

alpinum, *Linn.*
andryaloides, *Vill.*
Auricula, *Linn.*
bombycinum, *Boiss.* et *Reut.*
Bornmülleri, *Freyn*
brevifolium, *Hort.*
bupleuroides, *C. C. Gmel.*
crinitum, *Sibth.* et *Sm.*
crocatum, *Fries*
foliosum, *Waldst.* et *Kit.*
glomeratum, *Froel.*
Gouani, *Hegetschw.*
gymnocephalum, *Griseb.*
Heldreichii, *Boiss.*
humile, *Jacq.*
incanum, *Bieb.*
incisum, *Hoppe*
intybaceum, *Jacq.*
iricum, *Fries*
Jankae, *Uechtr.*
lanatum, *Waldst.* et *Kit.*
latifolium, *Froel.*
Lemmoni, *A. Gray*
Marshallii, *Linton*
Neo-Cerinthe, *Fries*
pallidum, *Biv.*
pannosum, *Boiss.*
Pilosella, *Linn.*
— var. aurantiacum
— var. monstrosum
praealtum, *Gochn.*
prenanthoides, *Vill.*
pulmonarioides, *Vill.*
pyrenaicum, *Jord.*
rubescens, *Gilib.*
rupestre, *All.*
sabaudum, *Linn.*
stoloniflorum, *Waldst.* et *Kit.*
strictum, *Fries*
tridentatum, *Fries*
villosum, *Jacq.*
vulgatum, *Fries*

COMPOSITAE—*continued.*

Homogyne

alpina, *Cass.*
sylvestris, *Cass.*

Humea

elegans, *Sm.*

Hymenatherum

acerosum, *A. Gray*

Hypochoeris

glabra, *Linn.*
radicata, *Linn.*
taraxacoides, *Benth.* et *Hook. f.*

Inula

britannica, *Linn.*
ensifolia, *Linn.*
glandulosa, *Puschk.*
grandiflora, *Willd.*
Helenium, *Linn.*
macrophylla, *Sch. Bip.*
Royleana, *DC.*
salicifolia, *Gueldenst.*
squarrosa, *Linn.*

Iva

ambrosiaefolia, *A. Gray*

Jurinea

depressa, *C. A. Mey.*
glycacantha, *DC.*

Lactuca

Bourgaei, *Hort.*
bracteata, *Hook. f.* et *Thoms.*
Dubyaea, *C. B. Clarke*
Forrestii, *W. W. Sm.*
graciliflora, *DC.*
grandiflora, *Franch.*
macrophylla, *A. Gray*
perennis, *Linn.*
Plumieri, *Gren.* et *Godr.*
Scariola, *Linn.*
thianschanica, *Hort. Edin.*

COMPOSITAE—*continued.*

Lagenophora

Barkeri, *T. Kirk*
petiolata, *Hook, f.*
pinnatifida, *Hook. f.*

Lapsana

intermedia, *Bieb.*

Layia

platyglossa, *A. Gray*

Leontodon

hastilis, *Linn.*
hispidus, *Linn.*

Leontopodium

alpinum, *Cass.*
— var. himalaicum
— var. transsylvanicum
japonicum, *Miq.*
lindavicum, *Hort.*
sibiricum, *Cass.*

Leptosyne

maritima, *A. Gray*
Stillmannii, *A. Gray*

Leuzea

conifera, *DC.*

Liatris

callilepis, *Hort.*
spicata, *Willd.*

Madia

dissitiflora, *Torr.* et *Gray*
elegans, *D. Don*
sativa, *Molina*, var. racemosa, *A. Gray*

Matricaria

grandiflora, *Fenzl*
inodora, *Linn.*, var. plenissima
oreades, *Boiss.*

Microglossa

albescens, *C. B. Clarke*

COMPOSITAE—*continued.*

Microseris

californica, *Greene*
melanocarpha, *Greene*

Mulgedium

Bourgaei, *Boiss.*

Mutisia

decurrens, *Cav.*
ilicifolia, *Cav.*

Myriactis

Wallichii, *Less.*

Odontospermum

aquaticum, *Sch. Bip.*

Olearia

Haastii, *Hook. f.*
ilicifolia, *Hook. f.*
macrodonta, *Baker*
myrsinoides, *F. Muell.*
nummularifolia, *Hook. f.*
stellulata, *DC.*

Onopordon

Acanthium, *Linn.*
bracteatum, *Boiss.* et *Heldr.*
corymbosum, *Boiss.*

Osteospermum

moniliferum, *Linn.*

Othonna

carnosa, *Less.*

Parthenium

argentatum, *A. Gray*
Hysterophorus, *Linn.*

Perezia

multiflora, *Less.*

Phaenocoma

prolifera, *D. Don*, var. Barnesii

COMPOSITAE—*continued.*

Phagnalon

rupestre, *DC.*

Picradenia

floribunda, *Greene*

Picridium

tingitanum, *Desf.*

Picris

hieracioides, *Linn.*

Piqueria

trinervia, *Cav.*

Pluchea

Bulleyana, *J. F. Jeffrey*

Prenanthes

purpurea, *Linn.*

Psilostrophe

tagetina, *Greene*

Pterotheca

bifida, *Fisch.* et *Mey.*

Pulicaria

arabica, *Cass.*
vulgaris, *Gaertn.*

Raoulia

australis, *Hook. f.*

Rhagadiolus

Hedypnois, *All.*

Rudbeckia

triloba, *Linn.*

Saussurea

alpina, *DC.*
candicans, *C. B. Clarke*
depressa, *Hort. Sünd.*
discolor, *DC.*
Kunthiana, *C. B. Clarke*
salicifolia, *DC.*
vestita, *Franch.*

COMPOSITAE—*continued*

Schoenia

Cassiniana, *Steetz*

Scorzonera

ensifolia, *Bieb.*
hispanica, *Linn.*
humilis, *Linn.*
Jacquiniana, *Boiss.*
purpurea, *Linn.*

Senecio

abrotanifolius, *Linn.*
— var. grandiflorus
— var. tyrolensis
acuminatus, *Wall.*
adonidifolius, *Loisel.*
aurantiacus, *Reichb.*
auriculatissimus, *Britton*
bellidioides, *Hook. f.*
campestris, *DC.*
carniolicus, *Willd.*
chrysanthemoides, *DC.*
clivorum, *Maxim.*
compactus, *T. Kirk*
cordatus, *Nutt.*
coronopifolius, *Desf.*
Correvonianus, *Hort.*
cruentus, *DC.*,
Decaisnei, *DC.*
Doria, *Linn.*
doriaeformis, *DC.*
Doronicum, *Linn.*
echinatus, *DC.*
elaeagnifolius, *Hook. f.*, var. Buchanani
elegans, *Linn.*
eurycephalus, *Torr.* et *Gray*
grandifolius, *Less.*
Greyii, *Hook. f.*
Heritieri, *DC.*
Hodgsoni, *Benth.* et *Hook. f.*
japonicus, *Sch. Bip.*
junceus, *Harv.*
lagopus, *Raoul*
lanatus, *Scop.*
laxifolius, *J. Buch.*

COMPOSITAE—*continued.*

Senecio—*continued.*

Ledebourii, *Sch. Bip.*
Ligularia, *Hook. f.*
macroglossus, *DC.*
macrophyllus, *Bieb.*
maritimus, *Linn. f.*
Moorei ×
mosoynensis, *Franch.*
Munroi, *Hook. f.*
nebrodensis, *Linn.*
nemorensis, *Linn.*
Petasitis, *DC.*
populifolius, *DC.*
pulcher, *Hook.* et *Arn.*
retusus, *Wall.*
sagittatus, *Sch. Bip.*
scandens, *Buch.-Ham.*
sibiricus, *Linn. f.*
Smithii, *DC.*
spathulaefolius, *DC.*
speciosus, *Willd.*
stenocephalus, *Maxim.*, var. comosus
squalidus, *Linn.*
subalpinus, *Koch*
subscandens, *Hochst.*
tropaeolifolius, *MacOwan*
vellereus, *Franch.*
vernalis, *Waldst.* et *Kit.*
vulgaris × squalidus

Serratula

coronata, *Linn.*
macrocephala, *Bertol.*

Silphium

perfoliatum, *Linn.*

Silybum

Marianum, *Gaertn.*

Solidago

Buckleyi, *Torr.* et *Gray*
canadensis, *Linn.*
multiradiata, *Ait.*
odora, *Ait.*
rigidiuscula, *Porter*
sempervirens, *Linn.*
Virgaurea, *Linn.*

COMPOSITAE—*continued.*

Sonchus

palustris, *Linn.*

Stevia

pilosa, *Lag.*

Synedrella

nodiflora, *Gaertn.*

Tagetes

micrantha, *Cav.*
signata, *Bartl.*, var. pumila
tenuifolia, *Cav.*

Tanacetum

argenteum, *Willd.*
Delavayi, *Franch.*
myriophyllum, *Willd.*

Taraxacum

officinale, *Weber*
— var. alpinum
— var. lividum
palustre, *DC.*

Tragopogon

castellanus, *Levier*

Tridax

bicolor, *A. Gray*
trilobata, *Hemsl.*

Troximon

apargioides, *Less.*
glaucum, *Pursh*

Urospermum

Dalechampii, *Desf.*

Verbesina

crocata, *Less.*
helianthoides, *Michx.*
Purpusii, *Brandegee*

COMPOSITAE—*continued.*

Vittadinia

australis, *A. Rich.*

Volutarella

bicolor, *Cass.*
muricata, *Benth.* et *Hook. f.*

Wyethia

mollis, *A. Gray*

Xanthium

orientale, *Linn.*
spinosum, *Linn.*

CONIFERAE.

Callitris

australis, *Sweet*

Cupressus

Benthami, *Endl.*
Goveniana, *Gord.*
Lawsoniana, *A. Murr.*
— var. argentea

Taxus

baccata, *Linn.*
— var. adpressa
— var. Dovastoni
— var. fastigiata, *Loud.*

CONVOLVULACEAE.

Convolvulus

althaeoides, *Linn.*
crenatifolius, *Ruiz* et *Pav.*
var. argenteus
dissectus, *Cav.*
tricolor, *Linn.*
undulatus, *Cav.*

Dichondra

repens, *Forst.*

Hewittia

bicolor, *Wight* et *Arn.*

CONVOLVULACEAE—*contd.*

Ipomœa

coccinea, *Linn.*
glaucifolia, *Linn.*
purpurea, *Roth*
Quamoclit, *Linn.*
— var. alba

Nolana

paradoxa, *Lindl.*

Porana

racemosa, *Roxb.*

CORIARIEAE.

Coriaria

nepalensis, *Wall.*

CORNACEAE.

Cornus

alba, *Linn.*
— var. foliis tricoloribus
alternifolia, *Linn.*
capitata, *Wall.*
sanguinea, *Linn.*

Garrya

elliptica, *Dougl.*

CRASSULACEAE.

Altamiranoa

Goldmani, *Rose*

Bryophyllum

natum, *Baker*

Cotyledon

adunca, *Baker*
atropurpurea, *Baker*
Barbeyi, *Schw.*
Desmetiana, *Hemsl.*
dichotoma, *Haw.*

CRASSULACEAE—*continued.*

Cotyledon—*continued.*

fulgens, *Baker*
gibbiflora, *Moç.* et *Sesse*, var. metallica
glabra, *Hort. Edin.*
Grusoni, *Hort.*
nodulosa, *Baker*
orbiculata, *Linn.*
pachyphyta, *Baker*
pulverulenta, *Baker*
roseata, *Baker*
Zeyheri, *Harv.*

Crassula

Cooperi, *Regel*
ericoides, *Haw.*
glomerata, *Berg.*
nudicaulis, *Linn.*
quadrifida, *Baker*
sarcocaulis, *Eckl.* et *Zeyh.*
tenuifolia, *Schoenl.*

Echeveria

alpina, *Rose*
angulosa, *Hort.*
australis, *Rose*
gracilis, *Rose*
Hookeri, *Salm-Dyck*
multicaulis, *Rose*
nodulosa, *Otto*
nuda, *Baker*
obtusifolia, *Rose*
ovata ×, *Deleuil*
Pringlei, *Rose*
Scheeri, *Hort.*
setosa, *Rose* et *Purpus*

Kalanchoë

Cassiopeja, *Damm.*
crenata, *Haw.*
flammea, *Stapf*
kewensis ×
Kirkii, *N. E. Br.*
Petitiana, *A. Rich.*
rotundifolia, *Haw.*
spathulata, *DC.*

CRASSULACEAE—*continued.*

Lenophyllum

guttatum, *Rose*

Monanthes

agriostaphys, *Christ*
atlantica, *Ball*
brachycaulon, *Lowe*

Oliveranthus

elegans, *Rose*

Sedum

acre, *Linn.*
Aizoon, *Linn.*
— f. major
album, *Linn.*
altaicum, *G. Don*
Anacampseros, *Linn.*
asiaticum, *Spreng.*
bupleuroides, *Wall.*
Cepaea, *Linn.*
dasyphyllum, *Linn.*
euphorbioides, *Schlecht.*
Ewersii, *Ledeb.*
Fabaria, *Koch*
Greggii, *Hemsl.*
hispanicum, *Linn.*
hybridum, *Linn.*
magellense, *Tenore*
Maximowiczii, *Regel*
maximum, *Suter*
— var. purpureum
mellitutum, *Rose*
oppositifolium, *Sims*
pallidum, *Bieb.*, var. roseum
pilosum, *Bieb.*
populifolium, *Pall.*
potosinum, *Rose*
pruinatum, *Brot.*
— var. Forsterianum
rhodanthum, *A. Gray*
roseum, *Scop.*
— var. Scopoli
rupestre, *Linn.*
— var. collinum
sempervivoides, *Fisch.*

CRASSULACEAE—*continued.*

Sedum—*continued.*

spectabile, *Bor.*
Stephani, *Cham.*
stoloniferum, *S. T. Gmel.*,
var. ibericum
Telephium, *Linn.*
— var. purpureum
yunnanense, *Franch.*, var.
valerianoides, *Hamet*

Sempervivum

alpinum, *Griseb.* et *Schenk*
annuum, *C. Sm.*
arenarium, *Koch*
arvernense, *Lecoq* et *Lamotte*
Ballii, *Hort.*
barbatum, *C. Sm.*
blandum, *Schott*
Boutignyanum, *Billot* et *Gren.*
canariense, *Linn.*
Castello-Paivae, *Christ*
fimbriatum, *Schnittsp.* et *C. B. Lehm.*
flagelliforme, *Fisch.*
Funckii, *F. Braun*
giganteum, *Hort.*
glaucum, *Tenore*
globiferum, *Linn.*
Haworthii, *Hort.*
Hookeri, *Hort.*
Lamottei, *Bor.*
montanum, *Linn.*
penicillatum, *Hort.*
Pittonii, *Schott, Nym.* et *Kotschy*
Pomelii, *Lamotte*
ponticum, *Hort.*
pseudo-arachnoideum, *Hort.*
Reginae-Amaliae, *Heldr.* et *Guicc.*
repens, *Hort.*
rupestre, *Hort.*
sanguineum, *Jeanb.* [tum
Schottii, *Baker*, var. acumina-
spinulifolium, *Lagg.*
tectorum, *Linn.*
— var. densum

CRASSULACEAE—*continued.*

Sempervivum—*continued.*

tectorum, *Linn.*, var. glaucum
— var. pulchrum
— var. robustum
triste, *Hort.*, var. bicolor
— var. sanguineum
urbicum, *C. Sm.*
Verloti, *Lamotte*
Webbianum, *Hort.*
Youngianum, *Webb* et *Berth.*

Stylophyllum

Hassei, *Rose*

Tillaea

pharnaceoides, *Hochst.*

Villadia

imbricata, *Rose*

CRUCIFERAE.

Æthionema

armenum, *Boiss.*
cappadocicum, *Spreng.*
cordatum, *Boiss.*
creticum, *Boiss.* et *Heldr.*
diastrophis, *Bunge*
gracile, *DC.*
grandiflorum, *Boiss.* et *Hohen.*
pulchellum, *Boiss.* et *Huet*
Thomasianum, *J. Gay*

Alyssum

alpestre, *Linn.*
argenteum, *Vitm.*
campestre, *Linn.*, var. genuinum
constellatum, *Boiss.*
halimifolium, *Willd.*
idaeum, *Boiss.* et *Heldr.*
leucadeum, *Guss.*
libycum, *Coss.*

CRUCIFERAE—*continued.*

Alyssum—*continued.*

longicaule, *Boiss.*
maritimum, *Lam.*
minimum, *Willd.*
Moellendorfianum, *Aschers.*
montanum, *Linn.*
orientale, *Ard.*
podolicum, *Bess.*
rostratum, *Stev.*
saxatile, *Linn.*
— var. citrinum
— var. sulphureum
— var. variegatum
scardicum, *Wettst.*
sinuatum, *Linn.*
spinosum, *Linn.*
Stribrnyi, *Velen.*

Arabis

Allionii, *DC.*
alpina, *Linn.*
— var. albida ochrida
arenosa, *Scop.*
bellidifolia, *Jacq.*
brachycarpa, *Rupr.*
Drummondii, *A. Gray*
Halleri, *Linn.*
Lyallii, *S. Wats.*
petraea, *Lam.*
pumila, *Jacq.*
repanda, *S. Wats.*
rhaetica, *Bruegg.*
Stelleri, *DC.*, var. japonica, *Schmidt*
stricta, *Huds.*
Turrita, *Linn.*

Aubrietia

Columnae, *Guss.*
croatica, *Schott, Nym.* et *Kotschy*
deltoidea, *DC.*, var. cilicica
— var. Wallacei
olympica, *Boiss.*
Pinardi, *Boiss.*

CRUCIFERAE—*continued.*

Barbarea

orthoceras, *Ledeb.*
vulgaris, *R. Br.*

Biscutella

laevigata, *Linn.*
leiocarpa, *DC.*

Brassica

campestris, *Linn.*, var. Rapa (*Linn.*)
Erucastrum, *Linn.*
juncea, *Coss.*
nigra, *Koch*
oleracea, *Linn.*
repanda, *DC.*

Braya

alpina, *Sternb.* et *Hoppe*

Capsella

Bursa-pastoris, *Medic.*

Cardamine

pratensis, *Linn.*

Carpoceras

cilicicum, *Boiss.* et *Kurz*

Carrichtera

Vella, *DC.*

Cheiranthus

Cheiri, *Linn.*
Senoneri, *Heldr.* et *Sart.*

Clypeola

echinata, *DC.*
Jonthlaspi, *Linn.*
— var. lasiocarpa

Cochlearia

danica, *Linn.*
glastifolia, *Linn.*
officinalis, *Linn.*
saxatilis, *Linn.*

CRUCIFERAE—*continued.*

Crambe

maritima, *Linn.*
Tataria, *Sebéok*

Diplotaxis

pendula, *DC.*
viminea, *DC.*

Draba

aizoides, *Linn.*
Aizoon, *Wahlenb.*
alpina, *Linn.*
— var. involucrata
altaica, *Ledeb.*
amplexicaulis, *Franch.*
arabisans, *Michx.*
aurea, *Vahl*
australis, *Hook. f.*
cappadocica, *Boiss.* et *Bal.*
cuspidata, *Bieb.*
Dedeana, *Boiss.* et *Reut.*
fladnizensis, *Wulf.*
frigida, *Sauter*
Helleriana, *Greene*
hirta, *Linn.*
hispanica, *Boiss.*
hispida, *Willd.*
incana, *Linn.*
— var. Adamsii
Kotschyi, *Stur*
lapponica, *Willd.*
Loiseleurii, *Boiss.*
longirostrata, *Schott, Nym.* et *Kotschy*
nemorosa, *Linn.*
nivalis, *Lilj.*
oligosperma, *Hook.*
oxycarpa, *Boiss.* et *Heldr.*
pycnosperma, *Fernald* et *Knowlton*
pyrenaica, *Linn.*
rupestris, *R. Br.*
Salomoni, *Hort. Sünd.*
scandinavica, *Lindblom*
siliquosa, *Bieb.*
stellata, *Jacq.*
streptocarpa, *A. Gray*

CRUCIFERAE—*continued.*

Draba—*continued.*
subamplexicaulis, *C. A. Mey.*
Suendermanni, *Hort. Sünd.*
surculosa, *Franch.*
tibetica, *Hook. f.* et *Thoms.*

Enarthrocarpus
arcuatus, *Labill.*

Eruca
sativa, *Mill.*

Erysimum
asperum, *DC.*
bracteatum, *W. W. Sm.*
canescens, *Roth*
capitatum, *Greene*
hieracifolium, *Linn.*
linifolium, *J. Gay*
nanum, *Boiss.* et *Hohen.*
ochroleucum, *DC.*, var. helveticum, *DC.*
parviflorum, *Nutt.*
Perofskianum, *Fisch.* et *Mey.*

Farsetia
clypeata, *R. Br.*

Heliophila
amplexicaulis, *Linn. f.*

Hutchinsia
Prostii, *J. Gay*

Hymenophysa
pubescens, *C. A. Mey.*

Iberis
corifolia, *Sweet*
Jordani, *Boiss.*
odorata, *Linn.*
Pruiti, *Tineo*
semperflorens, *Linn.*
sempervirens, *Linn.*
taurica, *DC.*
umbellata, *Linn.*

CRUCIFERAE—*continued.*

Isatis
alpina, *All.*
tinctoria, *Linn.*

Lepidium
campestre, *R. Br.*
monticolum, *Hort. Sünd.*
piscidium, *Forst. f.*
pubicarpum, *A. Nelson*
spinescens, *DC.*

Lesquerella
gracilis, *S. Wats.*
Schaffneri, *S. Wats.*

Malcomia
flexuosa, *Sibth.* et *Sm.*
maritima, *R. Br.*

Matthiola
bicornis, *DC.*
fenestralis, *R. Br.*
tricuspidata, *R. Br.*

Megacarpaea
Delavayi, *Franch.*

Nasturtium
curvisiliqua, *Nutt.*

Noccaea
alpina, *Reichb.*

Peltaria
alliacea, *Jacq.*

Platyspermum
scapigerum, *Hook.*

Rapistrum
ægyptium, *Baill.*

Reboudia
microcarpa, *Boiss.*

Senebiera
Coronopus, *Poir.*
pinnatifida, *DC.*

CRUCIFERAE—*continued.*

Sisymbrium

Alliaria, *Scop.*
Boissieri, *Nyman*
erodifolium, *Phil.*
Irio, *Linn.*
pinnatifidum, *DC.*
strictissimum, *Linn.*
supinum, *Linn.*

Syrenia

siliculosa, *Andrz.*

Teesdalia

Iberis, *DC.*
nudicaulis, *R. Br.*

Thlaspi

alpestre, *Linn.*
arvense, *Linn.*
bellidifolium, *Griseb.*
bulbosum, *Sprun.*
elongatum, *Hort.*
Kerneri, *Huter*
Kovatsii, *Heuff.*
microstylum, *Boiss.*
montanum, *Linn.*
praecox, *Wulf.*
rivale, *Presl*, var. brevistylum

Thysanocarpus

elegans, *Fisch.* et *Mey.*

Vella

Pseudocytisus, *Linn.*

Vesicaria

utriculata, *DC.*

CUCURBITACEAE.

Benincasa

cerifera, *Savi*
— var. macrocarpa

Bryonia

multiflora, *Boiss.* et *Heldr.*

CUCURBITACEAE—*continued.*

Cucumis

myriocarpus, *Naud.*

Cyclanthera

edulis, *Hort.*
explodens, *Naud.*

Kedrostis

africana, *Cogn.*

Lagenaria

pelerrina, *Hort.*
vulgaris, *Ser.*

Luffa

ægyptiaca, *Mill.*
cylindrica, *Roem.*

Melothria

suavis, *Hort.*

Momordica

cochinchinensis, *Spreng.*

CUPULIFERAE.

Alnus

cordifolia, *Tenore*
glutinosa, *Medic.*
— var. rubrinervia
incana, *Moench*
— var. glauca, *Regel*
japonica, *Sieb.* et *Zucc.*
maritima, *Nutt.*
oregana, *Nutt.*
rhombifolia, *Nutt.*
serrulata, *Willd.*
sitchensis, *Sarg.*
tenuifolia, *Nutt.*
viridis, *DC.*

Betula

alba, *Linn.*
— var. pubescens
fruticosa, *Pall.*
lutea, *Michx.*

CUPULIFERAE—*continued.*

Betula—*continued.*

papyrifera, *Marsh.*
ulmifolia, *Sieb.* et *Zucc.*

CYCADACEAE.

Zamia

Lindeni, *Regel*

CYCLANTHACEAE.

Carludovica

Gardneri, *Hook.*
palmata, *Ruiz* et *Pav.*
Wendlandii, *Hort.*

Ludovia

crenifolia, *Drude*

CYPERACEAE.

Carex

aquatilis, *Wahlenb.*
arenaria, *Linn.*
atrata, *Linn.*
axillaris, *Good.*
baccans, *Nees*
baldensis, *Linn.*
binervis, *Sm.*
canescens, *Linn.*
capillaris, *Linn.*
dioica, *Linn.*
distans, *Linn.*
divulsa, *Good.*
elongata, *Linn.*
extensa, *Good.*, var. pumila, *Anders.*
flava, *Linn.*
— var. viridula
glauca, *Scop.*
helvola, *Blytt*
hordeistichos, *Vill.*
incurva, *Lightf.*
— var. erecta, *O. F. Lang*
intermedia, *Good.*
irrigua, *Sm.*

CYPERACEAE—*continued.*

Carex—*continued.*

japonica, *Thunb.*
laevigata, *Sm.*
leporina, *Linn.*
livida, *Willd.*
lucida, *Boott*, var. Buchananii (*Berggr.*)
Muehlenbergii, *Schkuhr*
muricata, *Linn.*
— var. virens
Oederi, *Retz.*
ornithopoda, *Willd.*
pallescens, *Linn.*
paludosa, *Good.*
panicea, *Linn.*
paniculata, *Linn.*
— f. simplicior, *Anders.*
paradoxa, *Willd.*
pauciflora, *Lightf.*
pendula, *Huds.*
pilulifera, *Linn.*
Pseudo-cyperus, *Linn.*
pulicaris, *Linn.*
punctata, *Gaud.*
remota, *Linn.*
rigida, *Good.*
rosea, *Schkuhr*
sempervirens, *Vill.*
sparganioides, *Muehl.*
stricta, *Good.*
strigosa, *Huds.*
teretiuscula, *Good.*
trinervis, *Degl.*
Vahlii, *Schkuhr*
vesicaria, *Linn.*
— var. Grahami (*Boott*)
vulgaris, *Fries*

Cyperus

alternifolius, *Linn.*
— var. compactus
bulbosus, *Vahl*
compactus, *Lam.*, var. flavissimus, *C. B. Clarke*
exaltatus, *Retz.*, var. amoenus
fertilis, *Boeck.*
laxus, *Willem.*
Luzulae, *Rottl.*
Papyrus, *Linn.*

CYPERACEAE—*continued.*

Eleocharis

neo-zelandica, *C. B. Clarke*
palustris, *R. Br.*

Kyllinga

monocephala, *Rottl.*
nepalensis, *C. B. Clarke*

Mariscus

umbilensis, *C. B. Clarke*

Scirpus

Holoschoenus, *Linn.*
lacustris, *Linn.*, var. Tabernaemontani
riparius, *J.* et *C. Presl*

Thoracostachyum

bancanum, *Kurz*

Uncinia

compacta, *R. Br.*

DIAPENSIACEAE.

Galax

aphylla, *Linn.*

Schizocodon

soldanelloides, *Sieb.* et *Zucc.*

DILLENIACEAE.

Hibbertia

dentata, *R. Br.*

DIOSCOREACEAE.

Dioscorea

sativa, *Linn.* (tuber)

DIPSACEAE.

Cephalaria

alpina, *Schrad.*
corniculata, *Roem.* et *Schult.*
graeca, *Roem.* et *Schult.*

DIPSACEAE—*continued.*

Dipsacus

asper, *Wall.*
azureus, *Schrenk*
fullonum, *Linn.*
sylvestris, *Mill.*

Morina

Coulteriana, *Royle*
Delavayi, *Franch.*
kokanica, *Regel*
longifolia, *Wall.*

Pterocephalus

palaestinus, *Coult.*

Scabiosa

australis, *Wulf.*
balcanica, *Velen.*
caucasica, *Bieb.*
graminifolia, *Linn.*
gramuntia, *Linn.*
holosericea, *Bert.*
Hookeri, *C. B. Clarke*
lucida, *Vill.*
macedonica, *Vis.*
magnifica, *Benth.* et *Hook. f.*
ochroleuca, *Linn.*, var. Webbiana, *D. Don*
Portae, *Huter*
Pterocephala, *Linn.*
silenifolia, *Waldst.* et *Kit.*
spathulata, *D. Dietr.*
Succisa, *Linn.*
— var. alba
sylvatica, *Linn.*
tomentosa, *Cav.*

DROSERACEAE.

Dionaea

muscipula, *Ellis*

Drosera

binata, *Labill.*
— var. dichotoma
capensis, *Linn.*
hilaris, *Cham.* et *Schlecht*
peltata, *Sm.*

DROSERACEAE—*continued.*

Drosera—*continued.*

pygmaea, *DC.*
rotundifolia, *Linn.*
spathulata, *Labill.*

Drosophyllum

lusitanicum, *Link*

ELAEAGNACEAE.

Elaeagnus

umbellata, *Thunb.*

Hippophaë

rhamnoides, *Linn.*

EPACRIDEAE.

Astroloma

pinifolium, *Benth.*

Dracophyllum

secundum, *R. Br.*

Leucopogon

fasciculatus, *A. Rich.*
Richei, *R. Br.*

Sprengelia

incarnata, *Sm.*

ERICACEAE.

Agapetes

variegata, *D. Don*

Bruckenthalia

spiculifolia, *Reichb.*

Bryanthus

empetriformis, *A. Gray*
taxifolius, *A. Gray*

Calluna

vulgaris, *Salisb.*
— var. alba
— — Hammondii
— var. tomentosa alba

ERICACEAE—*continued.*

Cassandra

calyculata, *D. Don*

Clethra

arborea, *Ait.*

Daboëcia

polifolia, *D. Don*
— var. alba
— var. bicolor
— var. purpurea

Elliottia

paniculata, *Benth.* et *Hook. f.*

Enkianthus

campanulatus, *Nichols.*
himalaicus, *Hook. f.* et *Thoms.*

Epigaea

repens, *Linn.*

Erica

australis, *Linn.*
Cavendishiana ×, *Hort.*
ciliaris, *Linn.*
cinerea, *Linn.*
— var. alba
— var. alba minor
— var. atropurpurea
— var. atrosanguinea
— var. coccinea
— var. pallida
— var. rosea
formosa, *Thunb.*
perspicua, *Wendl.*, var. nana
ramulosa, *Bartl.*
stricta, *Donn*
Tetralix, *Linn.*
vagans, *Linn.*, var. alba
— var. pallida

Gaultheria

antipoda, *Forst. f.*
— var. depressa, *Hook. f.*
hispida, *R. Br.*
— var. fructu albo

ERICACEAE—*continued.*

Gaultheria—*continued.*

pyrolæfolia, *Hook. f.*, var.
cuneata
rupestris, *R. Br.*

Kalmia

angustifolia, *Linn.*, var. rubra
glauca, *Ait.*

Ledum

palustre, *Linn.*
— var. latifolium, *Michx.*

Menziesia

globularis, *Salisb.*

Pernettya

mucronata, *Gaudich.*
nigra, *Hort.*

Pyrola

rotundifolia, *Linn.*

Rhododendron

arboreum, *Sm.*
catawbiense, *Michx.*
caucasicum, *Pall.*
ciliatum, *Hook. f.*
decorum, *Franch.*
ferrugineum, *Linn.*
— var. album
— var. atrococcineum
— var. grandiflorum
— var. majus
flavum, *G. Don*
glaucum, *Hook. f.*
hirsutum, *Linn.*
— var. album
latifolium, *Hoffmgg.*
lepidotum, *Wall.*
myrtifolium, *Schott* et *Kotschy*
ponticum, *Linn.*
retusum, *Benn.*
Schlippenbachii, *Maxim.*
Thomsoni, *Hook. f.*
yunnanense, *Franch.*

ERICACEAE—*continued.*

Rhododendron—*continued.*

Vaseyi, *H. Gray*
Veitchianum, *Hook.*
virgatum, *Hook. f.*

Zenobia

speciosa, *D. Don.*

EUPHORBIACEAE.

Acalypha

hispida, *Burm.*
sidaefolia, *A. Rich.*
Wilkesiana, *Muell. Arg.*

Alchornea

ilicifolia, *Muell.*

Antidesma

Bunius, *Spreng.*

Dalechampia

Roezliana, *Muell. Arg.*
scandens, *Linn.*

Euphorbia

balsamifera, *Ait.*
hyberna, *Linn.*
Jolkini, *Boiss.*
Lathyris, *Linn.*
Myrsinites, *Linn.*
ornithopus, *Jacq.*
pilosa, *Linn.*
Regis-Jubae, *Webb* et *Berth.*
splendens, *Boj.*
stricta, *Linn.*

Homalanthus

Leschenaultianus, *A. Juss.*

Mallotus

japonicus, *Muell. Arg.*

Mercurialis

annua, *Linn.*

Phyllanthus

grandifolius, *Linn.*

EUPHORBIACEAE—*continued.*

Phyllanthus—*continued.*

montanus, *Sw.*
parvifolius, *Buch.-Ham.*

Ricinus

communis, *Linn.*

FICOIDEAE.

Mesembryanthemum

amoenum, *Salm-Dyck*
blandum, *Haw.*
Cooperi, *Hook. f.*
cordifolium, *Linn.*
criniflorum, *Linn. f.*
cultratum, *Hort.*
curviflorum, *Haw.*
deltoides, *Linn.*
Ecklonis, *Salm-Dyck*
elegans, *Jacq.*
falciforme, *Haw.*
flexuosum, *Haw.*
glaucum, *Linn.*
glomeratum, *Linn.*
Haworthii, *Donn*
heteropetalum, *Haw.*
inclaudens, *Haw.*
inflexum, *Haw.*
lepidum, *Haw.*
longum, *Haw.*
micans, *Linn.*
muricatum, *Haw.*
pyropeum, *Haw.*
rhomboideum, *Salm-Dyck*
roseum, *Willd.*
rubricaule, *Willd.*
tenellum, *Haw.*
tigrinum, *Haw.*
tumidulum, *Haw.*

Telephium

Imperati, *Linn.*

Tetragonia

crystallina, *L'Hérit.*
expansa, *Murr.*

FRANKENIACEAE.

Frankenia

hirsuta, *Linn.*

FUMARIACEAE.

Adlumia

cirrhosa, *Rafin.*

Corydalis

cheilanthifolia, *Hemsl.*
lutea, *DC.*
— var. alba
ochroleuca, *Koch*
ophiocarpa, *Hook. f.* et *Thoms.*
rosea, *Maxim.* [
thalictrifolia, *Jameson*
tomentosa, *N. E. Br.*
Wilsoni, *N. E. Br.*

Dicentra

eximia, *Torr.*
scandens, *Walp.*
thalictrifolia, *Hook. f.*

Fumaria

officinalis, *Linn.*

Hypecoum

leptocarpum, *Hook. f.* et *Thoms.*

GENTIANEAE.

Blackstonia

perfoliata, *Huds.*

Crawfurdia

fasciculata, *Wall.*

Erythraea

Centaurium, *Pers.*
Elodes, *Roem.* et *Schult.*
littoralis, *Fries*

Exacum

affine, *Balf. f.*

GENTIANEAE– *continued.*

Gentiana

acaulis, *Linn.*
altaica, *Laxim.*
asclepiadea, *Linn.*
— var. alba
bavarica, *Linn.*, var. imbricata
campestris, *Linn.*
crassicaulis, *Duthie*
detonsa, *Rottb.*
Fetisowi, *Regel* et *Winkler*
Freyniana, *Bornm.*
gentilis, *Franch.*
Kesselringi, *Regel*
macrophylla, *Pall.*
— var. cyanea
microdonta, *Franch.*
Pneumonanthe, *Linn.*
pterocalyx, *Franch.*
punctata, *Linn.*
robusta, *King*
Saponaria, *Linn.*
Sceptrum, *Griseb.*
septemfida, *Pall.*
— var. cordifolia
— var. latifolia
taliensis, *Balf. f.*

Halenia

elliptica, *D. Don*
Perrottetii, *Griseb.*

Menyanthes

Crista-galli, *Menzies*

Pleurogyne

Forrestii, *Balf. f.*

Swertia

angustifolia, *Ham.*
dilatata, *C. B. Clarke*
pubescens, *Franch.*

Villarsia

parnassiaefolia, *R. Br.*

GERANIACEAE.

Biophytum

proliferum, *Arn.*
sensitivum, *DC.*

Erodium

carvifolium, *Boiss.*
chium, *Willd.*
ciconium, *Ait.*
gruinum, *L'Hérit.*
Kolbianum, *Hort.*
macradenum, *L'Hérit.*
Manescavi, *Coss.*
petraeum, *Willd.*
Stephanianum, *Willd.*
trichomanefolium, *L'Hérit.*

Geranium

albiflorum, *Ledeb.*
anemonifolium, *L'Hérit.*
argenteum, *Linn.*
armenum, *Boiss.*
Bicknellii, *Britton*
calvescens, *Briquet*
canariense, *Reut.*
cinereum, *Cav.*
collinum, *Steph.*
eriostemon, *Fisch.*
Fremontii, *Torr.*
grandiflorum, *Hort.*
Grevilleanum, *Wall.*
ibericum, *Cav.*
incisum, *Nutt.*, var. viscosissimum
libanoticum, *Boiss.* et *Blanche*
lucidum, *Linn.*
macrorrhizum, *Linn.*
nepalense, *Sweet*
palustre, *Linn.*
phaeum, *Linn.*
platypetalum, *Franch.*
pratense, *Linn.*
— var. album
— var. bicolor
— var. roseum
pyrenaicum, *Burm. f.*
Richardsonii, *Fisch.* et *Trautv.*, var. album

GERANIACEAE—*continued.*

Geranium—*continued.*

Robertianum, *Linn.*
roseum, *Hort.*
sanguineum, *Linn.*
— var. album
— var. lancastriense
— var. prostratum
sessiliflorum, *Cav.*
subcaulescens, *L'Hérit.*
sylvaticum, *Linn.*
— var. platypetalum
— var. Wanneri
Wallichianum, *D. Don.*

Impatiens

Hawkeri, *Bull*
Herzogii, *K. Schum.*
Holstii, *Engl.* et *Warb.*
Noli-me-tangere, *Linn.*
Oliveri, *Hook. f.*
polyceras, *Hook. f.*
Roylei, *Walp.*
Sultani, *Hook. f.*

Limnanthes

Douglasii, *R. Br.*

Oxalis

catharinensis, *N. E. Br.*
corniculata, *Linn.*, var. atropurpurea
— var. tropaeoloides
enneaphylla, *Cav.*
floribunda, *Lehm.*, var. alba
Hirthii, *Phil.*
magellanica, *Forst.*
tortuosa, *Lindl.*
valdiviensis, *Barn.*
Wrightii, *A. Gray*

Pelargonium

capitatum, *Ait.*
echinatum, *Curt.*
ficifolium, *Hoffmgg.*
saniculaefolium, *Willd.*
scandens, *Ehrh.*
Skelii, *Hoffmgg.*

GERANIACEAE—*continued.*

Tropaeolum

minus, *Linn.*
pentaphyllum, *Lam.*

GESNERACEAE.

Aeschynanthus

albida, *Steud.*

Alloplectus

sanguineus, *Mart.*

Chirita

hamosa, *R. Br.*
Kurzii, *C. B. Clarke*
sinensis, *Lindl.*

Columnea

aureonitens, *Hook.*

Conandron

ramondioides, *Sieb.* et *Zucc.*

Didissandra

lanuginosa, *C. B. Clarke*

Episcia

erythropus, *Hook. f.*

Haberlea

Ferdinandi-Coburgii, *Urumoff*
rhodopensis *Frivald.*

Klugia

Notoniana, *A. DC.*

Mitraria

coccinea, *Cav.*

Pentarhaphia

libanensis, *Hanst.*

Ramondia

pyrenaica, *Rich.*

Rhabdothamnus

Solandri, *A. Cunn.*

GESNERACEAE—*continued.*

Rhytidophyllum

tomentosum, *Mart.*

Roettlera

Forrestii, *Diels*

Saintpaulia

ionantha, *Wendl.*, var. alba

Sarmienta

repens, *Ruiz* et *Pav.*

Sinningia

Carolinae, *Benth.* et *Hook. f.*

Streptocarpus

caulescens, *Vatke*
grandis, *N. E. Br.*
kewensis ×, *Hort.*
Rexii, *Lindl.*
Wendlandii, *Sprenger*

Tydaea

Lindeniana, *Regel*

GOODENOVIEAE.

Goodenia

filiformis, *R. Br.*

GRAMINEAE.

Agropyron

acutum, *Roem.* et *Schult.*
tenerum, *Vasey*
villosum, *Link*, var. polyantherum

Agrostis

nigra, *With.*
vulgaris, *With.*

Alopecurus

pratensis, *Linn.*

Arundinaria

Simoni, *A.* et *C. Rivière*

GRAMINEAE—*continued.*

Arundinella

tenella, *Nees* et *Wight*

Avena

fatua, *Linn.*
pratensis, *Linn.*
pubescens, *Huds.*, var. transsilvanica
sativa, *Linn.*
sempervirens, *Vill.*
sterilis, *Linn.*

Bouteloua

oligostachya, *Torr.*

Brachypodium

distachyum, *Beauv.*
sylvaticum, *Beauv.*

Briza

maxima, *Linn.*
— var. monostachya
media, *Linn.*

Bromus

breviaristatus, *Buckl.*
brizaeformis, *Fisch.* et *Mey.*
erectus, *Huds.*
intermedius, *Guss.*
mollis, *Linn.*
unioloides, *H. B.* et *K.*

Calamagrostis

epigeios, *Roth*

Chloris

virgata, *Sw.*

Dactylis

glomerata, *Linn.*
— var. variegata

Danthonia

airoides, *Nees*
Buchanani, *Hook. f.*
Raoulii, *Steud.*

GRAMINEAE—*continued.*

Deschampsia

caespitosa, *Beauv.*

Ehrharta

Colensoi, *Hook. f.*

Eleusine

indica, *Gaertn.*

Elymus

dasystachys, *Trin.*
sibiricus, *Linn.*
villosus, *Muhl.*

Eragrostis

maxima, *Fourn.*

Festuca

duriuscula, *Linn.*
Eskia, *Ram.*
ovina, *Linn.*
— var. tenuiflora
rubra, *Linn.*

Glyceria

aquatica, *Wahlenbg.*

Graphephorum

melicoideum, *Desv.*

Holcus

caespitosus, *Boiss.*
lanatus, *Linn.*
mollis, *Linn.*

Hordeum

bulbosum, *Linn.*
murinum, *Linn.*

Koeleria

cristata, *Pers.*

Lagurus

ovatus, *Linn.*

Lolium

multiflorum, *Lam.*
perenne, *Linn.*

GRAMINEAE—*continued.*

Melica

altissima, *Linn.*
nutans, *Linn.*
Torreyana, *Scribner*

Milium

effusum, *Linn.*

Miscanthus

nepalensis, *Hack.*
sinensis, *Anders.*, var. gracillima univittata

Molinia

caerulea, *Moench*

Nardus

stricta, *Linn.*

Olrya

floribunda, *Raddi*

Oryza

sativa, *Linn.*
— var. atropurpurea
— var. mutica
— var. perennis
— var. rufibarba

Oryzopsis

miliacea, *Benth.* et *Hook. f.*

Panicum

miliaceum, *Linn.*
plicatum, *Lam.*
sanguinale, *Linn.*

Pennisetum

latifolium, *Spreng.*
longistylum, *Hochst.*
macrourum, *Trin.*
typhoideum, *Rich.*

Phalaris

arundinacea, *Linn.*

GRAMINEAE—*continued.*

Phleum

Boehmeri, *Wibel*

Phragmites

communis, *Trin.*

Poa

Maniototo, *Petrie*
nemoralis, *Linn.*
pannonica, *Kern.*
pratensis, *Linn.*
sclerophylla, *Bergg.*
trivialis, *Linn.*

Polypogon

monspeliensis, *Desf.*

Setaria

macrostachya, *H. B.* et *K.*

Sorghum

vulgare, *Pers.*

Stipa

argentina, *Speg.*
gigantea, *Lag.*
papposa, *Delile*

Trisetum

argenteum, *Roem.* et *Schult.*
flavescens, *Beauv.*
glaciale, *Boiss.*

GUTTIFERAE.

Garcinia

Xanthochymus, *Hook. f.*

HAEMODORACEAE.

Anigozanthos

rufa, *Labill.*

Ophiopogon

Jaburan, *Lodd.*

Peliosanthes

humilis, *Andr.*

HAEMODORACEAE—*continued.*

Xiphidium

coeruleum, *Aubl.*

HALORAGEAE.

Haloragis

erecta, *Schindler*

Proserpinaca

palustris, *Linn.*

HIPPOCASTANACEAE.

Aesculus

Hippocastanum, *Linn.*

HYDROPHYLLACEAE.

Hydrolea

spinosa, *Linn.*

Hydrophyllum

occidentale, *A. Gray*
virginicum, *Linn.*

Nemophila

insignis, *Benth.*
integrifolia, *Abrams*
Menziesii, *Hook.* et *Arn.*, var.
atomaria

Phacelia

campanularia, *A. Gray*
circinata, *Jacq. f.*
Parryi, *Torr.*
pimpinelloides, *A. Gray*
rupestris, *Greene*
tanacetifolia, *Benth.*

Romanzoffia

sitchensis, *Bong.*
Suksdorfii, *Greene*
unalaschcensis, *Cham.*

HYPERICINEAE.

Hypericum

Androsaemum, *Linn.*
Ascyron, *Linn.*
canariense, *Linn.*
elatum, *Ait.*
floribundum, *Ait.*
fragile, *Heldr.* et *Sart.*
Gebleri, *C. A. Mey.*
gracile, *Boiss.*
hircinum, *Linn.*
hyssopifolium, *Vill.*
inodorum, *Mill.*
intermedium, *Steud.*
japonicum, *Thunb.*
Kotschyanum, *Boiss.*
lanceolatum, *Lam.*
montanum, *Linn.*
olympicum, *Linn.*
patulum, *Thunb.*
perforatum, *Linn.*
polyphyllum, *Boiss.*
Przewalskii, *Maxim.*
pulchrum, *Linn.*
repens, *Linn.*
Richeri, *Vill.*
— var. Burseri, *Spach*
tetrapterum, *Fries*
tomentosum, *Linn.*, var. dis-
sitiflorum

Sarothra

gentianoides, *Linn.*

ILICINEAE.

Ilex

Aquifolium, *Linn.*
— var. argentea medio-picta
— var. argentea pendula
— var. aurantiaca marginata
— var. aurea angustifolia
— var. aurea marginata
— var. aurea medio-picta
— var. camelliaefolia
— var. flavescens
— var. fructu luteo
— var. handsworthensis

ILICINEAE—*continued.*

Ilex—*continued.*

— var. intermedia
— var. maderensis
— var. platyphylla
Hodginsii ×, *Hort.*

ILLECEBRACEAE.

Dysphania

Plantaginella, *F. Muell.*

Herniaria

cinerea, *DC.*
glabra, *Linn.*

Paronychia

arabica, *DC.*
argentea, *Lam.*
lenticulata, *Hort.*

Pentacaena

polycnemoides, *Bartl.*

Scleranthus

biflorus, *Hook. f.*

Siphonychia

americana, *Torr.* et *Gray*

IRIDEAE.

Antholyza

aethiopica, *Linn.*
revoluta, *Burm. f.*

Aristea

Eckloni, *Baker*

Babiana

stricta, *Ker-Gawl.*, var. rubro-
cyanea

Cipura

paludosa, *Aubl.*

Crocus

vernus, *All.*
zonatus, *J. Gay*

IRIDEAE—*continued.*

Diplarrhena

Moraea, *Labill.*

Gelasine

azurea, *Herb.*

Gladiolus

blandus, *Ait.*, var. albidus (*Jacq.*)
erectiflorus, *Baker*
imbricatus, *Linn.*
palustris, *Gaud.*
Papilio, *Hook. f.*
praecox, *Hort.*

Homeria

collina, *Vent.*

Iris

acutifolia, *Hort.*
bucharica, *Foster*
Chamaeiris, *Bertol.*
Clarkei, *Baker*
Delavayi, *Micheli*
Douglasiana, *Herb.*
elatior, *Hort.*
ensata, *Thunb.*
foetidissima, *Linn.*
Forrestii, *Dykes*
graminea, *Linn.*
humilis, *Bieb.*
Junonia, *Schott* et *Kotschy*
kumaonensis, *Wall.*
laevigata, *Fisch.*
lurida, *Ait.*
nepalensis, *D. Don*
orientalis, *Thunb.*
— var. sanguinea (*Donn*)
prismatica, *Pursh*
Pseudacorus, *Linn.*
— var. variegata
pumila, *Linn.*, var. cyanea
— var. formosa
setosa, *Pall.*, var. tridentata
sibirica, *Linn.*
— var. alba
— var. coreana

IRIDEAE—*continued.*

Iris—*continued.*

— var. grandis
sordida, *Willd.*
spuria, *Linn.*
— var. notha (*Bieb.*)
— var. subbarbata (*Joo*)
tectorum, *Maxim.*
unguicularis, *Poir.*
venusta, *Booth*
versicolor, *Linn.*
Wilsoni, *C. H. Wright*
Xiphium, *Linn.*, var. lusitanica, *Ker-Gawl.*

Ixia

alba, *Eckl.*
speciosa, *Andr.*, var. major

Lapeyrousia

cruenta, *Benth.*

Libertia

formosa, *R. Grah.*
grandiflora, *Sweet*
ixioides, *Spreng.*

Marica

caerulea, *Ker-Gawl.*
Northiana, *Ker-Gawl.*

Melasphaerula

graminea, *Ker-Gawl.*

Moraea

flexuosa, *Linn.*
iridioides, *Linn.*

Romulea

Columnae, *Sebast.* et *Mauri*

Sisyrinchium

angustifoluim, *Mill.*
— var. anceps, *Cav.*
— var. bellum (*S. Wats.*)
— var. mucronatum
Bermudiana, *Linn.*

IRIDEAE—*continued.*

Sisyrinchium—*continued.*

filifolium, *Gaudich.*
grandiflorum, *Dougl.*, var. album
iridifolium, *H. B.* et *K.*
micranthum, *Cav.*
pachyrhizum, *Baker*
striatum, *Sm.*
tenuifolium, *Humb.* et *Bonpl.*

Solenomelus

chilensis, *Miers*

Sparaxis

bulbifera, *Ker-Gawl.*

Symphyostemon

odoratissimus, *Miers*

Tigridia

Pavonia, *Ker-Gawl.*, var. alba
— var. conchiflora (*Sweet*)
— var. speciosa rubra

JUNCACEAE.

Juncus

alpinus, *Vill.*
arcticus, *Willd.*
balticus, *Willd.*
bufonius, *Linn.*
effusus, *Linn.*
— var. conglomeratus
— var. spiralis, *Hort.*
— var. variegatus
Novae-Zelandiae, *Hook. f.*
pygmaeus, *Rich.*
squarrosus, *Linn.*
triglumis, *Linn.*

Luzula

albida, *DC.*
campestris, *DC.*
purpurea, *Link*
vernalis, *DC.*

LABIATAE.

Ajuga

alpicola, *G. Beck*
lupulina, *Maxim.*, var. major, *Diels*
reptans, *Linn.*, var. pallida

Ballota

nigra, *Linn.*
rupestris, *Vis.*
spinosa, *Link*

Blephilia

ciliata, *Rafin.*

Brittonastrum

ionocalyx, *B. L. Robins.*
pallidum, *Briq.*

Calamintha

Acinos, *Clairv.*
grandiflora, *Moench*
graveolens, *Benth.*
Nepeta, *Savi*

Cedronella

cana, *Hook.*
canariensis, *Willd.*
triphylla, *Moench*

Coleus

Mahonii, *Baker*

Dracocephalum

botryoides, *Stev.*
bullatum, *G. Forrest*
fruticulosum, *Steph.*
grandiflorum, *Linn.*
heterophyllum, *Benth.*
imberbe, *Bunge*
Moldavica, *Linn.*
nutans, *Linn.*, var. alpinum, *Regel*
parviflorum, *Nutt.*
peregrinum *Linn.*
— var. grandiflorum
Ruprechti, *Regel*
Ruyschiana, *Linn.*

LABIATAE—*continued.*

Dracocephalum—*continued.*

tanguticum, *Maxim*
thymiflorum, *Linn.*

Elsholtzia

cristata, *Willd.*

Galeopsis

Tetrahit, *Linn.*

Hedeoma

Drummondii, *Benth.*
hyssopifolia, *A. Gray*
pulegioides, *Pers.*

Horminum

pyrenaicum, *Linn.*
— var. album
— var. purpureum
— var. roseum

Hyptis

pectinata, *Poit.*
suaveolens, *Poit.*

Hyssopus

officinalis, *Linn.*
— var. grandiflorus

Lamium

album, *Linn.*
longiflorum, *Tenore*
maculatum, *Linn.*
— var. album
Orvala, *Linn.*
puralbum ×
striatum, *Sibth.* et *Sm.*

Lavandula

abrotanoides, *Lam.*
dentata, *Linn.*
lanata, *Boiss.*
multifida, *Linn.*
vera, *DC.*
— var. compacta

Leonotis

Leonurus, *R. Br.*

LABIATAE—*continued.*

Leonurus

Cardiaca, *Linn.*

Leucas

lavandulaefolia, *Sm.*

Leucophaë

macrostachys, *Webb* et *Berth.*

Lophanthus

scrophulariaefolius, *Benth.*

Marrubium

peregrinum, *Linn.*
supinum, *Linn.*

Melittis

Melissophyllum, *Linn.*, var. alba

Mentha

piperita, *Linn.*
Pulegium, *Linn.*

Micromeria

croatica, *Schott*

Moluccella

laevis, *Linn.*

Monarda

citriodora, *Cerv.*
didyma, *Linn.*

Nepeta

cilicica, *Boiss.*
concolor, *Boiss.* et *Heldr.*
cyanea, *Stev.*
distans, *Royle*
eriostachys, *Benth.*
kokanica, *Regel*
lamiopsis, *Benth.*
longiflora, *Vent.*
macrantha, *Fisch.*
Nepetella, *Linn.*
nuda, *Linn.*

LABIATAE—*continued.*

Nepeta—*continued.*

racemosa, *Lam.*, var. crassifolia
Sibthorpii, *Benth.*
Stewartiana, *Diels*
ucranica, *Linn.*

Notochaete

hamosa, *Benth.*

Ocimum

Basilicum, *Linn.*
sanctum, *Linn.*
viride, *Willd.*

Origanum

vulgare, *Linn.*

Phlomis

alpina, *Pall.*
fruticosa, *Linn.*
samia, *Linn.*
tuberosa, *Linn.*
umbrosa, *Turcz.*, var. australis
viscosa, *Poir.*

Plectranthus

cylindraceus, *Hochst.*
glaucocalyx, *Maxim.*
irroratus, *G. Forrest*
parviflorus, *Willd.*

Prasium

majus, *Linn.*

Preslia

cervina, *Fresen.*

Prunella

grandiflora, *Jacq.*
— var. pinnatifida
— var. rosea
hyssopifolia, *Linn.*
laciniata, *Linn.*
vulgaris, *Linn.*

LABIATAE—*continued.*

Salvia

albo-caerulea, *Linden*
azurea, *Lam.*
— var. Pitcheri (*Torr.*)
bracteata, *Russ.*
cadmica, *Boiss.*
canariensis, *Linn.*
cleistogama, *De Bary* et *Paul*
coccinea, *Juss.*
controversa, *Tenore*
flava, *G. Forrest*, var. megalantha, *Diels*
frigida, *Boiss.*
Gardeniana, *Hort. Barbier*
glutinosa, *Linn.*
grandiflora, *Etling.*
Horminum, *Linn.*
— var. violacea
hians, *Royle*
judaica, *Boiss.*
lyrata, *Linn.*
officinalis, *Linn.*
orgyalis, *Fenzl*
patens, *Cav.*
— var. alba
— var. rosea
pratensis, *Linn.*
— var. alba
— var. rosea
Przewalskii, *Maxim.*
purpurea, *Cav.*, var. rosea
Sclarea, *Linn.*
Souliei, *Hort.*
sylvestris, *Linn.*
tiliaefolia, *Vahl*
verbascifolia, *Bieb.*
— var. kurdica
Verbenaca, *Linn.*
verticillata, *Linn.*
virgata, *Ait.*
— var. nemorosa

Satureia

cuneifolia, *Tenore*
montana, *Linn.*
— var. amoena

LABIATAE—*continued.*

Satureia—*continued.*

— var. illyrica
— var. pygmaea

Scutellaria

albida, *Linn.*
alpina, *Linn.*
altissima, *Linn.*
balearica, *Barc.*
discolor, *Colebr.*
galericulata, *Linn.*
hirta, *Sibth.* et *Sm.*
indica, *Linn.*, var. japonica
macrantha, *Fisch.*
peregrina, *Linn.*
splendens, *Link, Klotsch* et *Otto*
tuberosa, *Benth.*

Sideritis

canariensis, *Linn.*
eubaea, *Hort.*
hyssopifolia, *Linn.*
hirsuta, *Linn.*
Massoniana, *Benth.*
scordioides, *Linn.*
spinosa, *Lam.*

Stachys

alopecuros, *Benth.*
annua, *Linn.*
Betonica, *Benth.*
coccinea, *Jacq.*
densiflora, *Benth.*
discolor, *Benth.*
germanica, *Linn.*
graeca, *Boiss.* et *Heldr.*
grandiflora, *Benth.*
— var. robusta
iberica, *Bieb.*
lanata, *Jacq.*
recta, *Linn.*
repens, *Mart.* et *Gal.*
setifera, *C. A. Mey.*
sylvatica, *Linn.*

Teucrium

africanum, *Thunb.*
canadense, *Linn.*

LABIATAE—*continued.*

Teucrium—*continued.*

lancifolium, *Boiss.*
Marum, *Linn.*
montanum, *Linn.*
palmatum, *Benth.*
Polium, *Linn.*
pyrenaicum, *Linn.*
Scorodonia, *Linn.*
— var. crispum

Thymus

capitatus, *Hoffmgg.* et *Link*
Chamaedrys, *Fries*, var. nummularius
nitidus, *Guss.*
Serpyllum, *Linn.*
— var. albus
— var. coccineus
— var. Marschallianus (*Willd.*)
— var. micans
— var. pannonicus
— var. Snowdonianus

Tinnea

aethiopica, *Kotschy* et *Peyr.*

Wiedemannia

orientalis, *Fisch.* et *Mey.*

LEGUMINOSAE.

Acacia

armata, *R. Br.*
Baileyana, *F. Muell.*
cultriformis, *A. Cunn.*
dealbata, *Link*
decurrens, *Willd.*
doratoxylon, *A. Cunn.*
neriifolia, *A. Cunn.*
spectabilis, *A. Cunn.*
stricta, *Willd.*
Whanii, *F. Muell.*

Adenocarpus

intermedius, *DC.*

LEGUMINOSAE—*continued.*

Adesmia
muricata, *DC.*

Albizzia
lophantha, *Benth.*

Alysicarpus
vaginalis, *DC.*

Amphicarpaea
monoica, *Ell.*

Astragalus
adsurgens, *Pall.*
alopecuroides, *Linn.*
alpinus, *Linn.*
asper, *Jacq.*
baeticus, *Linn.*
Bungeanus, *Boiss.*
caspicus, *Bieb.*
chlorostachys, *Lindl.*
Cicer, *Linn.*
danicus, *Retz.*
dendroides, *Kar.* et *Kir.*
depressus, *Linn.*
exscapus, *Linn.*
fraxinifolius, *DC.*
frigidus, *A. Gray*
galegiformis, *Linn.*
Glycyphyllos, *Linn.*
hamosus, *Linn.*
juvenalis, *Delile*
Laxmanni, *Jacq.*
macrocarpus, *DC.*
maritimus, *Moris*
Onobrychis, *Linn.*
penduliflorus, *Lam.*
pentaglottis, *Linn.*
podocarpus, *C. A. Mey.*
ponticus, *Pall.*
purpureus, *Lam.*
Robbinsii, *A. Gray*
sinicus, *Linn.*
Stella, *Gouan*
sulcatus, *Linn.*
sulfureus, *Bunge*
xiphocarpus, *Benth.*

LEGUMINOSAE—*continued.*

Bossiaea
rhombifolia, *Sieber*

Brownea
coccinea, *Jacq.*

Calliandra
haematocephala, *Hassk.*

Calopogonium
caeruleum, *Hemsl.*

Canavalia
ensiformis, *DC.*

Caragana
arborescens, *Lam.*

Carmichaelia
Enysii, *T. Kirk*
flagelliformis, *Colenso*

Cassia
laevigata, *Willd.*
occidentalis, *Linn.*

Chorizema
cordatum, *Lindl.*

Clianthus
puniceus, *Banks* et *Sol.*

Clitoria
Ternatea, *Linn.*
— var. alba, *G. Don*

Colutea
cruenta, *Ait.*
longialata, *Koehne*

Coronilla
Emerus, *Linn.*
glauca, *Linn.*
scorpioides, *Koch*
varia, *Linn.*
viminalis, *Salisb.*

Crotalaria
alata, *Buch.-Ham.*
albida, *Heyne*

LEGUMINOSAE—*continued.*

Crotalaria—*continued.*
linifolia, *Linn. f.*
tetragona, *Roxb.*

Cytisus
albus, *Linn.*
Ardoini, *Fourn.*
austriacus, *Linn.*
biflorus *L'Hérit.*
canariensis, *Steud.*
decumbens, *Walp.*
elongatus, *Waldst.* et *Kit.*
Heuffelii, *Wierzb.*
Hillebrandtii, *Briq.*
hirsutus, *Linn.*
— var. hirsutissimus
nigricans, *Linn.*
praecox ×, *Hort.*
purgans, *Boiss.*
purpureus, *Scop.*, var. erectus
scoparius, *Link*
— var. Andreanus
— var. flore albo
— var. prostratus
shipkaënsis, *Dippel*
triflorus, *L'Hérit.*

Dalea
polygonoides, *A. Gray*

Desmodium
gyrans, *DC.*
incanum, *DC.*
polycarpum, *DC.*
sinuatum, *Blume*
varians, *G. Don*
viridiflorum, *Beck*

Dolichos
Lablab, *Linn.*

Dorycnium
suffruticosum, *Vill.*

Galega
officinalis, *Linn.*
— var. rosea
orientalis, *Lam.*

LEGUMINOSAE—*continued.*

Genista
aethnensis, *DC.*
anglica, *Linn.*
dalmatica, *Bartl.* et *Wendl. f.*
germanica, *Linn.*
pilosa, *Linn.*
sagittalis, *Linn.*
tinctoria, *Linn.*
— var. anxantica
— var. apennina
— var. prostrata
virgata, *DC.*

Gompholobium
aristatum, *Benth.*
Shuttleworthii, *Meissn*

Goodia
latifolia, *Salisb.*
pubescens, *Sims*

Hardenbergia
Comptoniana, *Benth.*

Hedysarum
boreale, *Nutt.*
capitatum, *Desf.*
coronarium, *Linn.*
esculentum, *Ledeb.*
obscurum, *Linn.*
sibiricum, *Poir.*
splendens, *Fisch.*

Hippocrepis
comosa, *Linn.*

Indigofera
Anil, *Linn.*
australis, *Willd.*
pulchella, *Roxb.*
viscosa, *Lam.*

Kennedya
Baumanni, *Meissn.*
prostrata, *R. Br.*
— var. glabrata
— var. Marryattae
Stirlingii, *Lindl.*

LEGUMINOSAE—*continued.*

Laburnum

alpinum, *J. S. Presl*
Vossii, *Hort.*
vulgare, *J. S. Presl*
— var. Carlieri, *Hort.*
— var. quercifolium

Lathyrus

angulatus, *Linn.*
annuus, *Linn.*, var. caesius
Aphaca, *Linn.*
Clymenum, *Linn.*, par. tenuifolius
Drummondii, *Hort.*
hirsutus, *Linn.*
latifolius, *Linn.*
— var. albus
luteus, *Baker*
— var. aureus
maritimus, *Bigel.*
montanus, *Bernh.*
niger, *Bernh.*
Nissolia, *Linn.*
Ochrus, *DC.*
polyanthus, *Boiss.*
pubescens, *Hook.* et *Arn.*
sphaericus, *Retz.*
splendens, *Kellogg*
sylvestris, *Linn.*
undulatus, *Boiss.*
variegatus, *Gren.* et *Godr.*
venosus, *Muhl.*
vernus, *Bernh.*
— var. azureus
— var. flaccidus

Lessertia

brachystachya, *DC.*
linearis, *DC.*

Leucaena

glauca, *Benth.*

Lotus

corniculatus, *Linn.*
hispidus, *Desf.*

LEGUMINOSAE—*continued.*

Lotus —*continued.*

ornithopodioides, *Linn.*
siliquosus, *Linn.*
tenuifolius, *Presl*
villosus, *Burm. f.*
— var. macranthus

Lupinus

arboreus, *Sims*
— var. violaceus
luteus, *Linn.*
micranthus, *Dougl.*
nootkatensis, *Donn*
perennis, *Linn.*
polycarpus, *Greene*
polyphyllus, *Lindl.*
— var. albus
— var. Moerheimi
— var. roseus
— var. violaceus

Medicago

agrestis, *Tenore*
arborea, *Linn.*
Aschersoniana, *Urban*
carstiensis, *Wulf.*
coronata, *Desr.*
disciformis, *DC.*
falcata, *Linn.*
lupulina, *Linn.*
orbicularis, *All.*
praecox, *DC.*
rotata, *Boiss.*
sativa, *Linn.*
scutellata, *Mill.*
Tenoreana, *Ser.*
truncatula, *Gaertn.*
— var. longiaculeata

Melilotus

alba, *Desr.*
gracilis, *DC.*
officinalis, *Lam.*

Mimosa

pudica, *Linn.*

LEGUMINOSAE—*continued.*

Onobrychis

Caput-galli, *Lam.*
Crista-galli, *Lam.*
Gaertneriana, *Boiss.*
saxatilis, *Lam.*
viciaefolia, *Scop.*

Ononis

antiquorum, *Linn.*
aragonensis, *Asso*
arvensis, *Linn.*
fruticosa, *Linn.*
hircina, *Jacq.*
hirta, *Desf.*
— var. glandulosa
reclinata, *Linn.*
rotundifolia, *Linn.*
sicula, *Guss.*
spinosa, *Linn.*
viscosa, *Linn.*

Oxytropis

argentata, *Pers.*
baicalensis, *Pall.*
campestris, *DC.*
foetida, *DC.*
Gaudini, *Bunge*
montana, *DC.*
ochroleuca, *Bunge*
pilosa, *DC.*
sordida, *Pers.*
sulphurea, *Fisch.*
uralensis, *DC.*
yunnanensis, *Franch.*

Petteria

ramentacea, *Presl*

Pisum

formosum, *Alef.*
humile, *Boiss.* et *Noe*
sativum, *Linn.*

Pithecolobium

Unguis-cati, *Benth.*

Psoralea

plumosa, *F. Muell.*

LEGUMINOSAE—*continued.*

Spartium

junceum, *Linn.*

Sutherlandia

frutescens, *R. Br.*

Swainsonia

Cadelli, *F. Muell.*
coronillaefolia, *Salisb.*, var. rosea
colutoides, *F. Muell.*
Greyana, *Lindl.*, var. coccinea

Templetonia

retusa, *R. Br.*

Tephrosia

cathartica, *Urb.*

Thermopsis

angustata, *Greene*
lanceolata, *R. Br.*

Trifolium

alpinum, *Linn.*
arvense, *Linn.*
badium, *Schreb.*
filiforme, *Linn.*
medium, *Linn.*
pannonicum, *Jacq.*
pratense, *Linn.*
repens, *Linn.*
stellatum, *Linn.*
tomentosum, *Linn.*, var. chthonocephalum

Trigonella

arabica, *Delile*
caerulea, *Ser.*
maritima, *Delile*
ornithopodioides, *DC.*
spinosa, *Linn.*

Ulex

europaeus, *Linn.*

LEGUMINOSAE—*continued.*

Vicia

Cracca, *Linn.*
hirsuta, *S. F. Gray*
narbonensis, *Linn.*
ochroleuca, *Tenore*
oroboides, *Wulf.*
Orobus, *DC.*
palaestina, *Boiss.*
pyrenaica, *Pourr.*
sativa, *Linn.*
sericocarpa, *Fenzl*
sicula, *Guss.*
sylvatica, *Linn.*
unijuga, *A. Braun*

Vigna

Catjang, *Walp.*

LENTIBULARIEAE.

Pinguicula

vulgaris, *Linn.*

Utricularia

caerulea, *Linn.*
emarginata, *Benj.*
montana, *Jacq.*

LILIACEAE.

Agapanthus

umbellatus, *L'Hérit.*

Allium

Ampeloprasum, *Linn.*
Aschersonianum, *Barbey*
Beesianum, *W. W. Sm.*
Bulleyanum, *Diels*
cardiostemon, *Fisch.* et *Mey.*
carinatum, *Linn.* (bulbils)
cernuum, *Roth*
cyaneum, *Regel*
dichlamydeum, *Greene*
fistulosum, *Linn.*
giganteum, *Regel*
Huteri, *Hort. Sünd.*
kansuense, *Regel*

LILIACEAE—*continued.*

Allium—*continued.*

margaritaceum, *Sibth.* et *Sm.*
Moly, *Linn.*
narcissiflorum, *Vill.*
Nevii, *S. Wats.*
odorum, *Linn.*
orientale, *Boiss.*
pulchellum, *G. Don*
roseum, *Linn.*
rubrum, *Osterh.*
Schoenoprasum, *Linn.*
Scorodoprasum, *Linn.*
senescens, *Linn.*
sikkimense, *Baker*
stenopetalum, *Boiss.* et *Kotschy*
urceolatum, *Regel.*
vineale, *Linn.*, var. bulbiferum
viviparum, *Kar.* et *Kir.* (bulbils)
yunnanense, *Diels*

Aloe

ciliaris, *Haw.*
plicatilis, *Mill.*

Anthericum

Liliago, *Linn.*

Aphyllanthes

monspeliensis, *Linn.*

Asparagus

gonocladus, *Baker*
gracilis, *Royle*
madagascariensis, *Baker*
medeoloides, *Thunb.*
plumosus, *Baker*
racemosus, *Willd.*
scandens, *Thunb.*
Sprengeri, *Regel*

Asphodeline

liburnica, *Reichb.*

LILIACEAE—*continued.*

Asphodelus

albus, *Willd.*

Astelia

Cunninghamii, *Hook. f.*
grandis, *Hook. f.*

Blandfordia

nobilis, *Sm.*

Bottionea

thysanthoides, *Colla*

Brodiaea

Douglasii, *S. Wats.*
hyacinthina, *Baker.*
ixioides, *S. Wats.*
lactea, *S. Wats.*
uniflora, *Baker*

Bulbine

annua, *Willd.*

Bulbinella

Hookeri, *Benth.* et *Hook. f.*

Camassia

Cusickii, *S. Wats.*
esculenta, *Lindl.*

Chamaelirium

carolinianum, *Willd.*

Chionodoxa

Luciliae, *Boiss.*
— var. gigantea

Chlorophytum

comosum, *Baker*
elatum, *R. Br.*
— var. variegatum
Orchidastrum, *Lindl*

Clintonia

umbellata, *Torr.*

LILIACEAE—*continued.*

Colchicum

byzantinum, *Ker-Gawl.*, var. cilicicum.
hydrophilum, *Siehe*

Convallaria

majalis, *Linn.*

Dianella

caerulea, *Sims*
graminfolia, *Kunth* et *Bouché*

Disporum

lanuginosum, *Nichols.*

Dracaena

elliptica, *Thunb.*
Godseffiana, *Baker*
surculosa, *Lindl.*

Echeandia

terniflora, *Orteg.*

Eremurus

himalaicus, *Baker*
robustus, *Regel*, var. Elwesianus

Eucomis

bicolor, *Baker*
punctata, *L'Hérit.*

Eustrephus

latifolius, *R. Br.*
— var. angustifolius

Fritillaria

Meleagris, *Linn.*, var. alba
pallidiflora, *Schrenk*
taurica, *Hort.*

Funkia

Sieboldiana, *Hook.*

Gasteria

angulata, *Haw.*

LILIACEAE—*continued.*

Gasteria—*continued.*

Croucheri, *Baker*, var. spathu-
decipiens, *Haw.* [lata
disticha, *Haw.*
— var. angulata
maculata, *Haw.*
— var. fallax
nigricans, *Haw*
verrucosa, *Haw.*, var. inter-
media, *Baker*

Gloriosa

superba, *Linn.*
virescens, *Lindl.*

Haworthia

rigida, *Haw.*, var. expansa

Helonias

bullata, *Linn.*

Hyacinthus

amethystinus, *Linn.*
azureus, *Baker*
— var. giganteus
nervosus, *Bertol.*

Kniphofia

aloides, *Moench*
pauciflora, *Baker*
Tuckii, *Baker*

Lachenalia

pallida, *Ait.*
pustulata, *Jacq.*

Lapageria

rosea, *Ruiz* et *Pav.*

Lilium

Brownii, *Mielle* (bulbils)
Delavayi, *Franch.*
giganteum, *Wall.*
Hansoni, *Leichtl.*
Martagon, *Linn.*
— var. dalmaticum (*Vis.*)
neilgherrense, *Wight*

LILIACEAE—*continued.*

Lilium—*continued.*

nepalense, *D. Don* (bulbils)
ochroleucum, *Wall.*
pardalinum, *Kellogg*
pomponium, *Linn.*
roseum, *Wall.*
Sargentii, *E. H. Wils.*
sulphureum, *Baker* (bulbils)
tigrinum, *Ker-Gawl.*, var.
splendens (*Baker*)

Littonia

modesta, *Hook.*

Muscari

alpinum, *J. Gay*
Argaei, *Hort. Siehe*
armeniacum, *Baker*
Aucheri, *Baker*
botryoides, *Mill.*
— var. pallidum
comosum, *Mill.*
conicum, *Baker*
elegans, *Hort.*
moschatum, *Willd.*

Narthecium

ossifragum, *Huds.*

Nothoscordum

fragrans, *Kunth*

Ornithogalum

arabicum, *Linn.*
caudatum, *Ait.*
lacteum, *Jacq.*
narbonense, *Linn.*
nutans, *Linn.*
oligophyllum, *Clarke*
pyrenaicum, *Linn.*
tenellum, *Jacq.*
thyrsoides, *Jacq.*
umbellatum, *Linn.*

Paradisea

Liliastrum, *Bertol.*

LILIACEAE—*continued.*

Prosartes
oregana, *S. Wats.*

Puschkinia
scilloides, *Adams*
— var. compacta

Scilla
amoena, *Linn.*
autumnalis, *Linn.*
axillaris, *C. H. Wright*
bifolia, *Linn.*
chinensis, *Benth.*
cilicia, *Siehe*
festalis, *Salisb.*
— var. alba
hispanica, *Mill.*

Stenanthium
angustifolium, *Kunth*

Thysanotus
multiflorus, *R. Br.*

Tofieldia
calyculata, *Wahlenb.*
palustris, *Huds.*

Trillium
Smallii, *Maxim.*

Tulbaghia
acutiloba, *Harv.*

Tulipa
vitellina, *Hort.*

Urginea
nigritana, *Baker*

Xerophyllum
asphodeloides, *Nutt.*

Zygadenus
elegans, *Pursh*

LINEAE.

Erythroxylum
Coca, *Lam.*

Linum
alpinum, *Linn.*
angustifolium, *Huds.*
arboreum, *Linn.*
campanulatum, *Linn.*
capitatum, *Kit.*
Chamissonis, *Schiede*
grandiflorum, *Desf.*, var. roseum
— var. rubrum
maritimum, *Linn.*
monogynum, *Forst.*
neomexicanum, *Greene*
perenne, *Linn.*
salsoloides, *Lam.*
tenuifolium, *Linn.*

Reinwardtia
tetragyna, *Planch.*

LOASEAE.

Blumenbachia
Hieronymi, *Urb.*

Loasa
lateritia, *Gill.*
papaverifolia, *H. B.* et *K.*
triphylla, *Juss.*

LOGANIACEAE.

Buddleia
globosa, *Hope*
Hemsleyana, *Hort.*
intermedia, *Carr.*
variabilis, *Hemsl.*
— var. Veitchiana
— — — magnifica

LYTHRARIEAE.

Cuphea
flava, *Spreng.*
procumbens, *Cav.*
viscosissima, *Jacq.*

LYTHRARIEAE—*continued.*

Lythrum

Salicaria, *Linn.*
— var. roseum
virgatum, *Linn.*

Nesaea

salicifolia, *H. B. K.*

Peplis

erecta, *Req.*

MAGNOLIACEAE.

Drimys

colorata, *Raoul*

MALVACEAE.

Althaea

narbonensis, *Pourr.*
officinalis, *Linn.*

Anoda

Wrightii, *A. Gray*

Callirhoë

digitata, *Nutt.*

Gossypium

herbaceum, *Linn.*

Hibiscus

furcatus, *Willd.*
lunariifolius, *Willd.*
Parkeri, *Baker*
pedunculatus, *Linn.*
Rosa-sinensis, *Linn.*, var. variegatus
schizopetalus, *Hook. f.*
Trionum, *Linn.*
— var. major
vitifolius, *Linn.*

Lavatera

arborea, *Linn.*
cretica, *Linn.*
plebeia, *Sims*
punctata, *All.*

Malva

Alcea, *Linn.*

MALVACEAE—*continued.*

Malva—*continued.*

moschata, *Linn.*
nicaeensis, *All.*
parviflora, *Linn.*, var. argen- [tea
pusilla, *Sm.*
sylvestris, *Linn.*
Tournefortiana, *Linn.*

Malvastrum

capense, *Garcke*
digitatum, *Hort.*
hypomadarum, *Sprague*
lateritium, *Nichols.*
limense, *Ball*

Modiola

multifida, *Moench*

Pavonia

hastata, *Cav.*
spinifex, *Cav.*

Plagianthus

pulchellus, *A. Gray*

Sida

acuta, *Burm.*
Hookeriana, *Miq.*
veronicaefolia, *Lam.*

Sidalcea

candida, *A. Gray*
malvaeflora, *A. Gray*
— var. atropurpurea
spicata, *Greene*

Urena

sinuata, *Linn.*

MELASTOMACEAE.

Bertolonia

maculata, *DC.*
marmorata, *Naud.*

Calvoa

sessiliflora, *Cogn.*

MELASTOMACEAE—*continued.*

Centradenia
floribunda, *Planch.*

Clidemia
hirta, *D. Don*

Guyonia
tenella, *Naud.*

Heeria
elegans, *Schlecht.*
subtriplinervia, *Triana*

Medinilla
magnifica, *Lindl.*

Monochaetum
alpestre, *Naud.*

Monolena
primulaeflora, *Hook. f.*

Osbeckia
Wightiana, *Benth.*

Tibouchina
semidecandra, *Cogn.*

Triolena
hirsuta, *Triana*

MELIACEAE.

Melia
Azedarach, *Linn.*

MYRICACEAE.

Myrica
aethiopica, *Linn.*

MYRSINEAE.

Ardisia
crenata, *Roxb.*
— var. fructu albo
mamillata, *Hance*
Wallichii, *A. DC.*

MYRSINEAE—*continued.*

Myrsine
africana, *Linn.*

MYRTACEAE.

Baeckea
linifolia, *Rudge*
virgata, *Andr.*

Callistemon
linearis, *DC.*
rigidus, *R. Br.*
salignus, *Sweet*

Eucalyptus
incrassata, *Labill.*

Eugenia
myrtifolia, *Sims*
punicaefolia, *DC.*

Kunzea
corifolia, *Reichb.*
parvifolia, *Schau.*

Leptospermum
arachnoideum, *Sm.*
flavescens, *Sm.*
scoparium, *Forst.*
— var. Chapmanni
virgatum, *Forst.*

Melaleuca
hypericifolia, *Sm.*

Metrosideros
robusta, *A. Cunn.*

Myrtus
communis, *Linn.*
Luma, *Barn.*
Ugni, *Mol.*

Napoleona
cuspidata, *Miers*

Tristania
neriifolia, *R. Br.*

NAIADACEAE.

Triglochin

maritima, *Linn.*

NYCTAGINEAE.

Allionia

latifolia, *Greene*
melanotricha, *Standley*

Mirabilis

Jalapa, *Linn.*

OCHNACEAE.

Ochna

mossambicensis, *Klotzsch*
multiflora, *DC.*

OLEACEAE.

Forsythia

suspensa, *Vahl*

Fraxinus

excelsior, *Linn.*

Jasminum

humile, *Linn.*
lucidum, *Banks*

Ligustrum

Ibota, *Sieb.*
ovalifolium, *Hassk.*
vulgare, *Linn.*
— var. italicum

Syringa

Emodi, *Wall.*
— var. variegata
vulgaris, *Linn.*

ONAGRARIEAE.

Clarkia

elegans, *Dougl.*
— var. marginata

ONAGRARIEAE—*continued.*

Epilobium

adenocaulon, *Hausskn.*
alpinum, *Linn.*
alsinoides, *A. Cunn.*
angustifolium, *Linn.*
— var. album
arcuatum, *Petrie*
brevipes, *Hook. f.*
cinereum, *A. Rich.*
Cockaynianum, *Petrie*
Dodonaei, *Vill.*
eriofolium, *Hort.*
Franciscanum, *Barbey*
frigidum, *Hausskn.*
glabellum, *Forst.*
haloragifolium, *A. Cunn.*
Hectori, *Hausskn.*
hirsutum, *Linn.*
luteum, *Pursh*
macropus, *Hook.*
melanocaulon, *Hook.*
microphyllum, *A. Rich.*
Novae-Zealandiae, *Hausskn.*
occidentale, *Rydb.*
pallidiflorum, *Soland.*
pyrricholophum, *Franch.* et *Sav.*
rosmarinifolium, *Haenke*

Eucharidium

concinnum, *Fisch.* et *Mey.*
grandiflorum, *Fisch.* et *Mey.*

Fuchsia

arborescens, *Sims*
corymbiflora, *Ruiz* et *Pav.*
fulgens, *DC.*
integrifolia, *Cambess.*
parviflora, *Lindl.*
procumbens, *R. Cunn.*
pumila, *Hort.*
Riccartoni ×, *Hort.*

Gaura

suffulta, *Engelm.*

Hartmannia

montana, *Rose*

ONAGRARIEAE—*continued.*

Jussieuia

suffruticosa, *Linn.*

Lopezia

coronata, *Andr.*
minima, *Lag.*
racemosa, *Cav.*

Ludwigia

alternifolia, *Linn.*
Muelleri, *Hort. Spreng.*

Oenothera

acaulis, *Cav.*
amoena, *Lehm.*
caespitosa, *Nutt.*
fruticosa, *Linn.*
glauca, *Michx.*
hirtella, *Greene*
missouriensis, *Sims*
mollissima, *Linn.*
pumila, *Linn.*
quadrivulnera, *Dougl.*
Romanzowii, *Ledeb.*
rosea, *Ait.*
sinuata, *Linn.*
tenuifolia, *Cav.*
triloba, *Nutt.*

ORCHIDEAE.

Cypripedium

Calceolus, *Linn.*
spectabile, *Salisb.*

Goodyera

repens, *R. Br.*

Orchis

coriophora, *Linn.*
latifolia, *Linn.*
maculata, *Linn.*

OROBANCHACEAE.

Lathraea

Clandestina, *Linn.*

OROBANCHACEAE—*continued.*

Orobanche

rubra, *Sm.*

PALMAE.

Astrocaryum

Ayri, *Mart.*
mexicanum, *Liebm.*

Chamaedorea

desmoncoides, *H. Wendl.*

Geonoma

pumila, *H. Wendl.*

Livistona

humilis, *R. Br.*

Malortiea

gracilis, *H. Wendl.*

Rhopalostylis

sapida, *H. Wendl.* et *Drude*

Sabal

Blackburniana, *Glazebr.*

Synechanthus

fibrosus, *H. Wendl.*

PAPAVERACEAE.

Argemone

mexicana, *Linn.*
— var. ochroleuca, *Lindl.*

Cathcartia

villosa, *Hook. f.*

Chelidonium

Franchetianum, *Prain*
majus, *Linn.*
— var. laciniatum

Eschscholzia

californica, *Cham.*

PAPAVERACEAE—*continued.*

Glaucium

Fischeri, *Bernh.*
flavum, *Crantz*
— var. Serpieri (*Heldr.*)

Meconopsis

aculeata, *Royle*
cambrica, *Vig.*
— var. fl. pl.
Delavayi, *Franch.*
grandis, *Prain*
heterophylla, *Benth.*
horridula, *Hook. f.* et *Thoms.*
napaulensis, *DC.*
paniculata, *Prain*
punicea, *Maxim.*
racemosa, *Maxim.*
rudis, *Prain*
simplicifolia, *G. Don*
sinuata, *Prain*, var. latifolia
speciosa, *Prain*
Wallichii, *Hook.*

Papaver

aculeatum, *Thunb.*
alpinum, *Linn.*
— var. album
— var. Burseri
anomalum, *Fedde*
glaucum, *Boiss.* et *Hausskn.*
monanthum, *Trautv.*
nudicaule, *Linn.*
— var. coccineum
— var. croceum
— var. miniatum
— var. radicatum, *DC.*
pyrenaicum, *A. Kerner*
Rhoeas, *Linn.*, var. pinnatum
rupifragum, *Boiss.* et *Bal.*
tauricolum, *Boiss.*
triniaefolium, *Boiss.*

Platystemon

californicus, *Benth.*

Sanguinaria

canadensis, *Linn.*

PASSIFLOREAE.

Passiflora

edulis, *Sims*
elegans, *Mart.*
quadrangularis, *Linn.*
racemosa, *Brot.*
suberosa, *Linn.*
Watsoniana, *Mast.*

Tacsonia

exoniensis ×, *Hort.*
Van-Volxemii, *Hook.*

PEDALINEAE.

Martynia

lutea, *Lindl.*
proboscidea, *Glox.*

PHYTOLACCACEAE.

Petiveria

alliacea, *Linn.*

Phytolacca

octandra, *Linn.*
sessiliflora, *Kunth* et *Bouché*

Rivina

aurantiaca, *Warsc.*
humilis, *Linn.*
tinctoria, *Buch.-Ham.*

PIPERACEAE.

Peperomia

argyreia, *E. Morr.*
blanda, *H. B.* et *K.*
obtusifolia, *A. Dietr.*
pellucida, *H. B.* et *K.*
Sandersii, *C. DC.*
scandens, *Ruiz* et *Pav.*

PITTOSPOREAE.

Billardiera

longiflora, *Labill.*
scandens, *Sm.*

PITTOSPOREAE—*continued.*

Pittosporum

crassifolium, *Sol.*
Ralphii, *T. Kirk*

Sollya

heterophylla, *Lindl.*

PLANTAGINEAE.

Plantago

acanthophylla, *Decne.*
alpina, *Linn.*
amplexicaulis, *Cav.*
arborescens, *Poir.*
argentea, *Chaix*
asperrima, *Gandoger*
Bellardi, *All.*
brachystachys, *Kuntze*
Brownii, *Rafin.*
carinata, *Schrad.*
Coronopus, *Linn.*
— var. simplex
crassifolia, *Forsk.*
cretica, *Linn.*
Cynops, *Linn.*
erecta, *Morris*
Grahami, *Blumer*
insularis, *Eastw.*
lanceolata, *Linn.*
— var. nitens
— var. variegata
Loscosii, *Willk.*
major, *Linn.*, var. monstrosa
— var. rubra
maritima, *Linn.*
media, *Linn.*
mexicana, *Link*
nivalis, *Boiss.*
notata, *Lag.*
ovata, *Forsk.*
patagonica, *Jacq.*
Psyllium, *Linn.*
Raoulii, *Decne.*
Rugelii, *Decne.*
virginica, *Linn.*

PLUMBAGINEAE.

Acantholimon

glumaceum, *Boiss.*

PLUMBAGINEAE—*continued.*

Armeria

Adamovici, *Hort.*
allioides, *Boiss.*
— var. ciliata
alpina, *Willd.*
— var. alba
caespitosa, *Boiss.*
canescens, *Boiss.*
elongata, *Hoffm.*
fasciculata, *Willd.*
juncea, *Girard*
labradorica, *Wallr.*
latifolia, *Willd.*
— var. bracteata
leucocephala, *Koch*
majellensis, *Boiss.*
maritima, *Willd.*
— var. alba
— var. alpina
— var. Laucheana
mauritanica, *Wallr.*, var. hybrida
pinifolia, *Hoffmgg.* et *Link*
plantaginea, *Willd.*
sibirica, *Turcz.*
splendens, *Boiss.*
Welwitschii, *Boiss.*

Plumbago

scandens, *Linn.*

Statice

altaica, *Hort.*
auriculaefolia, *Vahl*
echioides, *Linn.*
filicaulis, *Boiss.*
globulariaefolia, *Desf.*
Limonium, *Linn.*, var. macroclada
remotispicula, *Lacaita*
spathulata, *Desf.*
Suworowi, *Regel*
— var. alba
tatarica, *Linn.*

POLEMONIACEAE.

Cantua

buxifolia, *Lam.*

Cobaea

scandens, *Cav.*

Collomia

biflora, *Brand.*
gracilis, *Dougl.*
heterophylla, *Hook.*
linearis, *Nutt.*

Gilia

abrotanifolia, *Nutt.*
androsacea, *Steud.*
laciniata, *Ruiz* et *Pav.*
nivalis, *Hérincq*
tricolor, *Benth.*
— var. violacea

Phlox

ovata, *Linn.*

Polemonium

boreale, *Adams*
caeruleum, *Linn.*
— var. dissectum
— var. gracile (*Willd.*)
— var. himalayanum, *Baker*
— var. monstrosum
filicinum, *Greene*
flavo-caeruleum, *Hort.*
flavum, *Greene*
foliosissimum, *A. Gray*
grandiflorum, *Benth.*
lanatum, *Pallas*, var. humile (*Willd.*)
mexicanum, *Cerv.*
pulchellum, *Bunge*
reptans, *Linn.*
viscosum, *Nutt.*

POLYGALACEAE.

Polygala

major, *Jacq.*
— var. alba

POLYGONACEAE.

Atraphaxis

Billardieri, *Jaub.* et *Spach*

Emex

spinosa, *Campd.*

Eriogonum

arborescens, *Greene*
racemosum, *Nutt.*
shoshonense, *A. Nels.*
umbellatum, *Torr.*

Fagopyrum

esculentum, *Moench*

Muehlenbeckia

axillaris, *Walp.*
chilensis, *Meissn.*
complexa, *Meissn.*
ephedroides, *Hook. f.*

Nemacaulis

Nuttallii, *Benth.*

Oxyria

digyna, *Hill*

Polygonum

affine, *D. Don*
alatum, *Ham.*
alpinum, *All.*
Bistorta, *Linn.*
— var. giganteum
capitatum, *Ham.*
divaricatum, *Linn.*
Emodi, *Meissn.*
paniculatum, *Blume*
pensylvanicum, *Linn.*
tomentosum, *Willd.*

Rheum

acuminatum, *Hook. f.* et *Thoms.*
Collinianum, *Baill.*
Franzenbachii, *Muent.*
hybridum, *Murr.*

POLYGONACEAE—*continued.*

Rheum—*continued.*

palmatum, *Linn.*, var. rubrum
Rhaponticum, *Linn.*
tataricum, *Linn. f.*

Rumex

alpinus, *Linn.*
Berlandieri, *Meissn.*
chrysocarpos, *Morris*
crispus, *Linn.*
dentatus, *Linn.*
exaltatus, *Hort.*
flexuosus, *Soland.*
Hydrolapathum, *Huds.*
intermedius, *DC.*
maritimus, *Linn.*
nepalensis, *Spreng.*
nivalis, *Hegetschw.*
obtusifolius, *Linn.*
occidentalis, *S. Wats.*
roseus, *Linn.*
salicifolius, *Weinm.*
scutatus, *Linn.*

PORTULACEAE.

Anacampseros

arachnoides, *Sims*
filamentosa, *Sims*

Calandrinia

grandiflora, *Lindl.*
umbellata, *DC.*

Claytonia

perfoliata, *Donn*
virginica, *Linn.*

Pleuropetalum

costaricense, *Hemsl.*

Talinum

patens, *Willd.*

PRIMULACEAE.

Anagallis

arvensis, *Linn.*

PRIMULACEAE—*continued.*

Anagallis—*continued.*

arvensis, var. caerulea
— var. phoenicea
linifolia, *Linn.*, var. Philipsii

Androsace

alpina, *Lam.*
arachnoidea, *Schott*
Bulleyana, *G. Forrest*
ciliata, *DC.*
Delavayi, *Franch.*
erecta, *Maxim.*
Hausmanni, *Leyb.*
helvetica, *Gaud.*
lactea, *Linn.*
lactiflora, *Fisch.*
lanuginosa, *Wall.*
— var. Leichtlini
obtusifolia, *All.*
primuloides, *Duby.*
pyrenaica, *Lam.*
sarmentosa, *Wall.*
villosa, *Linn.*

Asterolinon

stellatum, *Hoffmgg.* et *Link*

Cortusa

Matthioli, *Linn.*
villoso-hirsuta, *Schur.*

Cyclamen

hederaefolium, *Ait.*
latifolium, *Sibth.* et *Sm.*
repandum, *Sibth.* et *Sm.*

Dodecatheon

integrifolium, *Michx.*
pauciflorum, *Greene*
radicatum, *Greene*

Glaux

maritima, *Linn.*

Hottonia

palustris, *Linn.*

PRIMULACEAE *continued.*

Lysimachia

amoena, *G. Forrest*
atropurpurea, *Linn.*
barystachys, *Bunge*
Delavayi, *Franch.*
Leschenaultii, *Duby*
mauritiana, *Lam.*
punctata, *Linn.*
sikokiana, *Miq.*
violascens, *Franch.*

Primula

Allionii, *Loisel.*
apennina, *Wid.*
Auricula, *Linn.*, var. alpina
bella, *Franch.*
Beesiana, *G. Forrest*
Bulleyana, *G. Forrest*
Cockburniana, *Hemsl.*
concinna, *Watt*
cashmeriana, *Munro*
elatior, *Hill*
— var. gigantea
Forrestii, *Balf. f.*
frondosa, *Janka*
Giraldiana, *Pax*
glabra, *Klatt*
hirsuta, *All.*, var. Balfouriana (*Hort. Backh.*)
imperialis, *Jungh.*
japonica, *A. Gray*
— var. lilacina
japonica × Bulleyana
kewensis ×, *Jenkins*
— var. farinosa
kichanensis, *Franch.*
leucophylla, *Pax*
lichiangensis, *G. Forrest*
Lindsayi, *Hort.*
Littoniana, *G. Forrest*
longiflora, *All.*
luteola, *Rupr.*
macrocalyx, *Bunge*
malacoides, *Franch.*
— var. alba

PRIMULACEAE *continued*

Primula—*continued.*

malvacea, *Franch.*
marginata, *Curt.*
membranifolia, *Franch.*
modesta, *Bisset* et *Moore*
obconica, *Hance*
Palinuri, *Petag.*
pinnatifida, *Franch.*
Poissonii, *Franch.*
pseudo-capitata, *F. K. Ward.*
pubescens ×, *Jacq.*
pulchelloides, *F.K. Ward*
pulverulenta, *Duthie*
pycnoloba, *Bureau* et *Franch.*
Reidii, *Duthie*
rosea, *Royle*
rotundifolia, *Wall.*
saxatilis, *Komarov*
scotica, *Hook.*
septemloba, *Franch.*
serratifolia, *Franch.*
sikkimensis, *Hook. f.*
sinolisteri, *Balf. f.*
sinomollis, *Balf. f.*
sordida ×, *G. Beck.*
Subtitzii ×, *Gusmus*
suffrutescens, *A. Gray*
Tommasinii ×, *Godr.* et *Gren.*
Umbrella, *G. Forrest*
unique ×, *Veitch*
Veitchii, *Duthie*
verticillata, *Forsk.*
Wardii, *Balf. fil.*
Watsoni, *Dunn*
Wulfeniana, *Schott*

Samolus

ebracteatus, *H. B. K.*
littoralis, *Schrank*
Valerandi, *Linn.*

PROTEACEAE.

Banksia

serrata, *Linn. f.*

PROTEACEAE—*continued.*

Grevillea

glabrata, *Meissn.*

Hakea

gibbosa, *Cav.*
microcarpa, *R. Br.*
pugioniformis, *Cav.*
suaveolens, *R. Br.*
ulicina, *R. Br.*, var. carinata

Leucadendron

decorum, *R. Br.*

Persoonia

lanceolata, *Andr.*

RANUNCULACEAE.

Aconitum

ferox, *Wall.*
Fischeri, *Reichb.*
Forrestii, *Stapf*
heterophyllum, *Wall.*
longigaleatum, *Hort.*
Lycoctonum, *Linn.*
— var. album
— var. pyrenaicum
Napellus, *Linn.*
— var. album
paniculatum, *Lam.*
reclinatum, *A. Gray*
transsectum, *Diels*
volubile, *Koelle*
Wilsonii, *Hort. Veitch*

Actaea

alba, *Mill.*

Adonis

vernalis, *Linn.*

Anemone

albana, *Stev.*
alpina, *Linn.*
— var. sulphurea
angulosa, *Lam.*

RANUNCULACEAE—*continued.*

Anemone—*continued.*

decapetala, *Arduini*
demissa, *Hook. f.* et *Thoms.*
Hepatica, *Linn.*, var. alba
multifida, *Poir.*
— var. Hudsoniana
nemorosa, *Linn.*
Pavoniana, *Boiss.*
pratensis, *Linn.*
Pulsatilla, *Linn.*
rivularis, *Ham.*
rupicola, *Camb.*
sulphurea, *Linn.*
— var. major
sylvestris, *Linn.*
vernalis, *Linn.*
virginiana, *Linn.*
vitifolia, *Buch.-Ham.*

Anemonopsis

macrophylla, *Sieb.* et *Zucc.*

Aquilegia

alpina, *Linn.*
arizonica, *Heller*
Bertolonii, *Schott*
Buergeriana, *Sieb.* et *Zucc.*
caerulea, *James*
chrysantha, *A. Gray*
Einseleana, *Fr. Schultz*
flabellata, *Sieb.* et *Zucc.*, var. [alba
formosa, *Fisch.*
glandulosa, *Fisch.*
olympica, *Boiss.*
Ottonis, *Orph.*
pyrenaica, *DC.*
Skinneri, *Hook.*
viridiflora, *Pall.*
vulgaris, *Linn.*
— var. atrata
— — Haenkeana

Callianthemum

rutaefolium, *C. A. Mey.*

RANUNCULACEAE—*continued.*

Caltha

polypetala, *Hochst.*

Cimicifuga

americana, *Michx.*
cordifolia, *Pursh*
davurica, *Maxim.*
japonica, *Miq.*
racemosa, *Nutt.*

Clematis

Flammula, *Linn.*
— var. foliis purpureis
grewiaeflora, *DC.*
integrifolia, *Linn.*
microphylla, *DC.*
orientalis, *Linn.*
— var. tangutica, *Maxim.*
paniculata, *Thunb.*
recta, *Linn.*
songorica, *Bunge*

Coptis

trifolia, *Salisb.*

Delphinium

Ajacis, *Reichb.*
altissimum, *Wall.*
azureum, *Michx.*
Bulleyanum, *G. Forrest*
cashmirianum, *Royle*
cheilanthum, *Fisch.*
corymbosum, *Regel*
Delavayi, *Franch.*
Duhmbergii, *Huth*
dictyocarpum, *DC.*
elatum, *Linn.*
— var. alpinum
flexuosum, *Rafin.*
formosum, *Boiss.* et *Huet*
grandiflorum, *Linn.*
hybridum, *Steph.*
likiangense, *Franch.*
Maackianum, *Regel*
occidentale, *S. Wats.*
pellucidum, *Busch*
Potanini, *Huth*

RANUNCULACEAE—*continued.*

Delphinium—*continued.*

Przewalskii, *Huth*
Pylzowi, *Maxim.*
Requienii, *DC.*
scopulorum, *A. Gray*
— var. stachydeum
speciosum, *Bieb.*, var. glabratum
tatsienense, *Franch.*
— var. album
vestitum, *Wall.*
viscosum, *Hook. f.* et *Thoms.*

Eranthis

cilicica, *Schott* et *Kotschy*

Helleborus

lividus, *Ait.*

Myosurus

minimus, *Linn.*

Paeonia

anomala, *Linn.*
— var. insignis
decora, *Anders.*, var. elatior
Veitchii, *Lynch*
Wittmanniana, *Hartwiss*

Ranunculus

aconitifolius, *Linn.*
acris, *Linn.*
— var. flore pleno
amplexicaulis, *Linn.*
bulbosus, *Linn.*
canariensis, *Hort.*
carpetanus, *Boiss.* et *Reut.*
caucasicus, *Bieb.*
Chius, *DC.*
cortusaefolius, *Willd.*
demissus, *DC.*
gracilis, *Clarke*
gramineus, *Linn.*
hirtus, *Banks* et *Sol.*
Kerneri, *Freyn*
lanuginosus, *Linn.*
lappaceus, *Sm.*

RANUNCULACEAE—*continued.*

Ranunculus—*continued.*

libanoticus, *Freyn*
lomatocarpus, *Fisch.* et *Mey.*
montanus, *Willd.*
Munroi, *Hook. f.*
— var. dentatus
muricatus, *Linn.*
nemorosus, *DC.*
ophioglossifolius, *Vill.*
orthorhynchus, *Hook.*
parviflorus, *Linn.*
pensylvanicus, *Linn.*
Reuterianus, *Boiss.*
sceleratus, *Linn.*
serbicus, *Vis.*
trilobus, *Desf.*
velutinus, *Tenore*
Weyleri, *Marès*

Thalictrum

alpinum, *Linn.*
angustifolium, *Linn.*
— var. minus
aquilegiaefolium, *Linn.*
calabricum, *Spreng.*
caucasicum, *Hort.*
Cornuti, *Linn.*
corynellum, *DC.*
cultratum, *Wall.*
dipterocarpum, *Franch.*
elegans, *Wall.*
dipterocarpum, *Franch.*
elegans, *Wall.*
glaucum, *Desf.*
isopyroides, *C. A. Mey.*
minus, *Linn.*
— var. adiantifolium
— var. elatum
— var. saxatile
purpurascens, *Linn.*
simplex, *Linn.*

Trautvetteria

palmata, *Fisch.* et *Mey.*

Trollius

altaicus, *C. A. Mey.*
asiaticus, *Linn.*

RANUNCULACEAE—*continued.*

Trollius—*continued.*

— var. giganteus
europaeus, *Linn.*
— var. napellifolius
Ledebourii, *Reichb.*
patulus, *Salisb.*
— var. pedunculatus
pumilus, *D. Don*
— var. yunnanensis

RESEDACEAE.

Oligomeris

glaucescens, *Cambess.*

Reseda

alba, *Linn.*
complicata, *Bory*
decursiva, *Forsk.*, var. foliosa
glauca, *Linn.*
Luteola, *Linn.*
odorata, *Linn.*

RHAMNEAE.

Hovenia

dulcis, *Thunb.*

Pomaderris

lanigera, *Sims*
phylicaefolia, *Lodd.*
subrepanda, *F. Muell.*

Rhamnus

californica, *Eschsch.*
caroliniana, *Walt.*
Frangula, *Linn.*

ROSACEAE.

Acaena

cylindristachya, *Ruiz* et *Pav.*
Dieckii, *Hort.*
glabra, *J. Buch.*
glauca, *Hort.*
inermis, *Hook. f.*
laevigata, *Ait.*
myriophylla, *Lindl.*
Novae-Zelandiae, *T. Kirk*

ROSACEAE—*continued.*

Acaena—*continued.*

ovalifolia, *Ruiz* et *Pav.*
Sanguisorbae, *Vahl*
sericea, *Jacq.*
splendens, *Hook.* et *Arn.*

Agrimonia

agrimonioides, *Linn.*
Eupatoria, *Linn.*
odorata, *Mill.*

Alchemilla

alpina, *Linn.*
— var. conjuncta
arvensis, *Scop.*
chirophylla, *Buser*
helvetica ×, *Bruegg.*
hirsuta, *H. B.* et *K.*
retinervis, *Buser*
speciosa, *Buser*
splendens, *Christ*
vulcanica, *Cham.* et *Schlecht.*
vulgaris, *Linn.*
— var. glabra

Amelanchier

canadensis, *Torr.* et *Gray*
oligocarpa, *Roem.*
oxyodon, *Koehne*

Cotoneaster

acuminata, *Lindl.*
acutifolia, *Lindl.*
affinis, *Lindl.*
bacillaris, *Wall.*
bullata, *Bois*
divaricata, *Rehder* et *Wilson*
Francheti, *Bois*
frigida, *Wall.*
horizontalis, *Decne.*
— var. perpusilla
laxiflora, *Jacq.*
microphylla, *Wall.*
moupinensis, *Franch.*
multiflora, *Bunge*
Nummularia, *Fisch.* et *Mey.*
— var. Meyeri

ROSACEAE—*continued.*

Cotoneaster—*continued.*

pannosa, *Franch.*
rotundifolia, *Wall.*
rupestris, *Hort.*
salicifolia, *Franch.*, var.
rugosa, *Rehder* et *Wilson*
Simonsii, *Baker*
thymifolia, *Baker*

Crataegus

acutiloba, *Sargent*
Azarolus, *Linn.*
Carrierei, *Vauvel*
coccinea, *Linn.*
— var. flabellata, *Britton*
— var. indentata, *Hort.*
— var. rotundifolia, *Sargent*
collina, *Chapman*
Crus-galli, *Linn.*
— var. splendens, *Lodd.*
Douglasii, *Lindl.*
Dippeliana, *Lange*
intricata, *Lange*
macrantha, *Lodd.*
mollis, *Scheele*
nigra, *Waldst.* et *Kit.*
nitida, *Sargent*
orientalis, *Pall.*
Oxyacantha, *Linn.*
— var. flore pleno albo
— var. flore pleno roseo
— var. flore puniceo
— var. foliis luteis
— var. fructu luteo
— var. fuscata, *Hort.*
— var. monogyna, *Jacq.*
— var. pendula, *Lodd.*
— var. semperflorens, *Carr.*
— var. stricta, *Lodd.*
— var. variegata
pentagyna, *Kit.*
pinnatiloba, *Lange*
polyacantha, *Jan*
Pyracantha, *Pers.*
— var. Lalandi, *Hort.*
sorbifolia, *Desf.*
succulenta, *Link*
tomentosa, *Linn.*

ROSACEAE—*continued.*

Cydonia
japonica, *Thunb.*
— var. grandiflora
Maulei, *T. Moore*

Dryas
Drummondii, *Richards.*
octopetala, *Linn.*
— var. lanata

Eriobotrya
japonica, *Lindl.*

Fragaria
californica, *Cham.* et *Schlecht.*
collina, *Ehrh.*
Daltoniana, *J. Gay*
indica, *Andr.*
roseiflora, *Boulay*
vesca, *Linn.*, var. monophylla
— var. muricata
— var. semperflorens

Geum
atrosanguineum, *Hort.*
coccineum, *Sibth.* et *Sm.*, var. grandiflorum
elatum, *Wall.*
Eweni, *Hort.*
Heldreichii, *Hort.*
— var. superbum
intermedium ×, *Ehrh.*
Laxmanni, *Gaertn.*
macrophyllum, *Willd.*
montanum, *Linn.*
— var. corsicum
parviflorum, *Commers.*
pyrenaicum, *Mill.*
reptans, *Linn.*
rhaeticum, *Bruegg.*
rivale, *Linn.*
Rossii, *Seringe*
tirolense, *Kern.*
urbanum, *Linn.*

Gillenia
stipulacea, *Nutt.*
trifoliata, *Moench*

ROSACEAE—*continued.*

Margyricarpus
setosus, *Ruiz* et *Pav.*

Neillia
opulifolia, *Benth.* et *Hook. f.*, var. lutea
Torreyi, *S. Wats.*

Nuttallia
cerasiformis, *Torr.* et *Gray*

Potentilla
adscharica, *Somm.* et *Lev.*
albifolia, *Wall.*
alchemilloides, *Lapeyr.*
alpestris, *Hall. f.*
— var. semi-plena
ambigua, *Cambess.*
apennina, *Tenore*
argentea, *Linn.*
— var. calabra
argyrophylla, *Wall.*
bifurca, *Linn.*
Buccoana, *Clem.*
Clusiana, *Jacq.*
concolor, *Rolfe*
crinita, *A. Gray*
Cryptotaeniae, *Maxim.*
Degenii, *Sieg.*
Delavayi, *Franch.*
delphinensis, *Gren.* et *Godr.*
Detommasii, *Tenore*
Dickinsii, *Franch.* et *Sav.*
dissecta, *Pursh*
Dombeyi, *Nestl.*
effusa, *Dougl.*
flagellaris, *Willd.*
Forrestii, *W. W. Sm.*
Friedrichsenii ×, *Späth*
fruticosa, *Linn.*
— var. glabrata
— var. rigida
— var. tenuifolia
fulgens, *Wall.*
glandulosa, *Lindl.*

ROSACEAE—*continued.*

Potentilla—*continued.*

gracilis, *Dougl.*
grandiflora, *Linn.*
Griffithii, *Hook. f.*, var. con-
Herbichii, *Blocki*
Hippiana, *Lehm.*
Kerneri ×, *Borb.*
kurdica, *Boiss.* et *Hohen.*
lanuginosa, *Fisch.* et *Sweet*
Leschenaultiana, *Ser.*
leuconota, *D. Don*
litoralis, *Rydb.*
Macnabiana ×, *Lem.*
Menziesii ×, *Paxt.*
monspeliensis, *Linn.*
montenegrina, *Pantoč*
Mooniana, *Wight*
multiflora, *Hort.*
nepalensis, *Hook.*
— var. Willmottiana
Nicicii, *Adamovič*
nivea, *Linn.*
opaca, *Linn.*
palustris, *Scop.*
peduncularis, *D. Don*
pensylvanica, *Linn.*
persica, *Boiss.* et *Hausskn.*
Peyritschii, *Zimm.*
procumbens, *Sibth.*
pulcherrima, *Lehm.*
Purpusi, *Hort. Edin.*
recta, *Linn.*, var. laciniata
— var. pedata
— var. sulphurea
rhomboidea, *Rydb.*
Richardii, *Lehm.*
rupestris, *Linn.*
— var. pygmaea
Rydbergiana, *Rose*
sanguisorbifolia, *F. O. Wolf*
sericea, *Linn.*
Sibbaldi, *Hall. f.*
speciosa, *Willd.*
tanacetifolia, *Willd.*
Tormentilla, *Neck.*
tridentata, *Soland.*
Veitchii, *Wilson*
verna, *Linn.*
viscosa, *Donn*

ROSACEAE—*continued.*

Poterium

canadense, *A. Gray*
dodecandrum, *Benth.* et *Hook. f.*
hakusanense, *Hort.*
officinale, *A. Gray*
rhodopeum, *Velen.*
Sanguisorba, *Linn.*
sitchense, *S. Wats.*
spinosum, *Linn.*
verrucosum, *Ehrenb.*

Prunus

acida, *Borkh.*
Avium, *Linn.*
Laurocerasus, *Linn.*, var. colchica

Pyrus

alnifolia, *Franch.* et *Sav.*
alpina, *Willd.*
americana, *DC.*
arbutifolia, *Linn. f.*
Aria, *Linn.*
— var. obtusata
— var. salicifolia, *Hort.*
Aucuparia, *Gaertn.*
— var. integerrima, *Koehne*
— var. pendula variegata
baccata, *Linn.*
— var. cerasifera
baccata, *Linn.*, var. maxima
canescens, *Spach*
germanica, *Hook. f.*
Hostii, *Hort.*
hybrida, *Moench*
intermedia, *Ehrh.*
melanocarpa, *K. Koch*
pinnatifida, *Ehrh.*
prunifolia, *Willd.*
— var. Colvillei
— var. fructu dulce
— var. fructu luteo
Ringo, *Maxim.*, var. fastigiata bifera, *Hort.*
rivularis, *Dougl.*
rotundifolia, *Bechst.*
Sorbus, *Gaertn.*

ROSACEAE—*continued.*

Pyrus—*continued.*

spectabilis, *Ait.*, var. flore [roseo
Toringo, *Sieb.*
Torminalis, *DC.*

Rhodotypos

kerrioides, *Sieb.* et *Zucc.*

Rosa

acicularis, *Lindl.*
alpina, *Linn.*
— var. pyrenaica
blanda, *Ait.*
— var. arkansana
— var. Sayi [pisocarpa
californica, *Schlecht.*, var.
cinnamomea, *Linn.*, var.
Fendleri, *Crep.* [davurica
ferox, *Bieb.*
gallica, *Linn.*
glauca, *Vill.*
glutinosa, *Sibth.* et *Sm.*
haematodes, *Boiss.*
Jundzilli, *Besser*
laxa, *Retz.*
macrophylla, *Lindl.*
Malyi, *Kern.*
moschata, *Herrm.*
Moyesii, *Hems.* et *Wilson*
nitida, *Willd.*
pomifera, *Herrm.*
poteriifolia, *Hort.*
rugosa, *Thunb.*
— var. alba
sericea, *Lindl.*
spinosissima, *Linn.*
— var. rubra
tomentosa, *Sm.*
villosa, *Linn.*
— var. pomifera
Webbiana, *Wall.*

Rubus

biflorus, *Buch.-Ham.*, var. quinqueflorus
deliciosus, *James*

ROSACEAE—*continued.*

Rubus—*continued.*

Idaeus, *Linn.*
laciniatus, *Willd.*
mesogaeus, *Focke*
nutkanus, *Moç.*
occidentalis, *Linn.*
odoratus, *Linn.*
phoenicolasius, *Maxim.*
rosaefolius, *Sm.*
xanthocarpus, *Bur.* et *Franch.*

Sibiraea

tomentosa, *Diels*

Spiraea

Aitchisoni, *Hemsl.*
Aruncus, *Linn.*
assurgens, *Hort.*
bella, *Sims*
bracteata, *Zabel*
chamaedrifolia, *Linn.*
decumbens, *Koch*
discolor, *Pursh*
— var. dumosa
Douglasii, *Hook.*
Foxii, *Hort.*
japonica, *Linn. f.*
— var. alba
— var. variegata
Lindleyana, *Wall.*
lobata, *Jacq.*
Menziesii, *Hook.*, var. Billiardii
Nobleana, *Hook.*
palmata, *Sternb.*
salicifolia, *Linn.*
— var. paniculata, *Maxim.*
sorbifolia, *Linn.*
Ulmaria, *Linn.*
vestita, *Wall.*

Stephanandra

Tanakae, *Franch.* et *Sav.*

RUBIACEAE.

Asperula

aristata, *Linn.*

RUBIACEAE—*continued.*

Asperula—*continued.*

arvensis, *Linn.*
azurea, *Jaub.* et *Spach*, var. setosa
ciliata, *Rochel*
cynanchica, *Linn.*
humifusa, *Bess.*
odorata, *Linn.*
orientalis, *Boiss.* et *Hohen.*
tinctoria, *Linn.*

Chiococca

racemosa, *Linn.*

Coffea

arabica, *Linn.*
bengalensis, *Roxb.*

Coprosma

lucida, *Forst.*

Crucianella

angustifolia, *Linn.*
chlorostachys, *Fisch.* et *Mey.*

Damnacanthus

indicus, *Gaertn.*

Galium

boreale, *Linn.*
erectum, *Huds.*
lithospermifolium, *Fisch.*
Mollugo, *Linn.*
saxatile, *Linn.*

Houstonia

caerulea, *Linn.*

Ixora

stricta, *Roxb.*

Leptodermis

lanceolatus, *Wall.*

Mitriostigma

axillare, *Hochst.*

RUBIACEAE—*continued.*

Nertera

Balfouriana, Cockayne
ciliata, *T. Kirk*
depressa, *Banks*

Pentas

carnea, *Benth.*
— var. kermesina.

Phuopsis

stylosa, *Benth.* et *Hook. f.*

Phyllis

Nobla, *Linn.*

Richardsonia

pilosa, *H. B.* et *K.*

Rondeletia

odorata, *Jacq.*

Vaillantia

hispida, *Linn.*

RUTACEAE.

Boenninghausenia

albiflora, *Reichb.*

Boronia

megastigma, *Nees*
serrulata, *Sm.*

Citrus

Medica, *Linn.*, var. Limonum
nobilis, *Lour.*, var. major

Dictamnus

albus, *Linn.*
— var. tauricus

Eriostemon

buxifolius, *Sm.*

Erythrochiton

brasiliensis, *Nees*

RUTACEAE—*continued.*

Evodia
elegans, *Hort.*
formosa, *Hort.*
meliaefolia, *Benth.*

Hedyotis
Auricularia, *Linn.*

Ptelea
trifoliata, *Linn.*

Ruta
chalepensis, *Linn.*
graveolens, *Linn.*
macrophylla, *Soland.*

Skimmia
Fortunei, *Mast.*
Laureola, *Sieb.* et *Zucc.*, var.
oblata

SAPINDACEAE.

Acer
campestre, *Linn.*
carpinifolium, *Sieb.* et *Zucc.*
opulifolium, *Vill.*
— var. obtusatum
pensylvanicum, *Linn.*
platanoides, *Linn.*
Pseudo-platanus, *Linn.*
— var. euchlorum
— var. foliis cupreis
— var. purpureum

Dodonaea
triquetra, *Wendl.*
viscosa, *Jacq.*

Melianthus
major, *Linn.*

SARRACENIACEAE.

Sarracenia
purpurea, *Linn.*

SAXIFRAGEAE.

Acrophyllum
venosum, *Benth.*

SAXIFRAGEAE—*continued.*

Anopterus
glandulosus, *Labill.*

Astilbe
japonica, *A. Gray*
simplicifolia, *Makino*
Thunbergii, *Miq.*

Bauera
rubioides, *Andr.*

Boykinia
aconitifolia, *Nutt.*
major, *Gray*
occidentalis, *Torr.* et *Gray*

Cephalotus
follicularis, *Labill.*

Ceratopetalum
gummiferum, *Sm.*

Chrysosplenium
flagelliferum, *F. Schmidt*

Deutzia
longifolia, *Franch.*

Dichroa
febrifuga, *Lour.*

Francoa
appendiculata, *Cav.*
ramosa, *D. Don*
sonchifolia, *Cav.*

Heuchera
americana, *Linn.*
bracteata, *Ser.*
cylindrica, *Dougl.*

SAXIFRAGEAE—*continued.*

Heuchera *-continued.*

hispida, *Pursh*
micrantha, *Dougl.*
rubescens, *Torr.*

Hydrangea

Hortensia, *Sieb.*, var. Mariesii

Mitella

pentandra, *Hook.*

Parnassia

asarifolia, *Vent.*
palustris, *Linn.*

Philadelphus

coronarius, *Linn.*
Gordonianus, *Lindl.*
Lewisii, *Pursh*
microphyllus, *A. Gray*
Satsumi, *Siebold*, var. acuminatus

Ribes

aureum, *Pursh*, var. Crandelli
— var. leiobotrys
nigrum, *Linn.*, var. fructu
sanguineum, *Pursh* [luteo
— var. albidum
— var. atrosanguineum
— var. glutinosum

Rodgersia

aesculifolia, *Batalin*
pinnata, *Franch.*, var. rosea
podophylla, *A. Gray*
tabularis, *Hemsl.*

Saxifraga

aizoides, *Linn.*
adscendens, *Linn.*

SAXIFRAGEAE—*continued.*

Saxifraga—*continued.*

Aizoon, *Jacq.*
— f. cultrata
— f. hirsuta
— f. La-graveana
— f. lutea
— f. microphylla
— f. minima
— f. robusta
— f. rosularis (*Haw.*)
— f. Sturmiana (*Schott, Nym.* et *Kotschy*)
ambigua ×, *DC.*
aquatica, *Lapeyr.*
aretioides, *Lapeyr.*
aurantiaca, *Franch.*
bracteosa, *Suksd.*
bronchialis, *Linn.*
Brunoniana, *Wall.*
— var. majuscula, *Engl.* et *Irmscher*
Burseriana, *Linn.*
— var. crenata
— var. minor
— var. speciosa
caesia, *Linn.*
caespitosa, *Linn.*
canaliculata, *Boiss.* et *Reut.*
Candelabrum, *Franch.*
cernua. *Linn.*
cernua × granulata
Clusii, *Gouan*
cochlearis, *Reichb.*
— var. minor
cortusaefolia, *Sieb.* et *Zucc*
Cotyledon, *Linn.*
— var. montavoniensis
— var. pyramidalis
— var. pyrenaica
crassifolia, *Linn.*
crustata, *Vest*
cuneata. *Willd.*
cuneifolia, *Linn.*
— f. apennina (*Bertol.*)
— f. davurica
— f. infundibuliformis
— f. subintegra
decipiens, *Ehrh.*, *f.* adscendens

SAXIFRAGEAE—*continued.*

Saxifraga—*continued.*

— f. globosa
— f. grandiflora
— f. hibernica
— f. hirta
— f. hybrida grandiflora
— f. incurvifolia
— f. Kingii
— f. pallida
— platypetala
— f. pulchella
— f. Sternbergii
Delavayi, *Franch.*
Desoulavyi, *H. v. Oett.*
discolor, *Velen.*
diversifolia, *Wall.* [*cher*
— var. alpina, *Engl.* et *Irms-*
— var. angustibracteata, *Engl.* et *Irmscher* [*scher*
— var. foliata, *Engl.* et *Irm-*
Eastwoodiae (*Small*)
erosa, *Pursh*
exarata, *Vill.*
fastigiata, *Hort.*
flagellaris, *Willd.*
Forbesii, Vasey
gemmifera, *Franch.*
geranioides, *Linn.*
Geum, *Linn.*
— f. crenulata
— f. crispa
— — minor
— f. identata
— f. Donii
— f. elegans
— f. ovalifolia
— f. polita
— f. reniformis
granulata, *Linn.*
Grenieri ×, *Sünd.*
Haagii ×, *Sünd.*
hederacea, *Linn.*
hispidula, *Don*, var. Doniana, *Engl.*
Hochstetteriana, *Lange*
Hostii, *Tausch.*
Hostii, var. altissima
Huetiana, *Boiss.*
hypnoides, *Linn.*

SAXIFRAGEAE—*continued.*

Saxifraga—*continued.*

irrigua, *Bieb.*
japonica, *Boiss.*
lactea, *Turcz.*
laevis, *Bieb.*
lingulata, *Bell.* [*Reut.*
— f. lantoscana, *Boiss.* et
luteo-viridis, *Schott* et *Kotschy*
macrostigma, *Franch.*, var.
aurantiascens, *Engl.* et *Irmscher*
Maweana, *Baker*
media, *Gouan*
Mertensiana, *Bong.*
micrantha, *Edgew.*
— var. corymbiflora, *Engl.* et *Irmscher*
muscoides, *Wulf.*
— var. pygmaea
mutata, *Linn.*
Nuttallii, *Small*
nervosa, *Miégev.*
nivalis, *Linn.*
obscura, *Gren.* et *Godr.*
oranensis, *Munby*
paradoxa, *Sternb.*
pedatifida, *Ehrh.*
pedemontana, *All.*
— f. aromatica
— f. cervicornis
peltata, *Torr.* et *Gray*
pensylvanica, *Linn.*
pentadactylis, *Lapeyr.*
— f. Allionii
perdurans, *Kit.*
petraea, *Linn.*
— var. Blavii, *G. Beck*
Petraschii ×, *Sünd.*
porophylla, *Bertol.*
Portae ×, *Engl.*
pseudo-sancta, *Janka*
purpurascens, *Hook. f.*
reflexa, *Hook.*
Regeli ×, *Kerner*
Rocheliana, *Sternb.*
rotundifolia, *Linn.*
— f. graeca
— f. glandulosa (*Griseb.*)
— f. heucherifolia

SAXIFRAGEAE—*continued.*

Saxifraga—*continued.*

— f. hirsuta
rufidula, *Small*
sancta, *Griseb.*
sarmentosa, *Linn.*
Sibthorpii, *Boiss.*
sponhemica, *Gmel.*
squarrosa, *Sieber*
Stansfieldi ×
Sternbergii, *Willd.*
tenella, *Wulf.*
tellimoides, *Maxim.*
transsilvanica, *Fuss*
turfosa, *Engl.* et *Irmscher*
umbrosa, *Linn.*
— f. Colvillei
— f. elegans
— f. Ogilvieana
— f. primuloides
— f. punctata
— f. serratifolia
— — Melvillei
— f. variegata
valdensis, *DC.*
vochinensis, *Gusm.*
Zelebori, *Schott*

Suksdorfia

violacea, *A. Gray*

Tellima

grandiflora, *R. Br.*

Tiarella

polyphylla, *D. Don*
trifoliata, *Linn.*

SCITAMINEAE.

Alpinia

malaccensis, *Rosc.*
mutica, *Roxb.*

SCITAMINEAE—*continued.*

Burbidgea

schizocheila, *Hort.*

Calathea

flavescens, *Lindl.*

Canna

augustifolia, *Linn.*

Costus

elegans, *Veitch*
igneus, *N. E. Br.*

Ctenanthe

Lubbersiana, *Eichl.*

Globba

alba, *Hort.* (bulbil)
strobilifera, *Zoll.* (bulbil)

Hedychium

formosum, *Hort.*
Gardnerianum, *Rosc.*
Horsfieldii, *R. Br.*

Maranta

noctiflora, *Regel* et *Koernicke*

Roscoea

cautleoides, *Gagnep.*

Stromanthe

Lubbersiana, *E. Morr.*

SCROPHULARINEAE.

Alonsoa

acutifolia, *Ruiz* et *Pav.*
caulialata, *Ruiz* et *Pav.*
incisifolia, *Ruiz* et *Pav.*
Warscewiczii, *Regel*
— var. compacta

SCROPHULARINEAE—*continued.*

Anarrhinum

bellidifolium, *Desf.*
laxiflorum, *Boiss.*

Antirrhinum

Asarina, *Linn.*
majus, *Linn.*
— var. variegatum
maurandioides, *A. Gray*
siculum, *Mill.*

Calceolaria

integrifolia, *Murr.*
pinnata, *Linn.*
scabiosifolia, *Sims*
Sinclairii, *Hook.*

Castilleja

miniata, *Dougl.*
minor, *A. Gray*

Celsia

Arcturus, *Jacq.*
brevipedicellata, *Engl.*
orientalis, *Linn.*
pontica, *Boiss.*

Chelone

glabra, *Linn.*

Collinsia

bicolor, *Benth.*
— var. violacea
Childii, *Parry*
linearis, *A. Gray*
parviflora, *Lindl.*

Dermatobotrys

Saundersii, *Bolus*

Digitalis

laevigata, *Waldst.* et *Kit.*
lanata, *Ehrh.*
lutea, *Linn.*
purpurea, *Linn.*
— var. nevadensis (*Kunze*)

SCROPHULARINEAE—*continued.*

Erinus

alpinus, *Linn.*
— var. carmineus
— var. hirsutus

Hemiphragma

heterophyllum, *Wall.*

Limnophila

Roxburghii, *G. Don.*

Limosella

aquatica, *Linn.*
— var. tenuifolia

Linaria

alpina, *Mill.*
— var. rosea
anticaria, *Boiss.* et *Reut.*
arvensis, *Desf.*
Broussonnetii, *Chav.*
commutata, *Bernh.*
genistifolia, *Mill.*
italica, *Trevir.*
lanigera, *Desf.*
macedonica, *Griseb.*
origanifolia, *DC.*
pallida, *Tenore*
pilosa, *DC.*
purpurea, *Linn.*
repens, *Mill.*
— var. atropurpurea
Rodriguezii, *Porta*
Sibthorpiana, *Boiss.* et *Reut.*,
var. peloponnesiaca
supina, *Desf.*
Tournefortii, *Steud.*
triornithophora, *Willd.*
triphylla, *Mill.*
tristis, *Mill.*

Lyperia

violacea, *Benth.*

Maurandia

Barclaiana, *Lindl.*
erecta, *Hemsl.*

SCROPHULARINEAE—*continued.*

Maurandia—*continued.*

erubescens, *A. Gray*
scandens, *A. Gray*
— var. coccinea

Mimulus

Burnettii ×, *Hort.*
cardinalis, *Dougl.*
corallinus, *Greene*
cupreus, *Regel*
glutinosus, *Wendl.*
— var. puniceus
Langsdorfii, *Donn*
Lewisii, *Pursh*
luteus, *Linn.*
— var. alpinus
primuloides, *Benth.*
Pulsiferae, *A. Gray*
ringens, *Linn.*

Nemesia

strumosa, *Benth.*

Ourisia

macrocarpa, *Hook. f.*
macrophylla, *Hook.*

Pedicularis

palustris, *Linn.*
superba, *Franch.*

Pentstemon

antirrhinoides, *Benth.*
arizonicus, *Heller*
barbatus, *Roth*
breviflorus, *Lindl.*
Bridgesii, *Gray*
campanulatus, *Willd.*
Cobaea, *Nutt.*
confertus, *Dougl.*
— var. coeruleo-purpureus
deustus, *Dougl.*
diffusus, *Dougl.*
glaber, *Pursh*, var. alpinus
— var. cyananthus
glaucus, *R. Grah.*
gracilis, *Nutt.*

SCROPHULARINEAE—*continued.*

Pentstemon—*continued.*

humilis, *Nutt.*
Menziesii, *Hook.*, var. Newberryi
— var. Scouleri
pubescens, *Soland.*
Richardsonii, *Dougl.*
triflorus, *Heller*
Watsoni, *A. Gray*

Phygelius

capensis, *E. Mey.*

Rehmannia

angulata, *Hemsl.*
Briscoi ×

Scrophularia

alata, *Gilib.*
auriculata, *Linn.*
Herminii, *Hoffmgg.* et *Link*
Kotschyana, *Benth.*, var. lutea
nodosa, *Linn.*
pyrenaica, *Benth.*
rupestris, *Bieb.*
Scorodonia, *Linn.*
vernalis, *Linn.*

Sibthorpia

africana, *Linn.*
europaea, *Linn.*, var. variegata
nectarifera, *Wedd.*

Synthyris

reinformis, *Benth.*

Tetranema

mexicanum, *Benth.*

Torenia

flava, *Ham.*
Fournieri, *Linden*

SCROPHULARINEAE—*continued.*

Uroskinnera

spectabilis, *Lindl.*

Verbascum

longifolium, *Tenore*
— var. pannosum
Lychnitis, *Linn.*
nigrum, *Linn.*
phlomoides, *Linn.*
phoeniceum, *Linn.*
— var. hybridum
pyramidatum, *Bieb.*
songaricum, *Schrenk*
Thapsus, *Linn.*
Wiedemannianum, *Fisch.* et *Mey.*

Veronica

alpina, *Linn.*
americana, *Schwein.*
amplexicaulis, *Armstr.*
aphylla, *Linn.*
arborea, *J. Buch.*
austriaca, *Linn.*
— var. pinnatifida
Bidwillii, *Hook.*
buxifolia, *Benth.*
campylopoda, *Boiss.*
candida, *Lodd.*
carnea, *Armstr.*
carnosula, *Hook. f.*
catarractae, *Forst. f.*
— var. compacta
ciliata, *Fisch.*
Colensoi, *Hook. f.*
— var. glauca
— var. major
— var. minor
— var. viridis
corymbosa, *Hort.*, var. variegata
Cymbalaria, *Bodard*, var. cuneata
decumbens, *Armstr.*
didyma, *Tenore*
Eastonii, *Hort.*
elliptica, *Forst.*, var. odora

SCROPHULARINEAE—*continued.*

Veronica—*continued.*

filifolia, *Lipsky*
formosa, *R. Br.*
Forrestii, *Diels*
fruticulosa, *Linn.*
gentianoides, *Vahl*
glaucophylla, *Cock.*
Godefroyana, *Carr.*
Guthrieana ×, *Hort.*
Hulkeana, *F. Muell.*
imperialis, *Hort.*
incana, *Linn.*
incisa, *Ait.*
Kirkii, *Armstr.*
laevis, *Benth.*
latifolia, *Linn.*
ligustrifolia, *A. Cunn.*
Lindsayi ×
longifolia, *Linn.*
— var. alba
Lyallii, *Hook. f.*
lycopodioides, *Hook. f.*
monticola, *Armstr.*
nivalis, *Hort.*
Nummularia, *Gouan*
officinalis, *Linn.*
— var. hirsuta
parviflora, *Vahl*, var. angustifolia, *Hook. f.*
peregrina, *Linn.*
pinguifolia, *Hook. f.*
— var. decumbens
pinnata, *Linn.*
pirolaeformis, *Franch.*
polifolia, *Benth.*
Ponae, *Gouan*
praecox, *All.*
pseudo-Traversii, *Cockayne*
rakaiensis, *Armstr.*
repens, *DC.*
saxatilis, *Scop.*
— var. alba
spicata, *Linn.*
— var. rosea
spuria, *Linn.*
subalpina, *Cockayne*
Teucrium, *Linn.*
Tournefortii, *C. C. Gmel.*
Traversii, *Hook. f.*

SCROPHULARINEAE—*continued.*

Veronica—*continued.*

vernicosa, *Hook. f.*
— var. canterburiensis
virginica, *Linn.*

Wulfenia

Amherstiana, *Benth.*
carinthiaca, *Jacq.*

Zaluzianskya

capensis, *Walp.*

SELAGINEAE.

Dischisma

spicatum, *Choisy*

Globularia

lindavica, *Hort.*
nana, *Lam.*
trichosantha, *Fisch.* et *Mey.*
vulgaris, *Linn.*

Hebenstretia

comosa, *Hochst.*
dentata, *Linn.*

Selago

corymbosa, *Linn.*
spuria, *Linn.*

SIMARUBEAE.

Cneorum

tricoccon, *Linn.*

SOLANACEAE.

Atropa

Belladonna, *Linn.*

Browallia

Czerniakowskii, *Warsc.*
speciosa, *Hook. f.*
— var. major

SOLANACEAE—*continued.*

Capsicum

annuum, *Linn.*
microcarpum, *Cav.*

Cestrum

Newellii, *Veitch*
Smithii, *Hort. Bull.*

Cyphomandra

betacea, *Sendt.*

Datura

Leichhardtii, *F. Muell.*
Stramonium, *Linn.*

Hyoscyamus

niger, *Linn.*

Lycopersicum

esculentum, *Mill.*

Nicandra

physaloides, *Gaertn.*

Nicotiana

glauca, *R. Grah.*
nudicaulis, *S. Wats.*
paniculata, *Linn.*
Sanderae ×, *Hort.*
Tabacum, *Linn.*
trigonophylla, *Dun.*

Nierembergia

calycina, *Hook.*
frutescens, *Dur.*

Petunia

parviflora, *Juss.*

Physalis

Alkekengi, *Linn.*
peruviana, *Linn.*

Przewalskia

tangutica, *Maxim.*

SOLANACEAE—*continued.*

Schizanthus

pinnatus, *Ruiz* et *Pav.*
— var. grandiflorus

Solanum

aculeatissimum, *Jacq.*
auriculatum, *Ait.*
aviculare, *Forst. f.*
Capsicastrum, *Link*, var. Hendersoni
crispum, *Ruiz* et *Pav.*
Dulcamara, *Linn.*
fastigiatum, *Willd.*
haematocladum, *Dun.*
jasminoides, *Paxt.*
nigrum, *Linn.*
racemosum, *Jacq.*
Seaforthianum, *Andr.*
tuberosum, *Linn.*
— var. boreale
verbascifolium, *Linn.*
villosum, *Willd.*

STERCULIACEAE.

Hermannia

althaeifolia, *Linn.*
candicans, *Ait.*
hyssopifolia, *Linn.*
venosa, *Thunb.*

Melochia

corchorifolia, *Linn.*

Rulingia

hermanniaefolia, *Steetz*

STYLIDEAE.

Stylidium

adnatum, *R. Br.*
articulatum, *R. Br.*
graminifolium, *Sw.*

TACCACEAE.

Tacca

artocarpifolia, *Seem.*
cristata, *Jack*
integrifolia, *Ker-Gawl.*
viridis, *Hemsl.*

TAMARISCINEAE.

Myricaria

germanica, *Desv.*

TERNSTROEMIACEAE.

Camellia

japonica, *Linn.*

THYMELAEACEAE.

Daphne

aurantiaca, *Hort. Corr.*

Pimelea

Gnidia, *Willd.*, var. pulchella
hispida, *R. Br.*
laevigata, *Gaertn.*
— var. repens
ligustrina, *Labill.*

TILIACEAE.

Aristotelia

Macqui, *L'Hérit.*, var. variegata

Corchorus

pilolobus, *Link*
textilis, *Del.*

Elaeocarpus

cyaneus, *Sims*

Entelea

arborescens, *R. Br.*

Tricuspidaria

dependens, *Ruiz* et *Pav.*

TYPHACEAE.

Sparganium

ramosum, *Curt.*

UMBELLIFERAE.

Angelica
sylvestris, *Linn.*

Annesorhiza
montana, *Eckl.* et *Zeyh.*

Anthriscus
sylvestris, *Hoffm.*

Archangelica
atropurpurea, *Hoffm.*

Astrantia
Biebersteinii, *Fisch.* et *Mey.*
carniolica, *Wulf.*
helleborifolia, *Salisb.*
major, *Linn.*
minor, *Linn.*
neglecta, *C. Koch* et *Bouché*
pauciflora, *Bertol.*

Astydamia
canariensis, *DC.*

Athamanta
Matthioli, *Wulf.*
vestina, *A. Kern.*

Bowlesia
tenera, *Spreng.*

Bupleurum
Candollii, *Wall.*
fruticosum, *Linn.*
longicaule, *Wall.*
nodiflorum, *Sibth.* et *Sm.*

Carum
Bulbocastanum, *Koch.*
Carvi, *Linn.*
verticillatum, *Koch*

Caucalis
arvensis, *Huds.*

UMBELLIFERAE—*continued.*

Chaerophyllum
aromaticum, *Linn.*
hirsutum, *Linn.*

Conium
maculatum, *Linn.*

Cuminum
Cyminum, *Linn.*

Daucus
australis, *Poepp.*
Carota, *Linn.*
maximus, *Desf.*

Dorema
Aucheri, *Boiss.*

Eryngium
agavifolium, *Griseb.*
alpinum, *Linn.*
Bourgati, *Gouan*
dichotomum, *Desf.*
grande, *Hemsl.* et *Rose*
— var. roseum
planum, *Linn.*
prostratum, *Nutt.*
Spinalba, *Vill.*
Wrightii, *A. Gray*

Foeniculum
giganteum, *Hort.*
vulgare, *Mill.*

Hacquetia
Epipactis, *DC.*

Heracleum
asperum, *Bieb.*
sibiricum, *Linn.*, var. angustifolium
villosum, *Fisch.*

Hydrocotyle
hirsuta, *Sw.*
moschata, *Forst.*

UMBELLIFERAE—*continued.*

Laserpitium

gallicum, *Linn.*
marginatum, *Waldst.* et *Kit.*
Siler, *Linn.*

Levisticum

officinale, *Koch*

Ligusticum

acutilobum, *Sieb.* et *Zucc.*
aromaticum, *Banks* et *Soland.*
involucratum, *Franch.*
simplex, *All.*

Lophosciadium

meifolium, *DC.*

Meum

athamanticum, *Jacq.*

Molopospermum

cicutarium, *DC.*

Myrrhis

odorata, *Scop.*

Oenanthe

crocata, *Linn.*
pimpinelloides, *Linn.*
silaifolia, *Bieb.*

Opopanax

Chironium, *Koch*

Oreomyrrhis

andicola, *Endl.*

Peucedanum

angustifolium, *Reichb. f.*
coriaceum, *Reichb.*
Galbanum, *Benth.* et *Hook. f.*
officinale, *Linn.*
Ostruthium, *Koch*
verticillare, *Spreng.*

UMBELLIFERAE—*continued.*

Phellopterus

littoralis, *Benth.*

Pimpinella

cretica, *Poir.*
magna, *Linn.*, var. rosea
Saxifraga, *Linn.*, var. rosea
serbica, *Hort. Edin.*

Reutera

procumbens, *Boiss.*

Sanicula

europaea, *Linn.*

Scandix

brachycarpa, *Guss.*
Pecten-Veneris, *Linn.*

Selinum

Benthami, *S. Wats.*
pyrenaeum, *Gouan*
tenuifolium, *Wall.*
— var. album

Seseli

caespitosum, *Sibth.* et *Sm.*

Silaus

tenuifolius, *DC.*

Siler

trilobum, *Crantz*

Sison

Amomum, *Linn.*

Thaspium

aureum, *Nutt.*

Torilis

triradiata, *Boiss.* et *Heldr.*

Trachydium

hispidum, *Franch.*

UMBELLIFERAE—*continued.*

Turgeniopsis

foeniculacea, *Boiss.*

Xanthosia

rotundifolia, *DC.*

URTICACEAE.

Artocarpus

laciniata, *Hort.*

Boehmeria

biloba, *Miq.*
platyphylla, *D. Don*

Debregeasia

velutina, *Gaudich.*

Dorstenia

arifolia, *Lam.*
Contrajerva, *Linn.*
urceolata, *Schott*

Ficus

Canoni, *N. E. Br.*
Carica, *Linn.*
diversifolia, *Blume*
glomerata, *Roxb.*
pyriformis, *Hook.* et *Arn.*

Laportea

moroides, *Wedd.*
peltata, *Gaudich.*

Myriocarpa

longipes, *Liebm.*

Parietaria

lusitanica, *Linn.*
officinalis, *Linn.*

Pellionia

Daveauana, *N. E. Br.*
pulchra, *N. E. Br.*

URTICACEAE—*continued.*

Pilea

grandis, *Wedd.*
muscosa, *Lindl.*
Spruceana, *Wedd.*

Procris

frutescens, *Blume*

Urtica

dioica, *Linn.*
pilulifera, *Linn.*, var. balearica

VACCINIACEAE.

Cavendishia

acuminata, *Benth.*

Gaylussacia

resinosa, *Torr.* et *Gray*
ursina, *Torr.* et *Gray*

Vaccinium

erythrinum, *Hook.*
Myrtillus, *Linn.*
padifolium, *Sm.*

VALERIANEAE.

Centranthus

angustifolius, *DC.*
macrosiphon, *Boiss.*
ruber, *DC.*

Fedia

Cornucopiae, *Gaertn.*

Nardostachys

grandiflora, *DC.*
Jatamansi, *DC.*

Valeriana

alliariaefolia, *Vahl*
apula, *Pourr.*
officinalis, *Linn.*
pyrenaica, *Linn.*
sambucifolia, *Mikan.*
tuberosa, *Linn.*

VALERIANEAE—*continued.*

Valerianella

congesta, *Lindl.*
dentata, *Pollich*
macrocera, *A. Gray*
truncata, *Betcke*, var. muricata

VERBENACEAE.

Amasonia

calycina, *Hook. f.*

Bouchea

Ehrenbergii, *Cham.*

Callicarpa

purpurea, *Juss.*

Clerodendron

fallax, *Lindl.*
myrmecophilum, *Ridley*
speciosum ×, *Hort.*
splendens, *G. Don*
Thomsonae, *Balf.*
— var. variegatum

Lantana

Camara, *Linn.*

Lippia

chamaedrifolia, *Steud.*
nodiflora, *Michx.*

Priva

echinata, *Juss.*

Stachytarpheta

indica, *Vahl*

Verbena

bipinnatifida, *Schau.*
canescens, *H. B.* et *K.*, var. neomexicana

VIOLARIEAE.

Hymenanthera

dentata, *R. Br.*
— var. angustifolia

VIOLARIEAE—*continued.*

Melicytus

lanceolatus, *Hook. f.*

Viola

arborescens, *Linn.*
arenaria, *DC.*
betonicifolia, *Sm.*
blanda, *Willd.*
canadensis, *Linn.*
canina, *Linn.*
— var. rosea
cognata, *Greene*
cornuta, *Linn.*
— var. alba
— var. purpurea
declinata, *Waldst.* et *Kit.*
elatior, *Fries*
glabella, *Nutt.*
gracilis, *Sibth.* et *Sm.*
hederacea, *Labill.*
hirta, *Linn.*
labradorica, *Schrank*
lutea, *Huds.*
— var. amoena
macedonica, *Boiss.* et *Heldr.*
odorata, *Linn.*
oreocallis, *Greene*
Patrinii, *Ging.*
polychroma, *Kern.*
primulaefolia, *Linn.*
pyrenaica, *Ram.*
rotundifolia, *Michx.*
Rydbergii, *Greene*
sarmentosa, *Dougl.*
septentrionalis, *Greene*
stagnina, *Kit.*
tricolor, *Linn.*
— var. atlantica

XYRIDEAE.

Xyris

capensis, *Baker.*